

Chinhoyi Baseline

Search



Key	Label	Type	
Gender	Sex	single_select	
Resus	Resuscitation given	multi_select	
Diagnoses	Admission Diagnoses	multi_select	
MedsGiven	Medications given during admission	multi_select	
MEDSDIS	Discharge Medications (Dose/ Duration)	multi_select	
AdmissionLocation	Admission Location	multi_select	
PlaceofDelivery	Place of Delivery	multi_select	
DOBTOB	Date and time of birth	datetime	
DateTimeAdmission	Date & time of admission	datetime	
M	Male	option	
F	Female	option	
NS	Not Sure	option	
AgeA	Is the baby aged less than 1 week?	dropdown	
AgeCat	Age Category?	dropdown	
AgeC	Age of baby in days	number	
TypeBirth	Type of Birth	dropdown	
Gestation	Gestational age at birth (weeks)	number	
MethodEstGest	Method of gestational estimation antenatally	dropdown	
MatAgeYrs	Age of Mother (yrs)	number	

You're in **view** mode Switch to **development** mode

v5282

david.delorenzo



ReceivedAntenatalCare	Pregnancy Booking Status	dropdown	
BW	Birth Weight (g)	number	
OFC	Head Circumference (cm)	number	
Length	Length (cm)	number	
Temperature	Temperature (deg's C)	number	
Presentation	Presentation	dropdown	
ModeDelivery	Mode of Delivery	dropdown	
Reason	Reason for CS:	dropdown	
CryBirth	Cried at Birth	dropdown	
Apgar1	Apgar Score at 1 min	number	
Apgar5	Apgar Score at 5 mins	number	
Stim	Stimulation	option	
Suc	Suctioning	option	
O2	Oxygen	option	
BVM	Bag Valve Mask Ventilation (BVM)	option	
CPR	Cardio Pulmonary Resuscitation (CPR)	option	
Unk	Unknown	option	
Norm	NONE	option	
An	Anaemia	option	
BBA	Born Before Arrival	option	
BI	Birth Injury	option	
Cong	Congenital Abnormality	option	
CHD	Congenital Heart Disease	option	
Dhyd	Dehydration	option	
DUM	Abandoned baby	option	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



HIVX	HIV Exposed HIGH RISK	option	
HIVXL	HIV exposed low risk	option	
BA	Hypoxic Ischaemic Encephalopathy	option	
GSchis	Gastroschisis	option	
JA	Jaundice	option	
LBW	Low Birth Weight	option	
HBW	Macrosomia (>4000g)	option	
MA	Meconium Aspiration	option	
MecEx	Meconium exposure (asymptomatic baby)	option	
NEC	NEC	option	
SEPS	Neonatal Sepsis	option	
OMP	OMPHALOCELE	option	
PN	Pneumonia	option	
PREM	Prematurity	option	
PREMRDS	Prematurity with RDS	option	
Risk	Risk factors for sepsis (asymptomatic baby)	option	
Safe	Safekeeping	option	
Twin	Accompanying Twin (asymptomatic)	option	
TTN	Transient Tachypnoea of Newborn (TTN)	option	
OTH	Other	option	
DiagnosesOth	If other diagnosis then what?	text	
NeotreeOutcome	Outcome	dropdown	
DateTimeDischarge	Date and Time of Discharge (or left department)	datetime	
DIAGDIS1	Primary discharge diagnosis	dropdown	
BP	X penicillin	option	

You're in **view** mode [Switch to development mode](#)

v5282

david.delorenzo



BCG	BCG Vaccine	option	↗
AMOX	Amoxicillin	option	↗
AMIK	Amikacin	option	↗
AMIN	Aminophylline	option	↗
AMP	Ampicillin	option	↗
AZT	AZT (Zidovudine)	option	↗
CAF	Caffeine	option	↗
CEF	Ceftriaxone	option	↗
CHLO	Chloramphenicol	option	↗
CLOX	Cloxacillin	option	↗
FOL	Folate	option	↗
IMI	Imipenem	option	↗
IRON	Iron	option	↗
MET	Metronidazole	option	↗
NVP	Nevirapine	option	↗
PHEN	Phenobarbitone	option	↗
PROC	Procaine Penicillin	option	↗
TTV	Tetanus Vaccine	option	↗
VAN	Vancomycin	option	↗
VITD	Vitamin D	option	↗
UK	Unknown	option	↗
FOL	Folic acid	option	↗
FE	Iron (Ferrous sulphate)	option	↗
PROC	Intramuscular procaine penicillin (syphilis)	option	↗
NVP	NVP (Nevirapine)	option	↗

You're in **view** mode [Switch to development mode](#)

v5282

david.delorenzo



PAEDWARD	PAEDIATRIC WARD	option	
CH	Chinhoyi hospital	option	
CL	Clinic	option	
HOME	Home	option	
PlaceofDeliveryOth	Place of Delivery (Other)	text	
Y	Yes	option	
N	No	option	
FNB	Fresh Newborn (< 2 hours old)	option	
NB24	Newborn (2 - 23 hrs old)	option	
NB36	Newborn (24 - 47hrs old)	option	
NB42	Newborn (48hrs - 71hrs)	option	
NB	Newborn (> 3 days old)	option	
S	Single	option	
Tw1	1st Twin	option	
Tw2	2nd Twin	option	
Tr1	1st Triplet	option	
Tr2	2nd Triplet	option	
Tr3	3rd Triplet	option	
LMP	Last Menstrual Period (LMP)	option	
FH	Fundal height	option	
USS	USS	option	
Bkd	Booked	option	
Ubkd	Unbooked	option	
Vertex	Vertex	option	
Brow	Brow	option	

You're in **view** mode [Switch to development mode](#)

v5282

david.delorenzo



Face	Face	option	
1	Spontaneous Vaginal Delivery	option	
6	Breech extraction (vaginal)	option	
2	Vacuum extraction	option	
3	Forceps extraction	option	
4	Elective Ceasarian Section (ELCS)	option	
5	Emergency Ceasarian Section (EMCS)	option	
FD	Foetal Distress	option	
Pres	Malpresentation (e.g. breech)	option	
Scar	Previous scar(s)	option	
E	Eclampsia	option	
PE	Pre-Eclampsia	option	
Fi	Fibroids	option	
Fund	Big Fundus	option	
Mult	Multiple gestation	option	
Pr	Prolonged labour	option	
Post	Post Term	option	
CPD	Cephalopelvic Disproportion	option	
O	Other	option	
U	Unknown	option	
DC	Discharged	option	
NND	Died	option	
ABS	Absconded	option	
STB	Stillbirth	option	
TRH	Transferred to other Hospital	option	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



HIE	Hypoxic Ischaemic Encephalopathy	option	
BO	Bowel Obstruction	option	
HIVXH	HIV Exposed High Risk	option	
JAUN	Jaundice	option	
MD	Musculoskeletal Abnormalities	option	
NEC	Necrotising Enterocolitis	option	
NNS	Neonatal Sepsis	option	
NB	Normal baby	option	
OM	Omphalocele	option	
OCA	Other congenital abnormality	option	
Prem	Premature (32 to 36.6 weeks)	option	
PremRD	Premature baby with Respiratory Distress	option	
Ri	Risk of sepsis	option	
Twin	Accompanying Twin	option	
TTN	Transient Tachypnoea Newborn	option	