



v5282

david.delorenzo



Chinhoyi Provincial Hospital Admission

Search



Key	Label	Type	
An	Anaemia	diagnosis	
BBA	Born Before Arrival	diagnosis	
BI	Birth Trauma	diagnosis	
Cong	Congenital Abnormality	diagnosis	
CHD	Consider Congenital Heart Disease	diagnosis	
Conv	Convulsions	diagnosis	
Dhyd	Dehydration	diagnosis	
DUM	Abandoned baby	diagnosis	
DF	Difficulty Feeding	diagnosis	
HIVExp	HIV Exposed	diagnosis	
HIVU	HIV Unknown	diagnosis	
Syph_Exp	Syphilis exposed	diagnosis	
HypogSy	Hypoglycaemia (symptomatic)	diagnosis	
HypogAs	Hypoglycaemia (NOT symptomatic)	diagnosis	
RiHypog	Risk of hypoglycaemia	diagnosis	
LBW	Low Birth Weight (1500-2499g)	diagnosis	
VLBW	Very Low Birth Weight (1000-1499g)	diagnosis	

You're in **view** mode [Switch to development mode](#)

v5282

david.delorenzo



(<1000g)			
MA	Possible Meconium Aspiration	diagnosis	
MiHypo	Mild Hypothermia	diagnosis	
ModHypo	Moderate Hypothermia	diagnosis	
SHypo	Severe Hypothermia	diagnosis	
Hyperth	Hyperthermia	diagnosis	
NB	Normal Baby	diagnosis	
PN	Pneumonia / Bronchiolitis	diagnosis	
Prem	Premature (32 to 37 weeks)	diagnosis	
VPrem	Very Premature (28-31+6 weeks)	diagnosis	
ExPrem	Extremely Premature (<28 weeks)	diagnosis	
TTN	Transient Tachypnoea of Newborn (TTN)	diagnosis	
CongPneu	? Congenital Pneumonia	diagnosis	
UH	Umbilical Hernia	diagnosis	
ConTet	Consider Tetanus	diagnosis	
ApofPrem	Apnoea of prematurity	diagnosis	
NecEnt	Consider Necrotising Enterocolitis	diagnosis	
ConMen	Consider Meningitis	diagnosis	
PremRD	Premature baby with Respiratory Distress	diagnosis	
TermRD	Term with Respiratory Distress	diagnosis	
HBW	Macrosomia (>4000g)	diagnosis	
MJ	Physiological Jaundice	diagnosis	
DJ	Pathological Jaundice	diagnosis	
ProJ	Prolonged Jaundice	diagnosis	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Encephalopathy

sHIE	Suspected Hypoxic Ischaemic Encephalopathy (HIE)	diagnosis	
NSep	Suspected neonatal sepsis	diagnosis	
GSchis	Gastroschisis	diagnosis	
Omph	Omphalocele	diagnosis	
CleftRD	Cleft lip and/or palate with RD	diagnosis	
CleftLip	Cleft lip	diagnosis	
CleftPal	Cleft palate	diagnosis	
Myelo	Myelomeningocele	diagnosis	
CDH	Congenital dislocation of the hip (CDH)	diagnosis	
MoTalipes	Moderate Talipes (club foot)	diagnosis	
MiTalipes	Mild Talipes (club foot)	diagnosis	
Risk	Risk factors for sepsis	diagnosis	
BabyCryTriage	Baby Crying	yesno	
FurtherTriage	Further Triage	single_select	
DangerSigns	Danger signs	multi_select	
DangerSigns2	Danger Signs B)	multi_select	
RR	Respiratory Rate (breaths/min)	timer	
ManualHR	Manual Heart Rate (beats/min)	timer	
EnvTemp	Environmental cause for temperature	yesno	
HypoSymptoms	Symptomatic?	yesno	
AdmReasonAdd	Additional Problems present	multi_select	
Gender	Sex	single_select	
SuckReflex	Suck Reflex	single_select	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Palate	Palate	single_select	
Fontanelle	Fontanelle	single_select	
HeadShape	Head Shape	single_select	
Tone	Tone	single_select	
Spine	Spine	single_select	
Activity	Activity	single_select	
SignsRD	Signs of Respiratory Distress	multi_select	
WOB	Work of breathing	single_select	
Stethoscope	Stethoscope	yesno	
ChestAusc	Chest auscultation	multi_select	
Murmur	Heart sounds	single_select	
Colour	Colour	multi_select	
CRT	Capillary Refill time (CRT)	single_select	
Femorals	Femoral pulses	single_select	
SignsDehydrations	Signs of Dehydration	multi_select	
Abdomen	Abdomen	multi_select	
GSCvsOM	Which abdominal wall defect?	single_select	
Umbilicus	Umbilicus	multi_select	
Genitalia	Genitalia	single_select	
Anus2	Anus	single_select	
MSKproblems	Musculoskeletal problems	multi_select	
TalipesSev	TalipesSev	yesno	
Skin	Skin	multi_select	
Ortolani	Ortolani	single_select	
FeverSR	Fever	yesno	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



RespSR	If yes what?	multi_select	
RespOns	Breathing problems started	single_select	
Vomiting	Vomiting?	multi_select	
GastOns	Gastro problems started	single_select	
FeedsAdm	Feeds received	multi_select	
SRNeuroOther	Any other symptoms?	multi_select	
NeorOns	Neuro problems started	single_select	
InOrOut	Admitted from within CPH?	yesno	
AdmittedFrom	Admitted from	single_select	
ReferredFrom2	Referred from	single_select	
ReferredFrom	Name of referring facility	single_select	
BirthPlaceSame	Birth place same?	yesno	
PlaceBirth	Place of birth	single_select	
BirthFacility	Name of Birth Facility	single_select	
MatAdm	Maternal Admission	yesno	
MaritalStat	Mother's marital status	single_select	
Religion	Mother's religion	single_select	
NVPgiven	Has the baby received HIV prophylaxis?	yesno	
ANVDRL	Syphilis test?	single_select	
PregConditions	Medical conditions in pregnancy	multi_select	
IPT	Malaria IPTp	single_select	
ANSteroids	Antenatal steroids	single_select	
ProbsLab	Problems in Labour	multi_select	
RFSeptis	Risk Factors for Sepsis	multi_select	
CSReason	Reason for C-Section	multi_select	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



DelivInter	Delivery interventions	multi_select	↗
EDLIZSummaryTableScore	EDLIZ summary table score	zw_edliz_summary_table	↗
Plan	Management Plan	multi_select	↗
RefDia	Referral Diagnoses	multi_select	↗
White colour	White colour	diagnosis_symptom_sign	↗
No Mat Iron	No Mat Iron	diagnosis_symptom_sign	↗
Admitted with NTD	Admitted with NTD	diagnosis_symptom_sign	↗
Admitted with other congenital abnormality	Admitted with other congenital abnormality	diagnosis_symptom_sign	↗
Spinal NTD	Spinal NTD	diagnosis_symptom_sign	↗
Abdominal wall defect	Abdominal wall defect	diagnosis_symptom_sign	↗
Abnormal umbilicus	Abnormal umbilicus	diagnosis_symptom_sign	↗
Imperforate anus	Imperforate anus	diagnosis_symptom_sign	↗
Musculoskeletal deformity e.g. talipes	Musculoskeletal deformity e.g. talipes	diagnosis_symptom_sign	↗
Head Shape	Head Shape	diagnosis_symptom_sign	↗
Convulsions in Danger Signs	Convulsions in Danger Signs	diagnosis_symptom_sign	↗
History of convulsions	History of convulsions	diagnosis_symptom_sign	↗
Activity is convulsing	Activity is convulsing	diagnosis_symptom_sign	↗
Presented with convulsions	Presented with convulsions	diagnosis_symptom_sign	↗
Prolonged skin pinch	Prolonged skin pinch	diagnosis_symptom_sign	↗
Dry Mucous Membranes	Dry Mucous Membranes	diagnosis_symptom_sign	↗
Sunken eyes	Sunken eyes	diagnosis_symptom_sign	↗
SunkFont	Sunken Fontanelle	diagnosis_symptom_sign	↗
Needs help breast feeding	Needs help breast feeding	diagnosis_symptom_sign	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Feeding

Refusing all feeds: needs NG	Refusing all feeds: needs NG	diagnosis_symptom_sign	↗
Requires IV fluids	Requires IV fluids	diagnosis_symptom_sign	↗
Absent suck	Absent suck	diagnosis_symptom_sign	↗
Mec stained umbilicus	Mec stained umbilicus	diagnosis_symptom_risk	↗
Grunting or severe recessions	Grunting or severe recessions	diagnosis_symptom_sign	↗
Tachynoea > 80	Tachynoea > 80	diagnosis_symptom_sign	↗
History of fast or laboured breathing	History of fast or laboured breathing	diagnosis_symptom_sign	↗
History of noisy breathing	History of noisy breathing	diagnosis_symptom_sign	↗
Saturations in air < 90	Saturations in air < 90	diagnosis_symptom_sign	↗
Saturations in oxygen < 90	Saturations in oxygen < 90	diagnosis_symptom_sign	↗
Any severity of work of breathing	Any severity of work of breathing	diagnosis_symptom_sign	↗
Bilateral crackles or wheeze	Bilateral crackles or wheeze	diagnosis_symptom_sign	↗
Passed Mec in liquor	Passed Mec in liquor	diagnosis_symptom_risk	↗
Tachypnoea > 80	Tachypnoea > 80	diagnosis_symptom_sign	↗
History of cough	History of cough	diagnosis_symptom_sign	↗
Any severity of WOB	Any severity of WOB	diagnosis_symptom_sign	↗
Sats in air < 90	Sats in air < 90	diagnosis_symptom_sign	↗
Sats in oxygen < 90	Sats in oxygen < 90	diagnosis_symptom_sign	↗
Any chest signs	Any chest signs	diagnosis_symptom_sign	↗
Saturations in O2 < 90	Saturations in O2 < 90	diagnosis_symptom_sign	↗
Fever	Fever	diagnosis_symptom_sign	↗
Admitted with fever	Admitted with fever	diagnosis_symptom_sign	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Pustules all over body	Pustules all over body	diagnosis_symptom_sign	↗
Big Boil	Big Boil	diagnosis_symptom_sign	↗
Infected umbilicus	Infected umbilicus	diagnosis_symptom_sign	↗
Bulging fontanelle	Bulging fontanelle	diagnosis_symptom_sign	↗
History of Apnoea	History of Apnoea	diagnosis_symptom_sign	↗
Pallor	Pallor	diagnosis_symptom_sign	↗
Lethargy	Lethargy	diagnosis_symptom_sign	↗
Irritability	Irritability	diagnosis_symptom_sign	↗
Tachy without fever or crying	Tachy without fever or crying	diagnosis_symptom_sign	↗
Manual tachy without fever	Manual tachy without fever	diagnosis_symptom_sign	↗
Jaundice (<24hrs)	Jaundice (<24hrs)	diagnosis_symptom_sign	↗
weak or absent suck	weak or absent suck	diagnosis_symptom_sign	↗
Distended abdomen	Distended abdomen	diagnosis_symptom_sign	↗
Any full risk factor for sepsis	Any full risk factor for sepsis	diagnosis_symptom_risk	↗
Born before arrival	Born before arrival	diagnosis_symptom_risk	↗
Convulsions	Convulsions	diagnosis_symptom_sign	↗
Bilious vomiting	Bilious vomiting	diagnosis_symptom_sign	↗
Poor feeding or vomiting	Poor feeding or vomiting	diagnosis_symptom_sign	↗
Unequal air entry	Unequal air entry	diagnosis_symptom_risk	↗
Unilateral crackles	Unilateral crackles	diagnosis_symptom_risk	↗
Unilateral wheeze	Unilateral wheeze	diagnosis_symptom_risk	↗
History of blue episodes	History of blue episodes	diagnosis_symptom_sign	↗
Abdo distension	Abdo distension	diagnosis_symptom_sign	↗
Vomiting all feeds	Vomiting all feeds	diagnosis_symptom_sign	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Vomiting bright green	Vomiting bright green	diagnosis_symptom_sign	
Bloody stools	Bloody stools	diagnosis_symptom_sign	
Increased tone	Increased tone	diagnosis_symptom_sign	
Activity irritable	Activity irritable	diagnosis_symptom_sign	
Activity Lethargic	Activity Lethargic	diagnosis_symptom_sign	
NotBr	NOT BREATHING!	option	
Gasp	GASPING or irregular breathing	option	
HRLow	Normal breathing but HR < 100	option	
Floppy	VERY FLOPPY (normal breathing & HR)	option	
Stable	Stable	option	
Grun	Grunting or severe chest indrawings	option	
Cyan	Central cyanosis	option	
Convulsions	Convulsions or twitchings	option	
Norm	NONE	option	
Cold	Trunk feels cold	option	
PrCRT	Capillary Refill Time more than 3 seconds	option	
Wkpulse	Weak or fast femoral pulses	option	
SatsAir	Oxygen Saturations in Air (%)	number	
HR	Heart Rate (beats/min)	number	
SatsO2	Saturations in Oxygen	number	
Temperature	Temperature (deg C)	number	
BSmonYN	Are you able to measure blood sugar?	dropdown	
BSUnit	Blood Sugar Measurement Unit	dropdown	

You're in **view** mode [Switch to development mode](#)

v5282

david.delorenzo



BloodSugarmg	Blood Sugar (mg/dL) (45 - 81)	number	
BirthWeight	Birth Weight (g)	number	
AdmissionWeight	Admission Weight (g) (if different)	number	
OFC	Head Circumference (cm)	number	
Length	Length (cm)	number	
AdmReason	Presenting complaint	dropdown	
Cong	Other Congenital Abnormality	option	
AD	Abdominal distension	option	
BBA	Born Before Arrival	option	
Conv	Convulsions	option	
DU	Dumped baby	option	
Fev	Fever	option	
DF	Difficulty Feeding	option	
GSchis	Gastroschisis	option	
HIE	Hypoxic ischaemic encephalopathy	option	
HIVX	HIV Exposed	option	
J	Jaundice	option	
LBW	Low birth weight	option	
Mec	Possible Meconium aspiration	option	
NTD	Neural tube defect / spina bifida	option	
OM	Omphalocele	option	
Prem	Prematurity	option	
Pneum	Pneumonia	option	
RDS	Respiratory Distress	option	

v5282		david.delorenzo	
UID	NEOTREE ID	text	
DateTimeAdmission	Date & time of admission	datetime	
Readmission	Readmission?	dropdown	
MotherFirstName	Mother's First Name	text	
MotherSurname	Mother's Surname	text	
PAR	Maternal Parity	number	
BabyFirst	Baby's First Name	text	
BabyLast	Baby's Surname	text	
M	Male	option	
F	Female	option	
NS	Not Sure	option	
DOBYN	Do you know the Date of Birth?	dropdown	
DOBTOB	Date and Time of birth	datetime	
Age	Age (Days & Hours)	period	
AgeEstimate	Age Category Estimate	dropdown	
TypeBirth	Type of Birth	dropdown	
Gestation	Gestational age at birth (weeks.days)	number	
MethodEstGest	Method of gestational estimation antenatally	dropdown	
CryBirth	Did the baby cry straight away?	dropdown	
Apgar1	Apgar Score at 1 min	number	
Apgar5	Apgar Score at 5 mins	number	
Apgar10	Apgar at 10 minutes	number	
Strong	Present and strong	option	
Weak	Present but weak	option	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Palate	Palate and lip intact	option	
Cleft	Cleft palate	option	↗
Lip	Cleft lip	option	↗
LipPalate	Cleft lip and palate	option	↗
Flat	Flat, Not Tense (normal)	option	↗
Sunk	Sunken	option	↗
Bulg	Bulging	option	↗
Norm	Normal	option	↗
Mold	Molding	option	↗
Hydro	Hydrocephalus	option	↗
Swell	Swelling or signs of birth trauma	option	↗
Micro	Microcephaly	option	↗
Norm	Normal tone, movement in all limbs	option	↗
Low	Reduced tone = Hypotonia (floppy)	option	
High	Increased tone = Hypertonia (stiff)	option	
OAbn	Other spinal abnormality	option	↗
Alert	Alert, active, appropriate	option	↗
Leth	Lethargic, quiet, decreased activity	option	↗
Irrit	Irritable	option	↗
Convulsions	Seizures, convulsions, or twitchings	option	↗
Coma	Coma (unresponsive)	option	↗
NFL	Nasal Flaring	option	↗
CHI	Chest indrawings	option	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Gasp	Gasping	option	↗
GR	Grunting	option	↗
TT	Tracheal Tug	option	↗
ST	Stridor	option	↗
Mild	Mild	option	↗
Mod	Moderate	option	↗
Sev	Severe	option	↗
Clear	Adequate air entry	option	↗
UeqAE	Unequal air entry	option	↗
UniCr	Unilateral crackles	option	↗
UniWh	Unilateral wheeze	option	↗
BilatCr	Bilateral crackles/wheeze	option	↗
Strid	Stridor	option	↗
No	Normal heart sounds	option	
Yes	Murmur or extra sounds	option	
NotCon	I am not confident auscultating for murmurs	option	
Pink	Pink	option	↗
Blue	Blue	option	↗
White	White	option	↗
Yell	Yellow	option	↗
Norm	Less than 3 seconds	option	↗
Prol	3 or more seconds	option	↗
Present	Palpable	option	
Absent	Weak or absent	option	
Diff	Difficult to feel	option	↗

v5282

david.delorenzo

removal pulses			
PSP	Prolonged skin pinch	option	↗
DMM	Dry Mucous Membranes	option	↗
SE	Sunken Eyes	option	↗
SunkFont	Sunken Fontanelle	option	↗
Norm	Soft and normal	option	↗
Dist	Distended	option	↗
HepMeg	Hepatomegaly	option	↗
SplMeg	Splenomegaly	option	↗
AbMass	Abdominal mass	option	↗
GSchisOmph	Gastroschisis or Omphalocele	option	↗
PrunB	Prune Belly	option	↗
GSCH	Gastroschisis	option	↗
OMPH	Omphalocele	option	
Norm	Healthy & clean	option	↗
Bl	Bleeding	option	↗
Inf	Red skin all around umbilicus	option	↗
Mec	Meconium stained	option	↗
H	Umbilical Hernia	option	↗
Abn	Abnormal looking	option	↗
M	Normal Male genitalia	option	↗
F	Normal Female genitalia	option	↗
AM	Abnormal Male genitalia	option	↗
AF	Abnormal Female genitalia	option	↗
Amb	Ambiguous Genitalia (not sure)	option	
Pat	Patent (normal)	option	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Abn	Abnormal	option	
YColour	Yellow Colour	dropdown	
Jaundice	Jaundice staging	dropdown	
BTUL	Birth injury (upper limbs)	option	
BTLL	Birth injury (lower limbs)	option	
MSKD	Musculoskeletal deformities	option	
Legs	Leg length discrepancy	option	
PUST	Pustules all over	option	
BOIL	Big Boil / Abscess	option	
Folds	Uneven skin folds on thighs	option	
Mong	Mongolian blue spot	option	
Rash	Other skin rash	option	
NoOrto	No clunk/click	option	
YesOrto	There is a clunk or click	option	
NDOрто	Not done	option	
L24	Less than 24hrs ago	option	
1t2d	1 - 2 days	option	
2t3d	2 -3 days	option	
M3d	more than 3 days	option	
UNK	Unknown	option	
DIB	Fast or laboured breathing	option	
NBr	Noisy Breathing	option	
Cough	Cough	option	
Apn	Apnoea	option	
BE	Blue episodes	option	

You're in **view** mode [Switch to development mode](#)

v5282

david.delorenzo



(normal)

Yes	Vomiting all feeds	option	↗
YesBl	Vomiting with blood	option	↗
YesGr	Vomiting bright green	option	↗
2t3d	2 - 3 days	option	↗
BF	Breast feeding normally	option	↗
NFY	Has not had a breast feed yet	option	↗
BFH	Needs help breast feeding	option	↗
CUPEBM	Cup/ Spoon feeds with breast milk	option	↗
CUPFOR	Cup/ Spoon feeds with formula	option	↗
NGEBM	NG feeds with EBM	option	↗
NGFORM	NG feeds with formula	option	↗
IVF	Intravenous fluids	option	↗
PassedMec	Meconium?	dropdown	↗
StoolsInfant	Stools?	dropdown	↗
PUNewborn	Passing urine? (newborn)	dropdown	↗
PUIntant	Passing urine? (infant)	dropdown	↗
Convulsions	Convulsions	option	
CL	Crying less than usual	option	↗
CrM	Crying more than usual	option	↗
FI	Floppy	option	↗
St	Stiff neck or limbs	option	↗
M3	More than 3 days	option	↗
LW	Labour ward (LW)	option	↗
PNW	Post Natal Ward (PNW)	option	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



TH	Theatre	option	↗
FCH	Family and Child Health dept	option	↗
Cas	Casualty	option	↗
H	Home - Self Referral	option	↗
F	Other facility	option	↗
AM	Alaska Munic Clinic	option	↗
BDH	Banket District Hospital	option	↗
CDH	Chegutu District Hospital	option	↗
CHM	Chikonohono Munic Clinic	option	↗
CRC	Chimanimani RDC Clinic	option	↗
CMC	Chinhoyi Munic Clinic	option	↗
CUTC	Chinhoyi Uni Tech Clinic	option	↗
CZC	Chinhoyi ZRP Clinic	option	↗
CC	Chipfuwamiti Clinic	option	↗
DRC	Doma RDC Clinic	option	↗
DCS	Dr Chitambo Surgery	option	↗
GRS	Gamanya RDC Clinic	option	↗
GC	Godzi RDC Clinic	option	↗
GVC	Green Valley RDC Clinic	option	↗
GHC	Gudubu Rural Health	option	↗
HRC	Hombwe RDC Clinic	option	↗
KRHC	Kamhonde Rural Health Clinic	option	↗
KRC	Kamuzingizi RDC Clinic	option	↗
KYRC	Kanyaga RDC Clinic	option	↗
KDH	Kariba District Hospital	option	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



KZRC	Kenzamba Rural Health Clinic	option	↗
KRRC	Khosana Ranch RDC Clinic	option	↗
LVC	Long Valley Clinic	option	↗
MCH	Makonde Christ Hospital	option	↗
MRHC	Manyamba Rural Health Centre	option	↗
MJC	Matoranjera RDC Clinic	option	↗
MRC	Mukohwe RDC Clinic	option	↗
MKHC	Murereka Rural Health Centre	option	↗
MTRC	Mutala RDC Clinic	option	↗
MMP	Muzari Municipal Polyclinic	option	↗
NDRC	Naison Dip RDC Clinic	option	↗
NRC	Nyamugomba RDC Clinic	option	↗
ORC	Obva RDC Clinic	option	↗
PRC	Portlet RDC Clinic	option	↗
PPC	Presbyterian Private Clinic	option	↗
RRC	River Ranch RDC Clinic	option	↗
RRC	Runene RDC Clinic	option	↗
SRC	Sadoma RDC Clinic	option	↗
SMC	Shackleton Municipal Clinic	option	↗
SRMH	St Ruperts Mission Hospital	option	↗
URC	Umboe RDC Clinic	option	↗
ZCPC	ZPS Chinhoyi Prison Clinic	option	↗
ZRHC	Zumbara Rural Health Centre	option	↗
O	Other	option	
OtherReferralFacility	Name of Facility	text	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



HC	Health Centre	option	↗
TBA	HOME (Traditional Birth Attendant)	option	↗
BBA	Born on the way to hospital (in transit)	option	↗
Home	Home	option	↗
GRC	Gamanya RDC Clinic	option	↗
KRC	Kanyaga RDC Clinic	option	↗
KDH	Kariba District Hospita	option	↗
OtherBirthFacility	Name of facility:	text	↗
MatAdmPlace	Mothers' Admission Place	dropdown	↗
MatAddrProvince	Mothers Residential Province	dropdown	↗
ResAd	Mothers Residential Address	text	↗
MothersCell	Mother's Cell number	text	↗
KinName	Next of Kin Name	text	↗
KinAddress	Next of kin address	text	↗
KinCell	Next of kin cell number	text	↗
MotherDOBYN	Do you know the mother's date of birth?	dropdown	↗
MatAge	Age of Mother (click on the year to change)	period	↗
MatAgeYrs	Age Of Mother (yrs)	number	↗
MAR	Married	option	↗
DIV	Divorced	option	↗
WID	Widowed	option	↗
S	Single	option	↗
Ethnicity	Ethnicity	dropdown	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



AP	Apostolic (Christian Protestant)	option	↗
RC	Roman Catholic (Christian)	option	↗
PE	Pentecostal (Christian Protestant)	option	↗
A	Anglican (Christian Protestant)	option	↗
MD	Methodist	option	↗
Ba	Baptist (Christian Protestant)	option	↗
P	Presbyterian (Christian Protestant)	option	↗
SDA	Seventh Day Adventist (SDA) (Christian Protestant)	option	↗
CP	Other Christian Protestant	option	↗
J	Jewish	option	↗
JW	Jehova's Witness	option	↗
MU	Muslim	option	↗
AG	Agnostic	option	↗
ATH	Atheist	option	↗
Z	Zion	option	↗
ReligionOther	If other, which religion?	text	↗
MatHIVtest	Has mother had HIV test?	dropdown	↗
DateHIVtest	When was this test? (skip if date unknown)	date	
TestThisPreg	Test during this pregnancy?	dropdown	↗
HIVtestResult	Mothers HIV Status	dropdown	
HIVtestReport	Where did you get the HIV testing information from?	dropdown	↗
HAART	Maternal HAART Status	dropdown	
LengthHAART	Mother on HAART since when?	dropdown	

You're in **view** mode [Switch to development mode](#)

v5282

david.delorenzo



VLNumber	Viral Load	number	
Y	Yes	option	↗
N	No	option	↗
U	Not sure	option	↗
DateVDRLSameHIV	Date of syphilis test same as HIV test?	dropdown	↗
ANVDRLDate	Date of Syphilis test	date	↗
ANVDRLResult	Result of Syphilis test	dropdown	↗
ANVDRLReport	How did you receive the information about syphilis testing?	dropdown	↗
ANMatSyphTreat	COMPLETED treatment for syphilis?	dropdown	↗
SyphAct	If not what action was taken?	text	↗
PartnerTrSyph	Was the partner treated?	dropdown	↗
An	Anaemia	option	↗
DM	Diabetes	option	↗
HD	Heart disease	option	↗
HTN	Hypertension or pre-eclampsia	option	↗
MAL	Malaria	option	↗
STD	Sexually Transmitted Disease (other than HIV/syphilis)	option	↗
THY	Thyroid disease / goitre	option	↗
TU	Tuberculosis	option	↗
U	Unknown	option	↗
OTHPREGCOND	If Other then what?	text	↗
TypeSTD	What was this STD?	text	↗
AntenatalCare	ANC Visits	number	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Folate	Folate	dropdown	
TTV	Tetanus Vaccine (TTV)	dropdown	↗
IPT0	No SP doses	option	↗
IPT1	1 SP dose	option	↗
IPT2	2 SP doses	option	↗
IPT3	3 SP doses	option	↗
IPT4	4 SP doses	option	↗
IPT5+	5 or more SP doses	option	↗
IPTU	Not sure	option	↗
SVB	Significant Vaginal Bleeding	option	↗
Pre	Pre-eclampsia	option	↗
Conv	Convulsions / Eclampsia	option	↗
Poly	Polyhydramnios	option	↗
Olig	Oligohydramnios	option	↗
BBALoc	Baby born where?	dropdown	↗
BBAOt	If other then where?	text	↗
BBADel	Who delivered the baby?	dropdown	↗
BBADelO	If other then who?	text	↗
BBACord	What was used to cut the cord?	text	↗
BBADur	How long did it take to get to hospital (hours)?	number	↗
ROMLength	How long between ROM and birth?	dropdown	↗
PROM	PROM more than 18 hrs	option	↗
MF	Maternal fever in labour	option	↗
OL	Offensive Liquor	option	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



BBA	Born Before Arrival (BBA)	option	
Prem	Prematurity < 37 weeks	option	
Presentation	Presentation	dropdown	
ModeDelivery	Mode of Delivery	dropdown	
FD	Foetal Distress	option	
Pres	Malpresentation (e.g. breech)	option	
Scar	Previous scar(s)	option	
E	Eclampsia	option	
PE	Pre-Eclampsia	option	
Fi	Fibroids	option	
Fund	Big Fundus	option	
Mult	Multiple gestation	option	
Pr	Prolonged labour	option	
Post	Post Term	option	
CPD	Cephalopelvic Disproportion	option	
APH	Antepartum Haemorrhage	option	
DurationLab	Duration of Labour (Hours)	number	
Stim	Stimulation	option	
Suc	Suctioning	option	
O2	Oxygen	option	
BVM	Bag Valve Mask Ventilation (BVM)	option	
CPR	Cardio Pulmonary Resuscitation (CPR)	option	
DurCPR	Duration of CPR in minutes	number	
CPROut	Outcome of CPR	dropdown	

You're in **view** mode [Switch to development mode](#)

v5282

david.delorenzo



	than 60 secs)		
S2S	Skin to Skin (within 1st hour of life)	option	↗
BF	Breast Feeding (within 1st hour of life)	option	↗
VitK	IM vitamin K given?	dropdown	↗
TEO	TEO	dropdown	↗
MAJC1	Confirmed sepsis or chorioamnionitis in mother	option	↗
MAJC2	Confirmed or suspected sepsis in twin	option	↗
MAJC3	Seizures	option	↗
MAJC4	Severe Respiratory Distress in a term infant	option	↗
MAJC5	Signs of shock	option	↗
MINC1	ROM >18h	option	↗
MINC2	Spontaneous Preterm Birth	option	↗
MINC3	GBS sepsis in previous baby or documented GBS carriage in this pregnancy (urine or vaginal swab)	option	↗
MINC4	Born Before Arrival	option	↗
MINC5	Meconium Stained Liquor	option	↗
MINC6	Respiratory distress that is not obviously related to: 1. environmental hypothermia 2. "delayed transition to extra-uterine life" i.e. mild to moderate respiratory distress apparent soon after birth that is improving with time.	option	↗
MINC7	Hypoxia	option	↗
MINC8	Apnoea	option	↗

v5282

david.delorenzo



not otherwise explained

MINC10	Temperature instability not explained by environmental factors	option	
MINC11	Acidosis not obviously related to HIE	option	
MINC12	Unexplained bleeding or thrombocytopenia	option	
MINC13	Mild encephalopathy/Altered responsiveness	option	
MINC14	Altered tone not otherwise explained	option	
MINC15	Feed intolerance/feeding difficulty	option	
MINC16	Abnormal heart rate (<90 or >160)	option	
MINC17	Jaundice in first 24h	option	
SepFactNone	NONE	option	
MinCNONE	NONE	option	
ThompTone	Tone	dropdown	
ThompAlert	Level of Consciousness	dropdown	
ThompSeiz	Fits	dropdown	
ThompRefl	Posture	dropdown	
ThompMoro	Moro reflex	dropdown	
ThompGrasp	Grasp reflex	dropdown	
ThompFeed	Suck Reflex	dropdown	
ThompResp	Respiratory status	dropdown	
ThompFont	Fontanelle	dropdown	
ThompScore	Thompson total score	number	

You're in **view** mode Switch to **development** mode

v5282

david.delorenzo



(asymptomatic baby)

SEPS	Suspected Neonatal Sepsis	diagnosis	↗
Risk	Risk factors for sepsis (asymptomatic baby)	diagnosis	↗
PN	Pneumonia / Bronchiolitis	diagnosis	
Safe	Safekeeping	diagnosis	↗
OTH	Other	diagnosis	↗
RefSMCH	Refer to Sally Mugabe Central Hospital	option	↗
NNU	Admit to Neonatal Nursery	option	↗
Paeds	Admit to Paediatric ward	option	↗
KMC	Admit to Kangaroo Ward	option	↗
APVW	Admit to private ward	option	↗
Warm	Keep warm with hat, booties etc	option	↗
Obs	Observations 4 hourly	option	↗
NC02	Nasal Cannulae Oxygen	option	↗
CPAP	CPAP	option	↗
Incub	Nurse in incubator	option	↗
PTX	Phototherapy	option	↗
SBR	Check bilirubin	option	↗
FBC	Check FBC	option	
BC	Blood culture	option	↗
Gluc	Check glucose stat then 4 hourly	option	↗
Renal	Check renal function	option	↗
Neuro	Consult neurosurgeon on call	option	↗
Ortho	Consult orthopaedic surgeon on call	option	↗

You're in **view** mode Switch to **development** mode

v5282

david.delorenzo



Can

Couns	Counsel caregivers	option	↗
DNA	DNA PCR for HIV	option	↗
TORCH	TORCH screen	option	↗
MAT	Maternal PITC	option	↗
GUA	Guarded Prognosis	option	↗
KMC	Kangaroo mother care	option	↗
NPO	Keep nil by mouth	option	↗
IVI	Maintenance Iv fluids (add rate)	option	↗
MatSy	Maternal Syphilis testing	option	↗
NGX	NG feed exclusively	option	↗
BF	Breast feed freely	option	↗
Cup	Breast feed with cup top ups	option	↗
NG	Breast feed with NG top ups	option	↗
OGX	OGT feed exclusively	option	↗
Amp	Ampicillin	option	↗
AZT	AZT	option	↗
AMIN	Aminophylline	option	↗
Cef	Ceftriaxone (surgical)	option	↗
Caff	Caffeine	option	↗
Amik	Amikacin	option	↗
Gent	Gentamicin	option	↗
NVP	Nevirapine	option	↗
Met	Metronidazole	option	↗
Xpen	X Penicillin	option	↗
RD	Severe Respiratory Distress	option	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



AbdoSurg	Abdominal Surgery	option	
Med1	Medication 1 (+ dosage)	text	
Med2	Medication 2 (+ dosage)	text	
Med3	Medication 3 (+ dosage)	text	
Med4	Medication 4 (+ dosage)	text	
HCWID	Health Care Worker ID	text	
Cadre	Type of Health Care Worker	dropdown	
Firm	Consultant on call	dropdown	
Review	Reviewed with Senior	dropdown	
ReviewCadre	Cadre of Reviewer	dropdown	
ReviewID	Reviewer ID	text	
Mol	mmol/L	option	
Mg	mg/dL	option	
DIB	Difficulty in breathing	option	
FD	Not sucking / feeding difficulties	option	
NE	Neonatal encephalopathy	option	
HIVExp	HIV Exposed	option	
LowBirthWeight	Low Birth Weight	option	
Apg	Low Apgars	option	
PremRDS	Prematurity with RDS	option	
SPn	Severe Pneumonia	option	
HBW	Macrosomia (>4000g)	option	
Safe	Safekeeping	option	
Risk	Risk factors for sepsis	option	
NSep	Suspected neonatal sepsis	option	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



NB24	Newborn (2 - 23 hrs old)	option	↗
NB48	Newborn (1 day - 1 day 23 hrs old)	option	↗
INF72	Infant (2 days - 2 days 23 hrs old)	option	↗
INF	Infant (> 3 days old)	option	↗
Tw1	1st Twin	option	↗
Tw2	2nd Twin	option	↗
Tr1	1st Triplet	option	↗
Tr2	2nd Triplet	option	↗
Tr3	3rd Triplet	option	↗
LMP	Last Menstrual Period (LMP)	option	↗
FH	Fundal height	option	↗
USS	USS	option	↗
MJ	Mild Jaundice	option	↗
DJ	Deep Jaundice	option	↗
MecLiq	Meconium present at delivery	option	↗
Mec24	Passed meconium in 1st 24 hrs	option	↗
NoMec	No meconium in 1st 24 hrs	option	↗
Norm	Opening bowels normally	option	↗
BNO	Bowels not opening	option	↗
Diarr	Has diarrhoea and passing large water stools	option	↗
BIDi	Bloody Diarrhoea	option	↗
Yes	Has passed urine in 1st 24 hrs	option	
No	Has not passed urine	option	
Unk	Not sure	option	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



NoPU	Not passing urine	option	↗
PostA	Postnatal A	option	↗
PostB	Postnatal B	option	↗
Labour	Labour Ward	option	↗
ICU	ICU	option	↗
Other	Other	option	↗
HA	Harare	option	↗
BU	Bulawayo	option	↗
MC	Mashonaland Central	option	↗
ME	Mashonaland East	option	↗
MW	Mashonaland West	option	↗
MA	Manicaland	option	↗
MAS	Masvingo	option	↗
MN	Matabeleland North	option	↗
MS	Matabeleland South	option	↗
MID	Midlands	option	↗
A	African	option	↗
AA	AfricanAmerican	option	↗
AS	Asian/Pacific Islander	option	↗
W	White	option	↗
NA	NativeAmerican	option	↗
Y	During this pregnancy	option	↗
N	Before this pregnancy	option	↗
R	Positive	option	↗
NR	Negative	option	↗

You're in **view** mode [Switch to development mode](#)

v5282

david.delorenzo



Doc	From her documentation	option	↗
1stTrim	1st Trimester or earlier	option	↗
2ndTrim	2nd Trimester	option	↗
3rdTrim	3rd Trimester more than 1 month before delivery	option	↗
Late	Less than 1 month before delivery	option	↗
NA	Not applicable	option	↗
P	Positive	option	↗
N	Negative	option	↗
H	Home	option	↗
T	In transport to clinic	option	↗
R	By road	option	↗
To	Toilet	option	↗
S	Self	option	↗
F	Father	option	↗
Fa	Family member	option	↗
Fr	Friend	option	↗
N	Nurse in ambulance	option	↗
TBA	Traditional birth attendant	option	↗
NOPROM	less than 18 hours	option	↗
PROM	greater than 18 hours	option	↗
Vertex	Vertex	option	↗
Brow	Brow	option	↗
Breech	Breech	option	↗
Face	Face	option	↗

You're in **view** mode Switch to **development** mode

v5282

david.delorenzo



7	Induced Vaginal Delivery	option	
6	Breech extraction (vaginal)	option	
2	Vacuum extraction	option	
3	Forceps extraction	option	
4	Elective Ceasarian Section (ELCS)	option	
5	Emergency Ceasarian Section (EMCS)	option	
Six	HR Remained below 60 so CPR stopped	option	
Hun	HR Remained below 100 so CPR stopped	option	
Suc	HR came above 100 and baby improved CPR stopped	option	
Resp	HR came above 100 gasping respirations only BVM cont	option	
0	0 = normal	option	
1	1 = hypertonia	option	
2	2 = hypotonia	option	
3	3 = flaccid	option	
0	0 = Alert	option	
1	1 = Hyperalert/stare	option	
2	2 = Lethargic	option	
3	3 = Comatose	option	
0	0 = none	option	
1	1 = 2 or less per day	option	
2	2 = More than 2 per day	option	
1	1 = Fisting	option	

You're in **view** mode Switch to **development** mode

v5282

david.delorenzo



3	3 = Decerebrate	option	
1	1 = Partial	option	
2	2 = Absent	option	
1	1 = Poor	option	
2	2 = Absent or with bites	option	
1	1 = Hyperventilation	option	
2	2 = Brief apnoea	option	
3	3 = Apnoea needing ventilatory support	option	
1	1 = full	option	
2	2 = tense	option	
GMO	Government Medical Officer	option	
HMO	Hospital Medical Officer	option	
SHO	Senior House Officer	option	
SRMO	Senior Resident Medical Officer	option	
HCA	Health Care Assistant	option	
MedSt	Medical Student	option	
NS	Nursing Student	option	
NM	Nurse Midwife	option	
NO	Nursing officer	option	
N	Nurse	option	
COSSt	Clinical Officer Student	option	
COIn	Clinical Officer Intern	option	
CO	Clinical Officer	option	
PaeReg	Paediatric Registrar	option	
NeoReg	Neonatal Registrar	option	

You're in **view** mode Switch to **development** mode

v5282

david.delorenzo

PaeCon	Paediatric Consultant	option	
NeoCon	Neonatal Consultant	option	
DC	Dr Chava	option	
SHO	SHO	option	
R	Registrar	option	
SR	Senior Registrar	option	
C	Consultant	option	