MEC CEE · MBBS / BDS / NURSING

ZOOLOGY

Most Important 500 Questions

★ As per the MEC Micro-syllabus (2020, revised 2026) ★ 21 chapters ★ 1 question per page, smart-board size, with solution space

Evolutionary Biology 32 Qs
Animal Diversity & Classification 76 Qs
Animal Tissues & Histology 32 Qs
Study of Selected Animals 68 Qs
Human Biology & Physiology 180 Qs
Microbial Diseases & Immunology 36 Qs
Medical Technology & Applied Biology 28 Qs
Biota, Environment & Conservation 48 Qs

Entrance Dose, Pokhara Nepal

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

Contents ★ Question Plan (500)

MEC Micro-syllabus › **Zoology** › 8 units split into 21 chapters, more questions where the syllabus is bigger

Zoology

Ch 1 Evolutionary Biology	32 Qs	Ch 12 Excretory System	20 Qs
Ch 2 Animal Diversity I: Protozoa to Aschelminthes	24 Qs	Ch 13 Nervous System	24 Qs
Ch 3 Animal Diversity II: Annelida to Echinodermata	24 Qs	Ch 14 Sense Organs: Eye & Ear	16 Qs
Ch 4 Animal Diversity III: Chordata	28 Qs	Ch 15 Endocrinology	24 Qs
Ch 5 Animal Tissues & Histology	32 Qs	Ch 16 Reproductive System	24 Qs
Ch 6 Plasmodium	20 Qs	Ch 17 Microbial Diseases & Immunology	36 Qs
Ch 7 Earthworm (Pheretima)	24 Qs	Ch 18 Medical Technology & Applied Biology	28 Qs
Ch 8 Frog (Rana)	24 Qs	Ch 19 Animal Behaviour & Adaptations	20 Qs
Ch 9 Digestive System	24 Qs	Ch 20 Environmental Pollution	12 Qs
Ch 10 Respiratory System	20 Qs	Ch 21 Conservation Biology	16 Qs
Ch 11 Circulatory System	28 Qs		

@ENTRANCE DOSE
@ENTRANCE DOSE

Total = 500 questions · Human Biology & Physiology gets 180 because it is the biggest unit of the syllabus

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 1/500

Origin of life – Oparin–Haldane

According to the Oparin–Haldane theory, the primitive atmosphere of Earth was:

(a) oxidising, with free O_2

(b) reducing, without free O_2

(c) rich in ozone

(d) made only of nitrogen

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 2/500

Origin of life – Miller–Urey

The gases used by Miller and Urey in their experiment were:

(a) CH_4, NH_3, H_2 and water vapour

(b) CO_2, O_2, N_2 and water vapour

(c) O_2, H_2, CH_4 and CO_2

(d) N_2, O_2, NH_3 and CO

SOLUTION

@ENTRANCEDOSE
@ENTRANCEDOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 3/500

Origin of life – Miller–Urey

The source of energy in the Miller–Urey apparatus was:

(a) UV light

(b) electric discharge (sparks)

(c) sunlight

(d) radioactivity

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 4/500

Origin of life – Miller–Urey

The main products formed in Miller's experiment were:

(a) DNA molecules

(b) complete proteins

(c) simple amino acids like glycine and alanine

(d) nucleotides and ATP

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 5/500

Origin of life – Protobionts

Protein-like aggregates made by Sidney Fox by heating amino acids are called:

(a) coacervates

(b) eobionts

(c) microspheres

(d) liposomes

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 6/500

Origin of life – Oparin–Haldane

Haldane described the primitive sea rich in organic molecules as a:

(a) hot dilute soup

(b) frozen ocean

(c) salt lake

(d) acid pool

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 7/500

Origin of life – First organisms

The first living organisms on Earth were most likely:

(a) aerobic photoautotrophs

(b) anaerobic chemoheterotrophs

(c) oxygen-releasing autotrophs

(d) aerobic heterotrophs

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 8/500

Origin of life – Spontaneous generation

The theory of spontaneous generation was finally disproved by the swan-neck flask experiment of:

(a) Oparin

(b) Francesco Redi

(c) Stanley Miller

(d) Louis Pasteur

SOLUTION

@ENTRANCE DOSE
@ ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 9/500

Evidences – Morphological & anatomical

Forelimbs of whale, bat and man are:

(a) analogous organs

(b) homologous organs

(c) vestigial organs

(d) atavistic organs

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 10/500

Evidences – Morphological & anatomical

Wings of a butterfly and a bird are an example of:

(a) homologous organs

(b) vestigial organs

(c) analogous organs (convergent evolution)

(d) atavism

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 11/500

Evidences – Morphological & anatomical

Which of the following is a vestigial organ in man?

(a) Vermiform appendix

(b) Pancreas

(c) Kidney

(d) Patella

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 12/500

Evidences – Morphological & anatomical

Homologous organs are a result of:

(a) convergent evolution

(b) parallel evolution

(c) no evolution

(d) divergent evolution

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 13/500

Evidences – Paleontological

Archaeopteryx is a connecting link between:

(a) fishes and amphibians

(b) amphibians and reptiles

(c) reptiles and mammals

(d) reptiles and birds

SOLUTION

@ENTRANCE DOSE
@ENTRANCEDOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 14/500

Evidences – Paleontological

The egg-laying duck-billed platypus is a connecting link between:

(a) reptiles and mammals

(b) annelids and arthropods

(c) fishes and amphibians

(d) birds and mammals

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 15/500

Evidences – Paleontological

Peripatus is a connecting link between:

(a) Annelida and Mollusca

(b) Annelida and Arthropoda

(c) Arthropoda and Mollusca

(d) Echinodermata and Chordata

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 16/500

Evidences – Paleontological

The age of rocks and fossils is commonly found by:

(a) radioactive dating (C-14, uranium–lead)

(b) chromatography

(c) electrophoresis

(d) DNA fingerprinting

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

17 ★ IMPORTANT Q 17/500

Evidences – Embryological

The biogenetic law 'ontogeny recapitulates phylogeny' was given by:

(a) Charles Darwin

(b) Karl von Baer

(c) Ernst Haeckel

(d) J.B. Lamarck

SOLUTION

@ENTRANCE DOSE
@ ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

18 ★ IMPORTANT Q 18/500

Evidences – Embryological

Gill slits seen in the embryos of all vertebrates are an evidence of evolution from:

(a) palaeontology

(b) biochemistry

(c) biogeography

(d) embryology

SOLUTION

@ENTRANCE DOSE
@ ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

19 ★ IMPORTANT Q 19/500

Evidences – Biochemical

The precipitin (serum) test shows that man is most closely related to the:

(a) monkey

(b) lemur

(c) chimpanzee

(d) gibbon

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

20 ★ IMPORTANT Q 20/500

Lamarckism

Lamarck explained his theory of evolution in the book:

(a) Origin of Species

(b) Philosophie Zoologique (1809)

(c) Species Plantarum

(d) Systema Naturae

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

21 ★ IMPORTANT Q 21/500

Lamarckism

Lamarck's theory is based on:

(a) natural selection

(b) mutation

(c) use and disuse, and inheritance of acquired characters

(d) genetic drift

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

22 ★ IMPORTANT Q 22/500

Lamarckism

Weismann cut the tails of mice for many generations to disprove:

(a) Darwinism

(b) the mutation theory

(c) Neo-Darwinism

(d) the inheritance of acquired characters

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

23 ★ IMPORTANT Q 23/500

Darwinism

Darwin's idea of 'struggle for existence' was influenced by Malthus' essay on:

(a) population

(b) geology

(c) heredity

(d) fossils

SOLUTION

@ENTRANCE DOSE
@ ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

24 ★ IMPORTANT Q 24/500

Darwinism

Darwin's finches of the Galapagos Islands are an example of:

(a) convergent evolution

(b) adaptive radiation

(c) mutation

(d) use and disuse

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

25 ★ IMPORTANT Q 25/500

Darwinism

The main drawback of Darwin's theory was that it could not explain:

(a) the origin and inheritance of variations

(b) natural selection

(c) struggle for existence

(d) overproduction of offspring

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

26 ★ IMPORTANT Q 26/500

Darwinism

Industrial melanism in the peppered moth (Biston betularia) is an example of:

(a) Lamarckism

(b) natural selection

(c) genetic drift

(d) special creation

SOLUTION

@ENTRANCE DOSE
@ ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

27 ★ IMPORTANT Q 27/500

Neo-Darwinism

The modern synthetic theory (Neo-Darwinism) of evolution includes:

(a) only use and disuse

(b) special creation

(c) spontaneous generation

(d) mutation, recombination, natural selection and isolation

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

28 ★ IMPORTANT Q 28/500

Human evolution – Ramapithecus

In Nepal, the fossil of Ramapithecus was found at:

(a) Tinau river, Butwal

(b) Phewa lake, Pokhara

(c) Narayani river, Chitwan

(d) Koshi river, Sunsari

SOLUTION

@ENTRANCEDOSE
@ENTRANCEDOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

29 ★ IMPORTANT Q 29/500

Human evolution – Homo habilis

The first human to make stone tools, called the 'handy man', was:

(a) Homo erectus

(b) Homo habilis

(c) Australopithecus

(d) Neanderthal man

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

30 ★ IMPORTANT Q 30/500

Human evolution – Homo erectus

Java man and Peking man belong to:

(a) Homo habilis

(b) Australopithecus

(c) Homo erectus

(d) Cro-Magnon man

SOLUTION

@ENTRANCE DOSE
@ENTRANCEDOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

31 ★ IMPORTANT Q 31/500

Human evolution – Modern man

The cranial capacity of modern man (Homo sapiens sapiens) is about:

(a) 450 cc

(b) 650–800 cc

(c) 900 cc

(d) 1350–1450 cc

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

32 ★ IMPORTANT Q 32/500

Human evolution – Neanderthal

The ice-age man of Europe who buried his dead and had a cranial capacity of about 1450 cc was:

(a) Neanderthal man

(b) Java man

(c) Peking man

(d) Ramapithecus

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 33/500

Basis of classification – Symmetry

Radial symmetry is found in:

(a) Annelida

(b) Coelenterata

(c) Arthropoda

(d) Platyhelminthes

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 34/500

Basis of classification – Germ layers

Animals with three germ layers are called:

(a) diploblastic

(b) acoelomate

(c) triploblastic

(d) pseudocoelomate

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 35/500

Basis of classification – Coelom

A false body cavity (pseudocoelom) is found in:

(a) Annelida

(b) Platyhelminthes

(c) Mollusca

(d) Aschelminthes

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 36/500

Basis of classification – Coelom

Acoelomate animals belong to the phylum:

(a) Platyhelminthes

(b) Nematoda

(c) Annelida

(d) Arthropoda

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 37/500

Protozoa

The locomotory organs of Paramecium are:

(a) pseudopodia

(b) cilia

(c) flagella

(d) setae

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 38/500

Protozoa

Euglena is called a 'plant-animal' because it:

(a) has chloroplasts and can also feed like an animal

(b) has a cellulose cell wall

(c) has cilia

(d) has no nucleus

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 39/500

Protozoa

Sleeping sickness is caused by:

(a) Leishmania donovani

(b) Plasmodium vivax

(c) Trypanosoma gambiense

(d) Entamoeba histolytica

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 40/500

Protozoa

Kala-azar is transmitted by the:

(a) tsetse fly

(b) female Anopheles

(c) housefly

(d) sandfly (Phlebotomus)

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 41/500

Porifera

The canal system of sponges is lined by:

(a) choanocytes (collar cells)

(b) cnidoblasts

(c) flame cells

(d) nephridia

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 42/500

Porifera

The skeleton of Sycon is made of:

(a) spongin fibres

(b) calcareous spicules

(c) siliceous spicules

(d) chitin

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 43/500

Porifera

Water leaves the body of a sponge through the:

(a) ostia

(b) mouth

(c) osculum

(d) prosopyles

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 44/500

Porifera

The bath sponge (Euspongia) has a skeleton of:

(a) calcareous spicules

(b) siliceous spicules

(c) spongin fibres

(d) chitin

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 45/500

Coelenterata

The stinging cells of coelenterates are:

(a) choanocytes

(b) cnidoblasts (nematocysts)

(c) flame cells

(d) solenocytes

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 46/500

Coelenterata

Alternation of polyp and medusa forms in Obelia is called:

(a) metagenesis

(b) metamorphosis

(c) parthenogenesis

(d) regeneration

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 47/500

Coelenterata

The 'Portuguese man-of-war' is:

(a) Aurelia

(b) Hydra

(c) Physalia

(d) Metridium

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 48/500

Coelenterata

Coral reefs are formed by the skeletons of:

(a) sponges

(b) molluscs

(c) echinoderms

(d) anthozoan polyps

SOLUTION

@ENTRANCE DOSE
@ENTRANCEDOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

17 ★ IMPORTANT Q 49/500

Platyhelminthes

Excretion in flatworms takes place through:

(a) nephridia

(b) flame cells

(c) Malpighian tubules

(d) green glands

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

18 ★ IMPORTANT Q 50/500

Platyhelminthes

The liver fluke is:

(a) Taenia solium

(b) Planaria

(c) Schistosoma

(d) Fasciola hepatica

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

19 ★ IMPORTANT Q 51/500

Platyhelminthes

The intermediate host of the pork tapeworm (Taenia solium) is the:

(a) pig

(b) cow

(c) dog

(d) snail

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

20 ★ IMPORTANT Q 52/500

Platyhelminthes

Planaria is well known for its power of:

(a) bioluminescence

(b) parasitism

(c) regeneration

(d) metamorphosis

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

21 ★ IMPORTANT Q 53/500

Aschelminthes

Ascaris lumbricoides is commonly called the:

(a) hookworm

(b) pinworm

(c) filarial worm

(d) roundworm

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

22 ★ IMPORTANT Q 54/500

Aschelminthes

Sexual dimorphism is seen in Ascaris because the:

(a) male is smaller with a curved tail

(b) female has penial setae

(c) two sexes look alike

(d) male is larger

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

23 ★ IMPORTANT Q 55/500

Aschelminthes

Elephantiasis (filariasis) is caused by:

(a) Ascaris

(b) Wuchereria bancrofti

(c) Ancylostoma

(d) Enterobius

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

24 ★ IMPORTANT Q 56/500

Aschelminthes

Hookworm (Ancylostoma) usually enters the human body through:

(a) a mosquito bite

(b) contaminated water

(c) the skin of bare feet

(d) undercooked pork

SOLUTION

@ENTRANCEDOSE
@ENTRANCEDOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 57/500

Annelida

Annelids are the first animals to have:

(a) a true coelom and metameric segmentation

(b) a pseudocoel

(c) a notochord

(d) a water vascular system

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 58/500

Annelida

The locomotory organs of Nereis are:

(a) setae only

(b) parapodia

(c) suckers

(d) tube feet

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 59/500

Annelida

The anticoagulant secreted by the leech (Hirudinaria) is:

(a) heparin

(b) histamine

(c) hirudin

(d) thrombin

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 60/500

Annelida

Earthworms are:

(a) unisexual

(b) hermaphrodite

(c) parthenogenetic

(d) asexual only

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 61/500

Arthropoda

The largest phylum of the animal kingdom is:

(a) Mollusca

(b) Chordata

(c) Annelida

(d) Arthropoda

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 62/500

Arthropoda

The body cavity of arthropods is a:

(a) haemocoel

(b) pseudocoel

(c) enterocoel

(d) spongocoel

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 63/500

Arthropoda

The excretory organs of insects are:

(a) nephridia

(b) green glands

(c) Malpighian tubules

(d) flame cells

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 64/500

Arthropoda

The respiratory organs of spiders and scorpions are:

(a) gills

(b) tracheae only

(c) skin

(d) book lungs

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 65/500

Arthropoda

A gregarious pest that destroys crops is:

(a) Locusta

(b) Bombyx

(c) Apis

(d) Laccifer

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 66/500

Arthropoda

Silk is obtained from the larva (caterpillar) of:

(a) Laccifer lacca

(b) Bombyx mori

(c) Apis indica

(d) Anopheles

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 67/500

Arthropoda

An insect has:

(a) 4 pairs of legs

(b) 2 pairs of legs

(c) 3 pairs of legs

(d) 5 pairs of legs

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 68/500

Arthropoda

Antennae are absent in:

(a) insects

(b) arachnids (spiders)

(c) crustaceans

(d) myriapods

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 69/500

Mollusca

The soft body of molluscs is covered by a fold of skin called the:

(a) mantle

(b) radula

(c) ctenidium

(d) shell gland

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 70/500

Mollusca

The rasping, tongue-like feeding organ of molluscs is the:

(a) mantle

(b) radula

(c) siphon

(d) foot

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 71/500

Mollusca

Octopus belongs to the phylum:

(a) Echinodermata

(b) Arthropoda

(c) Annelida

(d) Mollusca

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 72/500

Mollusca

Pearls are produced by:

(a) Pila

(b) Pinctada (pearl oyster)

(c) Loligo

(d) Sepia

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

17 ★ IMPORTANT Q 73/500

Mollusca

The gills (respiratory organs) of molluscs are called:

(a) book gills

(b) tracheae

(c) ctenidia

(d) parapodia

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

18 ★ IMPORTANT Q 74/500

Echinodermata

Adult echinoderms show:

(a) bilateral symmetry

(b) asymmetry

(c) pentamerous radial symmetry

(d) spherical symmetry

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

19 ★ IMPORTANT Q 75/500

Echinodermata

The water vascular system is found in:

(a) Mollusca

(b) Annelida

(c) Porifera

(d) Echinodermata

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

20 ★ IMPORTANT Q 76/500

Echinodermata

The tube feet of a starfish help in:

(a) locomotion and food capture

(b) excretion

(c) reproduction only

(d) respiration only

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

21 ★ IMPORTANT Q 77/500

Echinodermata

The larvae of echinoderms are:

(a) radially symmetrical

(b) without symmetry

(c) bilaterally symmetrical

(d) asymmetrical

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

22 ★ IMPORTANT Q 78/500

Echinodermata

Which of the following is NOT an echinoderm?

(a) Starfish

(b) Sea urchin

(c) Sea cucumber

(d) Jellyfish

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

23 ★ IMPORTANT Q 79/500

Echinodermata

All echinoderms are:

(a) freshwater

(b) terrestrial

(c) parasitic

(d) marine

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

24 ★ IMPORTANT Q 80/500

Annelida

The clitellum of the earthworm helps in:

(a) cocoon formation

(b) locomotion

(c) respiration

(d) excretion

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 81/500

Chordate features

Notochord, a dorsal hollow nerve cord and _____ are the three basic features of chordates.

(a) pharyngeal gill slits

(b) a ventral nerve cord

(c) open circulation

(d) an exoskeleton

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 82/500

Protochordata

The notochord is present only in the tail of the larva in:

(a) Cephalochordata

(b) Urochordata

(c) Vertebrata

(d) Hemichordata

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 83/500

Protochordata

Amphioxus (Branchiostoma) belongs to:

(a) Urochordata

(b) Cyclostomata

(c) Cephalochordata

(d) Pisces

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 84/500

Protochordata

Retrogressive metamorphosis is seen in:

(a) frog

(b) Herdmania (sea squirt)

(c) Amphioxus

(d) Petromyzon

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 85/500

Cyclostomata

Jawless vertebrates with a circular sucking mouth are:

(a) cartilaginous fishes

(b) amphibians

(c) bony fishes

(d) cyclostomes

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 86/500

Cyclostomata

Petromyzon (lamprey) belongs to:

(a) Cyclostomata

(b) Chondrichthyes

(c) Osteichthyes

(d) Amphibia

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 87/500

Pisces

Cartilaginous fishes have:

(a) an operculum

(b) an air bladder

(c) placoid scales and no operculum

(d) cycloid scales

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 88/500

Pisces

The air bladder of bony fishes helps in:

(a) digestion

(b) excretion

(c) reproduction

(d) buoyancy

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 89/500

Pisces

Which of the following is a cartilaginous fish?

(a) Labeo rohita

(b) Scoliodon (dogfish)

(c) Hippocampus

(d) Catla

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 90/500

Pisces

Electric organs are found in:

(a) Torpedo

(b) Pterophyllum

(c) Exocoetus

(d) Clarias

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 91/500

Amphibia

The heart of amphibians has:

(a) two chambers

(b) four chambers

(c) three chambers

(d) one chamber

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 92/500

Amphibia

A limbless amphibian is:

(a) Salamandra

(b) Ichthyophis

(c) Bufo

(d) Hyla

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 93/500

Amphibia

The skin of amphibians is:

(a) dry with scales

(b) covered with feathers

(c) covered with hair

(d) moist and glandular, without scales

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 94/500

Reptilia

The first vertebrates fully adapted to land, laying shelled eggs, were the:

(a) reptiles

(b) amphibians

(c) birds

(d) mammals

SOLUTION

@ENTRANCE DOSE
@ ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 95/500

Reptilia

A four-chambered heart among reptiles is found in:

(a) snakes

(b) lizards

(c) crocodiles

(d) turtles

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 96/500

Reptilia

Which of the following snakes is poisonous?

(a) Bungarus (krait)

(b) Python

(c) Rat snake

(d) Blind snake

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

17 ★ IMPORTANT Q 97/500

Reptilia

Reptiles excrete nitrogenous waste mainly as:

(a) ammonia

(b) urea

(c) amino acids

(d) uric acid

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

18 ★ IMPORTANT Q 98/500

Aves

The hollow, air-filled bones of birds are called:

(a) solid bones

(b) pneumatic bones

(c) cartilage bones

(d) dermal bones

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

19 ★ IMPORTANT Q 99/500

Aves

The voice box of birds is the:

(a) larynx

(b) pharynx

(c) syrinx

(d) trachea

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

20 ★ IMPORTANT Q 100/500

Aves

The flightless bird of Australia is the:

(a) ostrich

(b) kiwi

(c) penguin

(d) emu

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

21 ★ IMPORTANT Q 101/500

Aves

Birds are:

(a) homeothermic (warm-blooded)

(b) poikilothermic

(c) cold-blooded

(d) ectothermic

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

22 ★ IMPORTANT Q 102/500

Aves

The national bird of Nepal is the:

(a) peacock

(b) Danphe (Himalayan monal)

(c) crow

(d) sparrow

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

23 ★ IMPORTANT Q 103/500

Mammalia

Hair and _____ are the two key features of mammals.

(a) mammary glands

(b) feathers

(c) scales

(d) nucleated RBCs

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

24 ★ IMPORTANT Q 104/500

Mammalia

Egg-laying mammals belong to:

(a) Metatheria

(b) Eutheria

(c) Prototheria

(d) Placentalia

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

25 ★ IMPORTANT Q 105/500

Mammalia

The kangaroo is a:

(a) prototherian

(b) eutherian

(c) monotreme

(d) marsupial (metatherian)

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

26 ★ IMPORTANT Q 106/500

Mammalia

The bat is a:

(a) bird

(b) mammal

(c) reptile

(d) insect

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

27 ★ IMPORTANT Q 107/500

Mammalia

Heterodont teeth and a muscular diaphragm are features of:

(a) reptiles

(b) birds

(c) amphibians

(d) mammals

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

28 ★ IMPORTANT Q 108/500

Mammalia

Which of the following is an aquatic mammal?

(a) Whale

(b) Bat

(c) Pangolin

(d) Rhinoceros

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 109/500

Epithelial tissue

Epithelial tissue rests on a:

(a) basement membrane

(b) cartilage matrix

(c) bone

(d) myelin sheath

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 110/500

Epithelial tissue

The alveoli of the lungs are lined by:

(a) simple cuboidal epithelium

(b) simple squamous epithelium

(c) columnar epithelium

(d) stratified epithelium

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 111/500

Epithelial tissue

The proximal convoluted tubule of the kidney is lined by:

(a) squamous epithelium

(b) ciliated columnar epithelium

(c) cuboidal epithelium with brush border

(d) transitional epithelium

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 112/500

Epithelial tissue

The inner lining of the stomach and intestine is:

(a) squamous epithelium

(b) cuboidal epithelium

(c) transitional epithelium

(d) columnar epithelium

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 113/500

Epithelial tissue

Ciliated columnar epithelium lines the:

(a) fallopian tubes

(b) skin

(c) blood vessels

(d) urinary bladder

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 114/500

Epithelial tissue

The urinary bladder is lined by:

(a) stratified squamous epithelium

(b) transitional epithelium

(c) simple columnar epithelium

(d) simple cuboidal epithelium

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 115/500

Epithelial tissue

Keratinised stratified squamous epithelium is found in the:

(a) oesophagus

(b) cornea

(c) epidermis of skin

(d) vagina

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 116/500

Epithelial tissue

Pseudostratified ciliated columnar epithelium lines the:

(a) skin

(b) kidney tubules

(c) intestine

(d) trachea

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 117/500

Epithelial tissue

The endothelium lining blood vessels is:

(a) simple squamous

(b) cuboidal

(c) columnar

(d) stratified

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 118/500

Epithelial tissue

Goblet cells secrete:

(a) enzymes

(b) mucus

(c) hormones

(d) bile

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 119/500

Connective tissue

The most abundant protein of connective tissue is:

(a) elastin

(b) keratin

(c) collagen

(d) myosin

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 120/500

Connective tissue

Tendons connect:

(a) bone to bone

(b) muscle to muscle

(c) skin to muscle

(d) muscle to bone

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 121/500

Connective tissue

Ligaments connect:

(a) bone to bone

(b) muscle to bone

(c) nerve to muscle

(d) skin to bone

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 122/500

Connective tissue

Mast cells of connective tissue secrete:

(a) collagen

(b) heparin and histamine

(c) antibodies

(d) melanin

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 123/500

Connective tissue

Adipose tissue stores:

(a) glycogen

(b) protein

(c) fat

(d) calcium

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 124/500

Connective tissue

Cartilage cells are called:

(a) osteocytes

(b) adipocytes

(c) fibroblasts

(d) chondrocytes

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

17 ★ IMPORTANT Q 125/500

Connective tissue

Elastic cartilage is found in the:

(a) pinna of the ear and epiglottis

(b) intervertebral discs

(c) tracheal rings

(d) ends of long bones

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

18 ★ IMPORTANT Q 126/500

Connective tissue

Haversian canals are found in:

(a) cartilage

(b) compact bone of mammals

(c) tendons

(d) muscle

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

19 ★ IMPORTANT Q 127/500

Connective tissue

The matrix of bone is mainly made of:

(a) calcium carbonate only

(b) chondrin

(c) calcium phosphate and collagen

(d) keratin

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

20 ★ IMPORTANT Q 128/500

Connective tissue

Blood is a fluid connective tissue whose matrix is:

(a) serum

(b) lymph

(c) haemoglobin

(d) plasma

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

21 ★ IMPORTANT Q 129/500

Muscular tissue

Striated, voluntary, multinucleated muscle is:

(a) skeletal muscle

(b) smooth muscle

(c) cardiac muscle

(d) visceral muscle

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

22 ★ IMPORTANT Q 130/500

Muscular tissue

Intercalated discs are found in:

(a) skeletal muscle

(b) smooth muscle

(c) cardiac muscle

(d) all muscles

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

23 ★ IMPORTANT Q 131/500

Muscular tissue

Smooth muscle fibres are:

(a) striated and branched

(b) spindle-shaped, unstriated and involuntary

(c) multinucleated

(d) voluntary

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

24 ★ IMPORTANT Q 132/500

Muscular tissue

The functional unit of a myofibril is the:

(a) sarcolemma

(b) neuron

(c) myosin

(d) sarcomere

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

25 ★ IMPORTANT Q 133/500

Muscular tissue

The dark A-band of striated muscle contains:

(a) myosin filaments

(b) actin only

(c) the Z-line only

(d) tropomyosin only

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

26 ★ IMPORTANT Q 134/500

Muscular tissue

Cardiac muscle does not get fatigued because it:

(a) is voluntary

(b) has rich mitochondria and blood supply with rhythmic rest

(c) has no nucleus

(d) is unstriated

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

27 ★ IMPORTANT Q 135/500

Nervous tissue

The structural and functional unit of the nervous system is the:

(a) nephron

(b) neuroglia

(c) neuron

(d) axon

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

28 ★ IMPORTANT Q 136/500

Nervous tissue

The myelin sheath of peripheral nerves is formed by:

(a) astrocytes

(b) microglia

(c) oligodendrocytes

(d) Schwann cells

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

29 ★ IMPORTANT Q 137/500

Nervous tissue

Gaps in the myelin sheath are called:

(a) nodes of Ranvier

(b) Nissl's granules

(c) synapses

(d) dendrites

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

30 ★ IMPORTANT Q 138/500

Nervous tissue

Nissl's granules are found in the:

(a) axon

(b) cyton (cell body)

(c) synaptic knob

(d) myelin sheath

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

31 ★ IMPORTANT Q 139/500

Nervous tissue

A neuron with one axon and one dendrite is:

(a) unipolar

(b) multipolar

(c) bipolar

(d) apolar

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

32 ★ IMPORTANT Q 140/500

Nervous tissue

Neuroglial cells mainly:

(a) conduct impulses

(b) secrete hormones

(c) contract

(d) support and protect neurons

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 141/500

Classification

Plasmodium belongs to the class:

(a) Sporozoa

(b) Sarcodina

(c) Ciliata

(d) Flagellata

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 142/500

Hosts

The primary (definitive) host of Plasmodium is the:

(a) man

(b) female Anopheles mosquito

(c) male Anopheles mosquito

(d) Culex mosquito

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 143/500

Infective stage

The infective stage of Plasmodium for man is the:

(a) merozoite

(b) gametocyte

(c) sporozoite

(d) ookinete

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 144/500

Infective stage

The infective stage of Plasmodium for the mosquito is the:

(a) sporozoite

(b) merozoite

(c) trophozoite

(d) gametocyte

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 145/500

Life cycle in man

Asexual multiplication of Plasmodium in man is called:

(a) schizogony

(b) sporogony

(c) gamogony

(d) fertilisation

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 146/500

Life cycle in man

Schizogony in the liver cells is called:

(a) erythrocytic schizogony

(b) exo-erythrocytic (pre-erythrocytic) schizogony

(c) sporogony

(d) gametogony

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 147/500

Life cycle in man

The signet-ring stage of Plasmodium is seen in the:

(a) liver cells

(b) mosquito's stomach

(c) RBCs

(d) salivary glands

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 148/500

Malaria symptoms

The chill and fever of malaria start when RBCs burst and release:

(a) sporozoites

(b) gametocytes

(c) haemoglobin

(d) haemozoin and toxins

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 149/500

Malaria symptoms

Haemozoin is:

(a) a toxic pigment from digested haemoglobin

(b) an enzyme

(c) a cyst

(d) a sporozoite

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 150/500

Life cycle in mosquito

Sporogony takes place in the:

(a) liver of man

(b) RBCs

(c) stomach wall of the mosquito

(d) spleen

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 151/500

Life cycle in mosquito

The motile zygote of Plasmodium is the:

(a) oocyst

(b) ookinete

(c) sporozoite

(d) cryptozoite

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 152/500

Life cycle in mosquito

Sporozoites are stored in the mosquito's:

(a) stomach

(b) Malpighian tubules

(c) haemocoel

(d) salivary glands

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 153/500

Malaria types

Malignant tertian malaria is caused by:

(a) P. falciparum

(b) P. vivax

(c) P. malariae

(d) P. ovale

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 154/500

Malaria types

Quartan malaria (fever every 72 hours) is caused by:

(a) P. vivax

(b) P. falciparum

(c) P. malariae

(d) P. ovale

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 155/500

Malaria types

Benign tertian malaria, the most common type, is caused by:

(a) P. malariae

(b) P. vivax

(c) P. knowlesi

(d) P. falciparum

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 156/500

Malaria types

Relapse of vivax malaria is due to dormant liver stages called:

(a) merozoites

(b) trophozoites

(c) gametocytes

(d) hypnozoites

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

17 ★ IMPORTANT Q 157/500 Treatment

The antimalarial drug quinine is obtained from the bark of:

(a) Cinchona

(b) neem

(c) Rauwolfia

(d) Taxus

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

18 ★ IMPORTANT Q 158/500

Life cycle in man

The erythrocytic cycle of P. vivax takes about:

(a) 24 hours

(b) 72 hours

(c) 48 hours

(d) 12 hours

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

19 ★ IMPORTANT Q 159/500

History

The malarial parasite was first seen in human blood by:

(a) Ronald Ross

(b) Laveran

(c) Louis Pasteur

(d) Robert Koch

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

20 ★ IMPORTANT Q 160/500

History

The role of the mosquito in spreading malaria was proved by:

(a) Laveran

(b) Golgi

(c) Manson

(d) Ronald Ross

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 161/500 Habitat

Pheretima posthuma is commonly found in:

(a) moist soil rich in humus

(b) freshwater ponds

(c) the sea

(d) dry sand

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 162/500

Morphology

The body of Pheretima has about:

(a) 50 segments

(b) 100–120 segments

(c) 300 segments

(d) 20 segments

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 163/500

Morphology

The clitellum of Pheretima covers segments:

(a) 1–4

(b) 18–20

(c) 14–16

(d) 5–9

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 164/500

Morphology

The single female genital aperture of Pheretima lies on segment:

(a) 18

(b) 15

(c) 16

(d) 14

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 165/500

Morphology

The male genital pores of Pheretima lie on segment:

(a) 18

(b) 14

(c) 9

(d) 20

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 166/500

Morphology

The spermathecal pores of Pheretima lie in the grooves between segments:

(a) 1/2 to 3/4

(b) 5/6 to 8/9

(c) 14/15 to 15/16

(d) 18/19 to 19/20

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 167/500

Morphology

Setae of the earthworm help in:

(a) respiration

(b) excretion

(c) locomotion

(d) digestion

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 168/500

Morphology

Setae are absent in the:

(a) first, last and clitellar segments

(b) first segment only

(c) segments 5–9

(d) none of the segments

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 169/500

Digestive system

The typhlosole of the earthworm is found in the:

(a) pharynx

(b) gizzard

(c) stomach

(d) intestine (from segment 26)

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 170/500

Digestive system

The gizzard of the earthworm helps in:

(a) grinding soil and food

(b) absorption

(c) secretion of enzymes

(d) respiration

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 171/500

Digestive system

The calciferous glands of the earthworm neutralise the:

(a) proteins

(b) humic acids of the soil

(c) bile

(d) mucus

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 172/500

Respiratory system

Respiration in the earthworm takes place through the:

(a) gills

(b) lungs

(c) moist skin

(d) tracheae

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 173/500

Circulatory system

The blood of the earthworm is red because haemoglobin is:

(a) inside RBCs

(b) absent

(c) inside WBCs

(d) dissolved in the plasma

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 174/500

Circulatory system

The number of pairs of hearts in Pheretima is:

(a) 4

(b) 2

(c) 8

(d) 6

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 175/500

Circulatory system

Blood glands of the earthworm are found in segments:

(a) 1–3

(b) 4, 5 and 6

(c) 10–11

(d) 26–35

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 176/500

Excretory system

The excretory organs of the earthworm are:

(a) flame cells

(b) Malpighian tubules

(c) nephridia

(d) green glands

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

17 ★ IMPORTANT Q 177/500

Excretory system

The earthworm excretes mainly:

(a) ammonia and urea

(b) uric acid only

(c) amino acids only

(d) guanine

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

18 ★ IMPORTANT Q 178/500

Excretory system

Integumentary nephridia open:

(a) into the gut

(b) on the body surface

(c) into the coelom

(d) into the pharynx

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

19 ★ IMPORTANT Q 179/500

Nervous system

The 'brain' of the earthworm is the pair of:

(a) suboesophageal ganglia

(b) ventral nerve cord

(c) cerebral (suprapharyngeal) ganglia

(d) segmental ganglia

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

20 ★ IMPORTANT Q 180/500

Nervous system

The photoreceptors of the earthworm are mainly in the:

(a) clitellum

(b) septa

(c) gut

(d) skin of the anterior dorsal segments

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

21 ★ IMPORTANT Q 181/500

Reproduction

Fertilisation in the earthworm takes place:

(a) inside the cocoon

(b) in the spermatheca

(c) inside the body

(d) in water

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

22 ★ IMPORTANT Q 182/500

Reproduction

Though hermaphrodite, the earthworm cross-fertilises because it is:

(a) parthenogenetic

(b) protandrous

(c) protogynous

(d) asexual

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

23 ★ IMPORTANT Q 183/500

Reproduction

Development of the earthworm is:

(a) indirect, with a larva

(b) with metamorphosis

(c) direct, without a larval stage

(d) by budding

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

24 ★ IMPORTANT Q 184/500

Economic importance

Earthworms are called 'friends of farmers' because they:

(a) eat insects

(b) kill weeds

(c) fix nitrogen

(d) loosen soil and make vermicompost

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 185/500 Habitat

A common frog of Nepal used in laboratory study is:

(a) Rana tigrina

(b) Bufo

(c) Hyla

(d) Ichthyophis

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 186/500

Habitat

Summer sleep of the frog is called:

(a) hibernation

(b) aestivation

(c) migration

(d) moulting

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 187/500

Morphology

Webbed hind feet of the frog help in:

(a) jumping

(b) burrowing

(c) swimming

(d) climbing

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 188/500

Morphology

The nictitating membrane of the frog protects the:

(a) ear

(b) nostril

(c) skin

(d) eye in water

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 189/500

Morphology

The tympanum of the frog helps in:

(a) receiving sound

(b) respiration

(c) vision

(d) smell

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 190/500

Digestive system

Teeth of the frog are:

(a) heterodont and thecodont

(b) homodont, acrodont and polyphyodont

(c) absent

(d) diphyodont

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 191/500

Digestive system

The tongue of the frog is:

(a) attached behind, free in front

(b) absent

(c) bilobed, attached in front and free behind

(d) fully fixed

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 192/500

Digestive system

The cloaca of the frog receives:

(a) only faeces

(b) only urine

(c) only gametes

(d) faeces, urine and gametes

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 193/500

Respiratory system

While in water, the frog respires through its:

(a) skin

(b) lungs

(c) buccal lining

(d) gills

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 194/500

Respiratory system

During hibernation, the frog respires only through its:

(a) lungs

(b) skin

(c) buccal cavity

(d) gills

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 195/500

Circulatory system

The heart of the frog has:

(a) 2 chambers

(b) 4 chambers

(c) 3 chambers (2 auricles, 1 ventricle)

(d) 5 chambers

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 196/500

Circulatory system

The sinus venosus of the frog opens into the:

(a) left auricle

(b) ventricle

(c) truncus arteriosus

(d) right auricle

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 197/500

Circulatory system

The RBCs of the frog are:

(a) oval and nucleated

(b) biconcave and non-nucleated

(c) absent

(d) amoeboid

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 198/500

Circulatory system

The renal portal system of the frog carries blood from the hind limbs to the:

(a) liver

(b) kidneys

(c) heart

(d) lungs

SOLUTION

@ENTRANCE DOSE
@ ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 199/500

Circulatory system

The hepatic portal vein carries blood from the gut to the:

(a) kidneys

(b) heart

(c) liver

(d) lungs

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 200/500

Excretory system

The adult frog is:

(a) ammonotelic

(b) uricotelic

(c) aminotelic

(d) ureotelic

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

17 ★ IMPORTANT Q 201/500

Excretory system

The kidneys of the adult frog are:

(a) mesonephric

(b) pronephric

(c) metanephric

(d) absent

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

18 ★ IMPORTANT Q 202/500

Excretory system

In the male frog, the duct carrying both urine and sperms is the:

(a) vas deferens

(b) urinogenital (Wolffian) duct

(c) oviduct

(d) urethra

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

19 ★ IMPORTANT Q 203/500

Nervous system

The frog has:

(a) 12 pairs of cranial nerves

(b) 8 pairs of cranial nerves

(c) 10 pairs of cranial nerves

(d) 31 pairs of cranial nerves

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

20 ★ IMPORTANT Q 204/500

Nervous system

The frog has:

(a) 31 pairs of spinal nerves

(b) 12 pairs of spinal nerves

(c) 20 pairs of spinal nerves

(d) 10 pairs of spinal nerves

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

21 ★ IMPORTANT Q 205/500

Reproductive system

Fertilisation in the frog is:

(a) external, in water

(b) internal

(c) in the cloaca

(d) in the ovary

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

22 ★ IMPORTANT Q 206/500

Reproductive system

Vocal sacs, which make croaking loud, are found in the:

(a) female frog

(b) male frog

(c) both sexes

(d) tadpole

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

23 ★ IMPORTANT Q 207/500

Reproductive system

The nuptial pad of the male frog is found on the:

(a) hind limb

(b) neck

(c) first finger of the forelimb

(d) back

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

24 ★ IMPORTANT Q 208/500

Reproductive system

Metamorphosis of the tadpole into a frog is controlled by:

(a) insulin

(b) adrenaline

(c) prolactin

(d) thyroxine

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 209/500

Teeth

The dental formula of an adult human is:

(a) 2123/2123

(b) 2102/2102

(c) 2023/2023

(d) 3123/3123

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 210/500

Teeth

Human teeth are:

(a) homodont and acrodont

(b) thecodont, diphyodont and heterodont

(c) polyphyodont

(d) pleurodont

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 211/500

Teeth

The hardest substance of the human body is:

(a) bone

(b) dentine

(c) enamel

(d) cementum

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 212/500

Salivary glands

The number of pairs of salivary glands in humans is:

(a) 2

(b) 4

(c) 5

(d) 3

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 213/500

Salivary glands

Salivary amylase (ptyalin) digests:

(a) starch

(b) protein

(c) fat

(d) nucleic acids

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 214/500

Stomach

HCl in the stomach is secreted by the:

(a) chief cells

(b) oxyntic (parietal) cells

(c) goblet cells

(d) Kupffer cells

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 215/500

Stomach

Inactive pepsinogen is converted into pepsin by:

(a) enterokinase

(b) bile

(c) HCl

(d) trypsin

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 216/500

Stomach

Rennin, which curdles milk, is mainly found in the stomach of:

(a) adults

(b) old people

(c) carnivores

(d) infants (calves)

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 217/500

Liver

The largest gland of the human body is the:

(a) liver

(b) pancreas

(c) thyroid

(d) salivary gland

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 218/500

Liver

Bile helps in:

(a) protein digestion

(b) emulsification of fats

(c) starch digestion

(d) secretion of HCl

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 219/500

Liver

Kupffer cells of the liver are:

(a) secretory cells

(b) bile cells

(c) phagocytic cells

(d) storage cells

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 220/500

Intestinal juice

Enterokinase converts:

(a) pepsinogen to pepsin

(b) starch to maltose

(c) fat to fatty acids

(d) trypsinogen to trypsin

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 221/500

Pancreas

The islets of Langerhans are found in the:

(a) pancreas

(b) liver

(c) stomach

(d) spleen

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 222/500

Small intestine

Villi are found in the:

(a) stomach

(b) small intestine

(c) large intestine

(d) oesophagus

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 223/500

Small intestine

Brunner's glands are found in the:

(a) ileum

(b) jejunum

(c) duodenum

(d) colon

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 224/500

Absorption

Digested fats are absorbed into the:

(a) blood capillaries

(b) hepatic portal vein

(c) stomach wall

(d) lacteals

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

17 ★ IMPORTANT Q 225/500

Large intestine

The vermiform appendix arises from the:

(a) caecum

(b) ileum

(c) colon

(d) rectum

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

18 ★ IMPORTANT Q 226/500

Physiology of digestion

Peptides are finally broken into amino acids by:

(a) pepsin

(b) peptidases (erepsin) of intestinal juice

(c) amylase

(d) lipase

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

19 ★ IMPORTANT Q 227/500

Stomach

Vitamin B12 absorption needs the intrinsic factor secreted by the:

(a) chief cells

(b) goblet cells

(c) parietal (oxyntic) cells

(d) pancreas

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

20 ★ IMPORTANT Q 228/500

Physiology of digestion

The hormone that makes the gall bladder release bile is:

(a) gastrin

(b) secretin

(c) insulin

(d) cholecystokinin (CCK)

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

21 ★ IMPORTANT Q 229/500

Physiology of digestion

Peristalsis is:

(a) a wave of muscular contraction along the gut

(b) secretion of enzymes

(c) absorption of food

(d) vomiting

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

22 ★ IMPORTANT Q 230/500

Disorders

Jaundice is a disorder of the:

(a) kidney

(b) liver

(c) lungs

(d) heart

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

23 ★ IMPORTANT Q 231/500

Stomach

The opening of the stomach into the duodenum is guarded by the:

(a) cardiac sphincter

(b) ileocaecal valve

(c) pyloric sphincter

(d) anal sphincter

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

24 ★ IMPORTANT Q 232/500

Pancreas

Pancreatic lipase breaks fats into:

(a) amino acids

(b) glucose

(c) glycerol only

(d) fatty acids and glycerol

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 233/500

Respiratory organs

Exchange of gases in the lungs takes place in the:

(a) alveoli

(b) bronchi

(c) trachea

(d) larynx

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 234/500

Respiratory organs

The voice box is the:

(a) pharynx

(b) larynx

(c) trachea

(d) epiglottis

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 235/500

Respiratory organs

The trachea does not collapse because of:

(a) muscles

(b) mucus

(c) C-shaped cartilage rings

(d) ribs

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 236/500

Respiratory organs

The lungs are covered by a double membrane called the:

(a) pericardium

(b) peritoneum

(c) meninges

(d) pleura

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 237/500

Breathing

During inspiration, the diaphragm:

(a) contracts and flattens

(b) relaxes and becomes dome-shaped

(c) does not move

(d) moves upward

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 238/500

Lung volumes

The tidal volume of a normal adult is about:

(a) 1500 ml

(b) 500 ml

(c) 3000 ml

(d) 1200 ml

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 239/500

Lung volumes

Vital capacity is equal to:

(a) TV + IRV

(b) TV + ERV

(c) TV + IRV + ERV

(d) RV + ERV

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 240/500

Lung volumes

Air left in the lungs after the deepest expiration is the:

(a) tidal volume

(b) vital capacity

(c) inspiratory reserve volume

(d) residual volume

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 241/500

Gas transport

Most O_2 is carried in the blood as:

(a) oxyhaemoglobin

(b) O_2 dissolved in plasma

(c) carbaminohaemoglobin

(d) bicarbonate

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 242/500

Gas transport

About 70% of CO_2 is transported as:

(a) carbaminohaemoglobin

(b) bicarbonate ions

(c) dissolved CO_2

(d) carbonic acid

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 243/500

Gas transport

The chloride shift (Hamburger's phenomenon) occurs across the membrane of:

(a) alveoli

(b) WBCs

(c) RBCs

(d) capillaries

SOLUTION

@ENTRANCE DOSE
@ ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 244/500

Gas transport

The enzyme carbonic anhydrase is found in:

(a) plasma

(b) WBCs

(c) platelets

(d) RBCs

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 245/500 Regulation

The respiratory centres are located in the:

(a) medulla oblongata and pons

(b) cerebrum

(c) cerebellum

(d) hypothalamus

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 246/500 Regulation

The breathing rate increases mainly when the blood has more:

(a) O_2

(b) CO_2 (and H^+)

(c) glucose

(d) N_2

SOLUTION

@ENTRANCE DOSE
@ ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 247/500

Gas transport

The oxygen dissociation curve of haemoglobin is:

(a) linear

(b) parabolic

(c) sigmoid

(d) hyperbolic

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 248/500

Gas transport

According to the Bohr effect, more CO_2 shifts the O_2 dissociation curve to the:

(a) left

(b) no change

(c) linear form

(d) right

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

17 ★ IMPORTANT Q 249/500 Disorders

Asthma is caused by:

(a) spasm and narrowing of bronchioles

(b) breakdown of alveolar walls

(c) bacterial infection

(d) lung cancer

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

18 ★ IMPORTANT Q 250/500 Disorders

In emphysema:

(a) bronchi are inflamed

(b) alveolar walls break down and surface area falls

(c) fluid fills the pleura

(d) the trachea collapses

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

19 ★ IMPORTANT Q 251/500

Disorders

Pneumonia is commonly caused by:

(a) Plasmodium

(b) Mycobacterium leprae

(c) Streptococcus pneumoniae

(d) Vibrio cholerae

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

20 ★ IMPORTANT Q 252/500

Disorders

Carbon monoxide is poisonous because it:

(a) destroys the lungs

(b) blocks the trachea

(c) dissolves in plasma

(d) binds haemoglobin more strongly than O_2

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 253/500

Heart

The human heart is covered by a double membrane called the:

(a) pericardium

(b) pleura

(c) peritoneum

(d) endocardium

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 254/500

Heart

The tricuspid valve lies between the:

(a) left auricle and left ventricle

(b) right auricle and right ventricle

(c) left ventricle and aorta

(d) right ventricle and pulmonary artery

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 255/500

Heart

The bicuspid (mitral) valve lies between the:

(a) right auricle and right ventricle

(b) right ventricle and aorta

(c) left auricle and left ventricle

(d) aorta and pulmonary vein

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 256/500

Heartbeat

The pacemaker of the heart is the:

(a) AV node

(b) bundle of His

(c) Purkinje fibres

(d) SA node

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 257/500

Heartbeat

The human heart is:

(a) myogenic

(b) neurogenic

(c) hormonal

(d) none of these

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 258/500

Cardiac cycle

At 72 beats per minute, one cardiac cycle lasts about:

(a) 0.3 s

(b) 0.8 s

(c) 1.2 s

(d) 0.1 s

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 259/500

Cardiac cycle

The first heart sound 'lubb' is due to closure of the:

(a) semilunar valves

(b) aortic valve only

(c) AV (tricuspid and bicuspid) valves

(d) foramen ovale

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 260/500

Cardiac cycle

The second heart sound 'dupp' is due to closure of the:

(a) tricuspid valve

(b) bicuspid valve

(c) AV valves

(d) semilunar valves

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 261/500

Cardiac output

Cardiac output = stroke volume ×

(a) heart rate

(b) blood pressure

(c) cardiac cycle time

(d) ECG

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 262/500

Cardiac output

The normal cardiac output of an adult at rest is about:

(a) 1 L/min

(b) 5 L/min

(c) 10 L/min

(d) 15 L/min

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 263/500

Heartbeat

The QRS complex of an ECG shows:

(a) atrial depolarisation

(b) ventricular repolarisation

(c) ventricular depolarisation

(d) SA node firing

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 264/500

Heartbeat

The T-wave of an ECG shows:

(a) atrial depolarisation

(b) AV delay

(c) ventricular depolarisation

(d) ventricular repolarisation

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 265/500

Arterial & venous system

Which blood vessel carries oxygenated blood?

(a) Pulmonary vein

(b) Pulmonary artery

(c) Vena cava

(d) Hepatic portal vein

SOLUTION

@ENTRANCEDOSE
@ENTRANCEDOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 266/500

Arterial & venous system

Arteries have:

(a) thin walls with valves

(b) thick, muscular and elastic walls

(c) only endothelium

(d) valves throughout

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 267/500

Arterial & venous system

Exchange of materials between blood and tissues occurs in the:

(a) arteries

(b) veins

(c) capillaries

(d) aorta

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 268/500

Arterial & venous system

Veins have valves to:

(a) increase pressure

(b) carry O_2

(c) mix blood

(d) prevent backflow of blood

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

17 ★ IMPORTANT Q 269/500

Arterial & venous system

Oxygenated blood leaves the left ventricle through the:

(a) aorta

(b) vena cava

(c) pulmonary vein

(d) pulmonary artery

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

18 ★ IMPORTANT Q 270/500

Blood group

The universal donor blood group is:

(a) O negative

(b) AB positive

(c) A

(d) B

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

19 ★ IMPORTANT Q 271/500

Blood group

A person with blood group AB has:

(a) both anti-A and anti-B antibodies

(b) A and B antigens and no antibodies

(c) no antigens

(d) only anti-A antibody

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

20 ★ IMPORTANT Q 272/500

Blood group

Erythroblastosis foetalis can occur when the:

(a) mother is Rh+ and foetus Rh-

(b) both are Rh-

(c) mother is Rh- and foetus Rh+

(d) both are Rh+

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

21 ★ IMPORTANT Q 273/500

Blood pressure

The normal blood pressure of a healthy adult is about:

(a) 140/100 mmHg

(b) 100/60 mmHg

(c) 160/90 mmHg

(d) 120/80 mmHg

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

22 ★ IMPORTANT Q 274/500

Blood pressure

Blood pressure is measured with a:

(a) sphygmomanometer

(b) stethoscope

(c) ECG machine

(d) spirometer

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

23 ★ IMPORTANT Q 275/500

Blood pressure

Hypertension is blood pressure that stays at or above:

(a) 120/80 mmHg

(b) 140/90 mmHg

(c) 100/60 mmHg

(d) 90/60 mmHg

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

24 ★ IMPORTANT Q 276/500

Cardiovascular disorders

Narrowing of arteries due to fatty (cholesterol) deposits is:

(a) arteriosclerosis only

(b) angina

(c) atherosclerosis

(d) myocarditis

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

25 ★ IMPORTANT Q 277/500

Cardiovascular disorders

Myocardial infarction (heart attack) is due to:

(a) high BP only

(b) a valve defect

(c) low haemoglobin

(d) blocked coronary artery and death of heart muscle

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

26 ★ IMPORTANT Q 278/500

Blood

The lifespan of a human RBC is about:

(a) 120 days

(b) 12 days

(c) 60 days

(d) 1 year

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

27 ★ IMPORTANT Q 279/500

Blood

Platelets help in:

(a) O_2 transport

(b) blood clotting

(c) antibody making

(d) CO_2 transport

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

28 ★ IMPORTANT Q 280/500

Blood

During clotting, thrombin converts:

(a) prothrombin to thrombin

(b) fibrin to fibrinogen

(c) fibrinogen to fibrin

(d) plasminogen to plasmin

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 281/500

Excretory organs

The structural and functional unit of the kidney is the:

(a) nephron

(b) neuron

(c) alveolus

(d) villus

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 282/500

Excretory organs

The main nitrogenous waste of humans is:

(a) ammonia

(b) urea

(c) uric acid

(d) creatinine

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 283/500

Excretory organs

Urea is formed in the:

(a) kidney

(b) spleen

(c) liver

(d) lungs

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 284/500

Excretory organs

The ornithine (urea) cycle was described by:

(a) Calvin

(b) Pasteur

(c) Mitchell

(d) Krebs and Henseleit

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 285/500

Urine formation

Glomerular filtration takes place in the:

(a) Malpighian body (glomerulus + Bowman's capsule)

(b) loop of Henle

(c) DCT

(d) collecting duct

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 286/500

Urine formation

Podocytes are found in the:

(a) PCT

(b) Bowman's capsule

(c) loop of Henle

(d) ureter

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 287/500

Urine formation

The glomerular filtration rate (GFR) of a healthy adult is about:

(a) 25 ml/min

(b) 1 L/min

(c) 125 ml/min

(d) 500 ml/min

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 288/500

Urine formation

Most reabsorption of glucose and water takes place in the:

(a) DCT

(b) collecting duct

(c) loop of Henle

(d) PCT

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 289/500

Urine formation

The counter-current mechanism that concentrates urine works in the:

(a) loop of Henle and vasa recta

(b) glomerulus

(c) Bowman's capsule

(d) ureter

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 290/500

Urine formation

ADH (vasopressin) increases water reabsorption in the:

(a) PCT

(b) DCT and collecting duct

(c) glomerulus

(d) Bowman's capsule

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 291/500

Renal disorders

Deficiency of ADH causes:

(a) diabetes mellitus

(b) glycosuria

(c) diabetes insipidus

(d) uraemia

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 292/500

Urine formation

Aldosterone increases reabsorption of:

(a) glucose

(b) urea

(c) water only

(d) Na^+ in the DCT

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 293/500

Urine formation

Renin is secreted by the:

(a) juxtaglomerular cells

(b) adrenal cortex

(c) liver

(d) pituitary

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 294/500

Urine formation

A healthy adult passes about _____ of urine per day.

(a) 0.5 L

(b) 1–1.5 L

(c) 5 L

(d) 10 L

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 295/500

Renal disorders

Presence of glucose in the urine is called:

(a) haematuria

(b) uraemia

(c) glycosuria

(d) ketonuria

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 296/500

Renal disorders

Kidney stones are usually made of:

(a) urea

(b) glucose

(c) sodium chloride

(d) calcium oxalate

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

17 ★ IMPORTANT Q 297/500

Renal disorders

Build-up of urea in the blood due to kidney failure is:

(a) uraemia

(b) glycosuria

(c) haematuria

(d) jaundice

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

18 ★ IMPORTANT Q 298/500

Renal disorders

Haemodialysis (artificial kidney) removes urea by:

(a) filtration under pressure

(b) diffusion across a semi-permeable membrane

(c) active transport

(d) osmosis only

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

19 ★ IMPORTANT Q 299/500

Renal disorders

Inflammation of the glomeruli is called:

(a) nephrolithiasis

(b) cystitis

(c) glomerulonephritis

(d) pyelitis

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

20 ★ IMPORTANT Q 300/500

Excretory organs

Besides the kidneys, the skin excretes:

(a) bile

(b) CO_2 only

(c) urine

(d) sweat (water, salts and some urea)

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 301/500

CNS – Brain

The largest part of the human brain is the:

(a) cerebrum

(b) cerebellum

(c) medulla

(d) pons

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 302/500

CNS – Brain

The two cerebral hemispheres are joined by the:

(a) pons

(b) corpus callosum

(c) medulla

(d) cerebellum

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 303/500

CNS – Brain

Balance and coordination of body movements are controlled by the:

(a) cerebrum

(b) medulla

(c) cerebellum

(d) hypothalamus

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 304/500

CNS – Brain

Body temperature, hunger and thirst are controlled by the:

(a) thalamus

(b) cerebellum

(c) pons

(d) hypothalamus

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 305/500

CNS – Brain

Heartbeat, breathing and vomiting are controlled by the:

(a) medulla oblongata

(b) cerebrum

(c) cerebellum

(d) thalamus

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 306/500

CNS – Brain

The brain and spinal cord are covered by three membranes called the:

(a) pleura

(b) meninges

(c) pericardium

(d) peritoneum

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 307/500

CNS – Brain

Cerebrospinal fluid is found in the:

(a) blood vessels

(b) lymph

(c) ventricles of the brain and central canal

(d) synapse

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 308/500 PNS

The number of cranial nerves in humans is:

(a) 10 pairs

(b) 31 pairs

(c) 8 pairs

(d) 12 pairs

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 309/500 PNS

The number of spinal nerves in humans is:

(a) 31 pairs

(b) 12 pairs

(c) 33 pairs

(d) 10 pairs

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 310/500

PNS

The vagus nerve is the:

(a) 5th cranial nerve

(b) 10th cranial nerve

(c) 7th cranial nerve

(d) 12th cranial nerve

SOLUTION

@ENTRANCE DOSE
@ENTRANCEDOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 311/500

PNS

The largest cranial nerve is the:

(a) optic

(b) vagus

(c) trigeminal

(d) facial

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 312/500

Autonomic nervous system

The sympathetic nervous system:

(a) slows the heart

(b) increases digestion

(c) constricts the pupil

(d) prepares the body for 'fight or flight'

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 313/500

Autonomic nervous system

Parasympathetic stimulation:

(a) slows the heartbeat

(b) dilates the pupil

(c) raises BP

(d) stops digestion

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 314/500

Autonomic nervous system

The neurotransmitter of the parasympathetic system is:

(a) adrenaline

(b) acetylcholine

(c) dopamine

(d) GABA

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 315/500

Nerve impulse

The resting membrane potential of a neuron is about:

(a) +30 mV

(b) 0 mV

(c) -70 mV

(d) -120 mV

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 316/500

Nerve impulse

Depolarisation of a nerve fibre is due to rapid entry of:

(a) K^+

(b) Cl^-

(c) Ca^{2+}

(d) Na^+

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

17 ★ IMPORTANT Q 317/500

Nerve impulse

The sodium–potassium pump moves:

(a) 3 Na^+ out and 2 K^+ in

(b) 2 Na^+ out and 3 K^+ in

(c) 3 Na^+ in and 2 K^+ out

(d) only K^+

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

18 ★ IMPORTANT Q 318/500

Nerve impulse

Impulse conduction is fastest in:

(a) non-myelinated fibres

(b) myelinated fibres (saltatory conduction)

(c) thin fibres

(d) dendrites

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

19 ★ IMPORTANT Q 319/500

Nerve impulse

The junction between two neurons is the:

(a) node of Ranvier

(b) axon hillock

(c) synapse

(d) dendrite

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

20 ★ IMPORTANT Q 320/500

CNS – Spinal cord

A simple reflex action is controlled by the:

(a) cerebrum

(b) cerebellum

(c) hypothalamus

(d) spinal cord

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

21 ★ IMPORTANT Q 321/500

CNS – Brain

Broca's area (speech) lies in the:

(a) frontal lobe

(b) occipital lobe

(c) temporal lobe

(d) parietal lobe

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

22 ★ IMPORTANT Q 322/500

CNS – Brain

The visual centre of the brain lies in the:

(a) frontal lobe

(b) occipital lobe

(c) temporal lobe

(d) parietal lobe

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

23 ★ IMPORTANT Q 323/500

CNS – Brain

The relay centre for sensory impulses going to the cerebrum is the:

(a) hypothalamus

(b) pons

(c) thalamus

(d) medulla

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

24 ★ IMPORTANT Q 324/500

CNS – Spinal cord

In adults, the spinal cord ends at the level of the:

(a) 12th thoracic vertebra

(b) sacrum

(c) coccyx

(d) 1st–2nd lumbar vertebra

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 325/500

Eye

The light-sensitive layer of the eye is the:

(a) retina

(b) choroid

(c) sclera

(d) cornea

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 326/500

Eye

Rods of the retina are responsible for:

(a) colour vision

(b) dim-light (night) vision

(c) focusing

(d) bright-light vision only

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 327/500

Eye

Cones contain the pigment:

(a) rhodopsin

(b) melanin

(c) iodopsin

(d) haemoglobin

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 328/500

Eye

Deficiency of vitamin A causes:

(a) colour blindness

(b) myopia

(c) cataract

(d) night blindness

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 329/500 Eye

The point of sharpest vision in the retina is the:

(a) fovea centralis (yellow spot)

(b) blind spot

(c) iris

(d) lens

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 330/500

Eye

The blind spot has no:

(a) blood vessels

(b) rods and cones

(c) nerve fibres

(d) lens

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 331/500

Eye

Myopia (short-sightedness) is corrected using a:

(a) convex lens

(b) cylindrical lens

(c) concave lens

(d) bifocal lens

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 332/500

Eye

Opacity (clouding) of the eye lens is called:

(a) glaucoma

(b) myopia

(c) astigmatism

(d) cataract

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 333/500

Eye

The fluid between the cornea and the lens is the:

(a) aqueous humour

(b) vitreous humour

(c) lymph

(d) endolymph

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 334/500

Ear

The smallest bone of the human body is the:

(a) malleus

(b) stapes

(c) incus

(d) femur

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 335/500 Ear

Ear ossicles carry sound vibrations from the tympanum to the:

(a) cochlea directly

(b) Eustachian tube

(c) oval window

(d) round window

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 336/500

Ear

The Eustachian tube connects the middle ear with the:

(a) inner ear

(b) cochlea

(c) brain

(d) pharynx

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 337/500

Ear

The organ of Corti, the receptor for hearing, lies in the:

(a) cochlea

(b) semicircular canals

(c) utriculus

(d) middle ear

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 338/500

Ear

The semicircular canals help in:

(a) hearing

(b) dynamic balance

(c) smell

(d) taste

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 339/500

Ear

The fluid inside the membranous labyrinth is the:

(a) perilymph

(b) aqueous humour

(c) endolymph

(d) CSF

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 340/500 Ear

Otoliths (otoconia) are found in the:

(a) cochlea

(b) tympanum

(c) Eustachian tube

(d) utriculus and sacculus

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 341/500

Pituitary

The 'master gland' of the body is the:

(a) pituitary

(b) thyroid

(c) adrenal

(d) pancreas

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 342/500

Pituitary

Excess growth hormone in childhood causes:

(a) dwarfism

(b) gigantism

(c) cretinism

(d) myxoedema

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 343/500

Pituitary

Excess growth hormone in adults causes:

(a) gigantism

(b) cretinism

(c) acromegaly

(d) Cushing's syndrome

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 344/500

Pituitary

Oxytocin helps in:

(a) milk production

(b) water reabsorption

(c) growth

(d) uterine contraction at birth and milk ejection

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 345/500

Pituitary

Prolactin stimulates:

(a) milk production

(b) uterine contraction

(c) ovulation

(d) sperm formation

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 346/500

Thyroid

Thyroxine contains:

(a) iron

(b) iodine

(c) calcium

(d) cobalt

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 347/500 Thyroid

Deficiency of thyroxine in children causes:

(a) myxoedema

(b) Graves' disease

(c) cretinism

(d) acromegaly

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 348/500

Thyroid

Simple goitre is due to deficiency of:

(a) calcium

(b) iron

(c) vitamin D

(d) iodine

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 349/500 Thyroid

Exophthalmic goitre (Graves' disease) is due to:

(a) hyperthyroidism

(b) hypothyroidism

(c) excess iodine

(d) diabetes

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 350/500

Thyroid

Calcitonin lowers the blood level of:

(a) glucose

(b) calcium

(c) sodium

(d) potassium

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 351/500

Parathyroid

Parathormone (PTH) raises the blood level of:

(a) glucose

(b) sodium

(c) calcium

(d) iodine

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 352/500

Pancreas

Insulin is secreted by the:

(a) α-cells

(b) δ-cells

(c) acinar cells

(d) β-cells of the islets of Langerhans

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 353/500

Pancreas

Glucagon:

(a) raises blood glucose

(b) lowers blood glucose

(c) lowers calcium

(d) ejects milk

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 354/500

Disorders

Diabetes mellitus is due to deficiency or poor action of:

(a) ADH

(b) insulin

(c) thyroxine

(d) glucagon

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 355/500

Adrenal

Adrenaline is secreted by the:

(a) adrenal cortex

(b) thyroid

(c) adrenal medulla

(d) pituitary

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 356/500

Adrenal

Adrenaline is called the 'emergency hormone' because it:

(a) lowers heart rate

(b) causes sleep

(c) increases digestion

(d) prepares the body for 'fight or flight'

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

17 ★ IMPORTANT Q 357/500

Disorders

Excess cortisol causes:

(a) Cushing's syndrome

(b) Addison's disease

(c) cretinism

(d) myxoedema

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

18 ★ IMPORTANT Q 358/500

Disorders

Addison's disease is due to:

(a) excess thyroxine

(b) deficiency of adrenal cortex hormones

(c) excess insulin

(d) deficiency of GH

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

19 ★ IMPORTANT Q 359/500

Other glands

Melatonin is secreted by the:

(a) thymus

(b) thyroid

(c) pineal gland

(d) pituitary

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

20 ★ IMPORTANT Q 360/500

Other glands

Thymosin, which helps T-cells mature, is secreted by the:

(a) pineal

(b) adrenal

(c) pancreas

(d) thymus

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

21 ★ IMPORTANT Q 361/500

Gonads

Testosterone is secreted by the:

(a) Leydig (interstitial) cells

(b) Sertoli cells

(c) epididymis

(d) prostate

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

22 ★ IMPORTANT Q 362/500

Gonads

Progesterone is secreted by the:

(a) Graafian follicle

(b) corpus luteum

(c) pituitary

(d) adrenal

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

23 ★ IMPORTANT Q 363/500

Gut hormones

Gastrin stimulates the secretion of:

(a) bile

(b) insulin

(c) gastric juice

(d) pancreatic juice

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

24 ★ IMPORTANT Q 364/500

Hormone action

Hormones that act through cAMP (second messenger) are mostly:

(a) steroid hormones

(b) thyroxine

(c) sex hormones

(d) peptide and amine hormones like glucagon

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 365/500

Male reproductive organs

The testes lie in the scrotum because sperm formation needs a temperature:

(a) 2–3 °C lower than body temperature

(b) higher than body temperature

(c) equal to body temperature

(d) 10 °C higher

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 366/500

Male reproductive organs

Sperms are produced in the:

(a) epididymis

(b) seminiferous tubules

(c) vas deferens

(d) prostate

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 367/500

Male reproductive organs

Sertoli cells:

(a) secrete testosterone

(b) swim as sperms

(c) nourish developing sperms

(d) store urine

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 368/500

Male reproductive organs

Sperms mature and are stored in the:

(a) vas deferens

(b) urethra

(c) seminal vesicle

(d) epididymis

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 369/500

Gametogenesis

The acrosome of a sperm is formed from the:

(a) Golgi body

(b) mitochondria

(c) centriole

(d) nucleus

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 370/500

Gametogenesis

The middle piece of a sperm contains:

(a) the nucleus

(b) mitochondria

(c) the acrosome

(d) the Golgi body

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 371/500

Gametogenesis

One primary spermatocyte forms:

(a) 1 sperm

(b) 2 sperms

(c) 4 sperms

(d) 8 sperms

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 372/500

Gametogenesis

One primary oocyte forms:

(a) 4 ova

(b) 2 ova

(c) no ovum

(d) 1 ovum and polar bodies

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 373/500

Gametogenesis

Oogenesis begins during:

(a) foetal life

(b) puberty

(c) menopause

(d) pregnancy

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 374/500

Gametogenesis

The secondary oocyte completes meiosis II only after:

(a) ovulation

(b) entry of the sperm

(c) menstruation

(d) implantation

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 375/500

Female reproductive organs

Fertilisation in humans usually takes place in the:

(a) uterus

(b) cervix

(c) ampulla of the fallopian tube

(d) ovary

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 376/500

Female reproductive organs

Implantation in the uterus takes place at the:

(a) morula stage

(b) zygote stage

(c) gastrula stage

(d) blastocyst stage

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 377/500

Menstrual cycle

In a 28-day cycle, ovulation occurs on about the:

(a) 14th day

(b) 1st day

(c) 5th day

(d) 28th day

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 378/500

Ovarian cycle

Ovulation is triggered by a surge of:

(a) FSH

(b) LH

(c) progesterone

(d) prolactin

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 379/500

Ovarian cycle

After ovulation, the ruptured Graafian follicle becomes the:

(a) corpus albicans

(b) primary follicle

(c) corpus luteum

(d) zona pellucida

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 380/500

Menstrual cycle

Menstruation occurs due to a fall in the level of:

(a) LH

(b) FSH

(c) prolactin

(d) progesterone

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

17 ★ IMPORTANT Q 381/500

Menstrual cycle

The follicular (proliferative) phase is controlled mainly by:

(a) FSH and oestrogen

(b) progesterone

(c) oxytocin

(d) relaxin

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

18 ★ IMPORTANT Q 382/500

Menstrual cycle

Menopause usually occurs at the age of:

(a) 25–30 years

(b) 45–55 years

(c) 60–70 years

(d) 12–15 years

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

19 ★ IMPORTANT Q 383/500

Pregnancy

hCG, detected in pregnancy tests, is secreted by the:

(a) pituitary

(b) ovary

(c) placenta (trophoblast)

(d) uterus

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

20 ★ IMPORTANT Q 384/500

Male reproductive organs

Seminal vesicles secrete a fluid rich in:

(a) fructose

(b) glucose

(c) sucrose

(d) lactose

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

21 ★ IMPORTANT Q 385/500

Birth control

Vasectomy involves cutting and tying the:

(a) urethra

(b) vas deferens

(c) fallopian tube

(d) epididymis

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

22 ★ IMPORTANT Q 386/500

Birth control

Tubectomy involves cutting and tying the:

(a) uterus

(b) ovary

(c) fallopian tubes

(d) cervix

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

23 ★ IMPORTANT Q 387/500

Menstrual cycle

The human menstrual cycle lasts about:

(a) 14 days

(b) 7 days

(c) 40 days

(d) 28 days

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

24 ★ IMPORTANT Q 388/500

Gametogenesis

Spermatogenesis is started at puberty by:

(a) progesterone

(b) FSH and LH (via GnRH)

(c) oxytocin

(d) prolactin

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 389/500

Typhoid

Typhoid is caused by:

(a) Salmonella typhi

(b) Vibrio cholerae

(c) Shigella

(d) Mycobacterium

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 390/500

Typhoid

Typhoid is confirmed by the:

(a) Mantoux test

(b) Widal test

(c) ELISA

(d) Schick test

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 391/500

Typhoid

Typhoid spreads mainly through:

(a) mosquito bite

(b) air droplets

(c) contaminated food and water

(d) blood transfusion

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 392/500

Tuberculosis

Tuberculosis is caused by:

(a) Mycobacterium leprae

(b) Clostridium

(c) Bordetella

(d) Mycobacterium tuberculosis

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 393/500

Tuberculosis

The vaccine against tuberculosis is:

(a) BCG

(b) DPT

(c) OPV

(d) MMR

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 394/500

Tuberculosis

The tuberculin (Mantoux) test is used to diagnose:

(a) typhoid

(b) tuberculosis

(c) HIV

(d) cholera

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 395/500

HIV

HIV mainly attacks the:

(a) B-cells

(b) RBCs

(c) helper T-cells (CD4)

(d) platelets

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 396/500

HIV

HIV is a:

(a) DNA virus

(b) bacterium

(c) protozoan

(d) retrovirus (RNA virus)

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 397/500

HIV

HIV infection is confirmed by:

(a) ELISA and Western blot

(b) Widal test

(c) Mantoux test

(d) Benedict's test

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 398/500

Cholera

Cholera is caused by:

(a) Salmonella

(b) Vibrio cholerae

(c) Shigella

(d) E. coli

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 399/500

Cholera

'Rice-water stools' are a symptom of:

(a) typhoid

(b) tuberculosis

(c) cholera

(d) hepatitis

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 400/500

Cholera

The first and most important treatment of cholera is:

(a) antibiotics only

(b) vaccines

(c) surgery

(d) ORS to correct dehydration

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 401/500

Influenza

Influenza is caused by an:

(a) orthomyxovirus (RNA virus)

(b) bacterium

(c) fungus

(d) protozoan

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 402/500

Hepatitis

Hepatitis B spreads mainly through:

(a) contaminated food

(b) blood, sexual contact and mother to child

(c) mosquito bite

(d) air

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 403/500

Hepatitis

Hepatitis A spreads through:

(a) blood

(b) sexual contact

(c) the faecal–oral route

(d) mosquito bite

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 404/500

Candidiasis

Candidiasis is caused by:

(a) a virus

(b) a bacterium

(c) a protozoan

(d) the yeast-like fungus Candida albicans

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

17 ★ IMPORTANT Q 405/500

Innate immunity

Innate (inborn) immunity is:

(a) non-specific and present from birth

(b) specific

(c) acquired after vaccination

(d) acquired after infection

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

18 ★ IMPORTANT Q 406/500

Innate immunity

Skin and mucous membranes are:

(a) acquired immunity

(b) physical barriers of innate immunity

(c) humoral immunity

(d) cell-mediated immunity

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

19 ★ IMPORTANT Q 407/500

Acquired immunity

Antibodies are produced by:

(a) T-cells

(b) macrophages

(c) plasma cells (from B-cells)

(d) neutrophils

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

20 ★ IMPORTANT Q 408/500

Acquired immunity

Cell-mediated immunity is provided by:

(a) B-cells

(b) antibodies

(c) RBCs

(d) T-lymphocytes

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

21 ★ IMPORTANT Q 409/500

Antibodies

The most abundant antibody in the blood is:

(a) IgG

(b) IgA

(c) IgM

(d) IgE

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

22 ★ IMPORTANT Q 410/500

Antibodies

The only antibody that crosses the placenta is:

(a) IgM

(b) IgG

(c) IgA

(d) IgD

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

23 ★ IMPORTANT Q 411/500

Antibodies

The main antibody in colostrum (first milk) is:

(a) IgG

(b) IgE

(c) IgA

(d) IgM

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

24 ★ IMPORTANT Q 412/500

Antibodies

IgE is linked with:

(a) crossing the placenta

(b) colostrum

(c) the first response

(d) allergic reactions

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

25 ★ IMPORTANT Q 413/500

Antibodies

An antibody molecule is made of:

(a) 2 heavy and 2 light chains

(b) 4 heavy chains

(c) 1 heavy and 1 light chain

(d) 2 light chains

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

26 ★ IMPORTANT Q 414/500

Antigens

An antigen is a substance that:

(a) kills microbes

(b) stimulates the production of antibodies

(c) is an antibody

(d) is a white cell

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

27 ★ IMPORTANT Q 415/500

Acquired immunity

Immunity gained by receiving ready-made antibodies is:

(a) active immunity

(b) innate immunity

(c) passive immunity

(d) natural active immunity

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

28 ★ IMPORTANT Q 416/500

Acquired immunity

Memory cells are responsible for:

(a) innate immunity

(b) passive immunity

(c) inflammation

(d) a faster secondary immune response

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

29 ★ IMPORTANT Q 417/500

Vaccines

A live attenuated vaccine contains:

(a) weakened living microbes

(b) killed microbes

(c) toxoids

(d) antibodies

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

30 ★ IMPORTANT Q 418/500

Vaccines

BCG is an example of a:

(a) toxoid

(b) live attenuated vaccine

(c) inactivated vaccine

(d) antiserum

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

31 ★ IMPORTANT Q 419/500

Vaccines

Salk polio vaccine (IPV) is a:

(a) live attenuated vaccine

(b) toxoid

(c) inactivated (killed) vaccine

(d) antiserum

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

32 ★ IMPORTANT Q 420/500

Vaccines

Toxoid vaccines are used against:

(a) tuberculosis

(b) measles

(c) polio

(d) tetanus and diphtheria

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

33 ★ IMPORTANT Q 421/500

Vaccines

A toxoid is:

(a) an inactivated bacterial toxin

(b) live bacteria

(c) a virus

(d) an antibody

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

34 ★ IMPORTANT Q 422/500

Vaccines

The oral polio vaccine (Sabin) is:

(a) killed

(b) live attenuated

(c) a toxoid

(d) an antiserum

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

35 ★ IMPORTANT Q 423/500

Vaccines

The first vaccine (against smallpox) was developed by:

(a) Louis Pasteur

(b) Robert Koch

(c) Edward Jenner

(d) Alexander Fleming

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

36 ★ IMPORTANT Q 424/500

Vaccines

The MMR vaccine protects against:

(a) malaria, mumps and rabies

(b) measles, malaria and rubella

(c) mumps, TB and rubella

(d) measles, mumps and rubella

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 425/500

Transplantation

A graft from one part of the same person's body to another is an:

(a) autograft

(b) allograft

(c) xenograft

(d) isograft

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 426/500

Transplantation

A graft between two genetically different humans is an:

(a) autograft

(b) allograft

(c) xenograft

(d) isograft

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 427/500

Transplantation

A graft from an animal to a human is a:

(a) autograft

(b) allograft

(c) xenograft

(d) isograft

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 428/500

Transplantation

Rejection of a transplanted organ is mainly caused by:

(a) RBCs

(b) platelets

(c) antibodies only

(d) T-lymphocytes

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 429/500

Transplantation

Cyclosporin is given after organ transplant as an:

(a) immunosuppressant

(b) antibiotic

(c) vaccine

(d) antiseptic

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 430/500

Transplantation

A corneal graft is rarely rejected because the cornea:

(a) has many cells

(b) has no blood vessels

(c) is made of bone

(d) makes antibodies

SOLUTION

@ENTRANCEDOSE
@ENTRANCEDOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 431/500

IVF

In IVF, fertilisation takes place:

(a) in the fallopian tube

(b) in the uterus

(c) outside the body in a lab dish

(d) in the ovary

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 432/500

IVF

Louise Brown, the first test-tube baby, was born in:

(a) 1960

(b) 1990

(c) 2000

(d) 1978

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 433/500

IVF

ZIFT means transfer of the:

(a) zygote into the fallopian tube

(b) gametes into the uterus

(c) embryo into the ovary

(d) sperm into the vagina

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 434/500 IVF

ICSI is:

(a) placing an ovum in the uterus

(b) injecting a sperm directly into the ovum

(c) freezing embryos

(d) artificial insemination

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 435/500 IVF

IVF helps couples facing:

(a) high blood pressure

(b) diabetes

(c) infertility (e.g., blocked fallopian tubes)

(d) anaemia

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 436/500

Amniocentesis

Amniocentesis is a test of the:

(a) mother's blood

(b) mother's urine

(c) placenta

(d) amniotic fluid

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 437/500

Amniocentesis

Amniocentesis is used to detect:

(a) chromosomal disorders of the foetus (e.g., Down's syndrome)

(b) diabetes of the mother

(c) blood pressure

(d) malaria

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 438/500

Amniocentesis

Amniocentesis for sex determination is banned because it can lead to:

(a) high cost

(b) female foeticide

(c) infection

(d) pain

SOLUTION

@ENTRANCE DOSE
@ ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 439/500

Amniocentesis

Amniocentesis is usually done at about:

(a) 2 weeks of pregnancy

(b) 40 weeks of pregnancy

(c) 15–18 weeks of pregnancy

(d) 1 week of pregnancy

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 440/500

Transgenic animals

Animals carrying a foreign gene in their DNA are called:

(a) clones

(b) hybrids

(c) mutants

(d) transgenic animals

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

17 ★ IMPORTANT Q 441/500

Transgenic animals

Rosie, the first transgenic cow, gave milk rich in:

(a) human α-lactalbumin

(b) insulin

(c) vitamin A

(d) iron

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

18 ★ IMPORTANT Q 442/500

Transgenic animals

Transgenic animals are useful for:

(a) making pollution

(b) producing human proteins and studying diseases

(c) destroying crops

(d) none of these

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

19 ★ IMPORTANT Q 443/500

Transgenic animals

Transgenic mice are mostly used for:

(a) milk

(b) wool

(c) testing vaccines and studying diseases

(d) meat

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

20 ★ IMPORTANT Q 444/500

Transgenic animals

Transgenic sheep can give milk containing:

(a) antibiotics

(b) vitamin D

(c) glucose

(d) human α-1-antitrypsin

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

21 ★ IMPORTANT Q 445/500

Dairy & beverage microbes

Curd is made from milk by:

(a) Lactobacillus

(b) Acetobacter

(c) Clostridium

(d) Penicillium

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

22 ★ IMPORTANT Q 446/500

Dairy & beverage microbes

The large holes of Swiss cheese are due to CO_2 from:

(a) Lactobacillus

(b) Propionibacterium shermanii

(c) Saccharomyces

(d) Penicillium roqueforti

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

23 ★ IMPORTANT Q 447/500

Dairy & beverage microbes

Beer and wine are made by fermentation using:

(a) Lactobacillus

(b) Aspergillus

(c) Saccharomyces cerevisiae

(d) Acetobacter

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

24 ★ IMPORTANT Q 448/500

Dairy & beverage microbes

Vinegar is made by:

(a) yeast

(b) Lactobacillus

(c) Penicillium

(d) Acetobacter aceti

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

25 ★ IMPORTANT Q 449/500

Sewage treatment

Flocs formed in secondary sewage treatment are masses of:

(a) aerobic bacteria and fungal hyphae

(b) sand

(c) algae only

(d) viruses

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

26 ★ IMPORTANT Q 450/500

Sewage treatment

Biogas from anaerobic sludge digesters is mainly:

(a) oxygen

(b) methane

(c) nitrogen

(d) hydrogen

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

27 ★ IMPORTANT Q 451/500

Drinking water treatment

Drinking water is commonly disinfected by:

(a) adding sugar

(b) adding salt

(c) chlorination

(d) adding alum only

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

28 ★ IMPORTANT Q 452/500

Bio-control agents

Bacillus thuringiensis (Bt) is used as a:

(a) biofertiliser

(b) vaccine

(c) antibiotic

(d) bio-control agent (bio-insecticide)

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 453/500

Reflex action

A reflex action is:

(a) a quick, automatic response to a stimulus

(b) learned behaviour

(c) voluntary

(d) controlled by the cerebrum

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 454/500

Reflex action

The pathway of a reflex action is called the:

(a) synapse

(b) reflex arc

(c) node

(d) neuron chain

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 455/500

Reflex action

A dog salivating at the sound of a bell after training shows a:

(a) simple reflex

(b) taxis

(c) conditioned reflex

(d) instinct

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 456/500

Reflex action

Conditioned reflexes were studied in dogs by:

(a) Darwin

(b) Lorenz

(c) Skinner

(d) Ivan Pavlov

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 457/500

Taxis

Movement of a whole animal towards or away from a stimulus is:

(a) taxis

(b) reflex

(c) kinesis

(d) tropism

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 458/500

Taxis

Euglena swimming towards light shows:

(a) negative phototaxis

(b) positive phototaxis

(c) chemotaxis

(d) geotaxis

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 459/500

Migration

Long-distance seasonal movement of animals is called:

(a) taxis

(b) reflex

(c) migration

(d) hibernation

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 460/500

Migration

Salmon swimming from the sea to rivers to breed shows:

(a) catadromous migration

(b) potamodromous migration

(c) oceanodromous migration

(d) anadromous migration

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 461/500

Migration

Eels moving from rivers to the sea to breed show:

(a) catadromous migration

(b) anadromous migration

(c) altitudinal migration

(d) daily migration

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 462/500

Migration

Birds from Siberia coming to Nepal's wetlands in winter show:

(a) altitudinal migration

(b) latitudinal migration

(c) daily migration

(d) taxis

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 463/500

Aquatic adaptation

A streamlined body and fins are adaptations for:

(a) flying

(b) desert life

(c) aquatic life

(d) burrowing

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 464/500

Volant adaptation

Air sacs and hollow bones of birds are adaptations for:

(a) aquatic life

(b) desert life

(c) burrowing

(d) flying (volant) life

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 465/500

Volant adaptation

A patagium (skin fold for flight or gliding) is found in:

(a) bats and flying squirrels

(b) penguins

(c) camels

(d) fishes

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 466/500

Terrestrial adaptation

The camel can live long without water because it:

(a) has gills

(b) stores fat in its hump and passes concentrated urine

(c) sweats a lot

(d) drinks sea water

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 467/500

Terrestrial adaptation

The desert kangaroo rat gets its water mainly from:

(a) drinking

(b) rain

(c) metabolic water from its food

(d) dew

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 468/500

Aquatic adaptation

The thick blubber of whales helps in:

(a) flight

(b) digging

(c) vision

(d) insulation and buoyancy

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

17 ★ IMPORTANT Q 469/500

Volant adaptation

The flying fish (Exocoetus) glides using its:

(a) enlarged pectoral fins

(b) wings

(c) patagium

(d) feathers

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

18 ★ IMPORTANT Q 470/500

Terrestrial adaptation

Adhesive toe pads for climbing (scansorial adaptation) are seen in the:

(a) fish

(b) gecko (wall lizard)

(c) whale

(d) earthworm

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

19 ★ IMPORTANT Q 471/500

Aquatic adaptation

Webbed feet of ducks are an adaptation for:

(a) flying

(b) burrowing

(c) swimming

(d) running

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

20 ★ IMPORTANT Q 472/500

Volant adaptation

Echolocation helps bats to:

(a) breathe

(b) digest food

(c) hibernate

(d) find prey and obstacles in the dark

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 473/500

Air pollution

The vehicle pollutant that binds haemoglobin is:

(a) carbon monoxide

(b) carbon dioxide

(c) sulphur dioxide

(d) ozone

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 474/500

Air pollution

Smog in cities is mainly a mixture of:

(a) oxygen and water

(b) smoke, fog and oxides of nitrogen

(c) CO_2 only

(d) water vapour only

SOLUTION

@ENTRANCE DOSE
@ENTRANCEDOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 475/500

Air pollution

Fine particulate matter (PM2.5) mainly damages the:

(a) skin

(b) kidneys

(c) lungs

(d) bones

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 476/500

Water pollution

Biochemical oxygen demand (BOD) is a measure of:

(a) oxygen in air

(b) water temperature

(c) water pH

(d) organic pollution of water

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 477/500

Water pollution

Eutrophication of lakes is caused by excess:

(a) nitrates and phosphates

(b) oxygen

(c) fish

(d) sand

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 478/500

Water pollution

Minamata disease is caused by:

(a) lead

(b) mercury

(c) cadmium

(d) arsenic

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 479/500

Water pollution

Itai-itai disease is caused by:

(a) mercury

(b) lead

(c) cadmium

(d) fluoride

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 480/500

Water pollution

Blue baby syndrome is caused by excess _____ in drinking water.

(a) fluoride

(b) arsenic

(c) iron

(d) nitrate

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 481/500

Water pollution

Arsenic in groundwater is a serious problem in Nepal's:

(a) Terai region

(b) high Himalayas

(c) Kathmandu only

(d) mid-hills

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 482/500

Pesticides

The increase of DDT concentration at each trophic level is called:

(a) eutrophication

(b) biomagnification

(c) bioremediation

(d) succession

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 483/500

Pesticides

DDT causes thin egg shells in birds by disturbing:

(a) protein metabolism

(b) iron metabolism

(c) calcium metabolism

(d) fat metabolism

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 484/500

Soil pollution

Soil pollution is mainly caused by excess use of:

(a) compost

(b) mulch

(c) organic manure

(d) chemical fertilisers and pesticides

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

1 ★ IMPORTANT Q 485/500

Biodiversity

The term 'biodiversity' was popularised by:

(a) E.O. Wilson

(b) Charles Darwin

(c) E.P. Odum

(d) A.G. Tansley

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

2 ★ IMPORTANT Q 486/500

Hotspots

Biodiversity hotspots are regions with:

(a) few species

(b) high endemism and high threat

(c) only deserts

(d) only oceans

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

3 ★ IMPORTANT Q 487/500

Hotspots

The number of biodiversity hotspots in the world is:

(a) 25

(b) 12

(c) 36

(d) 50

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

4 ★ IMPORTANT Q 488/500

Hotspots

Nepal lies in the biodiversity hotspot called the:

(a) Western Ghats

(b) Indo-Burma

(c) Sundaland

(d) Himalaya

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

5 ★ IMPORTANT Q 489/500

Protected areas

In-situ conservation means protecting species:

(a) in their natural habitat

(b) in zoos

(c) in seed banks

(d) in laboratories

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

6 ★ IMPORTANT Q 490/500

Protected areas

Zoos and botanical gardens are examples of:

(a) in-situ conservation

(b) ex-situ conservation

(c) hotspots

(d) Ramsar sites

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

7 ★ IMPORTANT Q 491/500

Protected areas

The first national park of Nepal is:

(a) Sagarmatha National Park

(b) Bardia National Park

(c) Chitwan National Park (1973)

(d) Langtang National Park

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

8 ★ IMPORTANT Q 492/500

Protected areas

The one-horned rhinoceros is mainly protected in:

(a) Shey Phoksundo National Park

(b) Sagarmatha National Park

(c) Rara National Park

(d) Chitwan National Park

SOLUTION

@ENTRANCEDOSE
@ENTRANCEDOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

9 ★ IMPORTANT Q 493/500

Ramsar sites

The Ramsar Convention is for the conservation of:

(a) wetlands

(b) forests

(c) the ozone layer

(d) deserts

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

10 ★ IMPORTANT Q 494/500

Ramsar sites

The first Ramsar site of Nepal is:

(a) Rara Lake

(b) Koshi Tappu

(c) Phewa Lake

(d) Gokyo Lakes

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

11 ★ IMPORTANT Q 495/500

Ramsar sites

The number of Ramsar sites in Nepal is:

(a) 5

(b) 8

(c) 10

(d) 15

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

12 ★ IMPORTANT Q 496/500

IUCN categories

The IUCN category for species at extremely high risk of extinction in the wild is:

(a) vulnerable

(b) endangered

(c) near threatened

(d) critically endangered

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

13 ★ IMPORTANT Q 497/500

IUCN categories

The headquarters of IUCN is in:

(a) Gland, Switzerland

(b) Geneva

(c) New York

(d) Nairobi

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

14 ★ IMPORTANT Q 498/500

Endangered species of Nepal

The endangered red panda of Nepal lives in:

(a) Terai grasslands

(b) temperate bamboo forests of the mountains

(c) deserts

(d) rivers

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

15 ★ IMPORTANT Q 499/500

Endangered species of Nepal

IUCN lists the gharial (Gavialis gangeticus) as:

(a) least concern

(b) vulnerable

(c) critically endangered

(d) extinct

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.

16 ★ IMPORTANT Q 500/500

Endangered species of Nepal

Which of the following is a protected endangered mammal of Nepal?

(a) Wild boar

(b) Monkey

(c) Jackal

(d) Snow leopard

SOLUTION

@ENTRANCE DOSE
@ENTRANCE DOSE

© Entrance Dose. This PDF is copyrighted. Do not share it illegally or without proper permission/request. Unauthorized sharing will face legal consequences.