0.02622s 0.00799s

is expected to validate that :name cannot be empty/falsy

Napec Code Examples	🔀 Passed 🔀 Failed 🔀 Pending	Finished in 662.02571 seconds
UsersController		
.create		
denies adding a new user if not granted		0.23736s
adds a new user		0.09982s
rejects creation if given role does not exist		0.04428s
adds a new user with avatar		0.51047s
adds an invalid user		0.06374s
Medications::Services::CreateProduct		
adds ingredients by name		0.22178s
creates a default package for actual products		0.02745s
can link actual products		0.15206s
adds 1 form		0.05503s
creates a new product product		0.01997s
links the company		0.02693s
adds ingredients by unit id		0.06145s
links the category		0.01971s
adds linked routes		0.07627s
Enrollments		
fails if unauthorized		0.11506s
fails if treatment doesn't exist		0.07301s
fails if bad enrollment params		0.08546s
fails updating when dialysis since is before birthdate		0.09184s
fails if patient doesn't exist		0.04956s
fails if chronic dialysis is initiated without treatment		0.08527s
enrolls a predialysis patient		0.15500s
enrolls a patient		0.11592s
Pathwarenita		
Patients::Diet validates uniqueness of code		0.01555s
is expected to have many patient diets		0.01333s 0.00466s
		0.004003
Lab System		
GetLabSystems		
returns the lab systems		0.09020s
returns forbidden (403) if the user isn't authorized		0.02843s
Infrastructure::Consumable		
is expected to have many items		0.01224s
and Productions		
validations	nigue	0.01789s
is expected to validate that sname is case-sensitively un		eter lock type>, <:citrate type>, <:dialysate concentrate>,
dialysers, chemofilter_sets, chemostatic_devices, cpel ctemporary_catheters, cvenous_needles, cwound_band cwound_perimeter_protections	rmanent_catheter>, <:post_care_device>, <:priming_	_product>, <:single_needle>, <:substitution_fluid>,
is expected to validate that :name cannot be empty/fals	sy	0.01525s
SandSassian Summanulah		
SendSessionSummaryJob reschedules the job when the session was not completed ((PENDING: Temporarily skipped with vit)	
sends a json session summary payload to an endpoint	TENDING. Temporarily skipped with XIC)	0.55571s
Serius a jouri session summary paytodu to an enupoint		0.555715
Measurements::Measurement		
is expected to belong to user required: true		0.01678s
is expected to belong to patient required: true		0.00502s
is expected to validate that :name is either <"access_flow"	en_saturation">,	

is expected to belong to session optional: true	0.00525s
.vascular access	
returns all vascular access measurements	0.46173s
Patients::Diagnosis	0.05642a
returns forbidden (403) if the user isn't authorized returns success (200) and the archived diagnosis if it is in use	0.05642s
-	0.16032s 0.04056s
returns not found (404) if the diagnosis doesn't exist returns no content (204) when it is not in use	0.040368
returns no content (204) when it is not in use	0.054225
JpdateVascularAccessSiteTechnique	
returns not found if the access site technique does not exist	0.05906s
requires write rights	0.04376s
when correctly updating of site technique	
sets correct audit info	0.12911s
updates the site technique columns	0.05657s
when updating a site technique	
does not accept empty type	0.05420s
does not accept incorrect type	0.05003s
does not accept duplicate names	0.06991s
does not accept incorrect type_flag	0.15091s
does not accept empty name	0.048129
does not accept empty type_flag	0.067099
	0.007035
udits::Audit	
is expected to belong to patient optional: true	0.00350s
is expected to belong to user required: true	0.00350s
is expected to validate that :user cannot be empty/falsy, producing a custom validation error on failure	0.00436s
is expected to belong to auditable optional: true	0.00295s
Get Code System by slug	
returns a code system by slug	0.06428s
returns forbidden (403) if the user isn't authorized	0.03028s
tring	
casts falsey strings	0.00223s
is expected to respond to #to b	0.00370s
casts truthy strings	0.00227s
onsumable API	0.10005
returns a single consumable	0.186959
returns all consumables	0.441799
illing::Code	
returns forbidden (403) if the user isn't authorized	0.05148s
audits the update action	0.054009
returns not found (404) if the billing code is not found	0.034809
returns success (200) and the updated billing_code	0.048959
eports::Report	
is expected to validate that :report_type cannot be empty/falsy	0.01816s
is expected to have an attachment named document	0.00313s
rotatel	
rotate!	1.15501s
. otates suckups	1.153015
latest	
example at ./spec/models/reports/report_spec.rb:7 (PENDING: Not yet implemented)	
arameter::Repository	

#get	
returns the lastest value for a given parameter (PENDING: Temporarily skipped with xit)	
dateSessionPrescription	
returns not found (404) if the session prescription cannot be found (PENDING: Temporarily skipped with xit)	
returns forbidden (403) if the user isn't authorized (PENDING: Temporarily skipped with xit)	
returns success (200) if thesession prescription is updated (PENDING: Temporarily skipped with xit)	
returns errors if update failed (PENDING: Temporarily skipped with xit)	
ete Product	
returns success (200) and deletes now if no parameter is given	0.0964
returns forbidden (403) when the user isn't authorized	0.0579
eteAccessSiteAttachment	
returns not_found (404) if the site attachment cannot be found	0.0440
deletes the site attachment	0.5530
returns forbidden (403) if the user isn't authorized	0.5135
rices::Device	
returns unprocessable entity (422) if the device name already exists	0.2097
returns not found (404) if the device is not found	0.0646
returns forbidden (403) if the user isn't authorized	0.1109
returns success (200) and the updated device	0.1082
audits the update action	0.0584
textLinks::XperthisCare	
is not valid when iv is missing	0.0197
is not valid when encryption options are invalid	0.0048
is not valid when cipher is missing	0.0046
is not valid when key is missing	0.00374
render	
renders an Xperthis Care uri in the customer's timezone	0.09789
nning::Evaluators::WeekEvaluator	
is expected to respond to #on_days	0.2472
is expected to respond to #on_odd_weeks	0.2057
is expected to respond to #on_even_weeks	0.2078
ession planned	
is expected to be scheduled	0.2229
session ongoing	
is expected to be scheduled	0.2774
is expected not to be scheduled	0.2116
	0.2110
session completed	0.2007
is expected not to be scheduled	0.2607
ients::Unenrollment	
is expected to belong to patient required: true	0.0128
is expected to belong to user required: true	0.0043
is expected to define :reason as an enum backed by an integer	0.0029
efings::Briefing	
is expected to belong to created_by required: true	0.0167
rejects updating closed briefings	0.0279
is expected to validate that :briefing_at cannot be empty/falsy	0.0061
is expected to have many participants	0.0043

is expected to have many items	0.00447s
rejects updating closed briefings even if status changed	0.02616s
validates that end date comes after start date	0.01421s
is expected to validate that :start_date cannot be empty/falsy	0.00622s
Construction of the State of th	
Create transplant eligibility status	0.05966s
returns created (200) and the transplant eligibility status	
return unprocessable entity (422) when reusing a name	0.03969s
returns forbidden (403) when the user isn't authorized	0.03399s
Medications::Formulary::ItemStock	
is expected to belong to stock class_name => Infrastructure::Stock required: true	0.01235s
is expected to belong to formulary_item class_name => Medications::Formulary::Item required: true	0.00626s
#validate_formulary_item_stock_uniqueness	
validates that formulary_item and stock combinations are unique	0.03099s
Cathanaviation	
GetPrescription returns not found if patient is not found	0.03638s
properly translates titles	0.30960s
returns the serialized form definition	0.41040s
returns unprocessable if patient has no treatment	0.07503s
requires read rights	0.09525s
requires read rights	0.033233
Get billing items	
filters by start_date	1.62517s
returns forbidden (403) if the user isn't authorized	0.05331s
returns an empty errors if there are none	0.53693s
returns a carbon copy	0.36996s
filters by center_id	1.28129s
filters by end_date	1.59088s
returns the soft validation errors if there are any	0.36218s
filters by billed_item_type	1.27837s
returns success (200) and billing items sorted by administered_at	1.57023s
Medications::Prescriptions::Ehealth::Services::Timestamper	
when ehealth timestamping is enabled	
creates a recipe payload for a intradialytic medication product prescription	0.36076s
creates a prescription payload	0.15046s
when ehealth timestamping is disabled	
does not timestampting is disabled	0.13165s
does not timestamp the prescription	0.131033
Medications	
UpdateHomeMedicationSchedule	
fails update if patient not found	0.20588s
allows to add intake moments to prescription	0.23188s
fails update if a medication not found	0.10312s
requires write rights	0.12057s
allows to update prescription comment	0.17129s
returns unprocessable entity (422) if quantity is too big	0.14801s
updates quantity of existing intake moments	0.21165s
allows to remove an intake moment	0.20016s
GetChart	
returns vascular access complication history chart	0.11982s
returns blood pressure history chart	0.10017s
returns weight history chart	0.10467s
returns forbidden (403) if the user isn't authorized	0.03001s
returns not_found (404) if the patient cannot be found	0.03196s

as home OT (Albistans, wheat	
returns KT / V history chart	0.10184s
returns unprocessable_entity (422) if chart cannot be found	0.10058s
returns ultrafiltration history chart	0.10072s
Reset password	
when the token is valid	
returns success (200) and resets the password when the token is not expired	0.93100s
returns unprocessable entity (422) when the token is expired	0.06172s
returns unprocessable entity (422) when the password confirmation does not equal the password	0.05122s
when the token is invalid	
returns unprocessable entity (422)	0.04305s
Integration Control of the Control o	
Update Patient	
updates the patient if the patient is enrolled	0.13014s
updates the patient if the patient already exists but not enrolled	0.09557s
updates the legal address	0.10171s
Sessions Sessions Sessions Session Ses	
returns 403 forbidden if the user isn't authorized	0.64118s
creates a new session	1.30424s
Lab system mappings	
returns the updated lab system	0.12092s
returns forbidden (403) if the user isn't authorized	0.05109s
doesn't accept empty strings for lab system mapping code	0.07584s
returns not found (404) if the lab system doesn't exist	0.05085s
Executions::RecipE::Base	
#execute!	
updates prescription with rid	0.41427s
Billing::Code	
returns forbidden (403) if the user isn't authorized	0.03150s
returns success (200) and alphabetically sorted billing codes	0.04574s
SendPatientAdmissionJob	
sends a json payload to an endpoint	0.13112s
Gilling::Item	
is expected to have carbon :id, :patient_admission_id, :patient_case_id, :administered_at, :patient, :session, :administrator, :billing_code, and :billed_item	0.00257s
is expected to validate that :billed_item_type cannot be empty/falsy	0.01211s
is expected to validate that :billed_item_id cannot be empty/falsy	0.00825s
is expected to belong to patient required: true	0.00735s
is expected to have one shift	0.00244s
is expected to belong to billing_code optional: true	0.00618s
is expected to have many exportables class_name => Exports::Exportable through exportable_billing_items	0.00289s
is expected to validate that :billed_item_type is either <"Orders::Order">, <"Sessions::Session">, or <"Medications::MedicationAdministration">	0.01535s
is expected to belong to billed_item required: true	0.00675s
is expected to have many exportable_billing_items class_name => Exports::ExportableBillingItem	0.00431s
is expected to belong to session required: true	0.00639s
is expected to validate that :batch_id cannot be empty/falsy	0.00837s
is expected to belong to administrator optional: true	0.00618s
#patient_case_id	
returns the patient case id	0.26046s
.with_medications	
Titled in Careactions	
returns only billing items with type medications	0.74148s
	0.74148s

validates the billed item's patient	0.15563s
export validations	
validates the carbon copy	0.33512s
#validate_service_code	
is valid when the service is billed and there is a service code	0.29438s
is invalid when the service is billed and there is no service code	0.27092s
is valid when the patient is billed	0.37596s
is valid when the formulary item is not billable	0.27066s
#validate_carbon_data	
is invalid when there is no carbon data	0.35216s
is valid when there is carbon data	0.37897s
#validate_not_magistral_preparation	
validates that the billed item is not a magistral preparation	0.03045s
#validate_practitioner	
is invalid when there is no administrator	0.28177s
is invalid when the administrator does not have a practitioner identifier	0.27924s
is valid when the administrator has a practitioner identifier	0.29043s
#validate_admission_case_id	
is valid when there is an admission/case id for the patient	0.28558s
is invalid when there is no admission/case id for the patient	0.27248s
#validate_formulary_item	
is invalid when there is no matching formulary item	0.35272s
does not validate billing items	0.19371s
is valid when there is a matching formulary item	0.34211s
presence/absence of billing_code	
billing item with type session	
is expected not to validate that :billing_code is empty/falsy	0.14168s
is expected to validate that :billing_code cannot be empty/falsy	0.13905s
billing item with type medication	
is expected not to validate that :billing_code cannot be empty/falsy	0.23292s
is expected to validate that :billing_code is empty/falsy	0.23838s
billing item with type order	
is expected not to validate that :billing_code is empty/falsy	0.07228s
is expected to validate that :billing_code cannot be empty/falsy	0.07020s
.between	
returns records with administered_at between the given dates	0.81904s
#validate_not_magistral_preparation	
validates that the billed item is not a magistral preparation	0.03033s
.with_orders	
returns only billing items with type orders	0.79512s
.with_sessions	
returns only billing items with type sessions	0.75743s
#patient_admission_id	
returns the patient admission id	0.28204s
#counterpart	
returns the billing item with type `fee` if type is `forfait`	0.50612s
returns the billing item with type `forfait` if type is `fee`	0.48787s
return nil if no counterpart	0.25799s
presence/absence of billing_code_type	

is expected not to validate that :billing_code_type is empty/falsy	0.06
is expected to validate that :billing_code_type is either <"fee"> or <"forfait">	0.06
is expected to validate that :billing_code_type cannot be empty/falsy	0.07
billing item with type medication	
is expected not to validate that :billing_code_type cannot be empty/falsy	0.22
is expected not to validate that :billing_code_type is either <"fee"> or <"forfait">	0.22
is expected to validate that :billing_code_type is empty/falsy	0.21
billing item with type session	
is expected to validate that :billing_code_type cannot be empty/falsy	0.34
is expected not to validate that :billing_code_type is empty/falsy	0.13
is expected to validate that :billing_code_type is either <"fee"> or <"forfait">	0.14
between?	
returns true if administered_at is between the given dates	0.15
ning::Services::CreateDeviation	
deletes the counterpart if present (PENDING: Temporarily skipped with xit)	
updates a deviation if it already exists (PENDING: Temporarily skipped with xit)	
eation of a deviation	
creates a deviation if valid deviation (PENDING: Temporarily skipped with xit)	
creates a deviation if no counterpart is present (PENDING: Temporarily skipped with xit)	
fails creating a deviation if no valid deviation (PENDING: Temporarily skipped with xit)	
ort exportable	
returns not found (404) if the exportable is not found	0.05
returns unprocessable entity (422) when the exportable is in draft	0.06
exports the carbon copy of the billing exportable	0.52
returns forbidden (403) if the user isn't authorized	0.05
returns success (200) when the exportable was already exported	0.06
returns success (200) and exports the billing exportable	0.75
returns success (200) and exports the medication exportable	0.90
exports the carbon copy of the medication exportable	0.94
ications	
estartIntradialyticMedication	
does not change the end date of the stopped medication in the archived copy	0.21
requires write rights	0.13
clears stop reason when restarting stopped medication	0.19
cannot restart an active medication	0.14
rejects restart if start or end date are in the past	0.14
fails if medication does not exist	0.09
rejects restart if start and end date overlap	0.14
restarts a stopped medication with an end date	0.18
restarts a stopped medication with an `specific_dates` frequency	0.17
restarts a stopped medication without end date	0.19
ications::Tasks::Delegate	
a medication order that was created on the second day of a session should be taken into account	0.39
medication prescribed on the start day of a session should be shown in the session, even if session continues the next day	0.23
don't display medication orders that occur on the same day as a night dialysis session that was started the day before	0.41
edication prescription was updated when session is ongoing	
	0.44
shows the updated medication in workflow, even if the update happened after midnight	0.44

fails if patient does not exist	0.03003s
requires write rights	0.09175s
GetChart	
returns unprocessable_entity (422) if chart cannot be found	0.03418s
returns not_found (404) if the access site cannot be found	0.02820s
returns complications history chart	0.12743s
returns forbidden (403) if the user isn't authorized	0.03013s
returns access flow history chart	0.12761s
Medications::StandingOrders::Product	
is expected to validate with PractitionerValidator	0.04798s
#administer!	
creates a billing item	0.24754s
creates an administration	0.23400s
Parameter::Types::Integer	
fails to create integer parameter with incompatible units	0.02354s
must be initialized with a numeric value	0.00348s
coerces a numeric value into a integer number	0.00248s
#display_value	
properly converts value	0.00340s
DeleteAllergyForPatient DeleteAllergyForPatient	
returns forbidden (403) if the user isn't authorized	0.08521s
deletes an allery	0.08082s
Create authentication	
touches trackable fields on success	0.05338s
does not create an audit on failure (when the user is unknown)	0.02031s
creates an audit on success	0.04590s
creates an audit on failure (when the user is known)	0.04250s
Download exportable	
returns success (200) and a XLSX file if xlsx was passed as format	0.07885s
returns success (200) when the exportable was already exported	0.05308s
returns success (200) and a CSV file if csv was passed as format	0.04825s
returns forbidden (403) if the user isn't authorized	0.03739s
returns not found (404) if the exportable is not found	0.03059s
returns unprocessable entity (422) when the exportable is in draft	0.03704s
Tasks::TaskGroupRecord	
is expected to have many task_records	0.00266s
is expected to belong to session required: true	0.00481s
Parameter::Types::Float	0.00271-
does not change value if system unit is the same as display	0.00271s
converts value if system unit is not the same as display	0.00437s
scales value if system unit is a multiple of display unit	0.00271s
Delete Administration Route	
returns forbidden (403) when the user isn't authorized	0.04879s
returns method not allowed (405) when deleting within a supervised source	0.06898s
returns success (200) and deletes the route when in in a unsupervised source	0.08550s
device_summaries	
returns device summary	0.09445s
returns forbidden (403) if the user isn't authorized	0.04127s
UpdateRoleRights	
	0.06641s
updates only the rights for the relevant scope	0.006415

is allowed to remove someones it admin rights when being one	
is allowed to promote someone to it admin when being one	0.05042s 0.05093s
requires authorization	0.03713s
requires scope parameter	0.03862s
is not allowed to promote someone to it_admin without being one	0.04645s
updated only valid rights	0.04754s
is not allowed to remove someones it admin rights without being one	0.04057s
removes only the rights for the relevant scope	0.05017s
Devices::Device	0.04405
audits the create action	0.24485s
returns success (200) and the created device	0.24048s
returns unprocessable entity (422) if the attachment is not a supported type	0.22093s
returns forbidden (403) if the user isn't authorized	0.05796s
returns forbidden (404) if the attachment is not found	0.04443s
Search Forms	
can filter by most-used	0.47040s
can filter by source	0.10189s
returns forbidden (403) if the user isn't authorized	0.03896s
returns an list of forms	0.13657s
can filter by name	0.10560s
GetInterventions	
returns the list of available interventions	0.58544s
returns forbidden (403) if the user isn't authorized	0.13293s
fails if the access site does not exist	0.03569s
	3.03303
Sync Product	
returns forbidden (403) when the user isn't authorized	0.06113s
returns success (200) and adds a sync job	0.14458s
returns method not allowed (405) when syncing within an unsupervised source	0.05863s
GetRights	
returns wts categories sorted by name	0.04302s
returns dws categories sorted by name	0.03757s
returns all categories sorted by name	0.00320s
returns global categories sorted by name	0.03970s
Wound types	
returns the available types of wound	0.03859s
Get patient master record export	
returns a CSV with the patient master records	0.09736s
returns a XLSX with the patient master records	0.08337s
GET /api/connectors	
returns forbidden (403) if the user isn't authorized	0.03896s
returns success (200) and the connectors	0.05870s
Infrastructure::Center	
is expected to allow :email_contact to be <nil></nil>	0.00750s
is expected to validate that :name cannot be empty/falsy	0.01360s
formats the facility identifier correctly	0.01255s
validates uniqueness of name	0.02182s
is expected not to allow :email_contact to be <"user-example.com">	0.00653s
is expected to have many center acls	0.00338s
is expected to have many devices	0.00330s
is expected to have many shifts	0.00317s
is expected to have many rooms	0.00301s
is expected to allow :email_contact to be <"user@example.com">	0.00746s
2 1.F 11.13 to short terrain_sources to 200 doct grown protection .	0.007403

returns true when there are active sessions	0.1
returns false when there are no active sessions	0.2
reate_with_shifts	
creates a center w/ given shifts	0.0
creates a center when shifts are empty	0.0
cility identifier validation	
accepts valid facility identifier	0.0
validates facility identifier if present	0.0
accepts null facility identifier	0.0
update_with_shifts	
updates a center w/ given shifts	0.0
updates a center if shifts are empty	0.0
returns an error when shifs are disabled	0.0
orts::Exporters::DisposableConsumption	
contains disposable consumptions	0.2
utions::Reports::Billing	
s expected to be thin	0.0
sanitize_payload	
sanitizes payload	0.0
execution	
returns success (200) and the execution	0.0
returns forbidden (403) if the user isn't authorized	0.0
returns not found (404) if the execution is not found	0.0
achronous cancel Recip-e prescription adds an execution to the queue	0.3
cancels the Recip-e prescription	0.3
ances the neety e-prescription	0.1
ications::Services::CreateIngredient	
creates an ingredient	0.0
chPatient	
searches by name and birthdate	0.5
searches patients with non ascii characters (Ä)	0.5
searches enrolled when search_scope not set	0.5
prioritizes `search_scope` over `exclude_assigned`	0.5
complains about invalid data	0.5
searches by name	0.5
searches not enrolled when search_scope set to 'not_enrolled'	0.5
searches only for full patient numbers	0.6
searches by name and patient number	0.6
searches by birthdate,	0.6
eturns forbidden (403) if the user isn't authorized	0.6
does not take into account special characters	0.5
eturns an empty array when no match	0.5
corchas for national number starting from E. digita	0.5
returns no results if invalid query is passed	
returns no results if invalid query is passed accepts `1` as `true` for `exclude_assigned_patients` parameter	0.5
returns no results if invalid query is passed	

is expected to belong to diet required: true	0.01569
is expected to belong to created_by required: true	0.00434
is expected to belong to patient required: true	0.00446
odate context link	
returns forbidden (403) if the user isn't authorized	0.03972
static links	
returns success (200) and the context link	0.05432
templated links	0.0450
returns success (200) and the context link	0.04593
xperthis care links	
returns unprocessable entity (422) if the options are invalid	0.04060
returns success (200) and the context link	0.0389
edications	
GetMedicationHistory	
returns a list of magistral preparationss	0.1126
denies getting history if not granted	0.1007
returns an ordered list of product medications	0.3556
edications::Form is expected to have many packages dependent => destroy	0.0037
is expected to validate that :name cannot be empty/falsy	0.0110
is expected to validate that :identifier cannot be empty/falsy	0.0110
is expected to have many products through form_products	0.0035
is expected to have many form_products dependent => destroy	0.0033
is expected to validate that :name is case-sensitively unique within the scope of :source_id	0.0249
is expected to belong to source required: true	0.0058
.most_used	
returns only used items	0.0600
returns the top used item when 1 limit is given	0.3852
accepts a source to limit the initial group	0.0732
ascularAccess::InterventionType	
is expected to have many interventions	0.0026
ounds::WoundImage	
is expected to belong to wound_evaluation required: true	0.0158
is expected to have an attachment named media	0.0029
numal Entrina	
fails when no sufficient rights	0.1066
schedule a journal item to be send to ehr	0.1512
et executions	
returns no maestro executions when the user does not have the integration right	0.1080
returns executions filtered by category if param was passed	0.2032
returns forbidden (403) if the user isn't authorized	0.0369
returns executions filtered by multiple types if param was passed	0.2982
returns executions filtered by user id if param was passed	0.000
·	0.0904
returns success (200) and the executions sorted by created_at	0.0902
	0.256
returns success (200) and the executions sorted by created_at	0.2563 0.3068
returns success (200) and the executions sorted by created_at returns executions filtered by a single type if param was passed	0.2563 0.3068 0.0845
returns success (200) and the executions sorted by created_at returns executions filtered by a single type if param was passed returns executions filtered by runner if param was passed returns no medication executions when the user does not have the tenant_admin right	
returns success (200) and the executions sorted by created_at returns executions filtered by a single type if param was passed returns executions filtered by runner if param was passed	0.2563 0.3068 0.0845

ResourcePaginator	
paginates active records	0.22000s
paginates an array	0.08502s
paginates a hash	0.08073s
shows second page when asked for	0.08243s
Users::Role	
is expected to validate that :name cannot be empty/falsy	0.00923s
is expected to have many users	0.003233 0.00390s
prevents rights duplication	0.01378s
rejects invalid right ids	0.01047s
validates uniqueness of name	0.01790s
accepts individual rights	0.01204s
returns admin role	0.00846s
Where wished?	
#has_right? returns true if the role contains an specific right	0.00655s
returns true in the role contains an specific right	0.000335
behaves like Indestructible	
is indestructible	0.00265s
#archive!	
archive an admin role	0.01666s
archives a role	0.01601s
Create product	
returns method_not_allowed (405) when creating within a supervised source	0.09530s
returns not found (404) when using an undefined source	0.09190s
can link actual products for virtual products	0.32507s
creates the link for actual products	0.33716s
can create a product in it's simpliest form	0.10052s
returns success (200) and creates the product when in in a unsupervised source	0.20801s
returns forbidden (403) when the user isn't authorized	0.03178s
Infrastructure::Room	
is expected to belong to stock optional: true	0.00600s
is expected to belong to center required: true	0.00628s
is expected to validate that :name cannot be empty/falsy	0.01039s
validates uniqueness of name	0.04126s
is expected to have many positions	0.00294s
#used for ongoing sessions?	
returns false when there are no active sessions	0.13279s
returns true when there are active sessions	0.11355s
.create_with_positions	
creates a room w/ default positions (PENDING: Temporarily skipped with xit)	
Exports::ExportableBillingItem	
is expected to belong to billing_item class_name => Billing::ltem required: true	0.26773s
is expected to belong to exportable class_name => Exports::Exportable required: true	0.26621s
#validate_center	
validates that billing item is allowed if none was specified	0.66814s
validates that billing item is administered in the center if one was specified	0.69455s
#validate_exportable_billing_item_uniqueness	
validates that exportable and billing_item combinations are unique	0.25913s
	0.255155
#validate_date_range	
validates that billing_item is in the date range	0.72484s

validates that only medication billing item is allowed when type is medication	0.97773s
validates that no medication billing item is allowed when type is billing	0.78670s
Patients::PatientIdentifier	
rejects changing the identifier when it is the primary one	0.04701s
is expected to belong to patient required: true	0.00448s
rejects assigning two primary identifier to patient	0.06699s
is expected to validate that :patient cannot be empty/falsy	0.00543s
accepts enrolling patient it self	0.08840s
is expected to validate that :identifier cannot be empty/falsy	0.00696s
allows assigning multiple identifiers to patient	0.04222s
rejects creating a patient w/ the same hospital id if existing is enrolled`	0.06449s
when manual patient management is enabled	
accepts changing the primary identifier	0.05608s
GetSessionTransport	0.027270
fails if session does not exist	0.03727s
returns sessions's transport preferences	0.14932s
requires write rights	0.12907s
GetVascularAccessSite	
requires authorization	0.11307s
returns the given access site	0.10898s
fails when given access site does not exist	0.02870s
Devices::DeviceAttachment	
returns not found (404) if the device is not found	0.03805s
returns success (200) and a list of device attachments	0.61301s
returns forbidden (403) if the user isn't authorized	0.05428s
Medications::Services::CreateAdministrationRoute	0.00000
creates an administration route	0.03939s
Get codes by codable	
returns an list of codes by for a codable	0.13407s
Rooms	
when deactivating a room	
returns not found if position doesn't exist	0.04057s
returns 422 when used in a session	0.15767s
returns unauthorized if unauthorized	0.05487s
deactivates the room and descendants	0.06796s
DeleteMagistralPreparation	
returns 403 if the user isn't authorized	0.05492s
returns 422 if the magistral preparation is used as standing order	0.07006s
deletes magistral preparation	0.04640s
DeleteJournalEntry	
can only be deleted by the user who created the entry	0.21114s
deletes a journal entry	0.15221s
can only be deleted by a user user with sufficient rights	0.10900s
can only be deleted within within a specific timeframe	0.10188s
Executions::Exports::MedicationAdministration	
#sanitize_payload sanitizes payload	0.03374s
Sumazes payroau	0.033/48
Carbon::Copy	
has carbon attributes	0.00286s
has carbon associations	0.00298s

is expected to have carbon :attribute and :association	0.00250s
#carbon_copy	
returns a carbon copy	0.00224s
returns itself when there is no carbon_data	0.00220s
persistence behaviour	
returns a carbon copy when the underlying model is changed	0.33856s
returns a carbon copy	0.35149s
returns a carbon copy when the underlying model is destroyed	0.34712s
#to_carbon	
adds a class attribute	0.00273s
carbon copies associations	0.00243s
carbon copies attributes	0.00237s
#carbonized?	
returns false when the object is not carbonized	0.00261s
returns true when the object is carbonized	0.00241s
#carbonize!	
copies the attributes to carbon_data	0.00248s
op queue	
returns not found (204) if there are no executions on the queue	0.03267s
returns success (200) and the execution transitioned to `waiting`	0.07733s
returns forbidden (403) if the user isn't authorized	0.03027s
returns unprocessable entity (422) if the runner was not specified	0.03155s
pops the executions by date	0.22465s
eleteWeight	
returns not_found (404) if the weight cannot be found	0.04355s
returns forbidden (403) if the user isn't authorized	0.07206s
deletes the specified weight	0.13497s
estroy exportable billing items association	
returns unprocessable entity (422) when the exportable is not in draft	0.34316s
returns not found (404) if the billing item cannot be found	0.03454s
returns not found (404) if the exportable cannot be found	0.27671s
returns ok (200) and the exportable	0.30504s
returns forbidden (403) if the user isn't authorized	0.28861s
returns not found (404) when the billing item is not present	0.27380s
ledications	
EditHomeMedicationPrescription succeeds if prescription dates are before start date	0.16986s
rejects updates if galenic form does not exist for the product	0.14250s
denies prescribing if not granted	0.13765s
keeps track of previous medications	0.18161s
rejects edit if start and end date overlap	0.26760s
succeeds if prescription dates are not between start_date and end_date	0.19572s
fails if medication does not exist	0.09736s
succeeds if specific prescription dates are all after stop date	0.14491s
updates the given medication	0.16853s
rejects past entries updates	0.21189s
accepts today as end date	0.21039s
lanning::Decorators::IsDecorated	
adds decoration methods	0.00228s
onfigurations::Base	

is expected to validate that :key cannot be empty/falsy

0.01548s

eapply!	
calls the service after save	0.008
revert! reverts the configuration to original values	0.014
dications	0.01
rescribeHomeMedication	
returns unprocessable entity (422) if quantity is negative	0.13
succeeds if prescription dates are not between start_date and end_date	0.15
succeeds if prescription dates are before start_date	0.14
denies prescribing if not granted	0.11
deduces product from variant	0.17
returns unprocessable entity (422) if quantity is too big	0.15
does not fail if a stopped medication does exist	0.21
accepts existing medication if of different type	0.17
fails if variant and product do not match	0.13
fails if patient does not exist	0.04
saves the given medication prescription	0.14
rejects medication if start and end date overlap	0.11
ateAccessSiteHemostasisDefault	
returns forbidden (403) if the user isn't authorized	0.21
updates the hemostasis_default with correct data	0.24
fails updating if the data is incorrect	0.23
returns (404) if the access site is not found	0.11
nchronous reports: billing	
generates the report	0.51
niveWound	0.10
returns forbidden (403) if the user isn't authorized	0.18
returns not found (404) if the wound cannot be found	0.09
archives the given wound	0.09
	0.03
AccessSiteHemostasisDefault	
returns hemostasis default	0.24
returns forbidden (403) if the user isn't authorized	0.18
returns not_found (404) if the access site is not found	0.11
Wound	
	0.10
returns forbidden (403) if the user isn't authorized	
returns forbidden (403) if the user isn't authorized returns not_found (404) if the patient cannot be found	0.03
returns forbidden (403) if the user isn't authorized returns not_found (404) if the patient cannot be found creates a new wound for the given patient	0.03
returns forbidden (403) if the user isn't authorized returns not_found (404) if the patient cannot be found creates a new wound for the given patient Wound	0.03 0.12
returns forbidden (403) if the user isn't authorized returns not_found (404) if the patient cannot be found creates a new wound for the given patient Wound returns forbidden (403) if the user isn't authorized	0.03 0.12 0.07
returns forbidden (403) if the user isn't authorized returns not_found (404) if the patient cannot be found creates a new wound for the given patient Wound returns forbidden (403) if the user isn't authorized returns the wound	0.03 0.12 0.07 0.07
returns forbidden (403) if the user isn't authorized returns not_found (404) if the patient cannot be found creates a new wound for the given patient Wound returns forbidden (403) if the user isn't authorized returns the wound returns not_found (404) if the wound cannot be found	0.10 0.03 0.12 0.07 0.07
returns forbidden (403) if the user isn't authorized returns not_found (404) if the patient cannot be found creates a new wound for the given patient Wound returns forbidden (403) if the user isn't authorized returns the wound returns not_found (404) if the wound cannot be found ents::PatientAdapter	0.03 0.12 0.07 0.07 0.05
returns forbidden (403) if the user isn't authorized returns not_found (404) if the patient cannot be found creates a new wound for the given patient Wound returns forbidden (403) if the user isn't authorized returns the wound returns not_found (404) if the wound cannot be found ents::PatientAdapter serializes correctly	0.03 0.12 0.07 0.07 0.05
returns not_found (404) if the patient cannot be found creates a new wound for the given patient Wound returns forbidden (403) if the user isn't authorized returns the wound returns not_found (404) if the wound cannot be found ients::PatientAdapter serializes correctly late Code System	0.03 0.12 0.07 0.07 0.05
returns forbidden (403) if the user isn't authorized returns not_found (404) if the patient cannot be found creates a new wound for the given patient Wound returns forbidden (403) if the user isn't authorized returns the wound returns the wound returns not_found (404) if the wound cannot be found lents::PatientAdapter serializes correctly late Code System returns forbidden (403) when the user isn't authorized	0.03 0.12 0.07 0.07 0.05 0.07
returns forbidden (403) if the user isn't authorized returns not_found (404) if the patient cannot be found creates a new wound for the given patient Wound returns forbidden (403) if the user isn't authorized returns the wound returns not_found (404) if the wound cannot be found ents::PatientAdapter serializes correctly	0.03 0.12 0.07 0.07 0.05

etWounds	
returns forbidden (403) if the user isn't authorized	0.06164s
returns historic wounds	0.13629s
returns not_found (404) if the patient cannot be found	0.03071s
returns paginated result	0.12678s
orders wounds by registration date descending	0.13086s
returns active wounds	0.12811s
eate Code by Codable	
returns :unprocessable_entity (422) when code system not editable and code does not exist	0.06673
returns forbidden (403) when the user isn't authorized	0.065859
returns no content when adding codes already in the system and code exists	0.097259
returns success (200) and creates the code when in an editable code system	0.091649
dications	
registerHomeMedicationOrder	0.45665
fails if the prescriber has no practitioner identification number	0.15665
returns the sent prescription if the prescription already sent	0.205439
fails if patient does not exist	0.18685
fails if the patient has no national identification number	0.19175
register a prescription with recip-e for each item of an order	0.28134
fails if order does not exist	0.10596
register an already failed order with recip-e	0.27006
when recip-e is disabled	
denies register	0.15170
nning::Absence	
is expected to belong to patient required: true	0.01564
is expected to validate that :start_date cannot be empty/falsy	0.00838
checks that start date is before end date	0.00650
is expected to validate that :end_date cannot be empty/falsy	0.01204
active_for_patient	
returns future absences for the given patient	0.10249
returns active absences ending today	0.06971
does not return past absences for the given patient	0.06775
only returns absences for the given patient	0.12011
returns active absences for the given patient	0.06733
dableCode	
validates uniqueness within a codable	0.03565
is expected to belong to code required: true	0.02692
when given a code validates codable	0.03535
validates codable	0.05555
when code system enforces unique usage	
validates uniqueness within a codable	0.03257
L /api/connectors/:id	
returns forbidden (403) if the user isn't authorized	0.03509
returns not found (404) if the connector was not found	0.03332
audits the destroy action	0.04197
returns success (200) when the connector has been deleted	0.07428
ergencyEnrollments	
when creating an emergency enrollment	
success when authorized	0.09747
fails when unauthorised	0.04646
Table And	0.04040
eate_data	

accepts machine data with a nested device	0.10660s
succeeds when authorized	0.05692s
fails when not authorized	0.03157s
Backup reports	
#index	
requires authorization	0.03721s
returns an array of the last saved reports	0.10854s
returns an empty array of the last saved reports	0.03740s
	0.037103
#show	
returns not found if no report exist	0.03458s
requires authorization	0.03748s
returns a PDF of the latest backup report	0.10487s
Centers	
when deactivating a center	
requires the correct rights	0.05647s
fails when the center is not found	0.03510s
returns 422 when used in a session	0.20808s
soft deletes a center and it descendants	0.11040s
Charts::VascularAccessComplicationsHistory	
#call	
returns 1 year complications count grouped by month	1.81066s
Configurations::Services::ResetAll	
resets the configuration to original values	0.01733s
Update patient	
updating a patient	
fails with forbidden when not authorized	
Tails with forbidden when not authorized	0 10787c
fails if the nationt does not exist	0.107875
fails if the patient does not exist	0.10004s
succeeds with valid payload	
	0.10004s 0.22472s
succeeds with valid payload	0.10004s
succeeds with valid payload when manual patient management is disabled	0.10004s 0.22472s
succeeds with valid payload when manual patient management is disabled fails	0.10004s 0.22472s
succeeds with valid payload when manual patient management is disabled fails Get intradialytic medication for patient	0.10004s 0.22472s 0.09085s
succeeds with valid payload when manual patient management is disabled fails Get intradialytic medication for patient returns medications for the given patient	0.10004s 0.22472s 0.09085s 0.21579s
succeeds with valid payload when manual patient management is disabled fails Get intradialytic medication for patient returns medications for the given patient returns medications with variable dose	0.10004s 0.22472s 0.09085s 0.21579s 0.16691s
succeeds with valid payload when manual patient management is disabled fails Get intradialytic medication for patient returns medications for the given patient returns medications with variable dose returns several medications ordered by product name	0.10004s 0.22472s 0.09085s 0.21579s 0.16691s 0.25000s
when manual patient management is disabled fails Get intradialytic medication for patient returns medications for the given patient returns medications with variable dose returns several medications ordered by product name requires read rights	0.10004s 0.22472s 0.09085s 0.21579s 0.16691s 0.25000s 0.09619s
succeeds with valid payload when manual patient management is disabled fails Get intradialytic medication for patient returns medications for the given patient returns medications with variable dose returns several medications ordered by product name requires read rights does not return active medications if status equals 'stopped'	0.10004s 0.22472s 0.09085s 0.21579s 0.16691s 0.25000s 0.09619s 0.21438s
succeeds with valid payload when manual patient management is disabled fails Get intradialytic medication for patient returns medications for the given patient returns medications with variable dose returns several medications ordered by product name requires read rights does not return active medications if status equals 'stopped' returns latest medications for the given patient returns medications for products and magistral preparations	0.10004s 0.22472s 0.09085s 0.09085s 0.21579s 0.16691s 0.25000s 0.09619s 0.21438s 0.22043s
when manual patient management is disabled fails Get intradialytic medication for patient returns medications for the given patient returns medications with variable dose returns several medications ordered by product name requires read rights does not return active medications if status equals 'stopped' returns latest medications for the given patient returns medications for products and magistral preparations GetCenterAcl	0.10004s 0.22472s 0.09085s 0.09085s 0.21579s 0.16691s 0.25000s 0.09619s 0.21438s 0.22043s 0.20525s
when manual patient management is disabled fails Get intradialytic medication for patient returns medications for the given patient returns medications with variable dose returns several medications ordered by product name requires read rights does not return active medications if status equals 'stopped' returns latest medications for the given patient returns medications for products and magistral preparations GetCenterAcl returns not found (404) if the center is not found	0.10004s 0.22472s 0.09085s 0.09085s 0.21579s 0.16691s 0.25000s 0.09619s 0.21438s 0.22043s 0.20525s
when manual patient management is disabled fails Get intradialytic medication for patient returns medications for the given patient returns medications with variable dose returns several medications ordered by product name requires read rights does not return active medications if status equals 'stopped' returns latest medications for the given patient returns medications for products and magistral preparations GetCenterAcl returns not found (404) if the center is not found returns forbidden (403) if the user isn't authorized	0.10004s 0.22472s 0.029085s 0.09085s 0.21579s 0.16691s 0.25000s 0.09619s 0.21438s 0.22043s 0.20525s
when manual patient management is disabled fails Get intradialytic medication for patient returns medications for the given patient returns medications with variable dose returns several medications ordered by product name requires read rights does not return active medications if status equals 'stopped' returns medications for the given patient returns medications for products and magistral preparations GetCenterAcl returns not found (404) if the center is not found returns forbidden (403) if the user isn't authorized returns array containing the center acl	0.10004s 0.22472s 0.022472s 0.09085s 0.21579s 0.16691s 0.25000s 0.09619s 0.21438s 0.22043s 0.20525s 0.08088s 0.06499s 0.14779s
when manual patient management is disabled fails Get intradialytic medication for patient returns medications for the given patient returns medications with variable dose returns several medications ordered by product name requires read rights does not return active medications if status equals 'stopped' returns latest medications for the given patient returns medications for products and magistral preparations GetCenterAcl returns not found (404) if the center is not found returns array containing the center acl returns empty array when no user has rights to this center	0.10004s 0.22472s 0.09085s 0.09085s 0.21579s 0.16691s 0.25000s 0.09619s 0.21438s 0.22043s 0.20525s
when manual patient management is disabled fails Get intradialytic medication for patient returns medications for the given patient returns medications with variable dose returns several medications ordered by product name requires read rights does not return active medications if status equals 'stopped' returns latest medications for the given patient returns medications for products and magistral preparations GetCenterAcl returns not found (404) if the center is not found returns array containing the center acl returns empty array when no user has rights to this center	0.10004s 0.22472s 0.029085s 0.09085s 0.21579s 0.16691s 0.25000s 0.09619s 0.21438s 0.22043s 0.20525s 0.08088s 0.006499s 0.14779s 0.055548s
when manual patient management is disabled fails Get intradialytic medication for patient returns medications for the given patient returns medications with variable dose returns several medications ordered by product name requires read rights does not return active medications if status equals 'stopped' returns latest medications for the given patient returns medications for products and magistral preparations GetCenterAcl returns not found (404) if the center is not found returns array containing the center acl returns empty array when no user has rights to this center GetProduct returns alternatives for actual products	0.10004s 0.22472s 0.029085s 0.09085s 0.21579s 0.16691s 0.25000s 0.09619s 0.21438s 0.22043s 0.20525s 0.008088s 0.06499s 0.14779s 0.05548s
when manual patient management is disabled fails Get intradialytic medication for patient returns medications for the given patient returns medications with variable dose returns several medications ordered by product name requires read rights does not return active medications if status equals 'stopped' returns latest medications for the given patient returns medications for products and magistral preparations GetCenterAcl returns not found (404) if the center is not found returns array containing the center acl returns empty array when no user has rights to this center	0.10004s 0.22472s 0.029085s 0.09085s 0.21579s 0.16691s 0.25000s 0.09619s 0.21438s 0.22043s 0.20525s 0.08088s 0.006499s 0.14779s 0.055548s
when manual patient management is disabled fails Get intradialytic medication for patient returns medications for the given patient returns medications with variable dose returns several medications ordered by product name requires read rights does not return active medications if status equals 'stopped' returns latest medications for the given patient returns medications for products and magistral preparations GetCenterAcl returns not found (404) if the center is not found returns array containing the center acl returns empty array when no user has rights to this center GetProduct returns alternatives for actual products	0.10004s 0.22472s 0.029085s 0.09085s 0.21579s 0.16691s 0.25000s 0.09619s 0.21438s 0.22043s 0.22043s 0.20525s 0.06499s 0.14779s 0.05548s
when manual patient management is disabled fails Get intradialytic medication for patient returns medications for the given patient returns medications with variable dose returns several medications ordered by product name requires read rights does not return active medications if status equals 'stopped' returns latest medications for the given patient returns medications for products and magistral preparations GetCenterAcl returns not found (404) if the center is not found returns array containing the center acl returns empty array when no user has rights to this center GetProduct returns alternatives for actual products returns forbidden (403) if the user isn't authorized	0.10004s 0.22472s 0.021579s 0.16691s 0.25000s 0.09619s 0.21438s 0.22043s 0.20525s 0.08088s 0.06499s 0.14779s 0.05548s
when manual patient management is disabled fails Set intradialytic medication for patient returns medications for the given patient returns medications with variable dose returns several medications ordered by product name requires read rights does not return active medications if status equals 'stopped' returns latest medications for the given patient returns medications for products and magistral preparations SetCenterAcl returns not found (404) if the center is not found returns array containing the center acl returns empty array when no user has rights to this center SetProduct returns alternatives for actual products returns forbidden (403) if the user isn't authorized returns alternatives for actual products returns forbidden (403) if the user isn't authorized returns product by id	0.10004s 0.22472s 0.09085s 0.09085s 0.16691s 0.25000s 0.09619s 0.21438s 0.22043s 0.22043s 0.20525s 0.06499s 0.14779s 0.05548s 0.18345s 0.03874s 0.03874s

returns a product with packages with details	0.25078s
returns a product with a list of active ingredients	0.47208s
returns a product with stock locations	0.18403s
returns a product with codes as tables	0.32272s
returns a product with form codes	0.31419s
GetPatient GetPatient	
returns forbidden (403) if the user isn't authorized	0.10123s
returns 'unknown' as transplant eligibility if not set	0.15279s
returns the patient	0.25964s
returns the patient's remarks	0.22802s
returns no diet if not set	0.13845s
returns the patient's infections	0.18537s
returns the patient's transplant eligibility status	0.17615s
returns the patient's diet	0.19895s
returns the patient's allergy	0.18257s
returns the patient's addresses	0.16908s
Patients::Services::Upsert	
raises RecordInvalid if data is missing and the patient is not present	0.00951s
merges patient attributes for upsert	0.09596s
merges patient attributes for update	0.09288s
Daniel Time	
RangeType (de-)serializes	0.00300s
(ue-)serializes	0.003003
when the bounds are quantities	
(de-)serializes	0.00852s
when the bounds are ratios	
when the bounds are ratios (de-)serializes	0.01407s
(de-)serializes	0.01407s
(de-)serializes #cast	
#cast returns a range when the object is a hash containing quantities	0.01113s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast	0.01113s 0.00232s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil	0.01113s 0.00232s 0.00222s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast	0.01113s 0.00232s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a hash containing integers	0.01113s 0.00232s 0.00222s 0.00226s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a hash containing integers when the range is unbounded	0.01113s 0.00232s 0.00222s 0.00226s 0.00245s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a hash containing integers	0.01113s 0.00232s 0.00222s 0.00226s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a hash containing integers when the range is unbounded	0.01113s 0.00232s 0.00222s 0.00226s 0.00245s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a hash containing integers when the range is unbounded (de-)serializes	0.01113s 0.00232s 0.00222s 0.00226s 0.00245s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a hash containing integers when the range is unbounded (de-)serializes Medications::IntradialyticPrescriptionRepository	0.01113s 0.00232s 0.00222s 0.00226s 0.00245s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a hash containing integers when the range is unbounded (de-)serializes Medications::IntradialyticPrescriptionRepository returns prescriptions that have no matching formulary item Unlock account	0.01113s 0.00232s 0.00222s 0.00226s 0.00245s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a hash containing integers when the range is unbounded (de-)serializes Medications::IntradialyticPrescriptionRepository returns prescriptions that have no matching formulary item Unlock account when the token is valid	0.01113s 0.00232s 0.00222s 0.00226s 0.00245s 0.00233s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a hash containing integers when the range is unbounded (de-)serializes Medications::IntradialyticPrescriptionRepository returns prescriptions that have no matching formulary item Unlock account when the token is valid returns success (200) when the token is expired	0.01113s 0.00232s 0.00222s 0.00226s 0.00245s 0.00233s 0.53787s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a hash containing integers when the range is unbounded (de-)serializes Medications::IntradialyticPrescriptionRepository returns prescriptions that have no matching formulary item Unlock account when the token is valid returns success (200) when the token is expired returns success (200) and unlocks the account when the token is not expired	0.01113s 0.00232s 0.00222s 0.00226s 0.00245s 0.00233s 0.53787s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a hash containing integers when the range is unbounded (de-)serializes Medications::IntradialyticPrescriptionRepository returns prescriptions that have no matching formulary item Unlock account when the token is valid returns success (200) when the token is expired returns success (200) and unlocks the account when the token is not expired creates an audit	0.01113s 0.00232s 0.00222s 0.00226s 0.00245s 0.00233s 0.53787s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a hash containing integers when the range is unbounded (de-)serializes Medications::IntradialyticPrescriptionRepository returns prescriptions that have no matching formulary item Unlock account when the token is valid returns success (200) when the token is expired returns success (200) and unlocks the account when the token is not expired creates an audit when the token is invalid	0.01113s 0.00232s 0.00222s 0.00226s 0.00245s 0.00233s 0.53787s 0.53787s 0.17720s 0.05190s 0.06040s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a hash containing integers when the range is unbounded (de-)serializes Medications::IntradialyticPrescriptionRepository returns prescriptions that have no matching formulary item Unlock account when the token is valid returns success (200) when the token is expired returns success (200) and unlocks the account when the token is not expired creates an audit	0.01113s 0.00232s 0.00222s 0.00226s 0.00245s 0.00233s 0.53787s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a hash containing integers when the range is unbounded (de-)serializes Medications::IntradialyticPrescriptionRepository returns prescriptions that have no matching formulary item Unlock account when the token is valid returns success (200) when the token is expired returns success (200) and unlocks the account when the token is not expired creates an audit when the token is invalid	0.01113s 0.00232s 0.00222s 0.00226s 0.00245s 0.00233s 0.53787s 0.53787s 0.17720s 0.05190s 0.06040s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a hash containing integers when the range is unbounded (de-)serializes Medications::IntradialyticPrescriptionRepository returns prescriptions that have no matching formulary item Unlock account when the token is valid returns success (200) when the token is expired returns success (200) and unlocks the account when the token is not expired creates an audit when the token is invalid returns unprocessable entity (422)	0.01113s 0.00232s 0.00222s 0.00226s 0.00245s 0.00233s 0.53787s 0.53787s 0.17720s 0.05190s 0.06040s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a range returns a range when the object is a hash containing integers when the range is unbounded (de-)serializes Medications::IntradialyticPrescriptionRepository returns prescriptions that have no matching formulary item Unlock account when the token is valid returns success (200) when the token is expired returns success (200) and unlocks the account when the token is not expired creates an audit when the token is invalid returns unprocessable entity (422) Create Code by Code System Slug	0.01113s 0.00232s 0.00222s 0.00226s 0.00245s 0.00233s 0.53787s 0.17720s 0.07720s 0.05190s 0.06040s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a hash containing integers when the range is unbounded (de-)serializes Medications::IntradialyticPrescriptionRepository returns prescriptions that have no matching formulary item Unlock account when the token is valid returns success (200) when the token is expired returns success (200) and unlocks the account when the token is not expired creates an audit when the token is invalid returns unprocessable entity (422) Create Code by Code System Slug returns unprocessable entity (422) when creating doubles in an editable code system	0.01113s 0.00232s 0.00222s 0.00226s 0.00245s 0.00233s 0.00233s 0.53787s 0.53787s 0.05190s 0.06040s 0.04412s
returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a hash containing integers when the range is unbounded (de-)serializes Medications::IntradialyticPrescriptionRepository returns prescriptions that have no matching formulary item Unlock account when the token is valid returns success (200) when the token is expired returns success (200) and unlocks the account when the token is not expired creates an audit when the token is invalid returns unprocessable entity (422) Create Code by Code System Slug returns unprocessable entity (422) when creating doubles in an editable code system returns forbidden (403) when the user isn't authorized	0.01113s 0.00232s 0.00222s 0.00226s 0.00245s 0.00245s 0.00233s 0.53787s 0.17720s 0.05190s 0.06040s 0.04412s 0.05538s 0.03886s
#cast returns a range when the object is a hash containing quantities raises a TypeError when the object cannot be cast returns nil when object is nil returns the object when the object is a range returns a range when the object is a hash containing integers when the range is unbounded (de-)serializes Medications::IntradialyticPrescriptionRepository returns prescriptions that have no matching formulary item Unlock account when the token is valid returns success (200) when the token is expired returns success (200) and unlocks the account when the token is not expired creates an audit when the token is invalid returns unprocessable entity (422) Create Code by Code System Slug returns unprocessable entity (422) when creating doubles in an editable code system returns method not allowed (405) when code system not editable	0.01113s 0.00232s 0.00222s 0.00226s 0.00245s 0.00245s 0.00233s 0.53787s 0.17720s 0.05190s 0.06040s 0.04412s 0.05538s 0.03886s 0.03886s

validates uniqueness of name	
Mediantiana	0.01869s-
Medications	
GetHomeMedicationProductPackages	0.14224
returns a list of packages	0.14324s
requires read rights fails get if home medication is not found	0.11879s 0.09190s
returns an empty list of packages when magistral preparation	0.13541s
	0.133413
Create medication prescription info	
returns forbidden (403) if the user isn't authorized	0.03625s
returns created (201) and the medication prescription info	0.05514s
GetIntervention	
returns the given intervention	0.15533s
fails when given intervention does not exist	0.03287s
requires authorization	0.11883s
Boolean	
casts false	0.00247s
casts true	0.00246s
is expected to respond to #to_b	0.00339s
IdentifierGuard	
#identifier	
when using a supervised source	
and no identifier was given	
to fail validation on save	0.01001s
<u> </u>	0.023025
and an identifier was given	0.05525
remains the same on save	0.06635s
when using an unsupervised source	
and an identifier was given	
remains the same on save	0.04836s
and no identifier was given	
is auto filled with name on save	0.03886s
DeleteContact DeleteContact	
returns not_found (404) if the weight cannot be found	0.04330s
deletes the specified phone_number	0.12101s
returns forbidden (403) if the user isn't authorized	0.09915s
Potiontia allousias	
Patient's allergies returns not_found (404) if the patient cannot be found	0.02856s
returns forbidden (403) if the user isn't authorized	0.09919s
returns all allergies for a patient	0.12290s
PatientAttachments	
when getting an attachment	
requires authorization	0.15170s
returns the attachment	0.14975s
returns not found if attachment doesn't exist	0.03331s
when getting all attachment	
requires authorization	0.12781s
returns the attachment	0.13124s
returns not found if attachment doesn't exist	0.03094s
Patients::PrescriptionRepository	
#get	

returns all parameters in the prescription template (PENDING: Temporarily skipped with xit)	
correctly fills in default values (PENDING: Temporarily skipped with xit)	
Charts::VascularAccessSiteComplicationsHistory	
#call	
returns 1 year complications count grouped by month	0.96934s
Executions::EHealth::Base	
has a default category	0.00254s
is expected to be enqueueable	0.01236s
has a default runner	0.00265s
Quantity	
is expected to respond to [:code, :value, :unit]	0.01553s
type cast	
type casts using Quantity()	0.00560s
type casts using .to_q	0.00496s
#/	
returns a ratio	0.00751s
#next, #succ	
raises type error when begin is a float	0.00346s
returns the next value	0.01499s
#code	
when initialized with a code_id returns a code	0.01375s
returns a code	0.013735
when initialized with a code	
returns a code	0.01299s
#<=>	
returns -1 when value is smaller	0.01525s
returns 1 when value is greater	0.01564s
returns nil when unit is different	0.01498s
returns 0 when value is equal	0.01573s
Medications::Formulary::Identifier	
is expected to validate that :identifier_type cannot be empty/falsy	0.02244s
is expected to validate that :identifier cannot be empty/falsy	0.02070s
is expected to validate that :identifier_type is either <"pharmacy"> or <"cnk">	0.02419s
is expected to belong to item class_name => Medications::Formulary::ltem required: true	0.02008s
when the identifier_type is considered to be unique	
#validate_identifier_type_item	
validates that identifier_type is unique over item	0.02082s
#validate_identifier	
validates that identifier is unique over identifier_type	0.03419s
#validate_identifier_identifier_type_item	
validates that identifier and (identifier_type, item) combinations are unique	0.01336s
DeleteVascularAccessSiteTechnique	
returns forbidden (403) if the user isn't authorized	0.03702s
returns not_found (404) if the access site technique cannot be found	0.03588s
deletes the specified access site technique if status is permanently_removed	0.04829s
Create Patient	
does not creates the patient if no diagnose was provided	0.05558s
requires authorization	0.04001s
	5.5.0015

correctly fills in persisted values (PENDING: Temporarily skipped with xit)

creates and enrolls the patient if it does not exist	0.109
when manual patient management is disabled	
cannot manually create a patient	0.045
eate Form	
returns success (200) and creates the form when in in a unsupervised source	0.051
returns unprocessable entity (422) when creating doubles	0.049
returns forbidden (403) when the user isn't authorized	0.032
returns not found (404) when using an undefined source	0.033
returns method_not_allowed (405) when creating within a supervised source	0.036
sions	
fails when given session does not exist	0.033
requires read rights	0.157
returns the given session	0.384
scutions u Pacin Eu Paca	
cutions::RecipE::Base	
fexecute!	0.075
updates prescription	0.075
CodeSystems	
returns an list of code systems	0.05
returns forbidden (403) if the user isn't authorized	0.032
ients::Services::UpdateSearchIndex	
tupdate_patient_latest_treatment_info	
updates the patient's treatment id	0.402
destroy destroyes a patient search index	0.156
destroyes a patient search maex	0.130
fupdate_patient_latest_transplant_status	
updates the patient's transplant status	0.175
fcreate	
updates the patients search index if the patient exists	0.159
creates the patients search index	0.129
fupdate patient latest unenrollment reason	
updates the patient's unenrollemnt reason	0.138
fundate_prescription	
updates the patient's prescription	0.298
dications::MedicationAdministration	
cascades destroy to billing items	0.186
is expected to belong to stock class_name => Infrastructure::Stock optional: true	0.003
is expected to have carbon :id, :quantity, :form, :formula, :posology, :medicinal_variant, :formulary_item, :stock, and :service	0.002
is expected to belong to created_by class_name => Users::User optional: true	0.002
is expected to belong to patient class_name => Patients::Patient required: true	0.003
is expected to belong to session class_name => Sessions::Session optional: true	0.002
is expected to belong to prescription class_name => Medications::IntradialyticMedicationPrescription optional: true	0.003
is expected to belong to medicinal_variant class_name => Medications::MedicinalVariant optional: true	0.002
is expected to belong to formulary_item class_name => Formulary::ltem optional: true	0.002
is expected to validate that :quantity looks like a number greater than or equal to 0 and less than 100000 as long as it is not nil	0.01
is expected to have one billing_item class_name => Billing::Item dependent => destroy	0.002
is expected to belong to prescribed_by class_name => Users::User optional: true	0.002
ilters	
filters on center	0.612
filters on room	0.585
filters on shift	0.620

ogbookEntryJob	
when entry doesn't exists creates an new logbook entry and auto includes it in the provided journals	0.00439
	0.00439
creates an new logbook entry	
doesn't includes entry in journals if the creation fails	0.004109
when entry exists	
doesn't includes entry in journals if the creation fails	0.01047
collates existing logbook entry	0.00391
collates existing logbook entry and auto includes it in the provided journals	0.00425
does not collate existing logbook entry with nil note	0.003089
synchronous create Recip-e prescription	
creates the Recip-e prescription	0.67184
adds an execution to the queue	0.11489
ledications::Company	0.00961
is expected to validate that :identifier cannot be empty/falsy	
is expected to validate that :name is case-sensitively unique within the scope of :source_id	0.024979
is expected to validate that :name cannot be empty/falsy	0.00925
is expected to have many products dependent => destroy	0.003209
is expected to belong to source required: true	0.005309
.most_used	
accepts a source to limit the initial group	0.14522
returns the top used item when 1 limit is given	0.23297
returns only used items	0.04561
essions::Session	
is expected to belong to treatment required: true	0.00520
is expected to have many logbook entries	0.00276
cascades destroy to billing items	0.26519
is expected to have many state_transitions	0.00259
is expected to validate that :care_type is either <"high_care">, <"low_care_auto">, or <"low_care_night">	0.01087
is expected to belong to shift required: true	0.005009
is expected to belong to position required: true	0.00473
is expected to have one billing item class name => Billing::Item dependent => destroy	0.00257
is expected to have one vascular access summary	0.01230
is expected to have many complications	0.00260
is expected to belong to patient required: true	0.00482
is expected to have many measurements	0.00252
is expected to have many measurements	0.00232.
#patient_present?	
returns false for sessions in preparation phase	0.13536
returns false for unstarted sessions	0.12107
returns true for sessions beyond preparation phase	0.14836
returns true for cancelled sessions	0.16364
returns true for completed sessions	0.19346
#treatment_phase_started_at	
returns the timestamp when the treatment started	0.14386
#treatment_phase_started?	- 0.14==-
returns false if the treatment hasn't started	0.14756
returns true if the treatment started	0.15710
.ongoing_for_room	
only returns currently ongoing sessions for the given room & shift	0.12686
returns currently ongoing sessions for the given room & shift	0.11048

returns currently ongoing sessions for the given position	0.10611
only returns currently ongoing sessions for the given position	0.11386
#high_care?	
returns a boolean indicating if the session is a high care session	0.01951
entered_treatment_phase	
returns cancelled session for which the treatment phase has been started	0.59717
returns ongoing sessions	0.33188
returns completed sessions	0.43898
rsigned_off?	
returns a boolean indicating if the session has been signed off	0.02145
	0.022
sign_off!	
carbonizes the billing items	0.2650
signs off the session	0.1351
when the attending doctor is billed	
assigns the attending doctor to session billing items	0.1670
assigns the user signing off to order billing items	0.2413
when the session sign off is billed	
assigns the user signing off to order billing items	0.4064
assigns the user signing off to session billing items	0.1952
ongoing_for_patient	
returns currently ongoing sessions for the given patient	0.1198
only returns currently ongoing sessions for the given patient	0.2125
only recurs currently origining sessions for the given patient	0.2123
ngoing	
returns ongoing sessions	0.2944
does not return cancelled sessions	0.1101
does not return ended sessions	0.1158
deletable?	
returns true for cancelled sessions before connect phase	0.1572
returns true for unstarted sessions	0.1133
returns false for sessions beyond preparation phase	0.1438
returns false for cancelled sessions after connect phase	0.1859
returns true for sessions in preparation phase	0.1348
low_care_night?	
returns a boolean indicating if the sessions is a low care night session	0.0239
low_care_auto?	
returns a boolean indicating if the sessions is a low care night session	0.0253
recards a boolean maleading in the sessions is a low care might session	0.023
low_care?	
returns a boolean indicating if the sessions is a low care session	0.0213
Intradialytic Medication Prescription	
rejects past entries updates	0.2047
updates without archiving if only changing end date	0.1785
rejects updates if trying to edit home medication	0.1275
rejects updates if variant form does not exist for the product	0.1556
updates the given medication	0.2123
updates without archiving if prescription is not started	0.1753
fails if medication does not exist	0.101
Tails if Hedication does not exist	0.1012
denies prescribing if not granted	
	0.1012 0.1211 0.1703
denies prescribing if not granted	0.1211

keeps track of previous medications	0.10507
Neopo addit of previous medicadons	0.18627s
Search units	
can filter by name	0.07530s
returns forbidden (403) if the user isn't authorized	0.02994s
can filter by source	0.07156s
returns an list of unique units	0.05204s
UserTime	
parses the provided time in the users timezone	0.00282s
returns the current time in the users timezone	0.00302s
parses the provided customer time to the users timezone	0.00296s
Patients::PatientMasterRecord	
is expected to belong to patient required: true	0.01159s
.by_wounds	
returns matching patient_ids when has_wounds param is given and is true	0.24709s
returns matching patient_ids when has_wounds param is given and is false	0.31537s
.by_allergies	
returns matching patient_ids when has_allergies param is given and is true	0.19661s
returns matching patient_ids when has_allergies param is given and is false	0.18062s
.by_site	
returns matching patient ids when site permanently removed fistula is given	0.29335s
returns matching patient, ids when site available fistula is given	0.28766s
returns matching patient ids when site available graft is given	0.28869s
returns matching patient_ids when site_evaluable_graft is given returns matching patient_ids when site permanently_removed_catheter is given	0.29373s
returns matching patient ids when site temporary catheter is given	0.29351s
returns matching patient_ids when site_temporary_contect is given	0.30362s
returns matching patient, ids when site unavailable fistula is given	0.28182s
returns matching patient_ids when site_permanent_catheter is given	0.29002s
returns matching patient ids when site available catheter is given	0.29075s
returns matching patient ids when site permanently removed graft is given	0.28384s
returns matching patient, ids when site unavailable catheter is given	0.30970s
returns materning patterne_as when site_anavailable_catheter is given	0.303703
.by_enrolled	
returns matching patient_ids when is_enrolled param is given and is true	0.17784s
returns matching patient_ids when has_wounds param is given and is false	0.17524s
.by_hdf_treatment	
returns matching patient_ids with hdf treatment	0.21011s
.by_active_order	
does not find patient ids where the timespan of an active onetime order does not match	0.23206s
returns matching patient ids for a given active one time order	0.20740s
returns matching patient ids for a given active recuring order	0.22439s
does not find patient ids where the timespan of an active recurring order does not match	0.17736s
distincts records on patient id	0.36455s
distincts records on patient_id	0.304333
.by_patient_range	
returns matching patient_ids when from and to birthdate param is given	0.21142s
returns matching patient_ids when from dialysis_since param is given	0.21908s
returns matching patient_ids when to dialysis_since param is given	0.21339s
returns all patient_ids when no dialysis_since params are given	0.20597s
returns matching patient_ids when from and to dialysis_since param is given	0.20328s
returns matching patient_ids when from birthdate param is given	0.21184s
returns all patient_ids when no birthdate params are given	0.24548s
returns a MismatchDatesError when from date > to date	0.07036s
returns matching patient_ids when to birthdate param is given	0.20221s

bu alsoning asses id	
.by_planning_room_id returns matching patient ids for a given planning room id	0.26475s
distincts records on patient_id	0.33069s
distilicts records on patient_id	0.330035
.by_planning_shift_id	
returns matching patient_ids for a given planning_shift_id	0.29557s
distincts records on patient_id	0.301989
.by_diets	
returns matching patient_ids when has_diets param is give and is false	0.25121
returns matching patient_ids when has_diets param is give and is true	0.239209
.by_planning_day	0.20510
distincts records on patient_id	0.30518
returns matching patient_ids for a given planning_day	0.26751:
.by_infections	
returns matching patient_ids when has_infections param is given and is true	0.20909
returns matching patient_ids when has_infections param is given and is false	0.19973
.by_patient_exact	
returns matching patient ids based on transport forth type	0.21135
returns matching patient ids based on attending doctor id	0.16975
returns matching patient ids based on sex	0.19604
freturns matching patient_ids based on transport_back_type	0.33683
rectains matering patient_us based on transport_back_type	0.55005
.by_medicinal_product_id	
returns matching patient_ids for a given medicinal_product_id	0.34077
tStandingOrders	
returns magistral standing orders	0.28275
returns magistral standing orders sorted asc by formula > form > dose	0.15747
returns product standing orders	0.34692
returns product standing orders sorted by company name	0.16204
returns (403) if the user isn't authorized	0.03571:
tEpisodeEvents	
returns adt events	0.15038
returns forbidden (403) if the user isn't authorized	0.10097
does not return adt events for unenrolled patients	0.14170
filters on event type and patient	0.17775:
filters on event type and patient	0.21190
	0.22403:
filters on patient	0.22403
date product	
can set multidose	0.08705
returns forbidden (403) when the user isn't authorized	0.05542
can nillify a category	0.07503
returns success (200) and an product	0.08085
et home medication schedule	
returns a PDF of the home medication schedule	0.23156
synchronous reports: session_sign_off	
generates the report	0.39352
odateJournalEntry	
updates an existing journal entry	0.14033
returns forbidden (403) if the user only has read rights	0.10202
returns not_found (404) if the journal entry cannot be found	0.10122
returns forbidden (403) if the user isn't authorized	0.10275
returns forbidden (403) if the user only has manage rights for other journals	0.10153s

ate exportable billing items association	
returns unprocessable entity (422) when the exportable is not in draft	0.48
returns unprocessable entity (422) when the billing item is already present	0.30
returns a carbon copy of the billing items	0.32
returns created (201) and the exportable	0.38
returns not found (404) if the exportable cannot be found	0.20
returns unprocessable entity (422) when adding a billing item of incompatible type	0.3
returns not found (404) if the billing item cannot be found	0.03
returns forbidden (403) if the user isn't authorized	0.29
dications::Providers::Update	
does not create objects twice	0.90
orms	
creates solution injectable	0.38
creates solution injectable en seringue	0.43
ctual product	
has units	0.38
is expected not to be virtual	0.3
has ingredients	0.4
has stocks	0.4
is expected to have attributes {:name => "ARANESP 10 μg sol inj en seringue préremplie", :started_at => Thu, 02 Jun 2005}	0.4
has a company	0.4
has codes	0.4
has forms	0.4
has packages	0.3
has routes	0.4
is expected to be active	0.4
allows for description setting agredients	0.39
creates eau ppi	0.3
creates sodium chlorure	0.4
creates phosphate disodique anhydre	0.4
creates darbépoétine alfa	0.5
creates polysorbate 80	0.4
creates caoutchouc naturel	0.3
creates protéines de hamster	0.3
creates photelines de namister creates phosphate monosodique anhydre	0.3
	0.5
ocks	
creates central stock	0.3
creates dialysis stock	0.3
utes	
creates sous-cutanée	0.3
creates sous-cutanée creates intraveineuse	
creates sous-cutanée creates intraveineuse ompanies	0.3
creates sous-cutanée creates intraveineuse	0.3
creates sous-cutanée creates intraveineuse ompanies creates amgen	0.3
creates sous-cutanée creates intraveineuse ompanies creates amgen	0.3
creates sous-cutanée creates intraveineuse companies creates amgen ackages creates 1xARANESP	0.3
creates sous-cutanée creates intraveineuse companies creates amgen ackages creates 1xARANESP	0.3
creates intraveineuse companies creates amgen ackages creates 1xARANESP	0.3 0.3 0.3 0.3

is expected to be virtual	0.524
has forms	0.400
has ingredients	0.403
is expected to be active	0.40
cularAccess::InterventionType	
returns forbidden (403) if the user isn't authorized	0.04
returns not found (404) if the diagnosis is not found	0.03
audits the update action	0.04
returns success (200) and the updated diagnosis	0.04
ients::PatientDiagnosis	
returns unprocessable entity (422) if the patient diagnosis has row_order 0	0.07
audits the destroy action	0.09
returns forbidden (403) if the user isn't authorized	0.07
returns success (200)	0.12
ate Administration Route	
returns unprocessable entity (422) when creating doubles	0.05
also adds codes	0.10
returns method_not_allowed (405) when creating within a supervised source	0.03
returns success (200) and creates the route when in in a unsupervised source	0.01
returns not found (404) when using an undefined source	0.03
returns forbidden (403) when the user isn't authorized	0.03
CodesForAPackage	
returns forbidden (403) if the user isn't authorized	0.03
returns codes for a package by id	0.14
figurations::Boolean	
calls a service object after save	0.01
casts to boolean	0.00
dications::Services::UpdateIngredient	
updates an ingredient route with its codes	0.08
lateIntervention	
requires write rights	0.03
updates the given intervention	0.03
fails if intervention type does not exist	0.15
returns not found if the intervention does not exist	0.14
returns audit info	0.14
	0.23
returns unauthorized (401) when trying to authenticate a locked user	0.04
unlocks the user after the cool down period	0.06
amount and assertance	0.00
returns unauthorized (401) if the user was soft deleted	0.04
returns unauthorized (401) if the user was soft deleted accepts case insensitive login	
accepts case insensitive login	0.04
accepts case insensitive login resets `failed_attempts` on valid credentials	0.04 0.05
accepts case insensitive login resets `failed_attempts` on valid credentials accepts email as login	0.04 0.04 0.05 0.04 0.06
accepts case insensitive login resets `failed_attempts` on valid credentials accepts email as login locks the user and sends an unlock email after too many failed attempts	0.04 0.05 0.04 0.06
accepts case insensitive login resets `failed_attempts` on valid credentials accepts email as login	0.04 0.05
accepts case insensitive login resets `failed_attempts` on valid credentials accepts email as login locks the user and sends an unlock email after too many failed attempts increases `failed_attempts` on invalid credentials	0.04 0.05 0.04 0.06 0.04 0.01
accepts case insensitive login resets `failed_attempts` on valid credentials accepts email as login locks the user and sends an unlock email after too many failed attempts increases `failed_attempts` on invalid credentials returns unauthorized (401) if user doesn't exist creates an audit when the user is locked	0.04 0.05 0.04 0.04 0.01 0.01
accepts case insensitive login resets `failed_attempts` on valid credentials accepts email as login locks the user and sends an unlock email after too many failed attempts increases `failed_attempts` on invalid credentials returns unauthorized (401) if user doesn't exist creates an audit when the user is locked returns unauthorized (401) if the user is deleted	0.04 0.05 0.04 0.06 0.04 0.01 0.06
accepts case insensitive login resets `failed_attempts` on valid credentials accepts email as login locks the user and sends an unlock email after too many failed attempts increases `failed_attempts` on invalid credentials returns unauthorized (401) if user doesn't exist creates an audit when the user is locked	0.04 0.05 0.04 0.06 0.04

and the second s	
returns forbidden (403) if the user isn't authorized	0.11(
updates avatar	0.41
dateInfectionForPatient	
updates an existing infection	0.08
returns forbidden (403) if the user isn't authorized	0.064
dateWeight	
returns not_found (404) if the patient cannot be found	0.030
returns forbidden (403) if the user isn't authorized	0.063
updates an existing weight	0.079
tAudits	
returns all audits filtered on category	0.10
returns all audits filtered on user	0.08
returns all audits	0.08
returns all audits as csv when the user has the right	0.03
returns forbidden when the user does not has the right	0.07
was vive Cassian lab	
nmarizeSessionJob summarizes the session	0.15
	0.25
when session summary frequency is set to 'always'	0.10
calls SendSessionSummaryJob	0.18
vhen session summary is disabled	
does not call SendSessionSummaryJob	0.18
when session summary is set to 'adhoc'	
does not call SendSessionSummaryJob	0.20
A constitution of	
rbon::Wrapper	
associations	
returns data	0.00
mutates the subobject	0.00
mutates the object	0.00
returns nil	0.00
does not update the data	0.00
carbonized	
updates the data	0.00
returns data	0.00
does not mutate the subobject	0.00
does not mutate the object	0.00
does not return nil	0.00
uttributes	
mutates data	0.00
returns data	0.00
does not update data	0.00
composes attributes	0.00
returns nil	0.00
carbonized	
	0.00
updates data	
updates data returns carbon data	0.00
updates data returns carbon data does not mutate data	0.00 0.00 0.00
updates data returns carbon data does not mutate data does not return nil	0.00
updates data returns carbon data does not mutate data	0.00

accepts null variant and quantity if dose type is 'variable'	
deduces product from variant	0.198 0.140
fails if patient does not exist	0.032
saves the given magistral preparation	0.127
fails if variant and product do not match	0.133
sets the dose type to fixed by default	0.148
does not fail if a previous medication of another type exists	0.161
saves the given medication prescription	0.182
fails if no variant is given and no variant exist w/out unit for fixed dose	0.118
does not fail if previous stopped medication does exist	0.153
accepts variant and quantity even if dose type is 'variable'	0.156
succeeds if prescription dates are not between start_date and end_date	0.154
returns unprocessable entity (422) if quantity is negative	0.117
returns unprocessable entity (422) if quantity is too big	0.113
rejects product medication with magistral preparation data	0.128
fails if the given galenic form does not exist	0.129
succeeds if prescription dates are before start date	0.193
fails if it cannot find a variant when only the galenic form is provided for fixed dose	
denies prescribing if not granted	0.13
fails if start and end dates overlap	0.13
fails if no variant is provided	0.113
ians ii no variant is provided	0.11.
when a valid practitioner identifier is required	
succeeds if prescriber is a doctor	0.16
fails if prescriber is not a doctor	0.133
Action	
returns 404 if the action cannot be found	0.439
returns the requested action's detail	0.24
returns 403 forbidden if the user isn't authorized	0.150
arts::UltrafiltrationEvolution	
¢call	
returns UFV and UFR data points	0.03
1 Court of 1 and of 1 and points	0.00
dications::Order	
is expected to belong to patient required: true	0.04
is expected to have many dosages	0.01
is expected to validate that :disallow_substitution_reason cannot be empty/falsy	0.02
is expected to belong to product optional: true	0.01
when allowing substitution	
is expected not to validate that :disallow_substitution_reason cannot be empty/falsy	0.02
egration Control of the Control of t	
Admit Patient	
returns unprocessable with an error if the patient details are invalid	0.04
silently fails if admission_id or admission_date are nil	0.07
updates national number	0.14
creates the address when admitting the patient if he has none	0.092
creates patient and admission event if patient doesn't exist and dialysis admission	0.08
takes patient birthdate if it is missing in admission event	0.12
creates admission event and sets admitted for enrolled patient	0.15
creates admission event, sets admitted for not enrolled patient if dialysis admission	
creates admission event, sets admitted for not enrolled patient if dialysis admission admits a patient with the given insurance details	
creates admission event, sets admitted for not enrolled patient if dialysis admission	0.124 0.088 0.069

Validators::FormatValidator	
accepts valid values according to the format	0.00229s
also rejects nil values	0.00268s
rejects invalid valid values	0.00241s
Patients::Diagnosis	
returns unprocessable entity (422) if the diagnosis name already exists	0.05031s
returns success (200) and the updated diagnosis	0.04830s
returns not found (404) if the diagnosis is not found	0.03497s
returns forbidden (403) if the user isn't authorized	0.03646s
Patient's addresses	
returns all addresses for a patient	0.12581s
returns forbidden (403) if the user isn't authorized	0.09294s
Sessions::Services::Cancel	
deletes an unstarted session	0.15240s
deletes a session in 'preparation' phase	0.16518s
cancels the session if its current phase is beyond 'preparation'	0.12820s
does not re-cancel a session	0.14796s
GetPlannedPatients	0.071.00
includes schema deviations	0.27148s
fails if given room does not exist	0.06520s
returns an empty list day does not match	0.21655s
returns an empty list if given ids are inconsistent	0.12634s
fails if given position does not exist	0.07443s
fails if given shift does not exist	0.06929s
returns a list of planned patients	0.18304s
returns forbidden if the user isn't authorized	0.03206s
can return an empty list	0.18718s
returns an empty list if schema starte date is in the future	0.16663s
supports deviations without arrival time - possible in an earlier version	0.25880s
filters out assigned patients	0.35069s
returns a list ordered by arrival time	0.33980s
returns patient on selected position first	0.32807s
BriefingClosures	
fails if the given briefing is closed	0.07624s
closes the given briefing	0.10428s
fails if the given briefing does not exist	0.03255s
DeleteContact	
deletes the role	0.05743s
cannot delete the role if the role is in use	0.08364s
returns not_found (404) if the role cannot be found	0.03576s
returns forbidden (403) if the user isn't authorized	0.04035s
audits the action	0.05003s
Mediantana	
Medications	
GetHomeMedicationOrder	
returns the given sent order	0.19586s
returns the given draft order	0.18539s
fails get if medication order is not found	0.10451s
returns the given order with sent items	0.27018s
requires read rights	0.16484s
fails if patient does not exist	0.15652s
Medications	

RestartHomeMedication	
requires write rights	0.1779
rejects restart if start and end date overlap	0.1704
restarts a stopped medication without end date	0.2118
fails if medication does not exist	0.1644
does not change the end date of the stopped medication in the archived copy	0.2328
cannot restart an active medication	0.1684
restarts a stopped medication with an end date	0.2047
rejects restart if start or end date are in the past	0.1579
ling::Code	
is expected to have many items	0.0025
validations	0.0076
is expected to have carbon :id, :name, :fee_code, and :forfait_code	0.0070
is expected to validate that :name cannot be empty/falsy	0.0137
is expected to validate that :name is case-sensitively unique is expected to validate that :name is either <"CHRONIC HIGH CARE ADMITTED">, <"CHRONIC HIGH CARE AMBULATORY">,	0.0141
«"CHRONIC_HIGH_CARE_PEDIATRIC_ADMITTED">, «"CHRONIC_HIGH_CARE_PEDIATRIC_AMBULATORY">, «"CHRONIC_LOW_CARE_AUTO_ADMITTED">, «"CHRONIC_LOW_CARE_AUTO_ADMITTED">, «"CHRONIC_LOW_CARE_AUTO_AMBULATORY">, «"CHRONIC_LOW_CARE_NIGHT_ADMITTED">, «"CHRONIC_LOW_CARE_NIGHT_ADMITTED">, «"CHRONIC_LOW_CARE_NIGHT_ADMITTED">, «"ACCESS_FLOW_ADMITTED">, «"ACCESS_FLOW_ADMITTED">, «"ACCESS_FLOW_ADMITTED">, «"ACCESS_FLOW_ADMITTED">, «"BIDIMENSIONAL_ECHO_AMBULATORY">, «"BLADDER_INSTILLATION_AMBULATORY">, «"BLADDERSCAN_MAI «"BLADDERSCAN_MAIE_ADMITTED">, «"BLADDERSCAN_FEMALE_AMBULATORY">, «"BLADDERSCAN_FEMALE_ADMITTED">, «"BLADDERSCAN_FEMALE_AMBULATORY">, «"BLADDERSCAN_FEMALE_ADMITTED">, «"BLADDERSCAN_FEMALE_A	AMBULATORY">, LE_AMBULATORY">,
date configuration	
returns not found (404) if the configuration does not exist	0.0371
creates an audit	0.0577
when the configuration has `secure` level	
returns success (200) and the updated configuration	0.0498
returns forbidden (403) if the user isn't authorized	0.0377
returns success (200) and the updated configuration returns forbidden (403) if the user isn't authorized	0.0494 0.0354
vices::Device	
returns unprocessable entity (422) if there is no center given	0.0303
returns success (200) and alphabetically sorted device options related to the given center and a given serial number query	0.073
returns success (200) and alphabetically sorted device options related to the given center and a given name query	0.065
returns forbidden (403) if the user isn't authorized	0.029
returns success (200) and alphabetically sorted device options related to the given center	0.094
tMedicationsFormularyItem	0.047
returns forbidden (403) if the user isn't authorized	0.047
returns a formulary items	0.000
eate context link	
returns unprocessable entity (422) if the type does not exist	0.037
returns forbidden (403) if the user isn't authorized	0.033
templated links	
returns created (201) and the context link	0.036
xperthis care links	
returns created (201) and the context link	0.037
returns unprocessable entity (422) if the options are invalid	0.036
	0.036
returns unprocessable entity (422) if the options are not specified	
static links	
	0.047.
static links	0.047

returns forbidden (403) if the user isn't authorized	0.02908s
Laboratory parameter	
returns laboratory parameters	0.04039s
requires an authorized user	0.03040s
Planning::Evaluators::DayEvaluator	
is expected to respond to #on_odd_weeks	0.20627s
is expected to respond to #on_days	0.21700s
is expected to respond to #on_even_weeks	0.25067s
session ongoing	
is expected to be scheduled	0.26940s
no session planned	
is expected not to be scheduled	0.23971s
is expected not to be scheduled	0.239715
session completed	
is expected not to be scheduled	0.28445s
session planned	
is expected to be scheduled	0.21524s
session planned outside of evaluation date	
•	0.25463s
is expected not to be scheduled	0.234035
Infrastructure::Shift	
validates uniqueness of name scoped on center_id	0.03160s
is expected to belong to center required: true	0.00829s
is expected to validate that :ends_at cannot be empty/falsy	0.00978s
is expected to validate that :name cannot be empty/falsy	0.01282s
is expected to validate that :starts_at cannot be empty/falsy	0.00934s
#ongoing?	
#oligoling:	
returns true if the shift is ongoing	0.00402s
returns true if the shift is ongoing	0.00402s
returns true if the shift is ongoing Billing report	0.00402s
returns true if the shift is ongoing Billing report when session data available	
returns true if the shift is ongoing Billing report	0.00402s 0.03502s
returns true if the shift is ongoing Billing report when session data available	
returns true if the shift is ongoing Billing report when session data available expect a report with the billing report	
returns true if the shift is ongoing Billing report when session data available expect a report with the billing report MeasurementForms	0.03502s
returns true if the shift is ongoing Billing report when session data available expect a report with the billing report MeasurementForms requires proper authorization	0.03502s 0.04307s
returns true if the shift is ongoing Billing report when session data available expect a report with the billing report MeasurementForms requires proper authorization doesn't support certain types of measurements	0.03502s 0.04307s 0.03153s
returns true if the shift is ongoing Billing report when session data available expect a report with the billing report MeasurementForms requires proper authorization doesn't support certain types of measurements returns a measurement's form	0.03502s 0.04307s 0.03153s
returns true if the shift is ongoing Billing report when session data available expect a report with the billing report MeasurementForms requires proper authorization doesn't support certain types of measurements returns a measurement's form AddLevelToConfigurations migrates configuration access level	0.03502s 0.04307s 0.03153s 0.11894s
returns true if the shift is ongoing Billing report when session data available expect a report with the billing report MeasurementForms requires proper authorization doesn't support certain types of measurements returns a measurement's form AddLevelToConfigurations migrates configuration access level DeleteTag	0.03502s 0.04307s 0.03153s 0.11894s 0.07519s
returns true if the shift is ongoing Billing report when session data available expect a report with the billing report MeasurementForms requires proper authorization doesn't support certain types of measurements returns a measurement's form AddLevelToConfigurations migrates configuration access level DeleteTag fails deletion when tag not found	0.03502s 0.04307s 0.03153s 0.11894s 0.07519s
returns true if the shift is ongoing Billing report when session data available expect a report with the billing report MeasurementForms requires proper authorization doesn't support certain types of measurements returns a measurement's form AddLevelToConfigurations migrates configuration access level DeleteTag fails deletion when tag not found rejects tag deletion if not granted	0.03502s 0.04307s 0.03153s 0.11894s 0.07519s 0.03210s 0.03827s
returns true if the shift is ongoing Billing report when session data available expect a report with the billing report MeasurementForms requires proper authorization doesn't support certain types of measurements returns a measurement's form AddLevelToConfigurations migrates configuration access level DeleteTag fails deletion when tag not found rejects tag deletion if not granted delete a tag	0.03502s 0.04307s 0.03153s 0.11894s 0.07519s 0.03210s 0.03827s 0.06382s
returns true if the shift is ongoing Billing report when session data available	0.03502s 0.04307s 0.03153s 0.11894s 0.07519s 0.03210s 0.03827s
returns true if the shift is ongoing Billing report when session data available expect a report with the billing report MeasurementForms requires proper authorization doesn't support certain types of measurements returns a measurement's form AddLevelToConfigurations migrates configuration access level DeleteTag fails deletion when tag not found rejects tag deletion if not granted delete a tag fails if deleting a system tag GetSessionMedicationAdministrations	0.03502s 0.04307s 0.03153s 0.11894s 0.07519s 0.03210s 0.03827s 0.06382s 0.04335s
returns true if the shift is ongoing Billing report when session data available expect a report with the billing report MeasurementForms requires proper authorization doesn't support certain types of measurements returns a measurement's form AddLevelToConfigurations migrates configuration access level DeleteTag fails deletion when tag not found rejects tag deletion if not granted delete a tag fails if deleting a system tag GetSessionMedicationAdministrations returns the list of session medication administrations	0.03502s 0.04307s 0.03153s 0.11894s 0.07519s 0.03210s 0.03827s 0.06382s 0.04335s
returns true if the shift is ongoing Billing report when session data available expect a report with the billing report MeasurementForms requires proper authorization doesn't support certain types of measurements returns a measurement's form AddLevelToConfigurations migrates configuration access level DeleteTag fails deletion when tag not found rejects tag deletion if not granted delete a tag fails if deleting a system tag GetSessionMedicationAdministrations returns the list of session medication administrations returns forbidden (403) if the user isn't authorized	0.03502s 0.04307s 0.03153s 0.11894s 0.07519s 0.03210s 0.03827s 0.06382s 0.04335s
returns true if the shift is ongoing Billing report when session data available expect a report with the billing report MeasurementForms requires proper authorization doesn't support certain types of measurements returns a measurement's form AddLevelToConfigurations migrates configuration access level DeleteTag falls deletion when tag not found rejects tag deletion if not granted delete a tag fails if deleting a system tag GetSessionMedicationAdministrations returns the list of session medication administrations returns forbidden (403) if the user isn't authorized returns complications that belong to the session	0.03502s 0.04307s 0.03153s 0.11894s 0.07519s 0.03210s 0.03827s 0.06382s 0.04335s 0.30947s 0.14472s 0.64282s
returns true if the shift is ongoing Billing report when session data available expect a report with the billing report MeasurementForms requires proper authorization doesn't support certain types of measurements returns a measurement's form AddLevelToConfigurations migrates configuration access level DeleteTag fails deletion when tag not found rejects tag deletion if not granted delete a tag fails if deleting a system tag GetSessionMedicationAdministrations returns the list of session medication administrations returns forbidden (403) if the user isn't authorized	0.03502s 0.04307s 0.03153s 0.11894s 0.07519s 0.03210s 0.03827s 0.06382s 0.04335s 0.30947s 0.14472s
returns true if the shift is ongoing Billing report when session data available expect a report with the billing report MeasurementForms requires proper authorization doesn't support certain types of measurements returns a measurement's form AddLevelToConfigurations migrates configuration access level DeleteTag falls deletion when tag not found rejects tag deletion if not granted delete a tag fails if deleting a system tag GetSessionMedicationAdministrations returns the list of session medication administrations returns forbidden (403) if the user isn't authorized returns complications that belong to the session	0.03502s 0.04307s 0.03153s 0.11894s 0.07519s 0.03210s 0.03827s 0.06382s 0.04335s 0.30947s 0.14472s 0.64282s
returns true if the shift is ongoing Billing report when session data available expect a report with the billing report MeasurementForms requires proper authorization doesn't support certain types of measurements returns a measurement's form AddLevelToConfigurations migrates configuration access level DeleteTag fails deletion when tag not found rejects tag deletion if not granted delete a tag fails if deleting a system tag GetSessionMedicationAdministrations returns the list of session medication administrations returns forbidden (403) if the user isn't authorized returns an empty list when there are no medication_administrations	0.03502s 0.04307s 0.03153s 0.11894s 0.07519s 0.03210s 0.03827s 0.06382s 0.04335s 0.30947s 0.14472s 0.64282s
returns true if the shift is ongoing Billing report when session data available expect a report with the billing report MeasurementForms requires proper authorization doesn't support certain types of measurements returns a measurement's form AddLevelToConfigurations migrates configuration access level DeleteTag fails deletion when tag not found rejects tag deletion if not granted delete a tag fails if deleting a system tag GetSessionMedicationAdministrations returns the list of session medication administrations returns complications that belong to the session returns an empty list when there are no medication_administrations	0.03502s 0.04307s 0.03153s 0.11894s 0.07519s 0.03210s 0.03827s 0.06382s 0.04335s 0.30947s 0.14472s 0.64282s

Contexts and execution for all section of the decide of of sections and execution and decides of summary and the section of the decide of summary and the section of the decide of summary and the section of the decide of summary and the section of the section of summary and the section of summar	fails with not_found when the patient does not exist	0.03204s
Sees mix crieate a devision and debetes counterpant if present 0.225555	Create a deviation for a patient	
Coacine a severation for celebrar of premising scheme with collamed under date Coacine a severation for celebrar of premising scheme with collamed under date Coacine a severation of coacine a	creates a deviation for deletion of planning_schema with end_date	0.21305s
Entitle II glove type is resulted	does not create a deviation and deletes counterpart if present	0.22555s
In this if even type is mindife	creates a deviation for deletion of planning_schema with optional end_date	0.20949s
Action A	fails if date is missing	0.16171s
Table 1 print is missing	fails if given type is invalid	0.17231s
Patents of position is missing	adds a new deviation	0.21212s
Pelenta:Diagnosis returns straideding (200) if the suser intra authorized returns surprocessoble neetily (202) if the suser intra authorized returns surprocessoble neetily (202) if the suser intra authorized returns successo (200) and the restored diagnosis Replace-Cettleter returns rook lound if the access side does not exist cannot replace if beas size type is not a cabileter outperform and the restored diagnosis requires write rights cannot replace if beas size type is not a cabileter outperform and the rights requires write rights requires write rights requires write rights Sessionsus-SessionAdapter serious Sessionsus-SessionAdapter serious sessionAdapter serious serious Sessionsus-SessionAdapter serious serious deficial total returns a nothered list of product medications of cett-MedicationHistory returns an ordered list of product medications of cett-MedicationHistory returns a nothered list of product medications of deficial product medications of the serious spitting history of not granted of cett-MedicationHistory returns spitting history of not granted of deficial product medications of medication (200) if the surer inth authorized of deficial product medications of the serious spitting history of not granted returns screens (200) and the links Outperform returns not found (200) if the surer into authorized outperform of found (200) if the surer into authorized returns a pagined list of sessions to the when pallete. Products a contribution for the sylven pallete. Products a sorted list of sessions for the when pallete. Products a sorted list of sessions for the when pallete. Products a sorted list of sessions for the when pallete. Products a sorted list of sessions for the when pallete. Products a sorted list of sessions for the when pallete. Products a sorted list of sessions for the when pallete. Products a sorted list of sessions for the when pallet	fails if shift is missing	0.19180s
returns forbidden (403) if the user isn't authorized	fails if position is missing	0.14849s
returns forbidden (403) if the user isn't authorized	Patients: Diagnosis	
returns unprocessable entity (422) if the disproses name already oxists returns success (200) and the created disproses Replace-Celubrater returns not bound if the access sile does not exist concert replace if base site type is not a catheter consumer write regists requires success (200) and the inches consumer requires write regists requires success (200) and the inches requires sile recarries inches of registral product medications returns and of registral product medications returns and of registral product medications returns and of registral properties of the product medications returns and of registral properties of the product medications returns sile of registral properties of the product medications returns sile of registral properties of the product medications returns and formation of the product medications returns sile of registral properties of the product medications returns sile of registral properties of the product medications returns sile of magnetic properties of the product medications returns forbidities (403) if the user learn authorized returns forbidities (403) if the user learn authorized returns not bound (404) if the user learn authorized returns not bound (404) if the user learn authorized returns not bound (404) if the user learn authorized returns not forbidities (403) if the user learn authorized returns not forbidities (403) if the user learn authorized returns not forbidities (404) if the execution is not found Cetters of the given patient does not exist requires requires read rights returns a pagnitured list of sessions for the given potent Cetters of the given patient does not exist requires read patient returns a sorted list of sessions for the given access site Cetters of the given patient for the given access site Cetters of the given patient for the given access site Cetters of the given access site Cetters of the given patient for the given access sit		0.033825
returns success (2001 and the created diagnosis 0.045555 Replace Catheter returns not found if the access site does not exist 0.019136 cannot replace if base site type is not a catheter 0.250115 requires write rights 0.011126 requires write rights 0.050106 requires write rights 0.050106 replace to take of the catheter 0.050106 requires write rights 0.050106 replace to take or 0.050106 Recitations Recitations Recitations and or of conditions 0.046596 returns a list of magistral preparations 0.046596 returns a list of magistral preparations 0.045996 returns not found (40411 file user last tumborized 0.05196 returns not found (40411 file user does not have the necessary rights 0.05996 returns not found (40411 file user does not have the necessary rights 0.05996 returns a paginating list of sections for the given patient 0.05996 returns a paginating list of sections for the given patient 0.05996 returns a paginating list of sections for the given patient 0.05996 returns a paginating list of sections for the given patient 0.05996 returns a paginating list of sections for the given patient 0.05996 requires early rights 0.05996 returns a paginating list of sections for the given access site 0.05996 requires a right of the given access site 0.05996 requires a right of the given access site 0.059966 returns a paginating list of sections for the		
ReplaceCatheter returns not found if the access site does not exist 0.191531 connot replace if base site type a not a catheter 0.250132 requires write rights 0.191132 returns audit into 0.505100 replace the catheter 0.480532 Sessions.is.SessionAdapter serializes correctly 0.191077 Returns an ordered list of product medications 0.191078 returns a list of magistral preparations 0.450592 returns a list of magistral preparations 0.143023 denies petting history if not granted 0.118895 Get context links returns forbidden (403) if the user lant authorized 0.031663 returns forbidden (403) if the user lant authorized 0.055632 returns forbidden (403) if the user lant authorized 0.055632 returns forbidden (403) if the user lant authorized 0.055632 returns forbidden (403) if the user lant authorized 0.055632 returns forbidden (403) if the user lant authorized 0.055632 returns forbidden (403) if the user lant authorized 0.055632 returns forbidden (403) if the user lant authorized 0.055632 returns a content (204) 0.055		
returns not found if the access site does not exist		
Connot replace if bose site type is not a catheter 0.25013		
requires write rights		
returns audit info replaces the catheter		
replaces the catheter		
Sessions:SessionAdapter serializes correctly 0.10078 Medications CetMedicationHistory returns an ordered list of product medications 0.465998 returns a list of magistral preparationss 0.148098 denies getting history if not granted 0.118688 0.11		
Serializes correctly Medications SetMedicationHistory Teturns an ordered list of product medications 0.445599 of means a list of magnistral preparationss 0.142022 of eniles geting history if not granted 0.118689 of meaning the product medications 0.142022 of eniles geting history if not granted 0.118689 of meaning the product medications 0.118689 of the context links Set context links Teturns forbidden (403) if the user isn't authorized 0.031668 of enturns success (200) and the links 0.051808 of enturns success (200) and the links 0.051808 of enturns not found (404) if the user does not have the necessary rights 0.057073 or enturns forbidden (403) if the user isn't authorized 0.056638 or enturns not found (404) if the execution is not found 0.051808 or enturns forbidden (403) if the user isn't authorized 0.056638 or enturns not found (404) if the execution is not found 0.041818 or enturns not found (404) if the execution is not found 0.041818 or enturns not found (404) if the execution is not found 0.041818 or enturns not found (404) if the execution is not found 0.056638 or enturns not found (404) if the execution is not found 0.056638 or enturns not found (404) if the execution is not found 0.056638 or enturns not found (404) if the execution is not found 0.056638 or enturns not found (404) if the execution is not found 0.056638 or enturns not found (404) if the execution is not found 0.056638 or enturns not found (404) if the execution is not found 0.056638 or enturns not found (404) if the execution is not found 0.056638 or enturns not found (404) if the execution is not found 0.056638 or enturns not found 0.056638 or e	replaces the catheter	0.488055
Medications CettedicationHistory returns an ordered list of product medications 0.46569s returns a list of majotistal preparations 0.14202s denies getting history if not granted 0.11868s Cet contact links Cetters forbidden (403) if the user isnt authorized 0.03166s returns success (200) and the links 0.05160s Cetters forbidden (403) if the user sont bave the necessary rights 0.07073s returns forbidden (403) if the user sont have the necessary rights 0.07073s returns forbidden (403) if the user sont have the necessary rights 0.07073s returns forbidden (403) if the user sont have the necessary rights 0.07073s returns forbidden (403) if the user sont have the necessary rights 0.07072s returns not found (404) if the execution is not found Cetters forbidden (403) if the user sont found Cetters forbidden Cetters forbidden (403) if the user sont found Cetters forbidden	Sessions::SessionAdapter	
GetMedicationIsistory returns an ordered list of product medications 0.46569s returns a list of magistral preparationss 0.14202s denies getting history if not granted 0.1868s Get context links Testurns forbidden (403) if the user isn't authorized 0.03166s returns forbidden (403) if the user isn't authorized 0.05180s Destroy execution returns not found (404) if the user does not have the necessary rights 0.07073s returns forbidden (403) if the user isn't authorized 0.05653s returns not found (404) if the execution is not found 0.04181s GetSessionsForPatient GetSessionsForPatient Terepurse read rights 0.6847s fails if the given patient does not exist 0.05578s returns a sorted list of sessions for the given patient 1.00103s CreateIntervention updates audit information 0.21384s fails if thezeretion type does not exist 0.01283s requires write rights 0.11862s creates a new intervention for the given ac	serializes correctly	0.11097s
returns an ordered list of product medications returns a list of magistral preparationss denies getting history if not granted Context links returns forbidden (403) if the user isn't authorized returns success (200) and the links Costroy execution returns not found (404) if the user isn't authorized returns not found (404) if the user isn't authorized returns not found (404) if the user isn't authorized returns not found (404) if the user does not have the necessary rights returns not found (404) if the user isn't authorized 0.065635 returns no content (204) 0.076245 returns no othered. CostscionsForPatient requires read rights fails if the given patient does not exist 0.065785 returns a paginated list of sessions returns a paginated list of sessions for the given patient 1.001035 CostscionsForPatient preductions and its information 1.001035 Costscions and its	Medications	
returns an ordered list of product medications returns a list of magistral preparationss denies getting history if not granted Context links returns forbidden (403) if the user isn't authorized returns success (200) and the links Costroy execution returns not found (404) if the user isn't authorized returns not found (404) if the user isn't authorized returns not found (404) if the user isn't authorized returns not found (404) if the user does not have the necessary rights returns not found (404) if the user isn't authorized 0.065635 returns no content (204) 0.076245 returns no othered. CostscionsForPatient requires read rights fails if the given patient does not exist 0.065785 returns a paginated list of sessions returns a paginated list of sessions for the given patient 1.001035 CostscionsForPatient preductions and its information 1.001035 Costscions and its	GetMedicationHistory	
Cest context links		0.46569s
Cet context links returns forbidden (403) if the user isn't authorized 0.03165s returns success (200) and the links 0.051805 Postroy execution returns not found (404) if the user does not have the necessary rights 0.070735 returns forbidden (403) if the user isn't authorized 0.065635 returns no content (204) 0.065635 returns not found (404) if the execution is not found 0.041815 returns not found (404) if the execution is not found 0.041815 returns not found (404) if the execution is not found 0.041815 returns not found (404) if the execution is not found 0.041815 returns a graph of the execution is not found 0.041815 returns a paginated list of sessions for the given patient 0.056785 fails if the given patient does not exist 0.056785 returns a sorted list of sessions for the given patient 0.056785 returns a sorted list of sessions for the given patient 0.056785 returns a sorted list of sessions for the given patient 0.056785 returns a sorted list of sessions for the given patient 0.056785 returns a sorted list of sessions for the given patient 0.056785 returns a paginated list of sessions for the given patient 0.056785 returns a paginated list of sessions for the given patient 0.056785 returns a paginated list of sessions for the given patient 0.056785 returns a paginated list of sessions for the given patient 0.056785 returns a paginated list of sessions for the given patient 0.056785 returns a paginated list of sessions for the given patient 0.056785 returns a paginated list of sessions for the given patient 0.056785 returns a paginated list of sessions for the given patient 0.056785 returns a paginated list of sessions for the given patient 0.056785 returns a paginated list of sessions for the given patient 0.056785 returns a paginated list of sessions for the given patient 0.056785 returns a paginated list of sessions for the given patient 0.056785 returns a paginated list of sessions for the given patient 0.056785 returns a paginated list of sessions for the given patient 0.056785 returns a paginated l	returns a list of magistral preparationss	0.14202s
returns forbidden (403) if the user isn't authorized 0.03165s returns success (200) and the links 0.05180s Postroy execution returns not found (404) if the user does not have the necessary rights 0.070735 returns forbidden (403) if the user isn't authorized 0.065638 returns not found (404) if the execution is not found 0.04181s GetSessionsForPatient requires read rights 0.68475s fails if the given patient does not exist 0.65678s returns a paginated list of sessions 0.95619s returns a sorted list of sessions 0.95619s returns a sorted list of sessions 0.03123s fails if intervention type does not exist 0.03123s fails if intervention type does not exist 0.03123s requires write rights 0.12838s requires wr	denies getting history if not granted	0.11868s
returns forbidden (403) if the user isn't authorized 0.03165s returns success (200) and the links 0.05180s Postroy execution returns not found (404) if the user does not have the necessary rights 0.070735 returns forbidden (403) if the user isn't authorized 0.065638 returns not found (404) if the execution is not found 0.04181s GetSessionsForPatient requires read rights 0.68475s fails if the given patient does not exist 0.65678s returns a paginated list of sessions 0.95619s returns a sorted list of sessions 0.95619s returns a sorted list of sessions 0.03123s fails if intervention type does not exist 0.03123s fails if intervention type does not exist 0.03123s requires write rights 0.12838s requires wr	Cot contact links	
returns success (200) and the links 0.05180s Postroy execution returns not found (404) if the user does not have the necessary rights 0.07073s returns forbidden (403) if the user isn't authorized 0.06563s returns no content (204) 0.07624s returns not found (404) if the execution is not found 0.04181s Post-Sessions For Patient requires read rights 0.68475s fails if the given patient does not exist 0.65678s returns a paginated list of sessions 0.95619s returns a sorted list of sessions for the given patient 0.05183s Post-Sessions For Patient 0.05183s returns a sorted list of sessions for the given patient 0.05183s returns a sorted list of sessions for the given patient 0.05183s returns a sorted list of sessions for the given patient 0.05183s fails if access site does not exist 0.05183s fails if intervention type does not exist 0.05183s requires write rights 0.11882s creates a new intervention for the given access site 0.15195s Codable an codable record validates 0.00598s		0.03166c
Postroy execution returns not found (404) if the user does not have the necessary rights returns forbidden (403) if the user isn't authorized 0.06563s returns no content (204) returns not found (404) if the execution is not found 0.04181s GetSessionsForPatient requires read rights falls if the given patient does not exist ceturns a paginated list of sessions returns a sorted list of sessions for the given patient 1.00103s CreateIntervention updates audit information 0.21384s falls if access site does not exist 0.03123s falls if intervention type does not exist 0.12838s requires write rights 0.11882s creates a new intervention for the given access site 0.0598s Codable an codable record validates 0.00598s		
returns not found (404) if the user does not have the necessary rights returns forbidden (403) if the user isn't authorized 0.06563s returns no content (204) 0.07624s returns not found (404) if the execution is not found 0.04181s GetSessionsForPatient requires read rights 0.68475s fails if the given patient does not exist 0.65678s returns a paginated list of sessions 0.95619s returns a sorted list of sessions for the given patient 1.00103s CreateIntervention updates audit information 0.21384s fails if increases site does not exist 0.03123s fails if intervention type does not exist 0.12838s requires write rights 0.11882s creates a new intervention for the given access site 0.05598s Codable an codable record validates 0.00598s	recurs success (200) and the mins	0.051003
returns forbidden (403) if the user isn't authorized 0.06563s returns no content (204) 0.07624s returns not found (404) if the execution is not found 0.04181s CetSessionsForPatient requires read rights 0.68475s fails if the given patient does not exist 0.65678s returns a paginated list of sessions 0.95619s returns a sorted list of sessions for the given patient 1.00103s CreateIntervention 0.21384s fails if access site does not exist 0.03123s fails if intervention type does not exist 0.11882s creates a new intervention for the given access site 0.15195s Codable an codable record 0.00598s	Destroy execution	
returns no content (204) returns not found (404) if the execution is not found GetSessionsForPatient requires read rights fails if the given patient does not exist returns a paginated list of sessions returns a sorted list of sessions of the given patient updates audit information updates audit information fails if access site does not exist fails if intervention type does not exist creates a new intervention for the given access site creates a new intervention for the given access site an codable record validates o.00598s		
returns not found (404) if the execution is not found GetSessionsForPatient requires read rights fails if the given patient does not exist returns a paginated list of sessions returns a sorted list of sessions returns a sorted list of sessions for the given patient CreateIntervention updates audit information updates audit information fails if access site does not exist 0.03123s fails if intervention type does not exist 0.1283ss requires write rights 0.11882s creates a new intervention for the given access site 0.15195s Codable an codable record validates 0.00598s		
GetSessionsForPatient requires read rights 0.68475s fails if the given patient does not exist 0.65678s returns a paginated list of sessions 0.95619s returns a sorted list of sessions for the given patient 1.00103s CreateIntervention updates audit information 0.21384s fails if access site does not exist 0.03123s fails if intervention type does not exist 0.12838s requires write rights 0.11882s creates a new intervention for the given access site 0.15195s Codable an codable record 0.00598s		
requires read rights fails if the given patient does not exist returns a paginated list of sessions returns a sorted list of sessions for the given patient CreateIntervention updates audit information updates audit information fails if access site does not exist fails if intervention type does not exist requires write rights creates a new intervention for the given access site an codable record validates 0.00598s	returns not found (404) if the execution is not found	0.04181s
fails if the given patient does not exist returns a paginated list of sessions returns a sorted list of sessions for the given patient 1.00103s CreateIntervention updates audit information updates site does not exist fails if access site does not exist 0.03123s fails if intervention type does not exist 0.12838s requires write rights 0.11882s creates a new intervention for the given access site 0.15195s Codable an codable record validates 0.00598s	GetSessionsForPatient	
returns a paginated list of sessions returns a sorted list of sessions for the given patient CreateIntervention updates audit information updates site does not exist fails if access site does not exist 0.03123s fails if intervention type does not exist 0.12838s requires write rights 0.11882s creates a new intervention for the given access site 0.15195s Codable an codable record validates 0.00598s	requires read rights	0.68475s
returns a sorted list of sessions for the given patient CreateIntervention updates audit information fails if access site does not exist fails if intervention type does not exist fails if intervention type does not exist creates a new intervention for the given access site Codable an codable record validates 1.00103s 0.21384s 0.03123s 0.03123s 0.11882s creates a new intervention for the given access site 0.15195s	fails if the given patient does not exist	0.65678s
CreateInterventionupdates audit information0.21384sfails if access site does not exist0.03123sfails if intervention type does not exist0.12838srequires write rights0.11882screates a new intervention for the given access site0.15195sCodablean codable recordvalidates0.00598s	returns a paginated list of sessions	0.95619s
updates audit information 0.21384s fails if access site does not exist 0.03123s fails if intervention type does not exist 0.12838s requires write rights 0.11882s creates a new intervention for the given access site 0.15195s Codable an codable record validates 0.00598s	returns a sorted list of sessions for the given patient	1.00103s
fails if access site does not exist fails if intervention type does not exist requires write rights creates a new intervention for the given access site Codable an codable record validates 0.031235 0.128385 0.118825 0.151955	CreateIntervention	
fails if intervention type does not exist requires write rights creates a new intervention for the given access site Codable an codable record validates 0.12838s 0.11882s 0.15195s	updates audit information	0.21384s
requires write rights creates a new intervention for the given access site 0.11882s Codable an codable record validates 0.00598s	fails if access site does not exist	0.03123s
creates a new intervention for the given access site Codable an codable record validates 0.15195s	fails if intervention type does not exist	0.12838s
Codable an codable record validates 0.00598s	requires write rights	0.11882s
an codable record validates 0.00598s	creates a new intervention for the given access site	0.15195s
an codable record validates 0.00598s	Codable	
validates 0.00598s		
		0.005095
		0.003905

0.05498s

#add_code_list

adds the list of code systems

doesn't link empty values	0.01075s
fails when the code system does not exist	0.01362s
#ensure_code_link	
adds to the code to the codesystem	0.03119s
adds to the code to the codable	0.04226s
#sync_code_list	
doesn't link empty values	0.01342s
adds the list of code systems	0.04791s
removes existing items	0.02855s
#code_in_system	
returns nil if no code is found	0.008729
returns the code for a given code system	0.02721:
dications	
JpdateHomeMedicationOrder	
fails if order item does not exit	0.11670:
fails if a prescription was already created	0.25834:
updates order and removes unused items	0.34699
updates order and removes unused items updates order for product	0.36959
	0.30939:
fails if user is not granted updates order and removes unused items	0.27992
fails if patient does not exist	0.25409
denies update if not granted	0.20071
updates order and adds new items	0.33779
updates order for magistral preparation	0.234559
alth::MultiHealthChecker #check	
	0.00611
#check with a single unhealthy checker	0.00611:
with a single unhealthy checker returns an unhealthy result	
with a single unhealthy checker returns an unhealthy result with all healthy checkers	0.00218
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result	0.00218
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary	0.00218: 0.00201:
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result	0.00218 0.00201 0.02276
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result sients::Diagnosis validates uniqueness of name	0.00218: 0.00201: 0.02276: 0.02225:
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result cients::Diagnosis validates uniqueness of name validates uniqueness of code is expected to validate that :name cannot be empty/falsy	0.00218 0.00201 0.02276 0.02225
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result sients::Diagnosis validates uniqueness of name validates uniqueness of code is expected to validate that :name cannot be empty/falsy	0.00218 0.00201 0.02276 0.02225
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result clients::Diagnosis validates uniqueness of name validates uniqueness of code is expected to validate that :name cannot be empty/falsy when it is not used	0.00218 0.00201 0.02276 0.02225 0.01597
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result sients::Diagnosis validates uniqueness of name validates uniqueness of code is expected to validate that :name cannot be empty/falsy	0.00218 0.00201 0.02276 0.02225 0.01597
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result clients::Diagnosis validates uniqueness of name validates uniqueness of code is expected to validate that :name cannot be empty/falsy when it is not used	0.00218 0.00201 0.02276 0.02225 0.01597
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result cients::Diagnosis validates uniqueness of name validates uniqueness of code is expected to validate that :name cannot be empty/falsy when it is not used is expected not to be used	0.00218 0.00201 0.02276 0.02225 0.01597
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result clents::Diagnosis validates uniqueness of name validates uniqueness of code is expected to validate that :name cannot be empty/falsy fused? when it is not used is expected to be used	0.00218 0.00201 0.02276 0.02225 0.01597
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result idents::Diagnosis validates uniqueness of name validates uniqueness of code is expected to validate that :name cannot be empty/falsy #used? when it is not used is expected not to be used when it is used is expected to be used	0.00218: 0.00201: 0.02276: 0.02225: 0.01597:
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result ients::Diagnosis validates uniqueness of name validates uniqueness of code is expected to validate that :name cannot be empty/falsy #used? when it is not used is expected not to be used when it is used is expected to be used	0.00218: 0.00201: 0.02276: 0.02225: 0.01597: 0.00912:
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result idents::Diagnosis validates uniqueness of name validates uniqueness of code is expected to validate that :name cannot be empty/falsy #used? when it is not used is expected not to be used when it is used is expected to be used	0.00218: 0.00201: 0.02276: 0.02225: 0.01597: 0.00912:
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result ients::Diagnosis validates uniqueness of name validates uniqueness of code is expected to validate that :name cannot be empty/falsy #used? when it is not used is expected not to be used when it is used is expected to be used	0.00218 0.00201 0.02276 0.02225 0.01597 0.00912
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result idents::Diagnosis validates uniqueness of name validates uniqueness of code is expected to validate that :name cannot be empty/falsy #used? when it is not used is expected not to be used when it is used is expected to be used destroy_or_archive! when it is used is archived	0.00218 0.00221 0.02276 0.02225 0.01597 0.00912
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result idents::Diagnosis validates uniqueness of name validates uniqueness of code is expected to validate that :name cannot be empty/falsy when it is not used is expected not to be used when it is used is expected to be used is expected to be used	0.00218: 0.00201: 0.02276: 0.02225: 0.01597: 0.00912: 0.006697:
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result idents::Diagnosis validates uniqueness of name validates uniqueness of code is expected to validate that :name cannot be empty/falsy #used? when it is not used is expected not to be used when it is used is expected to be used destroy_or_archive! when it is used is archived when it is not used is archived when it is not used is destroyed	0.00218: 0.002276: 0.02225: 0.01597: 0.00912: 0.07898:
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result clents::Diagnosis validates uniqueness of name validates uniqueness of code is expected to validate that :name cannot be empty/falsy #used? when it is not used is expected not to be used when it is used is expected to be used sestroy_or_archive! when it is used is archived when it is not used is destroyed	0.00218: 0.00201: 0.002276: 0.02225: 0.01597: 0.00912: 0.06697: 0.07898: 0.07898:
with a single unhealthy checker returns an unhealthy result with all healthy checkers returns a JSON-ready summary returns a healthy result clents::Diagnosis validates uniqueness of name validates uniqueness of code is expected to validate that :name cannot be empty/falsy summary when it is not used is expected not to be used when it is used is expected to be used clestroy_or_archive! when it is used is archived when it is not used is destroyed when it is not used is destroyed	0.00611s 0.00218s 0.00201s 0.002276s 0.02225s 0.01597s 0.00912s 0.006697s 0.07898s 0.07898s 0.04975s 0.044975s

eturns unprocessable entity (422) if the name contains spaces	0.0
MedicinalProducts	
returns matching products	0.3
returns an empty list when search query is missing	0.0
returns an empty list when search query is less than three characters	0.0
does not return deprecated products	0.3
returns matches sorted by product name	0.3
does not return products without formulary item	0.0
returns matching ingredients	0
does not return products with deprecated active ingredients	0
does not return variants that don't have a formulary item of products that have variants with a formulary item	0.3
returns matching products and ingredients	0.:
ridesValidator	
ror messages	
when the message is not defined	
adds the default message	0.0
adab ano dendare mossage	
when the message is defined	
adds the customized message	0.0
lidations	
when payload contains all keys	
is expected to be valid	0.0
when payload does not contain all keys	
is expected not to be valid	0.0
is expected not to be valid	0.0
is expected not to be valid when payload contains the one key is expected to be valid	
when payload contains the one key	0.1
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid	0.
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid scontroller	0.1
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid sController pdate	0. 0.
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid scontroller pdate returns translated error messages	0.d 0.d
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid scontroller pdate returns translated error messages returns error messages for each field	0.0 0.0 0.0
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid scontroller pdate returns translated error messages returns error messages for each field updates optional 'practitioner_identifier'	0.d 0.d 0.d 0.d
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid scontroller pdate returns translated error messages returns error messages for each field updates optional 'practitioner_identifier' updates general information	0.0 0.0 0.0 0.0
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid scontroller pdate returns translated error messages returns error messages for each field updates optional 'practitioner_identifier' updates general information requires authorization	0. 0. 0. 0. 0.
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid scontroller pdate returns translated error messages returns error messages for each field updates optional 'practitioner_identifier' updates general information requires authorization fails updating if user not found	0.0 0.0 0.0 0.0 0.0
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid scontroller pdate returns translated error messages returns error messages for each field updates optional 'practitioner_identifier' updates general information requires authorization	0.0 0.0 0.0 0.0 0.0
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid scontroller pdate returns translated error messages returns error messages for each field updates optional 'practitioner_identifier' updates general information requires authorization fails updating if user not found	0.0 0.0 0.0 0.0 0.0
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid scontroller pdate returns translated error messages returns error messages for each field updates optional 'practitioner_identifier' updates general information requires authorization fails updating if user not found updates avatar	0.4 0.5 0.6 0.6 0.6 0.7 0.7 0.7
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid scontroller pdate returns translated error messages returns error messages for each field updates optional 'practitioner_identifier' updates general information requires authorization fails updating if user not found updates avatar when password policy is enforced updates user even without password field	0.4 0.5 0.6 0.6 0.6 0.7 0.7 0.7
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid scontroller pdate returns translated error messages returns error messages for each field updates optional 'practitioner_identifier' updates general information requires authorization fails updating if user not found updates avatar when password policy is enforced updates user even without password field	0.4 0.4 0.5 0.6 0.6 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid scontroller pdate returns translated error messages returns error messages for each field updates optional 'practitioner_identifier' updates general information requires authorization fails updating if user not found updates avatar when password policy is enforced updates user even without password field ents::Infection s expected to belong to patient required: true	0. 0. 0. 0. 0. 1.
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid scontroller pdate returns translated error messages returns error messages for each field updates optional 'practitioner_identifier' updates general information requires authorization fails updating if user not found updates avatar when password policy is enforced updates user even without password field ents::Infection s expected to belong to patient required: true s expected to validate that :pathology cannot be empty/falsy	0.4 0.4 0.5 0.6 0.6 0.6 0.6 0.7 0.7 0.7 0.7 0.7 0.8 0.8 0.8 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid scontroller pdate returns translated error messages returns error messages for each field updates optional 'practitioner_identifier' updates general information requires authorization falls updating if user not found updates avatar when password policy is enforced updates user even without password field ents::Infection s expected to belong to patient required: true s expected to validate that :pathology cannot be empty/falsy dections::Providers::Handler	0.4 0.4 0.4 0.4 0.5 0.6 0.6 0.7 0.7 0.7 0.8 0.8 0.9 0.9 0.9 0.9 0.9 0.9
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid scontroller pdate returns translated error messages returns error messages for each field updates optional 'practitioner_identifier' updates general information requires authorization fails updating if user not found updates avatar when password policy is enforced updates user even without password field ents::Infection is expected to belong to patient required: true is expected to validate that :pathology cannot be empty/falsy ications::Providers::Handler translitions the execution to `errored`	0.0 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid scontroller pdate returns translated error messages returns error messages for each field updates optional 'practitioner_identifier' updates general information requires authorization fails updating if user not found updates avatar when password policy is enforced updates user even without password field ents::Infection is expected to belong to patient required: true is expected to validate that :pathology cannot be empty/falsy ications::Providers::Handler translitions the execution to `errored` drops the message when the execution was not found	0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.1
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid scontroller pdate returns translated error messages returns error messages for each field updates optional 'practitioner_identifier' updates general information requires authorization fails updating if user not found updates avatar when password policy is enforced updates user even without password field ents::Infection is expected to belong to patient required: true is expected to validate that :pathology cannot be empty/falsy ications::Providers::Handler translitions the execution to `errored` drops the message when the execution was not found attaches errors to the execution	0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.1
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid recontroller returns translated error messages returns error messages for each field updates optional 'practitioner_identifier' updates general information requires authorization fails updating if user not found updates avatar when password policy is enforced updates user even without password field ents::Infection is expected to belong to patient required: true is expected to validate that :pathology cannot be empty/falsy lications::Providers::Handler transitions the execution to `errored` drops the message when the execution was not found attaches errors to the execution	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
when payload contains the one key is expected to be valid when payload contains empty key is expected not to be valid rscontroller rpdate returns translated error messages returns error messages for each field updates optional 'practitioner_identifier' updates general information requires authorization fails updating if user not found updates avatar when password policy is enforced	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

requires write rights	0.042529
fails if site does not exist	0.034979
returns site's vascular access history	0.29293
ate many orders	
fails when user is unauthorized	0.19469
fails when a patient is not found	0.07046
create new orders for the included patients	0.18570
fails when end date comes before start date	0.16017
fails when end date is in the past	0.14827
create new orders for the patients that are not excluded	0.24584
codes by system slug	
returns an list of codes by for a codesystem	0.08123
returns forbidden (403) if the user isn't authorized	0.04498
ents::PatientDiagnosis	
returns forbidden (403) if the user isn't authorized	0.13585
returns success (200) and the updated patient diagnosis	0.11932
audits the update action	0.09483
	0.09403
: dialect	
etLabSystems	
returns forbidden (403) if the user isn't authorized	0.03757
when updating a unit dialect	
returns the updated unit dialect	0.06903
returns not found (404) if the unit dialect doesn't exist	0.03149
when creating an unit dialect	
returns a fault when the internal unit is not known in the system	0.08429
returns the created unit dialect	0.04230
when deleting an unit dialect	
the dialect unit should be hard removed	0.04100
when showing a unit dialect	
returns the requested unit dialect	0.04752
when fetching all unit dialects	
returns all unit dialects	0.03923
ate lab results	0.22110
stores observation value in the system unit	0.33110
doesn't store an observation when no mapping exists deletes lab order when the diagnostic report status is `cancelled`	0.13080
does store inr parameter with invalid unit	0.15196
does not work in orders without valid observations	0.17470
stores observations with a unit in a custom defined dialect	
stores observations with a unit in a custom defined dialect	
hen processing textual lab values	0.16635
does not store textual values when not configured	0.16635 0.15557
	0.16635 0.15557
does not store textual values when not configured	0.16635 0.15557
does not store textual values when not configured stores textual values when setting the show textual values configuration	0.16635 0.15557 0.16608
does not store textual values when not configured stores textual values when setting the show textual values configuration /api/connectors/:id/devices/:id	0.1663 0.1555 0.16608 0.0605
does not store textual values when not configured stores textual values when setting the show textual values configuration /api/connectors/:id/devices/:id returns forbidden (403) if the user isn't authorized	0.16638 0.1555 0.16608 0.06053 0.04388
does not store textual values when not configured stores textual values when setting the show textual values configuration /api/connectors/:id/devices/:id returns forbidden (403) if the user isn't authorized returns not found (404) if the connector_device was not found	0.16635 0.15557 0.16608 0.06053 0.04388 0.09295
does not store textual values when not configured stores textual values when setting the show textual values configuration /api/connectors/:id/devices/:id returns forbidden (403) if the user isn't authorized returns not found (404) if the connector_device was not found audits the destroy action returns success (200) when the connector has been deleted	0.16635 0.15557 0.16608 0.06053 0.04388 0.09295
does not store textual values when not configured stores textual values when setting the show textual values configuration /api/connectors/:id/devices/:id returns forbidden (403) if the user isn't authorized returns not found (404) if the connector_device was not found audits the destroy action	0.16635 0.16608 0.06053 0.04388 0.09295 0.06311

succeeds when a patient's hospital ID is given and a corresponding session exists	0.19694s
with errors disabled	
succeeds if the given patient has no session	0.13290s
succeeds if the given patient's hospital id is not found	0.06488s
succeeds if patient is not enrolled	0.09440s
with errors enabled	
fails if the given patient's hospital id is not found	0.06300s
fails if the given patient has no session	0.13181s
fails if patient is not enrolled	0.09002s
Search Categories	
returns an list of categories	0.06014s
returns forbidden (403) if the user isn't authorized	0.02939s
can filter by name	0.05222s
GetCategories	
returns forbidden (403) if the user isn't authorized	0.03203s
returns an list of categories	0.04953s
Datic atou Datic at Turney last Clinibility Ctatus	
Patients::PatientTransplantEligibilityStatus is expected to belong to created by required: true	0.00506s
is expected to belong to patient required: true	0.00507s
	0.000075
Rooms	
GetRoomStatus	
requires authorization	0.03766s
returns the room status	2.27808s
return not found if room doesn't exist	0.03211s
Patients::PatientDiagnosis	
is expected to belong to patient required: true	0.00436s
is expected to belong to diagnosis required: true	0.00417s
#diagnosis	
returns the primary diagnosis	0.04545s
#validate_start_date_future	
returns an error if the start_date is in the future	0.01204s
Executions::Medications::Base	
has a default runner	0.00295s
is expected to be enqueueable	0.01168s
has a default category	0.00266s
M. Carlon, E Sandari	
Medications::FormProduct is expected to belong to form required: true	0.00689s
is expected to belong to form required: true	0.00657s
	0.000373
Get general practitioner report	
returns a PDF of the general practitioner report	0.49559s
Medications::HomeMedicationOrderItem	
checks if the home medication order is valid	0.02200s
Medications::Providers::Handler	
drops the message when the source was not found	0.01085s
drops the message when the source has an incompatible version	0.01061s
drops the message when the source was not enabled	0.01046s
updates the last_seen_at timestamp on the source	0.16507s
when an internal error occurred	
attaches errors to the execution	0.16456s

transitions the execution to `errored`	0.17297s
AddBillingCodeTypeToBillingItem	
assigns the newly created billing items to existing exportables	0.48580s
does not split billing items with only fee code	0.22553s
does not split billing items without billing code	0.37336s
splits billing items with fee and forfait code	0.24726s
PatientAttachments	
when creating an attachment	
creates an attachment	0.12338s
requires authorization	0.07086s
returns not found if patient doesn't exist	0.03584s
Position	
Update Position	
requires the correct rights to update	0.07489s
disabling the position should succeed when a schedule and a remove deviation flatten eachother out (PENDING: Temporarily skipped with xit)	
is possible to change the position number when the position is scheduled	0.16951s
fails if number is not unique in room	0.09534s
fails if a position with given id is not found	0.03345s
is possible to change the position number when the position is not in use	0.08656s
disables the position	0.08920s
is possible to update the name of a position in use	0.16788s
disabling the position fails when position is scheduled as a deviation	0.15165s
disabling the position fails when position is a session	0.18574s
updates the position name of a position not in use	0.08236s
enables the position	0.08048s
disabling the position succeeds when a position is scheduled as a deviation in the past	0.15988s
disabling the position fails when position is scheduled	0.15462s
disabling the position succeeds when a position is scheduled in the past	0.17419s
AddAllergyForPatient	
returns forbidden (403) if the user isn't authorized	0.09300s
adds a new allergy	0.10476s
AddWoundEvaluation	
returns forbidden (403) if the user isn't authorized	0.07663s
creates a new wound evaluation for a given wound	0.12313s
creates a new wound evaluation with an image for a given wound	0.90289s
Update Code	
returns method not allowed (405) when updating a non-editable code system	0.05081s
returns forbidden (403) when the user isn't authorized	0.030813 0.04273s
returns unprocessable entity (422) when reusing a name within an editable code system	0.05786s
returns success (200) and an updated code system within an editable code system	0.05881s
Integration	
Set Patient case id	
silently fails if admission id or admission date are nil	0.07519s
creates patient if patient doesn't exist	0.08648s
updates case id existing patient	0.11798s
Medications::Prescriptions::Ehealth::PayloadBuilder	
medicinal_product fails to build when the medicinal product is not set	0.02109s
creates a recipe payload for a medicinal product	0.02109S 0.02166s
di cares a recipe payroud for a medicinal product	0.021005
magistral preparation	
creates a recipe payload for a magistral preparation	0.01961s

fails to build when the magistral text is not set	0.02259s
Integration	
Discharge Patient	
creates discharge event if the patient exists but is not enrolled	0.13961s
converts discharge date from local time to utc time	0.14514s
doesn't discharge if the admission_id is different than the set admission_id	0.13774s
removes the case id if it equals the case id of the patient	0.17194s
creates patient if the patient doesn't exist yet	0.08027s
creates discharge event if the patient exists and is enrolled	0.13476s
executes discharge properly even if birthdate is not passed in the event	0.14278s
Madiantiano (Madiaina I Duradu et Dagles us	
Medications::MedicinalProductPackage is expected to belong to formulary_item class_name => Medications::Formulary::Item optional: true	0.00414s
is expected to belong to medicinal variant optional: true	0.004143
is expected to belong to galenic term required: true	0.00419s
is expected to belong to galane_term required: true	0.00392s
is expected to beining to interest and product required and	0.000022
sort	
sort asc by package quantity	0.00289s
Configurations::Integer	
casts to integer	0.00786s
Session History	
returns the history data for an unenrolled patient	0.48352s
adds the defined extra columns	0.12721s
requires authorization	0.09394s
returns the history data for sessions that has entered the treatment phase	0.94466s
Update an existing patient contact	0.074696
updates an existing contact fails if new contact is invalid	0.07468s 0.09718s
returns forbidden (403) if the user isn't authorized	0.06205s
recurs forbided (400) if the doct is reduction zed	0.002033
Medications::Package	
is expected to validate that :name cannot be empty/falsy	0.00844s
is expected to validate that :identifier cannot be empty/falsy	0.00795s
is expected to validate that :quantity cannot be empty/falsy	0.00854s
is expected to belong to source required: true	0.00619s
is expected to belong to product required: true	0.00571s
is expected to belong to form optional: true	0.00475s
is expected to validate that :quantity looks like an integer	0.00664s
is expected to validate that :state cannot be empty/falsy	0.00836s
is expected to have many prices dependent => destroy	0.00463s
Rooms	
when getting a room	
returns not found if room does not exist	0.02965s
returns the room	0.08112s
Planning::SchemaElement	
add some examples to (or delete) /srv/spec/models/planning/schema_element_spec.rb (PENDING: Not yet implemented)	
Medications::IntradialyticMedicationPrescription	
is expected to belong to galenic_term optional: true	0.01410s
is expected to validate that :quantity looks like a number greater than or equal to 0 and less than 100000 as long as it is not nil	0.02069s
is expected to validate that :medication_type cannot be empty/falsy	0.01750s
is expected to belong to medicinal_product optional: true	0.01241s
is expected to belong to patient required: true	0.01307s
is expected to validate with PractitionerValidator	0.01149s

s expected to validate that :medication_type is either <"product"> or <"magistral_preparation">	0.014
s expected to validate that :moment is either <"connect_phase">, <"treatment_phase">, <"disconnect_phase">, or <"reflect_phase">	0.019
s expected to belong to archive of optional: true	0.013
s expected to validate that :frequency is either <"specific dates">, <"every session">, <"every week">, <"even weeks">, <"odd weeks">, <"odd weeks">, or <"first full wee	k of the month
	0.021 0.01435s
s expected to belong to prescriber optional: true	0.012
rescriptions_for(patient:)	
returns prescriptions for the given patient	0.180
returns latest prescriptions only	0.133
validate_dates_frequency	
validates to true when there are dates and the frequency is specific_dates	0.063
validates to true when there are no dates	0.067
validates to true when there are dates and the frequency is specific_dates	0.067
lynamic_start_end_dates	
dynamically sets end date when dates are given on the same day	0.066
dynamically sets start date when dates are given	0.066
dynamically sets end date when dates are given	0.067
iture	
returns future prescriptions	0.405
validate_dates_range	
validates to true when there are dates are past the start date and the end date is not given	0.066
validates to true when there are dates are between start and end date	0.069
validates to true when there are dates given that are before the start_date because it is dynamically set	0.067
validates to true when there are dates given that are not between start_date and end_date because it is dynamically set	0.074
ays	
sets a default value	0.002
stopped?	
returns false when prescription is still running	0.000
	0.002
returns true when prescription expired today	0.002 0.002 0.002
returns true when prescription expired today returns true when prescription expired a day ago	
returns true when prescription expired today	0.002
returns true when prescription expired today returns true when prescription expired a day ago	0.002
returns true when prescription expired today returns true when prescription expired a day ago ralidate_days_inclusion	0.002 0.002 0.076
returns true when prescription expired today returns true when prescription expired a day ago validate_days_inclusion validates to true when all days are in the list	0.002 0.002
returns true when prescription expired today returns true when prescription expired a day ago ralidate_days_inclusion validates to true when all days are in the list validates to false when a day is not in the list	0.002 0.002 0.076 0.071
returns true when prescription expired today returns true when prescription expired a day ago ralidate_days_inclusion validates to true when all days are in the list validates to false when a day is not in the list ates sets a default value	0.002 0.002 0.076 0.071
returns true when prescription expired today returns true when prescription expired a day ago ralidate_days_inclusion validates to true when all days are in the list validates to false when a day is not in the list ates sets a default value stop!(prescriber:, reason:)	0.002 0.002 0.076 0.071
returns true when prescription expired today returns true when prescription expired a day ago ralidate_days_inclusion validates to true when all days are in the list validates to false when a day is not in the list ates sets a default value	0.002 0.002 0.076 0.071
returns true when prescription expired today returns true when prescription expired a day ago ralidate_days_inclusion validates to true when all days are in the list validates to false when a day is not in the list ates sets a default value stop!(prescriber:, reason:)	0.002 0.002 0.076 0.071
returns true when prescription expired today returns true when prescription expired a day ago ralidate_days_inclusion validates to true when all days are in the list validates to false when a day is not in the list ates sets a default value stop!(prescriber:, reason:) stops prescription (PENDING: Temporarily skipped with xit)	0.002 0.002 0.076 0.071
returns true when prescription expired today returns true when prescription expired a day ago ralidate_days_inclusion validates to true when all days are in the list validates to false when a day is not in the list ates sets a default value stop!(prescriber:, reason:) stops prescription (PENDING: Temporarily skipped with xit)	0.002 0.002 0.076 0.071 0.002
returns true when prescription expired today returns true when prescription expired a day ago ralidate_days_inclusion validates to true when all days are in the list validates to false when a day is not in the list ates sets a default value stop!(prescriber:, reason:) stops prescription (PENDING: Temporarily skipped with xit) ralidate_frequency_days validates to false when there are no days and the frequency is not specific_dates	0.002 0.002 0.076 0.071 0.002
returns true when prescription expired today returns true when prescription expired a day ago ralidate_days_inclusion validates to true when all days are in the list validates to false when a day is not in the list ates sets a default value stop!(prescriber:, reason:) stops prescription (PENDING: Temporarily skipped with xit) ralidate_frequency_days validates to false when there are no days and the frequency is not specific_dates validates to true when there are no days and the frequency is specific_dates	0.002 0.002 0.076 0.071 0.002
returns true when prescription expired today returns true when prescription expired a day ago ralidate_days_inclusion validates to true when all days are in the list validates to false when a day is not in the list ates sets a default value stop!(prescriber:, reason:) stops prescription (PENDING: Temporarily skipped with xit) ralidate_frequency_days validates to false when there are no days and the frequency is not specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates	0.002 0.002 0.071 0.071 0.002 0.072 0.085
returns true when prescription expired today returns true when prescription expired a day ago validate_days_inclusion validates to true when all days are in the list validates to false when a day is not in the list ates sets a default value stop!(prescriber;, reason:) stops prescription (PENDING: Temporarily skipped with xit) validates to false when there are no days and the frequency is not specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates	0.002 0.002 0.076 0.071 0.002 0.072 0.085 0.071
returns true when prescription expired today returns true when prescription expired a day ago validate_days_inclusion validates to true when all days are in the list validates to false when a day is not in the list ates sets a default value stop!(prescriber:, reason:) stops prescription (PENDING: Temporarily skipped with xit) validates frequency_days validates to false when there are no days and the frequency is not specific_dates validates to true when there are days and the frequency is not specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates	0.002 0.002 0.071 0.071 0.002 0.072 0.085 0.071
returns true when prescription expired today returns true when prescription expired a day ago validate_days_inclusion validates to true when all days are in the list validates to false when a day is not in the list ates sets a default value stop!(prescriber;, reason:) stops prescription (PENDING: Temporarily skipped with xit) validates to false when there are no days and the frequency is not specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates	0.002 0.002 0.071 0.071 0.002 0.072 0.085 0.071
returns true when prescription expired today returns true when prescription expired a day ago validate_days_inclusion validates to true when all days are in the list validates to false when a day is not in the list ates sets a default value stop!(prescriber:, reason:) stops prescription (PENDING: Temporarily skipped with xit) validates frequency_days validates to false when there are no days and the frequency is not specific_dates validates to true when there are days and the frequency is not specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates	0.002 0.002 0.076 0.071 0.002 0.072 0.085 0.071 0.003 0.002
returns true when prescription expired today returns true when prescription expired a day ago validate_days_inclusion validates to true when all days are in the list validates to false when a day is not in the list ates sets a default value stop!(prescriber:, reason:) stops prescription (PENDING: Temporarily skipped with xit) validates frequency_days validates to false when there are no days and the frequency is not specific_dates validates to true when there are days and the frequency is not specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates when there are no days and the frequency is specific_dates validates when there are no days and the frequency is specific_dates validates when there are no days and the frequency is specific_dates validates when there are no days and the frequency is specific_dates validates when there are no days and the frequency is specific_dates validates when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates	0.002 0.002 0.076 0.071 0.002 0.072 0.085 0.071
returns true when prescription expired today returns true when prescription expired a day ago validate days_inclusion validates to true when all days are in the list validates to false when a day is not in the list ates sets a default value stop!(prescriber:, reason:) stops prescription (PENDING: Temporarily skipped with xit) validates to false when there are no days and the frequency is not specific_dates validates to true when there are days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is specific_dates validates to true when there are no days and the frequency is not specific_dates validates to true when there are no days and the frequency is not specific_dates validates to true when there are no days and the frequency is not specific_dates validates to true when there are no days and the frequency is not specific_dates validates to false when there are no days and the frequency is not specific_dates validates to false when there are no days and the frequency is not specific_dates validates to false when there are no days and the frequency is not specific_dates validates to false when there are no days and the frequency is not specific_dates validates to false when there are no days and the frequency is not specific_dates validates to false when the are no days and the frequency is not specific_dates	0.002 0.002 0.002 0.072 0.002 0.002 0.002 0.002 0.002

.stopped	
returns past prescriptions	0.43308s
Medications	
StopHomeMedication	
stops medication without archiving	0.15353s
fails deletion if medication not found	0.10103s
can't stop stopped medication	0.16161s
deletes future medications	0.14859s
delete future medication of restarted stopped medication creates stopped medication	0.30205s
	0.03165s
requires write rights	0.031635
Auth::LDAP::UserInfo	
#username	
returns user's username	0.00207s
#last_name	
extracts last name out of CN field	0.00212s
returns user's last name	0.00216s
Total in about a last marrie	0.002203
#email	
returns user's email	0.00235s
#first_name	
extracts first name out of CN field	0.00236s
returns user's first name	0.00226s
VascularAccess::Services::ReplaceCatheter	
#call	
replaces the catheter in the prescription if used (PENDING: Temporarily skipped with xit)	0.05000
fails when it is not a catheter	0.25220s
replaces the catheter	0.40213s
Laboratory::ReportTimeBuilder	
when the date is empty	
falls back to the current time	0.00263s
when the date does not provide time information	
create a date with time set to 00:00:00	0.00283s
create a date with time set to 00.00.00	0.002033
when the date contains escaped characters	
falls back to the current time	0.00282s
when the timezone is missing	
parses the date in the customer timezone	0.00283s
when no timezone is provided parses the date in the customer timezone	0.00283s
parses the date in the customer timezone	0.002635
when the timezone is provided	
creates a date in the provided timezone	0.00296s
when the date is invalid	
falls back to the current time	0.00307s
Asynchronous exports: medication_administration_prognosis	1.05255
generates the report	1.06266s
Charts::BloodPressureEvolution	
#call	
returns systolic and diastolic blood pressure data points	0.04459s
GetGlobalCenterAcl	
returns forbidden (403) if the user isn't authorized	0.07139s
returns forbidden (400) if the doct isn't dathorized	0.071395

returns array containing the global center acl	
returns empty array when no global rights have been defined	0.1213 0.0463
lications::HomeMedicationPrescription is expected to validate that :frequency is either <"specific dates">, <"dialysis days">, <"non dialysis days">, <"every day">, <"every week">, <"e	even weeks"> <"odd weeks"
or <"first_full_week_of_the_month">	0.0196
is expected to belong to galenic_term optional: true	0.0055
is expected to validate that :frequency cannot be empty/falsy	0.0111
is expected to belong to archive_of optional: true	0.0054
is expected to validate that :quantity looks like a number greater than or equal to 0 and less than 100000 as long as it is not nil	0.0252
is expected to validate that :medication_type is either <"product"> or <"magistral_preparation">	0.0089
is expected to belong to medicinal_product optional: true	0.0055
is expected to belong to prescriber optional: true	0.0052
is expected to have many usage_moments	0.0026
is expected to belong to patient required: true	0.0056
is expected to belong to medicinal_variant optional: true	0.0049
is expected to belong to default_package optional: true	0.0052
is expected to validate that :medication_type cannot be empty/falsy	0.0102
available_packages	
returns only packages for the defined medicinal variant and galenic form	0.050
validate dates range	
validates to true when there are dates are past the start_date and the end_date is not given	0.072
validates to true when there are dates given that are not between start_date and end_date because it is dynamically set	0.072
validates to true when there are dates are between start and end date	0.079
validates to true when there are dates given that are before the start_date because it is dynamically set	0.075
dynamic_start_end_dates	0.075
dynamically sets start date when dates are given	0.075
dynamically sets end date when dates are given on the same day dynamically sets end date when dates are given	0.0933
uynamicany sets end date when dates are given	0.0733
uture	
returns future prescriptions	0.4714
topped	
returns past prescriptions	0.430
active	
returns currently active prescriptions	0.414
stopped?	0.002
returns false when prescription is still running	0.002
returns true when prescription expired a day ago returns true when prescription expired today	0.002
returns true when prescription expired today	0.002
prescriptions_for(patient:)	
returns latest prescriptions only	0.144
returns prescriptions for the given patient	0.207
lates	
sets a default value	0.002
active?	
	0.002
returns true when start date is today	
returns true when start date is today returns true for an open ended prescription	0.002
returns true for an open ended prescription	0.002
returns true for an open ended prescription returns false when end date is today	0.002 0.002
returns true for an open ended prescription returns false when end date is today returns true when today is included in the range of start and end date	0.002 0.002 0.002 0.002

returns not found (404) if the source is not found

Prescriptions	
UpdateWoundPrescription	
returns an OK response if update succeeded	0.20680s
returns errors if update failed	0.16186s
returns not found (404) if the wound cannot be found	0.10930s
<u> </u>	
Executions::Exports::Base	0.00051
has a default category	0.00261s
#schedule!	
schedules a job	0.03460s
#execute!	
generates a xlsx and attaches it	0.08518s
generates a csv and attaches it	0.07702s
format	
does not allow unknown formats	0.01057s
sets a default format	0.02266s
Medications::Ingredient is expected to validate that :ingredient type cannot be empty/falsy	0.00994s
is expected to have many ingredient products dependent => destroy	0.00334s
is expected to validate that :identifier cannot be empty/falsy	0.00905s
is expected to validate that :name cannot be empty/falsy	0.01053s
is expected to have many products through ingredient products	0.00321s
is expected to belong to source required: true	0.00560s
is expected to validate that :ingredient_type is either <"active_substance"> or <"excipient">	0.00908s
is expected to validate that :name is case-sensitively unique within the scope of :source_id	0.02398s
Complications::Complication	
is expected to validate that :complication_type is either <"hypotension">, <"hypoglycemia">, <"fever">, <"muscle_cramps">, <"arrythmia">, <"hemolysis">, <"anaphylactic_shock">, <"coagulation">, <"deconnection">, <"machine_malfunction">, <"infection">, <"ischaemia">, <"hematoma">, <"bleeding">, <"anaphylactic_shock">, <"hematoma">, <"bleeding">, <"anaphylactic_shock">, <"infection">, <" <"infection">, <" <" <" <" <" <" <" <" <" <" <" <" <"	
is expected to validate that :complication_type is either <"hypotension">, <"hypoglycemia">, <"fever">, <"muscle_cramps">, <"arrythmia">, <"hemolysis">, <"anaphylactic_shock">, <"coagulation">, <"deconnection">, <"machine_malfunction">, <"infection">, <"ischaemia">, <"hematoma">, <"bleeding">, <"aneurysr<"thrombosis">, or <"decreased_blood_flow">	0.01925s
is expected to validate that :complication_type is either <"hypotension">, <"hypoglycemia">, <"fever">, <"muscle_cramps">, <"arrythmia">, <"hemolysis">, <"arrythmia">, <"a	
is expected to validate that :complication_type is either <"hypotension">, <"hypoglycemia">, <"fever">, <"muscle_cramps">, <"arrythmia">, <"hemolysis">, <"anaphylactic_shock">, <"coagulation">, <"deconnection">, <"machine_malfunction">, <"infection">, <"ischaemia">, <"hematoma">, <"bleeding">, <"aneurysr<"thrombosis">, or <"decreased_blood_flow">	0.01925s 0.00475s
is expected to validate that :complication_type is either <"hypotension">, <"hypoglycemia">, <"fever">, <"muscle_cramps">, <"arrythmia">, <"hemolysis">, <"arrythmia" < arrythmia" < arrythmia" < arrythmia" < arrythmia" < arrythmia" < arrythmia" <	0.01925s 0.00475s 0.00407s
is expected to validate that :complication_type is either <"hypotension">, <"hypoglycemia">, <"fever">, <"muscle_cramps">, <"hypoglycemia">, <"hypoglycemia">, <"fever">, <"fever">, <"muscle_cramps">, <"hypoglycemia">, <"hypoglyc	0.01925s 0.00475s 0.00407s 0.00296s
is expected to validate that :complication_type is either <"hypotension">, <"hypoglycemia">, <"fever">, <"muscle_cramps">, <"anaphylactic_shock">, <"coagulation">, <"deconnection">, <"machine_malfunction">, <"infection">, <"ischaemia">, <"hematoma">, <"hematoma">, <"hemolysis">, <"anaphylactic_shock">, <"coagulation">, <"deconnection">, <"machine_malfunction">, <"infection">, <"ischaemia">, <"hematoma">,	0.01925s 0.00475s 0.00407s 0.00296s 0.00831s
is expected to validate that :complication_type is either <"hypotension">, <"hypoglycemia">, <"fever">, <"fever">, <"muscle_cramps">, <"hypoglycemia">, <"hypoglycemia">, <"fever">, <"fever">, <"muscle_cramps">, <"hypoglycemia">,	0.01925s 0.00475s 0.00407s 0.00296s 0.00831s
is expected to validate that :complication_type is either <"hypotension">, <"hypoglycemia">, <"fever">, <"muscle_cramps">, <"arrythmia">, <"hemolysis">, <"anaphylactic_shock">, <"coagulation">, <"deconnection">, <"machine_malfunction">, <"infection">, <"ischaemia">, <"hematoma">, <"hematoma">, <"hematoma">, <"anaphylactic_shock">, <"decreased_blood_flow"> is expected to belong to user required: true is expected to belong to session optional: true is expected to have one patient is expected to validate that :complication_type cannot be empty/falsy AddInfectionForPatient adds a new infection returns forbidden (403) if the user isn't authorized	0.01925s 0.00475s 0.00407s 0.00296s 0.00831s
is expected to validate that :complication_type is either <"hypotension">, <"hypoglycemia">, <"fever">, <"muscle_cramps">, <"arrythmia">, <"hemolysis">, <"anaphylactic_shock">, <"coagulation">, <"deconnection">, <"machine_malfunction">, <"infection">, <"ischaemia">, <"hematoma">, <"hematoma">, <"bleeding">, <"anaphylactic_shock">, <"deconnection">, <"infection">, <"infection">, <"ischaemia">, <"hematoma">, <"hematoma">	0.01925s 0.00475s 0.00407s 0.00296s 0.00831s
is expected to validate that :complication_type is either <"hypotension">, <"hypoglycemia">, <"fever">, <"muscle_cramps">, <"arrythmia">, <"hemolysis">, <"anaphylactic_shock">, <"coagulation">, <"deconnection">, <"machine_malfunction">, <"infection">, <"ischaemia">, <"hematoma">, <"hematoma">, <"hematoma">, <"anaphylactic_shock">, <"decreased_blood_flow"> is expected to belong to user required: true is expected to belong to session optional: true is expected to have one patient is expected to validate that :complication_type cannot be empty/falsy AddInfectionForPatient adds a new infection returns forbidden (403) if the user isn't authorized	0.01925s 0.00475s 0.00407s 0.00296s 0.00831s
is expected to validate that :complication_type is either <"hypotension">, <"hypoglycemia">, <"fever">, <"muscle_cramps">, <"arrythmia">, <"hemolysis">, <"anaphylactic_shock">, <"coagulation">, <"deconnection">, <"machine_malfunction">, <"infection">, <"ischaemia">, <"hematoma">, <"hematoma">, <"hematoma">, <"anaphylactic_shock">, <"deconnection">, <"infection">, <"infection">, <"ischaemia">, <"hematoma">, <"hematoma">	0.01925s 0.00475s 0.00407s 0.00296s 0.00831s
is expected to validate that :complication_type is either <"hypotension">, <"hypoglycemia">, <"fever">, <"muscle_cramps">, <"arrythmia">, <"hemolysis">, <"arrythmia">, <"hematoma">, <"	0.01925s 0.00475s 0.00407s 0.00296s 0.00831s
is expected to validate that :complication_type is either <"hypotension">, <"hypoglycemia">, <"fever">, <"muscle_cramps">, <"arrythmia">, <"hemolysis">, <"anaphylactic_shock">, <"coagulation">, <"deconnection">, <"machine_malfunction">, <"linfection">, <	0.01925s 0.00475s 0.00407s 0.00296s 0.00831s 0.13166s 0.09171s
is expected to validate that :complication_type is either ("hypotension">, ("hypoglycemia"), ("fever">, ("muscle_cramps">, ("arrythmia">, ("hemolysis">, ("anaphylactic_shock"), ("coagulation">, ("deconnection">, ("machine_malfunction">, ("infection">, ("ischaemia">, ("hematoma">, ("hematoma")>, ("hematoma">, ("hematoma")>, ("hematoma")>, ("hematoma">, ("hematoma")>, ("hema	0.01925s 0.00475s 0.00407s 0.00296s 0.00831s 0.13166s 0.09171s
is expected to validate that :complication_type is either <"hypotension">, <"hypoglycemia">, <"fever">, <"nuscle_cramps">, <"arrythmia">, <"hemolysis">, <"hemolysis">, <"arrythmia">, <"hemolysis">, <"h	0.01925s 0.00475s 0.00407s 0.00296s 0.00831s 0.13166s 0.09171s 0.03299s 0.06296s
is expected to validate that :complication_type is either <"hypotension">, <"hypoglycemia">, <"fever">, <"muscle_cramps">, <"arrythmia">, <"hemolysis">, <"hemolysis">, <"arrythmia">, <"hemolysis">, <"h	0.01925s 0.00475s 0.00407s 0.00296s 0.00831s 0.13166s 0.09171s 0.03299s 0.06296s
is expected to validate that :complication_type is either <"hypotension", <"hypoglycemia", <"fever", <"muscle_cramps", <"arrythmia", <"hemolysis", <"anaphylactic_shock", <"coagulation", <"deconnection", <"machine_malfunction", <"iinfection", <"iischaemia", <"hematoma", <"bleeding", <"aneurysr <"thrombosis", or a"decreased_blood_flow", <"iischaemia", <"hematoma", <"bleeding", <"aneurysr <"thrombosis", or a decreased_blood_flow", <iischaemia", <"aneurysr="" <"bleeding",="" <"hematom<="" <"hematoma",="" <"iischaemia",="" <"thrombosis",="" <iischaemia",="" a="" decreased_blood_flow",="" or="" td=""><td>0.01925s 0.00475s 0.00407s 0.00296s 0.00831s 0.13166s 0.09171s 0.03299s 0.06296s 0.08331s</td></iischaemia",>	0.01925s 0.00475s 0.00407s 0.00296s 0.00831s 0.13166s 0.09171s 0.03299s 0.06296s 0.08331s
is expected to validate that :complication_type is either «"hypotension"», «"hypoglycemia"», «"ever"», «"muscle_cramps"», «"arrythmia"», «"hemolysis"», «"anaphylactic_shock"», «"cagulation"», «"deconnection"», «"machine_malfunction"», «"infection"», «"ischaemia"», «"hematoma"», «"bleeding"», «"aneurysis «"thrombosis"», or «"decreased_blood_flow"» is expected to belong to user required: true is expected to belong to session optional: true is expected to have one patient is expected to validate that :complication_type cannot be empty/falsy AddInfectionForPatient adds a new infection returns forbidden (403) if the user isn't authorized Tasks returns a task (PENDING: Temporarily skipped with xit) UpdateWound returns not_found (404) if the wound cannot be found returns forbidden (403) if the user isn't authorized updates the given wound Patients::PatientSearchQuery searches for patients with supported treatments	0.01925s 0.00475s 0.00407s 0.00296s 0.00831s 0.13166s 0.09171s 0.03299s 0.06296s 0.08331s
is expected to validate that :complication_type is either «"hypotension"s, «"hypoglycemia"s, «"ever"s, «"muscle_cramps"s, «"arrythmia"s, «"hemolysis"s, «"anaphylactic_shock"s, «"coagulation"s, «"deconnection"s, «"machine_malfunction"s, «"infection"s, «"ischaemia"s, «"hematoma"s, «"bleeding"s, «"aneurysis «"thrombosis"s, or «"decreased_blood_flow"s is expected to belong to user required: true is expected to belong to session optional: true is expected to have one patient is expected to validate that :complication_type cannot be empty/falsy AddInfectionForPatient adds a new infection returns forbidden (403) if the user isn't authorized Tasks returns a task (PENDING: Temporarily skipped with xit) UpdateWound returns not_found (404) if the wound cannot be found returns forbidden (403) if the user isn't authorized updates the given wound Patients::PatientSearchQuery searches for patients with supported treatments Delete order	0.01925s 0.00475s 0.00407s 0.00296s 0.00831s 0.13166s 0.09171s 0.03299s 0.06296s 0.08331s 0.13163s
is expected to validate that :complication_type is either «"hypotension"», «"hypoglycemia"», «"flever"», «"muscle_cramps"», «"arrythmia"», «"hemolysis"», «"anaphylactic_shock"», «"coaqulation"», «"deconnection"», «"machine_malfunction"», «"infection"», «"ischaemia"», «"hematoma"», «"bleeding"», «"aneurysis ethornobosis"», or «"decreased_blood_flow"» is expected to belong to user required: true is expected to belong to session optional: true is expected to have one patient is expected to validate that :complication_type cannot be empty/falsy AddInfectionForPatient adds a new infection returns forbidden (403) if the user isn't authorized Tasks returns a task (PENDING: Temporarily skipped with xit) UpdateWound returns forbidden (403) if the wound cannot be found returns forbidden (403) if the user isn't authorized updates the given wound Patients::PatientSearchQuery searches for patients with supported treatments Delete order deletes recurring order	0.01925s 0.00475s 0.00407s 0.00296s 0.00831s 0.13166s 0.09171s 0.03299s 0.06296s 0.08331s 0.13163s
is expected to validate that :complication_type is either ("hypotension"s, ("hypoglycemia"s, ("fever"s, ("muscle_cramps"s), ("arrythmia"s, ("hemolysis"s, ("anaphylactic_shock"s, ("coagulation"s, ("acconnection"s, ("machine_malfunction"s, ("infection"s, ("infection"s, ("infection"s, ("hematoma"s, ("bleeding"s, ("aneuryst ("thrombosis"s, or "decreased_blood_flow"s is expected to belong to user required: true is expected to belong to session optional: true is expected to have one patient is expected to validate that :complication_type cannot be empty/falsy AddInfectionForPatient adds a new infection returns forbidden (403) if the user isn't authorized Tasks returns a task (PENDING: Temporarily skipped with xit) UpdateYound returns forbidden (403) if the wound cannot be found returns forbidden (403) if the user isn't authorized Patients::PatientSearchQuery searches for patients with supported treatments Delete order deletes one-off orders	0.01925s 0.00475s 0.00407s 0.00296s 0.00831s 0.13166s 0.09171s 0.03299s 0.06296s 0.08331s 0.13163s 0.13163s
is expected to validate that :complication_type is either c"hypotension"s, c"hypoglycemia"s, c"fever"s, c"muscle_cramps"s, c"arrythmia"s, c"hemolysis"s, c"anaphylactic_shock"s, c"coagulation"s, c"deconnection"s, c"machine_malfunction"s, c"infection"s, c"ischaemia"s, c"hematoma"s, c"bleeding"s, c"aneurysr c"thormobosis"s, or c"decreased_blood_flow"s is expected to belong to user required: true is expected to belong to session optional: true is expected to have one patient is expected to validate that :complication_type cannot be empty/falsy AddInfectionForPatient adds a new infection returns forbidden (403) if the user isn't authorized Tasks returns a task (PENDING: Temporarily skipped with xit) UpdateWound returns not_found (404) if the wound cannot be found returns forbidden (403) if the user isn't authorized updates the given wound Patients::PatientSearchQuery searches for patients with supported treatments Delete order deletes one-off orders fails if order has started tasks	0.01925s 0.00475s 0.00407s 0.00296s 0.00831s 0.13166s 0.09171s 0.03299s 0.06296s 0.08331s 0.13163s 0.13163s

0.03062s

returns no content (204)	0.060546
returns no content (204)	0.06054s
returns forbidden (403) if the user isn't authorized	0.03268s
Clockwork	
schedules daily jobs once a day (PENDING: Temporarily skipped with xit)	
schedules weekly jobs once a week (PENDING: Temporarily skipped with xit)	
schedules monthly jobs once a month (PENDING: Temporarily skipped with xit)	
AddPatientContact	
creates a new contact for the given patient	0.10182s
returns unprocessable_entity (422) if the data is invalid	0.09961s
returns forbidden (403) if the user isn't authorized	0.07111s
returns not_found (404) if the patient cannot be found	0.03467s
creates a new contact with only required fields filled	0.09559s
Patients::PatientDiagnosis	0.00115
returns success (200) and the created patient diagnosis	0.09115s
returns forbidden (403) if the user isn't authorized	0.06512s
audits the destroy action	0.08793s
Latest ultrafiltration calculation	
returns the latest ultrafiltration calculation summary for the given session	0.22580s
returns the latest ultrafiltration calculation for the given session	0.27034s
returns 403 forbidden if the user isn't authorized	0.14855s
returns 404 not found if the session cannot be found	0.05489s
Medications::ProductIngredient	
is expected to belong to medicinal product optional: true	0.00293s
is expected to belong to active ingredient optional: true	0.00310s
Infrastructure::ConsumableItem	
is expected to belong to consumable required: true	0.00624s
validations	
is expected to validate that :name is case-sensitively unique within the scope of :consumable_id	0.02671s
is expected to validate that :name cannot be empty/falsy	0.01998s
#enable!	
enables an item	0.01225s
Chables an item	0.022255
#consume!	
consumes a disposable an item	0.02695s
#disable!	
disables an item	0.01311s
#disabled?	
returns true if the consumable is disabled	0.00286s
returns false if the consumable is enabled	0.00267s
recurris faise if the consumable is enabled	0.002075
#enabled?	
returns true if the consumable is enabled	0.00290s
returns false if the consumable is disabled	0.00266s
DeleteStandingOrder	
returns (404) if the standing order cannot be found	0.03634s
deletes a product standing order	0.10596s
deletes a magistral standing order	0.10118s
returns (403) if the user isn't authorized	0.07122s
BriefingSelections	
when unselecting a journal entry	
unselects the given journal entry	0.18154s
fails if briefing does not exist	0.10753s

fails if journal entry does not exist	0.05492s
fails if journal entry is not selected	0.13044s
fails if briefing is closed	0.14969s
when selecting a journal entry	
fails if briefing does not exist	0.11327s
selects the given journal entry	0.13408s
fails if briefing is closed	0.13072s
fails if journal entry is not in the time range	0.12988s
selects again a journal entry	0.15747s
fails if journal entry does not exist	0.05379s
Home medication schedule	0.21277
gets a pdf with the home medication schedule	0.21377s
GenerateBillingExportJob	
raises ArgumentError when the options are incorrect	0.00507s
creates an exportable containing all billing items for one week	1.43876s
creates an exportable containing all billing items for one day	1.38321s
`autoready` option	
automatically transitions exportable to ready when all billing items are valid	0.23308s
does not transition exportable to ready when there are invalid billing items	0.22167s
Planning::Evaluators::SessionEvaluator	0.10410
is expected to respond to #on_days	0.18412s
is expected to respond to #on_odd_weeks	0.18406s
is expected to respond to #on_even_weeks	0.19557s
session ongoing	
is expected to be scheduled	0.24986s
session completed	
is expected to be scheduled	0.25743s
session planned outside of evaluation date	
is expected not to be scheduled	0.22686s
is expected for to be selectated	0.220003
no session planned	
is expected not to be scheduled	0.24350s
session planned	
is expected to be scheduled	0.21559s
· · · · · · · · · · · · · · · · · · ·	
xecutions::Exports::MedicationAdministrationPrognosis	
#sanitize_payload	
sanitizes payload	0.02488s
does not allow to update an attribute other than multidose	0.05289s
updates formulary item	0.04736s
returns forbidden (403) if the user isn't authorized	0.03535s
does not update formulary item with invalid properties	0.04039s
xecutions::Medications::Import	
is not valid when identifiers are invalid	0.01230s
is not valid when identifiers is missing	0.01083s
is not valid when identifiers is empty	0.01155s
	0.011000
#sources	
returns supervised identifier sources	0.04174s
#schedule	
schedules a timeout job	0.04990s

raises unless there are sources defined	0.032375
schedules an import job	0.052373 0.05336s
Jpdate order	
fails if end date is before start date	0.07319s
denies updating if not granted	0.05174s
updates the given order	0.08704s
does not update category and type	0.08084s
faults back to nil if end_date is not passed	0.08019s
fails if order does not exist	0.03157s
when updating an one-time order to a recurring order	
resets the order's `date` column	0.08256s
resets the order's date commi	0.002303
when updating an recurring order to an one-time order	
resets the order's `start_date` and `end_date` columns	0.07955s
CreateAdtEpisodeEvent	
adds a new admission adt event	0.13288s
adds a new cancel admission adt event	0.14991s
adds a new discharge adt event	0.186199
adds a new cancel discharge adt event	0.14343s
returns forbidden (403) if the user isn't authorized	0.09529s
Asynchronous backup reports	
downloads the backup reports	0.35405s
adds an execution to the queue	0.16160s
uddWeight	
returns forbidden (403) if the user isn't authorized	0.061049
creates a new weight for the given patient	0.078379
returns not_found (404) if the patient cannot be found	0.031379
Aedications::GalenicTerm is expected to have many medicinal_product_packages	0.00275
is expected to have many medicinal_product_packages is expected to have many medicinal_variants	0.00275s 0.00274s
is expected to have many medicinal_variants	0.002748
etMagistralPreparations	
returns 403 if the user isn't authorized	0.03423s
returns magistral preparations sorted on formula <-> form <-> dose	0.06003s
returns magistral preparations	0.05795s
ltrafiltrationCalculation::Record	
is expected to belong to session required: true	0.006175
is expected to belong to user required: true	0.00692s
.latest_for(session:)	
returns the latest calculation for a given session	0.129349
Ipdate a deviation for a patient	0.1000
updates a deviation	0.169029
fails if deviation does not exists	0.03450s
coom Overviews API	
returns the available shift's	0.20027s
returns forbidden (403) if the user isn't authorized	0.03174s
returns room's overview	0.20091s
returns the current shift if the shift is not specified	0.194379
returns not found (404) if room doesn't exist	0.03421s
pdate administration route	
return success (200) when reusing a name from a different source	0.07209s
can also update codes	0.103429

returns method not allowed (405) when updating within a supervised source	0.07063s
returns forbidden (403) when the user isn't authorized	0.05101s
returns unprocessable entity (422) when reusing a name within same source	0.08751s
returns success (200) and an updated administration route	0.07036s
reate Ingredient	
returns success (200) and creates the ingredient when in in a unsupervised source	0.069899
returns unprocessable entity (422) when creating doubles	0.050439
returns not found (404) when using an undefined source	0.03416
returns method_not_allowed (405) when creating within a supervised source	0.04056
returns forbidden (403) when the user isn't authorized	0.034529
pdateStandingOrder	
returns updated magistral standing order	0.09554
returns updated product standing order	0.11876
returns (403) if the user isn't authorized	0.11518
does not update the administrable	0.11585
when a valid practitioner identifier is required	
returns (422) if the standing order is prescribed by a doctor without a practitioner identifier	0.089929
returns (422) if the prescriber is updated to a nurse	0.09078
iefingItems	
when retrieving items for discussion	
returns entries filtered by journals	0.53312
returns selected journal entries	0.75994
returns entries filtered by patient	0.56593
returns selected journal entries with discussed information	0.71090
returns entries filtered by tags	0.21983
returns entries filtered by categories	0.50108
only shows items where the user has rights for	0.56525
returns entries filtered by discussed items	0.46347
only shows selected items where the user has rights for	0.92215
when retrieving items for preparation	
returns entries filtered by patient	0.45651
returns journal entries in briefing's date range	0.73894
fails if the given briefing does not exist	0.10227
returns entries filtered by categories	0.39054
returns entries filtered by tags	0.22136
returns entries filtered by not selected items	0.41823
returns journal entries sorted by patients' names	0.63034
returns journal entries filtered by journals	0.39775
et journal printout	
returns a PDF of the journal entries	0.12745
estroy context link	
returns not found (404) if the context link is not found	0.03228
returns no content (204)	0.04165
returns forbidden (403) if the user isn't authorized	0.03235
	0.00233
oisodes::Services::Admit	
creates an episode for an admission	0.09154
Spec::ExampleGroups::InfrastructureTransportType	
is expected to have many forth_transport_type_sessions	0.00301
is expected to have many forth_transport_type_patients	0.00298
is expected to have many back_transport_type_patients	0.00279
is expected to have many back transport type sessions	0.002699

#validate_name	
validates if the name can be reused if deleted	0.0
validates if the name must be unique	0.0
ccessSiteAttachment	
eturns the site attachment	0.4
eturns forbidden (403) if the user isn't authorized	0.4
eturns not_found (404) if the site attachment cannot be found	0.0
Laborate San Historia	
latabase health status	0.0
eturns success (200) and a JSON response eturns internal server error (500) if the database is unhealthy	0.0
ecuris internal server error (500) if the database is unleading	0.0
roducts	
eturns products with their active substances contactenated	0.11
an filter virtual products	0.1
an filter by source an filter by category	0.1
eturns products alphabetically	0.1
eturns a list of 30 products when there are 100	2.74
an filter combined	0.1
an filter by intradialytic	0.1
eturns forbidden (403) if the user isn't authorized	0.0
eturns a list of 5 products when there are 2 different actuals and 1 virtual	0.1
an filter actual products	0.1
eturns an empty list of products with with a paging block if no data is available	0.0
an filter by name	0.2
an filter by ambulatory	0.1
eturns products with their form	0.10
te category	
eturns forbidden (403) when the user isn't authorized	0.0
eturns unprocessable entity (422) when reusing a name	0.04
eturns success (200) and an updated administration route	0.04
ordable	
th default scope	
an undiscarded record	
is included in kept scope	0.0
is included in undiscarded scope	0.0
is included in with_discarded scope	0.00
is not included in discarded scope	0.00
is included in the default scope	0.00
a discarded record	
is included in with_discarded.discarded scope	0.0
is not included in the default scope	0.0
·	
is included in with_discarded scope	0.0
is included in with_discarded scope	0.0
is included in with_discarded scope is not included in kept scope is not included in discarded scope	0.0
is included in with_discarded scope is not included in kept scope is not included in discarded scope th simple Post model	0.00 0.00
is included in with_discarded scope is not included in kept scope is not included in discarded scope th simple Post model	0.0
is included in with_discarded scope is not included in kept scope is not included in discarded scope th simple Post model discarded Post	0.00
is included in with_discarded scope is not included in kept scope is not included in discarded scope th simple Post model discarded Post is discarded?	0.0 0.0

is not undiscarded?	0.00482
is included in the default scope	0.00606
#discard!	
raises Discardable::RecordNotDiscarded	0.00744
#discard	
doesn't change deleted_at in DB	0.01360
doesn't change deleted_at	0.00846
#undiscard	
clears deleted_at	0.01386
clears deleted_at in DB	0.01655
#undiscard!	
clears deleted_at in DB	0.01504
clears deleted_at	0.01005
an undiscarded Post	
is kept?	0.00613
is included in kept scope	0.00721
is not included in discarded scope	0.00366
is expected not to be discarded	0.00564
is included in the default scope	0.00719
is included in undiscarded scope	0.00729
is undiscarded?	0.00525
#discard	
sets deleted_at	0.00856
sets deleted_at in DB	0.01080
#discard!	
sets deleted_at	0.00818
sets deleted_at in DB	0.01107
#undiscard!	
raises Discardable::RecordNotUndiscarded	0.00590
#undiscard	
doesn't change deleted_at in DB	0.01039
doesn't change deleted_at	0.00588
iscard_all!	
can discard all posts	0.03496
ndiscard_all!	
can undiscard all posts	0.03310
iscard_all	
can discard a single post	0.02588
can discard no records	0.01224
can discard all posts	0.01973
through a collection	
can discard all related posts	0.05555
indiscard_all	
can undiscard a single post	0.02562
can undiscard no records	0.01322
can undiscard all posts	0.02160
ndiscard callbacks	
runs callbacks in correct order	0.01699
	0.01033
before_undiscard	

can prevent undiscard	
can allow undiscard	
#undiscard!	
raises Discardable::RecordNotDiscarded	
custom column name	
undiscarded Post	
is undiscarded?	
is not discarded?	
is included in kept scope	
is included in undiscarded scope	
is kept?	
is not included in discarded scope	
is included in the default scope	
#undiscard	
doesn't change deleted_at in DB	
doesn't change deleted_at	
#discard	
sets deleted_at	
sets deleted_at in DB	
scarded Post	
is discarded?	
is not undiscarded?	
is included in discarded scope	
is not kept?	
is not included in kept scope	
is not included in undiscarded scope	
is included in the default scope	
#discard	
doesn't change deleted_at in DB	
doesn't change deleted_at	
#undiscard	
clears deleted_at	
clears deleted_at in DB	
ard callbacks	
runs callbacks in correct order	
efore_discard	
can allow discard	
can prevent discard	
#discard!	
raises Discardable::RecordNotDiscarded	
trationCalculation::Calculation	
ume_adjustments	
applies default volume adjustments	
nsplant eligibility statuses	
urns success (200) and transplant eligibility statuses	
sMachineModelRepository	

returns a nil dialysis machine model when id is nil	
finds dialysis machine model by id	0.00197s 0.00187s
returns a nil dialysis machine model when id isn't found	0.00189s
Integration	
Create Patient	
creates the patient if it does not exist	0.05110s
updates patient if it exists	0.085355
creates the patient with no address if address is empty creates the address for the patient	0.05353s 0.05429s
	0.004233
Executions::Medications::Sync	
#schedule	
schedules an import job	0.07829s
schedules a timeout job	0.067999
raises unless there are sources defined	0.02904
self-destructs when there are no updates	0.037179
updates identifiers from enabled, supervised, syncable sources	0.14772s
Rooms	
when updating a room	
returns unauthorized if unauthorized	0.057059
updates the room if upsizing	0.16944s
switching from grid to list and back	
fails if positions is greater than room capacity	0.345979
when switching from grid to list	
updates the room	0.380969
returns an error if downsizing	0.382149
when switching from list to grid	
updates the room	0.192775
returns an error if downsizing	0.14726s
in list mode	0.11460
returns an error if room dimension is under the dimension limit returns an error if downsizing in list mode	0.11468
returns an error in downsizing in list mode	0.07740s
in grid mode	
returns an error if downsizing	0.311539
returns an error if room dimension is over/under the dimension limit	0.232559
Health::DatabaseHealthChecker	
.check	
when the database is unhealthy	
returns an unhealthy check	0.002469
when the database is healthy	
returns a healthy check	0.003779
ColorValidator	
error messages	
when the message is not defined	
adds the default message	0.00281
when the message is defined	
adds the customized message	0.002399
validations	
given valid hex codes	
#f1f1f1 should be valid	0.001949
	1.152515

#ff00ff should be valid	0.0
#fff should be valid	0.0
#ffffff should be valid	0.0
#f0f should be valid	0.0
given invalid hex codes	
#fffffff should not be valid	0.00
#f1f1 should not be valid	0.0
#ff should not be valid	0.0
dications::Product	
is expected to belong to source required: true	0.0
is expected to have many forms through form_products	0.0
is expected to validate that :name cannot be empty/falsy	0.0
is expected to have many ingredient_products dependent => destroy	0.0
is expected to belong to category optional: true	0.0
is expected to have many form_products dependent => destroy	0.0
is expected to belong to virtual_product optional: true	0.0
is expected to respond to #active_ingredients	0.0
is expected to have many ingredients through ingredient_products	0.0
is expected to have many packages dependent => destroy	0.0
is expected to validate that :identifier cannot be empty/falsy	0.0
is expected to validate that :state cannot be empty/falsy	0.0
has a default synced_at	0.0
is expected to belong to company optional: true	0.0
is expected to have many administration_routes through product_routes	0.0
is expected to have many prescribable_units dependent => destroy	0.0
is expected to have many units through prescribable_units	0.0
is expected to have many product_routes dependent => destroy	0.0
prescribable	
returns only products without ended_at date or ended_at in the future	0.1
returns only active products	0.1
raturns an empty list when the product is virtual	0.0
returns an empty list when the product is virtual	
returns other products which share the same virtual parent if actual	0.1
vhen the product is virtual	
is expected to validate that :virtual_product is empty/falsy	0.0
is expected to have many actual_products	0.0
initialize_intradialytic_home	
defaults to source values	
is expected to be ambulatory	0.0
is expected not to be intradialytic	0.0
active_ingredient_name	
returns a concatenation of the ingredients name when 2	0.0
returns a concatenation of only the active substances ingredients name when mixed	0.0
returns a concatenation of the ingredients name when 3	0.0
· · · · · · · · · · · · · · · · · · ·	0.0
returns a concatenation of the ingredients name when 1	
MedicinalProduct	0.1
MedicinalProduct returns sorted dose quantities	
MedicinalProduct	0.1 0.0 0.0

updates only the given fields	
denies updating patients transport if not granted	0.16694s 0.10061s
updates a patients preferred transport	0.12195s
alter and the analysis of the	
vices::Device	
returns success (200)	0.25027s
returns not found (404) if the device attachment is not found	0.23677s
audits the destroy action	0.25950s
returns forbidden (403) if the user isn't authorized	0.25137s
tPatients	
returns enrolled patients by default	0.27473s
returns information about unenrollement	0.08068s
returns forbidden (403) if the user isn't authorized	0.03024s
returns paginated result	0.29637s
sorts patients according to given sort_keys	0.36678s
returns not enrolled patients if the `scope` is `not_enrolled`	0.29678s
returns unenrolled patients if the `scope` is `unenrolled`	0.51882s
dateAccessSiteAttachments	
returns (404) if the access site is not found	0.04114s
updates only the site attachment date and note	0.62804s
	0.59100s
returns forbidden (403) if the user isn't authorized	0.591005
tAccessSiteExaminations	
returns the site examinations ordered by date descending	0.32895s
returns forbidden (403) if the user isn't authorized	0.14476s
returns not_found (404) if the site examination cannot be found	0.03386s
lete transport type	
returns success (200) and (soft) deletes the transport type	0.07296s
returns forbidden (403) when the user isn't authorized	0.05165s
ssions	
UpdateSessionTransport	0.17000
updates only the given fields	0.17083s
dender and the firm and the common and the common to discount and	0.16403-
denies updating sessions transport if not granted	
denies updating sessions transport if not granted updates a sessions preferred transport	
	0.16482s 0.18228s
updates a sessions preferred transport	0.18228s
updates a sessions preferred transport portPatients	0.18228s 0.13452s
updates a sessions preferred transport portPatients status should be 'processing' when an import is busy, and 'available' otherwise	0.18228s 0.13452s 0.14144s
updates a sessions preferred transport portPatients status should be 'processing' when an import is busy, and 'available' otherwise fails when not enough fields	0.18228s 0.13452s 0.14144s 0.03602s
updates a sessions preferred transport portPatients status should be 'processing' when an import is busy, and 'available' otherwise fails when not enough fields returns forbidden when not authorised	0.18228s 0.13452s 0.14144s 0.03602s 0.13574s
updates a sessions preferred transport portPatients status should be 'processing' when an import is busy, and 'available' otherwise fails when not enough fields returns forbidden when not authorised fails when header invalid	0.18228s 0.13452s 0.14144s 0.03602s 0.13574s 0.08180s
updates a sessions preferred transport portPatients status should be 'processing' when an import is busy, and 'available' otherwise fails when not enough fields returns forbidden when not authorised fails when header invalid insert patient	0.18228s 0.13452s 0.14144s 0.03602s 0.13574s 0.08180s 0.19438s
updates a sessions preferred transport portPatients status should be 'processing' when an import is busy, and 'available' otherwise fails when not enough fields returns forbidden when not authorised fails when header invalid insert patient isn't allowed to import a patient twice fails when not birthdate is invalid	0.18228s 0.13452s 0.14144s 0.03602s 0.13574s 0.08180s 0.19438s
updates a sessions preferred transport portPatients status should be 'processing' when an import is busy, and 'available' otherwise fails when not enough fields returns forbidden when not authorised fails when header invalid insert patient isn't allowed to import a patient twice	0.18228s 0.13452s 0.14144s 0.03602s
updates a sessions preferred transport portPatients status should be 'processing' when an import is busy, and 'available' otherwise fails when not enough fields returns forbidden when not authorised fails when header invalid insert patient isn't allowed to import a patient twice fails when not birthdate is invalid scularAccess::InterventionType returns forbidden (403) if the user isn't authorized	0.18228s 0.13452s 0.14144s 0.03602s 0.13574s 0.08180s 0.19438s 0.14388s
updates a sessions preferred transport portPatients status should be 'processing' when an import is busy, and 'available' otherwise fails when not enough fields returns forbidden when not authorised fails when header invalid insert patient isn't allowed to import a patient twice fails when not birthdate is invalid scularAccess::InterventionType	0.18228s 0.13452s 0.14144s 0.03602s 0.13574s 0.08180s 0.19438s 0.14388s 0.03779s 0.04514s
updates a sessions preferred transport portPatients status should be 'processing' when an import is busy, and 'available' otherwise fails when not enough fields returns forbidden when not authorised fails when header invalid insert patient isn't allowed to import a patient twice fails when not birthdate is invalid scularAccess::InterventionType returns forbidden (403) if the user isn't authorized returns success (200) and the created intervention_type audits the create action	0.18228s 0.13452s 0.14144s 0.03602s 0.13574s 0.08180s 0.19438s 0.14388s 0.03779s 0.04514s
updates a sessions preferred transport portPatients status should be 'processing' when an import is busy, and 'available' otherwise fails when not enough fields returns forbidden when not authorised fails when header invalid insert patient isn't allowed to import a patient twice fails when not birthdate is invalid scularAccess::InterventionType returns forbidden (403) if the user isn't authorized returns success (200) and the created intervention_type audits the create action	0.18228s 0.13452s 0.14144s 0.03602s 0.13574s 0.08180s 0.19438s 0.14388s 0.043779s 0.04457s
updates a sessions preferred transport portPatients status should be 'processing' when an import is busy, and 'available' otherwise fails when not enough fields returns forbidden when not authorised fails when header invalid insert patient isn't allowed to import a patient twice fails when not birthdate is invalid secularAccess::InterventionType returns forbidden (403) if the user isn't authorized returns success (200) and the created intervention_type audits the create action angeUserPassword denies when new_password and new_password_confirmation are not equal	0.18228s 0.13452s 0.14144s 0.03602s 0.13574s 0.08180s 0.19438s 0.14388s 0.04457s 0.04457s
updates a sessions preferred transport portPatients status should be 'processing' when an import is busy, and 'available' otherwise fails when not enough fields returns forbidden when not authorised fails when header invalid insert patient isn't allowed to import a patient twice fails when not birthdate is invalid scularAccess::InterventionType returns forbidden (403) if the user isn't authorized returns success (200) and the created intervention_type audits the create action angeUserPassword denies when new_password and new_password_confirmation are not equal denies when new_password and new_password_confirmation are not equal	0.18228s 0.13452s 0.14144s 0.03602s 0.13574s 0.08180s 0.19438s 0.14388s 0.043779s 0.04457s 0.05681s 0.03834s
updates a sessions preferred transport portPatients status should be 'processing' when an import is busy, and 'available' otherwise fails when not enough fields returns forbidden when not authorised fails when header invalid insert patient isn't allowed to import a patient twice fails when not birthdate is invalid scularAccess::InterventionType returns forbidden (403) if the user isn't authorized returns success (200) and the created intervention_type audits the create action angeUserPassword denies when new_password and new_password_confirmation are not equal changes any password when admin	0.18228s 0.13452s 0.14144s 0.03602s 0.13574s 0.08180s 0.19438s 0.14388s 0.04457s 0.04514s 0.04457s 0.05681s 0.03834s 0.07218s
updates a sessions preferred transport portPatients status should be 'processing' when an import is busy, and 'available' otherwise fails when not enough fields returns forbidden when not authorised fails when header invalid insert patient isn't allowed to import a patient twice fails when not birthdate is invalid scularAccess::InterventionType returns forbidden (403) if the user isn't authorized returns success (200) and the created intervention_type audits the create action angeUserPassword denies when new_password and new_password_confirmation are not equal denies when new_password and new_password_confirmation are not equal	0.18228s 0.13452s 0.14144s 0.03602s 0.13574s 0.08180s 0.19438s

is expected to validate uniqueness of name	0.05567
is expected to validate that :grams cannot be empty/falsy	0.05567s 0.00845s
is expected to validate that :grams looks like an integer greater than 0	0.02186s
is expected to belong to patient required: true	0.007103
is expected to validate that :name cannot be empty/falsy	0.012899
returns an error when unauthorized	0.04705
	0.04795
gets a tlf file of report	0.04016
urgePatientsJob	
only purges patients admitted past the configured timespan that where never enrolled	0.32757
cenario	
tests from enrollment to ending the first session	0.67636
deletes sessions if cancelled before connect phase	0.55118
edications::AdministrationRoute	
is expected to validate that :name is case-sensitively unique within the scope of :source id	0.03120
is expected to have many products through product routes	0.00420
is expected to validate that :name cannot be empty/falsy	0.03635
is expected to validate that :identifier cannot be empty/falsy	0.01384
is expected to have many product_routes dependent => destroy	0.00406
is expected to belong to source required: true	0.00762
.most_used	0.20001
returns the top used item when 1 limit is given	0.39891
accepts a source to limit the initial group	0.07676
returns only used items	0.05782
eleteInfectionForPatient	
deletes an existing infection	0.07845
returns forbidden (403) if the user isn't authorized	0.06185
nrollments	
removes all future plannings for the unenrolled patient	0.42282
stops all active plannings for the unenrolled patient	0.22487
fails if unauthorized	0.09085
fails if patient not found	0.02932
unenrolls the patient	0.12592
fails if there is an ongoing session	0.14471
top order	
fails on a recurring order in the future	0.06694
fails if order is already ended	0.07349
fails stopping if order not found	0.03071
stops a recurring order	0.07515
rejects stopping if order is already archived	0.06561
fails on one-off orders in the future	0.06511
rejects stopping if not granted	0.03082
purnal Entries	0.22014
returns the last month entries if period is set so	0.22814
returns the today's entries if period is set so	0.20937
returns the meta data	0.12385
returns entries ordered by date descending	0.17506
returns the last two-week entries if period is set so	0.16863
returns paginated entries	0.20440
fails if user has no rights for the given journal	0.14441
returns entries filtered by tags	0.21100
fails if journal is invalid	0.12284

atioType	
(de-)serializes	0.0102
# - 	
returns nil when object is nil	0.0033
returns a ratio when the object is a string	0.0033
returns a ratio when the object is a samig	0.0114
raises a TypeError when the object cannot be cast	0.0025
returns the object when the object is a ratio	0.0056
etSessionTaskGroups	0.1621
returns 403 forbidden if the user is unauthorized	0.1631
returns a list of task groups	0.2073
tients::Allergy	
is expected to belong to patient required: true	0.0052
is expected to validate that :substance cannot be empty/falsy	0.0092
is expected to validate that :reaction cannot be empty/falsy	0.0092
onfigurations::Services::Discover	
publishes a discover message if enabled	0.0024
does not publish a discover message if disabled	0.0027
eleteCenterAci	
returns forbidden (403) if the user isn't authorized	0.0565
deletes the user's global center acl	0.115:
	0.113
rameter::Types::Float	
must be initialized with a numeric value	0.0030
fails to create float parameter with incompatible units	0.0028
coerces a numeric value into a floating point number	0.0023
#display_value	
properly converts value	0.0033
evices::Device	
returns forbidden (403) if the user isn't authorized	0.0462
returns success (200) and alphabetically sorted devices	0.1457
returns devices filtered on a center	0.1332
ırrent User API	
update	
requires authentication	0.020
updates avatar	0.315
updates current user information	0.059
show	
returns the current user	0.048
requires authentication	0.0110
ld Code to a Codable	
returns forbidden (403) when the user isn't authorized	0.078
returns not found (401) when using an unknown codable type	0.069
returns success (200) and adds the code to the product	0.090
validates the slug column	0.012
validates the stug column	0.012
#sluggify	
when no slug column exists	
raises an exception	0.007

when slug column exists

when slug_column is set	
parameterizes that value when validation is called	0.00279s
when no slug_column is set	
raises an exception	0.00238s
Billing::ItemAdapter	0.21416
serializes time without time zone correctly serializes billing_code/billing_code_type field correctly on medication billing item	0.21416s 0.40479s
serializes case_id/admission_id fields correctly on out patient	0.21112s
serializes common fields correctly	0.21249s
serializes order type correctly	0.20557s
serializes UTC time zone correctly	0.24875s
serializes billing_code/billing_code_type field correctly on fee billing item	0.20105s
serializes billing_code/billing_code_type field correctly on forfait billing item	0.20467s
serializes non-UTC time zone correctly	0.21349s
serializes session type correctly	0.34302s
serializes case_id/admission_id fields correctly on in patient	0.25096s
serializes medication type correctly	0.47108s
Sessions::Services::ConsumeSessionDisposables	
#call	
consumes defined disposables	
marks the disposables as consumed	0.75925s
BriefingParticipants	
when retrieving participants	
fails if the given briefing does not exist	0.05053s
returns an empty list if no participant is set	0.07379s
returns all participants sorted by username	0.23516s
Medications::MedicinalProduct	
is expected to have carbon :id and :external_meta_information	0.00285s
is expected to have many product_ingredients	0.00251s
is expected to belong to pharma_company required: true	0.00454s
is expected to have many medicinal_variants	0.00263s
is expected to have many medicinal_product_packages	0.00248s
.in_formulary	
returns all medicinal products that have a matching formulary item	0.10443s
.search_by_name	0.00055
finds all medicinal products matching name	0.09966s
Validators::TypeValidator	
fails if type is not supported	0.00229s
validates integer values	0.00307s
validates float values	0.00298s
validates string values	0.00303s
validates boolean values	0.00294s
GET /patients/:patient_id/ultrafiltration_volume_adjustments	
returns an empty list if no ultrafiltration volume adjustments exist	0.12500s
returns a list of ultrafiltration volume adjustments	0.12717s
returns 403 forbidden if the user isn't authorized	0.09655s
Lock	
creates a lock for a key	0.00271s
return only one lock per key	0.00232s
UsersController	

to the same of	
index returns active users when the scope parameter is active	0.0
sorts the returned list on first_name desc	0.0
sorts the returned list on last_name and first_name	0.1
requires authorization	-0.0
returns max page size when page size too large	0.4
returns paginated users	0.0
returns all the users with a certain profession	0.1
returns all users when the scope parameter is all	0.1
sorts the returned list on first name	0.1
sions::Services::KtvCalculator	
t/V calculations for session	
returns Kt/V calculations	0.1
return correct Kt/V calculations for a session duration of 277 minutes	0.1
when lab observations don't include time information	
calculates Kt/V correctly	0.2
lress	
is expected to validate that :addressable cannot be empty/falsy	0.0
is expected to validate that :address_type is either <"residence">, <"other">, or <"legal_domicile">	0.0
is expected to validate that :address_type cannot be empty/falsy	0.0
is expected to belong to addressable required: true	0.0
eteDiet	
delete a diet	0.0
rejects diet deletion if not granted	0.0
fails deletion when diet not found	0.0
formAction	
performs an action	0.3
returns 404 if the action cannot be found	0.2
returns 403 forbidden if the user dos not have the correct journal rigths	0.2
returns 403 forbidden if the user isn't authorized	0.1
ices::Device returns device_configuration for a device	0.0
returns forbidden (403) if the user isn't authorized	0.0
	0.0
health	
then all resources are healthy	0.6
returns success (200)	0.0
then one resources is unhealthy	
returns internal server error (500)	0.0
OrdersCategories	
returns a list of categories	0.0
orts::ReportTemplate	
is expected to validate that :name cannot be empty/falsy	0.0
is expected to validate that :template cannot be empty/falsy	0.0
is expected to validate that :name is either <"billing_report">, <"transport_overview_report">, <"journal_printout">, <"session_sign_off_report">, or <"home medication schedule">	0.0
	0.0
returns a temporary file	0.0
	0.0

is expected to validate that :code cannot be empty/falsy	
validates uniqueness of name	0.01063s- 0.01827s
is expected to validate that :name cannot be empty/falsy	0.01080s
is expected to have carbon :id, :code, and :name	0.00272s
is expected to have many rooms	0.00254s
validates uniqueness of code	0.01679s
	3.1.3.7.1.
Laboratory results	
returns lab results	0.17403s
returns lab results ordered newest first	0.14191s
returns no results when patient has no lab results	0.11181s
requires an authorized user	0.09560s
returns no results when subset query parameter is invalid	0.11895s
returns lab results for a specific period	0.13505s
CreateGlobalCenterAcl	
returns forbidden (403) if the user isn't authorized	0.03297s
fails when the acl already exists	0.09670s
creates a global center acl	0.06240s
ContextLinks::Base	
is expected to validate that :name cannot be empty/falsy	0.01435s
is expected to validate that :name is case-sensitively unique	0.01376s
is expected to validate that :type cannot be empty/falsy	0.01449s
is expected to validate that :uri cannot be empty/falsy	0.01414s
GetOrdersForPatient	
requires authorization	0.06774s
returns historic orders for a given patient	0.10450s
returns archived orders for a given patient	0.10981s
returns active orders for a given patient	0.10351s
returns future orders for a given patient	0.12423s
returns orders for a given frequency	0.07496s
Charts::WeightHistory	
#call	0.07007
returns the patient's weigth for the last five sessions	0.07327s
GetWoundEvaluation	
returns forbidden (403) if the user isn't authorized	0.09821s
returns not_found (404) if the wound cannot be found	0.04471s
returns evaluations ordered by registration date descending	0.32064s
returns paginated result	0.31029s
Update exportable	
returns success (200) and the exportable	0.07063s
returns not found (404) if the exportable is not found	0.03460s
returns forbidden (403) if the user isn't authorized	0.04388s
returns unprocessable entity (422) when trying to modify a ready record	0.04466s
returns unprocessable entity (422) when trying to modify an exported record	0.04759s
returns unprocessable entity (422) when using invalid parameters	0.05602s
Medications::Dosage	
is expected to belong to administration_route required: true	0.03671s
is expected to belong to order required: true	0.02315s
dose	
is expected to validate that :dose cannot be empty/falsy	0.02350s
when dose is a quantity	
saves	0.07513s

does not save	0.019
when dose is a range	
saves	0.071
4-1	
returns success (200) but does not update the name when trying to change it	0.046
returns success (200) but does not update the name when trying to change it	0.046
returns not found (404) if the source is not found	0.032
returns forbidden (403) if the user isn't authorized	0.032
dications::Prescriptions::Ehealth::Reports::RecipePrescriptionReport	0.27
creates a report from medication order with multiple items	0.27
creates a report from medication order with a single item creates a report from an order with magistral preparations	0.38
	0.43
ients::AdmissionEvent	
is expected to validate that :type is either <"admission"> or <"discharge">	0.00
is expected to belong to patient required: true	0.00
is expected to validate that :type cannot be empty/falsy	0.00
rk exportable as ready	
returns unprocessable entity (422) when marking an exported record	0.30
returns forbidden (403) if the user isn't authorized	0.36
creates a billing execution for billing exportables	0.38
returns not found (404) if the exportable is not found	0.03
returns success (200) and the exportable	0.36
creates a pharmacy execution for medication exportables	0.47
returns unprocessable entity (422) when marking a ready record	0.34
ients::PatientMasterRecord	
returns a paginated list of patient master records	0.41
returns forbidden (403) if the user isn't authorized	0.03
nchronous exports: transport_prognosis	
generates the report	0.74
queue	
returns forbidden (403) if the user isn't authorized	0.04
returns success (200) and the executions sorted by created_at	0.23
returns unprocessable entity (422) if the runner was not specified	0.04
PatientIdentifiers	
returns forbidden (403) if the user isn't authorized	0.10
returns all identifiers for a patient	0.13
	0.25
ndjournalitemjob	
sends a json payload to an endpoint	0.14
	0.14
「/api/connectors/:id/devices	0.14 0.14 0.04
return success (200) and the connectors	0.14 0.04
return success (200) and the connectors returns not found (404) if the connector is not known returns forbidden (403) if the user isn't authorized	0.14
return success (200) and the connectors returns not found (404) if the connector is not known returns forbidden (403) if the user isn't authorized nning::Decorators::OnEvenWeeks	0.14 0.04
return success (200) and the connectors returns not found (404) if the connector is not known returns forbidden (403) if the user isn't authorized nning::Decorators::OnEvenWeeks	0.14 0.04 0.05
return success (200) and the connectors returns not found (404) if the connector is not known returns forbidden (403) if the user isn't authorized nning::Decorators::OnEvenWeeks even week is expected to be scheduled	0.14 0.04
return success (200) and the connectors returns not found (404) if the connector is not known returns forbidden (403) if the user isn't authorized nning::Decorators::OnEvenWeeks	0.14 0.04 0.05

is expected to belong to site_examination required: true	0.00544s
Exports::Exporters::MedicationAdministrationPrognosis	
filters by shift_id if one was specified	0.82504s
does not include patients that have no medication prescriptions	1.17807s
does not include patients that have no planned sessions	1.09961s
filters by room_id if one was specified	0.89660s
does not include absent patients	0.76549s
contains patients with medication products and variants	0.85663s
filters by medicinal_product_id if one was specified	0.81010s
filters by center id if one was specified	0.81045s
multiplies the quantity with the session count	0.95483s
deviations	
includes patients with deviations (removed session)	0.70429s
includes patients with deviations (added session)	0.84785s
	0.0.77000
Search Administration Routes	
can filter by source	0.09504s
can filter by best_guessed with name	0.41390s
can filter by most-used	0.46161s
filtering with blanco name returns same results as without	0.57299s
returns forbidden (403) if the user isn't authorized	0.03952s
returns an list of administration_routes	0.11218s
can filter by name	0.10971s
can filter by best_guessed	0.58986s
GetActions	
returns the action taxonomy for a given user and session	0.30380s
returns 403 forbidden if the user isn't authorized	0.14627s
Chronos::Services::DeviceSync	
updates the device with the device info from chronos	0.02527s
Sessions::SessionProgress	
#call	
when treatment is HD	
returns 11 session progress parameters in tabular form	0.51684s
when treatment hasn't started yet	
returns no session progress rows	0.36146s
when treatment is HDF	
aggregates progress parameters by time window for ongoing sessions	0.91022s
aggregates session parameters by time window for ended session	1.01330s
returns session progress parameters in tabular form sorted by blood pressure	0.78635s
Medications::ProductStock	
is expected to belong to product required: true	0.00788s
is expected to belong to stock required: true	0.00714s
PatientTreatments	
fails if combination of params is not valid	0.21683s
updates patient treatment	0.41920s
accepts going from 'chronic' to 'acute'	0.34283s
does not add entry to history if data does not change	0.32539s
updates the patient master record	0.66162s
fails if unauthorized	0.17915s
fails if patient does not exist	0.13246s
Asynchronous reports: autodialysis	
generates the report	0.71544s
	0.710743

Configurations::Services::Revert	
reverts the configuration to default value	0.01472s
Planning::Planner	
#partial_planning	
includes add deviations	0.21106s
filters out absent patients	0.36476s
gives precedence to add deviations	0.28017s
does not return unused positions	0.07176s
considers absence, end date included	0.53278s
returns planning for the given date range	0.18543s
returns one day planning	0.14317s
creates a reserve when a position has several patients	0.39402s
excludes remove deviations	0.32795s
considers absence, end date included also when date range is end date of absence	0.39030s
#planned_deviations	
returns a list of add deviations	0.22913s
returns an empty list if there are no deviations	0.00461s
returns a list of all deviations over all centers	0.51083s
#planned_absences	0.00406
returns an empty list if there are no planned absences	0.00406s
returns the list of planned absences for the given date range	0.09342s
#issues	
returns problems over all the centers	0.38149s
reports no issues if there are no deviations	0.00669s
does not reports issues when deviations balance equals 0	0.13136s
reports issues if a patient has some remove deviation	0.14604s
reports issues if a patient has some add deviation	0.13724s
Executions::Base	
transitions from :executing to :errored if an error was raised	0.06586s
is expected to have states "created", "scheduled", "enqueued", "executing", "waiting", "completed", and "errored"	0.02520s
transitions from :errored to :scheduled on retry	0.07211s
is expected to have initial state :created	0.02557s
transitions from :executing to :completed if no error is raised	0.03949s
transitions from :executing to :errored if an ExecutionError was raised	0.06624s
is expected to transition state to :scheduled from :errored on event :retry, with params: [] (on :default)	0.03010s
is expected to transition state to :scrieduled from :errored on event :error, with params: [] (on :default)	0.03072s
is expected to transition state to :enrored from :executing on event :execute, with params: [] (on :default)	0.02808s
is expected to transition state to :executing from :executing on event :complete, with params: [] (on :default)	0.02977s
is expected to transition state to :waiting from :enqueued on event :wait, with params: [] (on :default)	0.02586s
is expected to transition state to :waiting from :enqueded on event :wait, with params: [] (on :default)	0.025003 0.02649s
is expected to transition state to ischeduled from waiting on event continue, with params. [] (on iderault)	0.020433
#schedule	
transitions from created to enqueued when the job is enqueueable	0.02856s
transitions from created to scheduled when the job is not enqueueable	0.08751s
Create transport type	
returns forbidden (403) when the user isn't authorized	0.03189s
return unprocessable entity (422) when reusing a name	0.04126s
allows to reuse the name of deleted transport type	0.04839s
returns created (200) and the transport type	
returns created (200) and the transport type	0.03922s
	0.03922s
ChangeCurrentUserPassword denies when old password does not match old password	0.03922s 0.04081s

changes password	0.04583s
denies when new_password and new_password_confirmation are not equal	0.03111s
Wounds::WoundEvaluation	
is expected to validate that :moisture cannot be empty/falsy	0.01347s
is expected to validate that :hed cannot be empty/falsy	0.01272s
is expected to validate that :bed is either <"granulation">, <"fibrin">, <"necrotic">, <"pus">, or <"mixed">	0.02222s
is expected to validate that ledge cannot be empty/falsy	0.01280s
is expected to validate that :edge came be empty/raisy is expected to validate that :moisture is either <"dry">, <"moist">, or <"exudate">	0.01615s
is expected to have many images	0.00329s
is expected to belong to user required: true	0.00727s
is expected to validate that :edge is either <"normal">, <"sharp">, or <"undermined">	0.01701s
is expected to belong to wound required: true	0.00786s
is expected to validate that :size cannot be empty/falsy	0.01368s
is expected to validate that is the entirely halfy	0.013003
Transport overview report	
gets a pdf with the transport overview	0.22248s
Devices::Device	
is only allowed to create dialysis and ro devices	0.00757s
is expected to belong to center required: true	0.00600s
is expected to validate that :serial_number cannot be empty/falsy	0.01034s
is possible to create an ro device based on the system design parameter	0.00798s
is expected to validate that :name cannot be empty/falsy	0.01016s
validate uniqueness of name	0.02370s
is expected to have many attachments	0.00282s
adds methods for all meta data fields defined	0.02097s
is expected to have one connector_device	0.00249s
Even tion of Complete During	
Executions::Services::Purge purges expired executions	0.19448s
purges expired executions	0.134403
UpdateContact	
fails if contact does not exist	0.03191s
updates the given contact	0.10751s
denies updating if not granted	0.09932s
fails if new contact info is invalid	0.11203s
Tasks::TaskRecord	
is expected to validate that :order cannot be empty/falsy	0.00745s
is expected to validate that :status is either <"pending">, <"completed">, <"delayed">, or <"cancelled">	0.01195s
is expected to belong to task_group_record required: true	0.00554s
is expected to belong to actor optional: true	0.00489s
is expected to validate that :order looks like an integer	0.00719s
is expected to validate that :status cannot be empty/falsy	0.02983s
UpdatePatientDiets	
fails if patient does not exist	0.05168s
sets patient's diet when he/she has no diets	0.12565s
requires write rights	0.09927s
updates patient's diet	0.14977s
returns not found if the diet does not exist	0.12102s
updates audit information	0.19824s
	0.130243
Charts::VascularAccessFlowHistory	
#call	
returns access flow measurements for last 2 years	
,	0.91243s
Asynchronous pharmacy export	0.91243s
	0.91243s 0.72563s

adds an execution to the queue	
MigrateConfiguration	0.44464s
creates the appropriate configurations	0.35538s
SEND_SESSION_SUMMARY_TO_EHR	0.20506
migrates correctly when it is `adhoc`	0.30506s
migrates correctly when it is `never` migrates correctly when it is `always`	0.29707s 0.34707s
	0.347075
Destroy exportable	
returns success (200) and the exportable	0.05871s
returns not found (404) if the exportable is not found	0.03909s
returns unprocessable entity (422) when trying to destroy a ready record	0.04114s
returns forbidden (403) if the user isn't authorized	0.03815s
Asynchronous reports: program_book	
generates the report	0.37437s
VascularAccess::SiteAttachment	
is expected to have an attachment named media	0.00338s
is expected to belong to site required: true	0.00523s
Requests::Schedule	
is expected to validate that :started_at cannot be empty/falsy	0.02002s
Planning::Decorators::OnDays	0.00244-
is scheduled on a thursday	0.00244s
is scheduled on a friday is not scheduled on days that are not planned	0.00251s 0.00235s
is scheduled on regular days that are planned	0.00224s
is scheduled on a sunday	0.002243
is scheduled on a wednesday	0.00262s
is scheduled on a tuesday	0.00229s
is not scheduled when there is nothing planned	0.00232s
is scheduled on a monday	0.00234s
is scheduled on a saturday	0.00231s
monday or tuesday	
is not scheduled on the second day	0.00253s
is not scheduled on the first day	0.00235s
is not scheduled on the second day when there is a session planned on the first day	0.00233s
is not scheduled on the second day when there is a session planned on the first day	0.002313
completed session on the second day	
is not scheduled on the second day when there is a session planned on the first day	0.00249s
is not scheduled on the first day	0.00232s
is not scheduled on the second day	0.00253s
no completed sessions	
is scheduled on the second day	0.00500s
is scheduled on the first day	0.00476s
is not scheduled on the second day when there is a session planned on the first day	0.00403s
wednesday or thursday	
is not scheduled on the second day when there is a session planned on the first day	0.00246s
completed session on the second day	
is not scheduled on the first day	0.00236s
is not scheduled on the second day	0.00221s
completed session on the first day	0.00253
is not scheduled on the second day	0.00252s

is not scheduled on the first day	0.00231s
is not scheduled on the second day when there is a session planned on the first day	0.00241s
no completed sessions	
is scheduled on the first day	0.00424s
is scheduled on the second day	0.00419s
is not scheduled on the second day when there is a session planned on the first day	0.00375s
#cwday_to_date	
on complete weeks	
starting on monday	0.00238s
starting on wednesday	0.00239s
starting on tuesday	0.00224s
on incomplete weeks	0.00236s
starting on wednesday starting on tuesday	0.00236s
starting on monday	0.00234s
Scarcing on monday	0.002303
friday or saturday	
completed session on the second day	
is not scheduled on the second day	0.00235s
is not scheduled on the second day when there is a session planned on the first day	0.00230s
is not scheduled on the first day	0.00238s
completed session on the first day	
is not scheduled on the first day	0.00243s
is not scheduled on the second day when there is a session planned on the first day	0.00265s
is not scheduled on the second day	0.00249s
no completed sessions	
is scheduled on the first day	0.00410s
is not scheduled on the second day when there is a session planned on the first day	0.00409s
is scheduled on the second day	0.00413s
Get sources	
returns success (200) and the sources filtered by enabled	0.05019s
returns success (200) and the sources	0.12063s
returns forbidden (403) if the user isn't authorized	0.04177s
Create authentication	
returns unauthorized (401) if there's no remote user header provided	0.02785s
returns created (201) and a JWT	0.04356s
returns unauthorized (401) if the user was soft deleted	0.04047s
returns unauthorized (401) if user doesn't exist	0.02931s
returns success (200) and exportables sorted by created at	0.09712s
returns success (200) and exportables sorted by created_at	0.09840s
returns exportables filtered by start_date/end_date if date params were passed	0.13002s
returns exportables intered by start_date/end_date in date params were passed returns forbidden (403) if the user isn't authorized	0.04084s
returns exportables filtered by center if center id param was passed	0.10842s
returns exportables filtered by state if state param was passed	0.14775s
CreateStandingOrder	0.0074
returns (422) if the standing order already exists	0.09714s
returns created magistral standing order	0.07271s
returns (403) if the user isn't authorized returns created product standing order	0.06407s 0.08973s
	0.003735
when prescriber practitioner identifiers are required	
returns (422) if the standing order's prescriber is set to a doctor without a practitioner_identifier	0.09653s

returns (422) if the standing order's prescriber is set to a nurse	0.105149
	0.105143
ie nysestad to helpog to journal antru required, true	0.006009
is expected to belong to journal_entry required: true is expected to belong to created by required: true	0.005709
is expected to belong to briefing required: true	0.005705
	0.003712
tPatientVascularAccessSites	0.12007
includes number of interventions fails if patient does not exist	0.13097:
includes last intervention	0.144479
requires write rights	0.03002
returns patient's vascular access sites	0.19450
returns patient's vascular access sites where deleted at is nil	0.14151
iefings	
when updating briefings	0.00015
fails if briefing is closed	0.06215
updates existing briefing	0.06827
fails if briefing does not exist	0.03420
when retrieving briefings	
returns entries ordered by date descending	0.13124
returns paginated entries	0.22031
when creating briefings	
creates a new briefing	0.09584
when retrieving one briefing	
fails if the givem briefing does not exist	0.08224
returns the given briefing	0.06138
gbook Comments	
returns comments for a given logbook entry	0.37549
creates a new comment for a given logbook entry	0.17873
when updating an existing comments succeeds for the original author	0.13426
fails for users other that the original author	0.19864
·	0.12500 .
when deleting an existing comments	
fails for users other that the original author	0.21002
succeeds for the original author	0.19774
lete transplant eligibility status	
returns success (200) and soft-deletes the transplant eligibility status when it's in use	0.10149
returns forbidden (403) when the user isn't authorized	0.04497
returns success (200) and deletes the transplant eligibility status if not in use	0.07162
anning::Deviation	
is expected to belong to shift required: true	0.00743
is expected to validate that :date cannot be empty/falsy	0.00922
is expected to belong to patient required: true	0.00687
is expected to have one room	0.00299
	0.00607
is expected to belong to position required: true	
is expected to belong to position required: true is expected to validate that :type is either <"add"> or <"remove">	0.01072
	0.01072
is expected to validate that :type is either <"add"> or <"remove">	0.01072 0.22649
is expected to validate that :type is either <"add"> or <"remove"> .this_week_and_upcoming_for	

is expected not to validate that :arrival_time cannot be empty/falsy	0.00691s
when adding a deviation is expected to validate that :arrival_time cannot be empty/falsy	0.008579
#counterpart	0.15520-
finds deviation conterpart	0.15538s 0.13861s
returns null if deviation has no conterpart	0.130018
ET /ultrafiltration_volume_adjustments/:id	
returns 404 not found if the ultrafiltration volume adjustment does not exist	0.041665
returns the ultrafiltration volume adjustment	0.13886s
returns 403 forbidden if the user isn't authorized	0.04031s
pdateAddressForPatient	
updates an existing address	0.09993s
updates note for an existing address	0.09049s
accepts changing the address type	0.11203s
returns forbidden (403) if the user isn't authorized	0.136089
updating a patient's legal domicile	
succeeds	0.10204s
when manual patient management is disabled	
fails	0.09740s
ratient weights	
returns forbidden (403) if the user isn't authorized	0.03715s
returns not found (404) if the patient cannot be found	0.03723s
returns all weights for a patient	0.13480s
Orders::OrderAdapter	0.03500-
serializes correctly	0.03598s
Vounds::Wound	
is expected to have many evaluations	0.002929
is expected to validate that :type is either <arterial_ulcer>, <:venous_ulcer>, <:intertrigo>, <:skin_tear>, <:diabetic_foot>, <:chafe>, <:surgical_wound>, or <:other></arterial_ulcer>	0.01501s
is expected to validate that :location cannot be empty/falsy	0.00797s
is expected to belong to patient required: true	0.005799
is expected to validate that :type cannot be empty/falsy	0.00858s
earch Codes	
can limit the result	0.062999
	0.06111s
returns an list of codes when no query is given	0.06916s
returns an list of codes when no query is given returns the list filtered by code or description	
	0.066675
returns the list filtered by code or description	0.06667s
returns the list filtered by code or description returns forbidden (403) if the user isn't authorized	0.066675
returns the list filtered by code or description returns forbidden (403) if the user isn't authorized onfigurations::String	
returns the list filtered by code or description returns forbidden (403) if the user isn't authorized onfigurations::String casts to string	
returns the list filtered by code or description returns forbidden (403) if the user isn't authorized onfigurations::String casts to string when `allowed_values` is set	0.00821s
returns the list filtered by code or description returns forbidden (403) if the user isn't authorized onfigurations::String casts to string when `allowed_values` is set allows listed values disallows non-listed values	0.00821s 0.01321s
returns the list filtered by code or description returns forbidden (403) if the user isn't authorized configurations::String casts to string when `allowed_values` is set allows listed values disallows non-listed values	0.00821s 0.01321s
returns the list filtered by code or description returns forbidden (403) if the user isn't authorized configurations::String casts to string when `allowed_values` is set allows listed values disallows non-listed values updating a patient's basic information	0.00821s 0.01321s 0.01318s
returns the list filtered by code or description returns forbidden (403) if the user isn't authorized configurations::String casts to string when `allowed_values` is set allows listed values disallows non-listed values update patient updating a patient's basic information fails with not_found when the patient does not exis	0.00821s 0.01321s 0.01318s 0.09055s
returns the list filtered by code or description returns forbidden (403) if the user isn't authorized configurations::String casts to string when `allowed_values` is set allows listed values disallows non-listed values pdate patient updating a patient's basic information fails with not_found when the patient does not exis is forbidden when unauthorized	0.00821s 0.01321s 0.01318s 0.09055s 0.07355s
returns the list filtered by code or description returns forbidden (403) if the user isn't authorized configurations::String casts to string when `allowed_values` is set allows listed values disallows non-listed values pdate patient updating a patient's basic information fails with not_found when the patient does not exis is forbidden when unauthorized fails with unprocessable_entity when trying to assign an invalid attending doctor	0.00821s 0.01321s 0.01318s 0.09055s 0.07355s 0.09015s
returns the list filtered by code or description returns forbidden (403) if the user isn't authorized configurations::String casts to string when `allowed_values` is set allows listed values disallows non-listed values pdate patient updating a patient's basic information fails with not_found when the patient does not exis is forbidden when unauthorized	0.00821s 0.01321s 0.01318s 0.09055s 0.07355s 0.09015s
returns the list filtered by code or description returns forbidden (403) if the user isn't authorized onfigurations::String casts to string when 'allowed_values' is set allows listed values disallows non-listed values disallows non-listed values pdate patient updating a patient's basic information fails with not_found when the patient does not exis is forbidden when unauthorized fails with unprocessable_entity when trying to assign an invalid attending doctor succeeds when authorized and with a valid payload earch Companies	0.00821s 0.01321s 0.01318s 0.09055s 0.07355s 0.09015s
returns the list filtered by code or description returns forbidden (403) if the user isn't authorized onfigurations::String casts to string when `allowed_values` is set allows listed values disallows non-listed values pdate patient updating a patient's basic information fails with not_found when the patient does not exis is forbidden when unauthorized fails with unprocessable_entity when trying to assign an invalid attending doctor succeeds when authorized and with a valid payload	0.00821s 0.01321s

	0.24740
can filter by most-used	0.34718s
can filter by name can filter by source	0.11567s 0.10877s
	0.100773
Executions::Medications::Discover	
is expected not to be enqueueable	0.01514s
#execute!	
publishes a service discovery message	0.01911s
#schedule!	
schedules a job	0.01553s
Infrastructure::Service	
when getting services	
returns success(200) and alphabetically sorted services	0.05449s
returns forbidden (403) when the user isn't authorized	0.02985s
ContextLinks::Templated	
#validate_syntax	
is invalid when the syntax is invalid	0.00497s
#render	
renders a templated uri in the customer's timezone	0.15726s
renders a templated an in the customer's annexame	0.137203
UpdateDiet	
returns not_found (404) if the diet cannot be found	0.03392s
returns forbidden (403) if the user isn't authorized	0.03376s
updates an existing diet	0.04976s
MeasurementTypes	
requires proper authorization	0.04768s
returns all measurement types	0.04551s
Episodes::Services::Discharge	
only ends episodes with same id	0.19304s
ends an episode	0.16664s
Requests::Templates::Base is expected to belong to schedule optional: true	0.03990s
is expected to belong to requestable required: true	
	0.02520s 0.02530s
is expected to belong to patient required: true	
is expected to belong to recorder required: true	0.02572s
Chronos::Services::Connector	
creates an unexpected exception for http 500 with no body	0.00855s
creates a domain error with the code as translation key for unprocessable entity exceptions	0.00436s
recovers from unauthorized exception	0.00662s
creates a no data found exception when a 404 is received from chronos	0.00515s
creates a technical error when a recoverable exception is returned, but it is not known	0.00609s
creates an unexpected exception for technical chronos exceptions	0.00664s
Upload queue	
enqueues an execution job	0.12015s
returns not found (404) if the execution is not found	0.03726s
	0.11765s
returns success (200) and the execution transitioned to `scheduled`	0.117033
returns success (200) and the execution transitioned to `scheduled` returns forbidden (403) if the user isn't authorized	0.05692s
returns forbidden (403) if the user isn't authorized returns unprocessable entity (422) if execution cannot continue	0.05692s
returns forbidden (403) if the user isn't authorized	0.05692s 0.07152s
returns forbidden (403) if the user isn't authorized returns unprocessable entity (422) if execution cannot continue GetAdministrationRoutes	0.05692s

can filter by intradialytic	0.09599s
can filter by ambulatory	0.08484s
can filter by name	0.10399s
returns forbidden (403) if the user isn't authorized	0.03945s
Create Unit	
returns success (200) and creates the unit when in in a unsupervised source	0.05840s
returns forbidden (403) when the user isn't authorized	0.04621s
returns method_not_allowed (405) when creating within a supervised source	0.04307s
returns not found (404) when using an undefined source	0.03473s
Create execution	
returns unprocessable entity (422) if the type does not exist	0.04292s
returns forbidden (403) if the user isn't authorized	0.03633s
returns created (201) and the execution transitioned to `scheduled` if it is not enqueueable	0.11622s
returns created (201) and the execution transitioned to `enqueued` if it is enqueueable	0.05902s
returns forbidden (403) if the user does not have the necessary rights	0.03440s
enqueues an execution job	0.05785s
Medications::Services::AdministerVariableDoseMedication	
creates an administration	0.37740s
creates a billing item (PENDING: Not yet implemented)	
UpdateRemarkForPatient	
updates an existing remark	0.09921s
returns forbidden (403) if the user isn't authorized	0.06695s
Sync billing item	
returns unprocessable entity (422) when syncing a billing item belonging to an exported exportable	0.39963s
returns success (200) and updates the billing item data	0.41364s
returns forbidden (403) when the user isn't authorized	0.39182s
returns not found (404) if the billing item isn't found	0.04282s
touches the billing item timestamp	0.41663s
returns a carbon copy	0.33011s
returns unprocessable entity (422) when syncing a billing item belonging to a ready exportable	0.37691s
is expected to have many billing items class name => Billing::Item through exportable billing items	0.00336s
is expected to validate that :export type cannot be empty/falsy	0.01372s
is expected to have many exportable billing items class name => Exports::ExportableBillingItem	0.00326s
is expected to validate that :start_date cannot be empty/falsy	0.00952s
is expected to validates associated :exportable billing items and :billing items	0.00417s
is expected to validate that :billing_items cannot be empty/falsy	0.01087s
is expected to belong to center optional: true	0.00782s
is expected to validate that :export_type is either <"medication"> or <"billing">	0.01436s
is expected to validate that :end_date cannot be empty/falsy	0.00979s
#medication? / #billing?	
when the exportable is medication type	
is expected to be medication	0.00952s
is expected not to be billing	0.00938s
when the exportable is billing type	
is expected not to be medication	0.00898s
is expected to be billing	0.00942s
#validate dates	
validates that end date is in the past	0.00667s
validates that end date cannot be today	0.00556s
validates that end date is greater than start date	0.00665s

validates that start date is in the past	0.00626s
#validate_overlapping_exportables	0.000203
validates overlapping exportables for different types	0.02093s
validates overlapping exportables for the same type when one does not have a center specified but the other does	0.02226s
validates overlapping exportables for the same type but different centers	0.02356s
for the same type and center	
validates overlapping exportables when there is an earlier exportable with same end date	0.01985s
validates overlapping exportables when there is an overlapping exportable	0.01806s
validates overlapping exportables when there is a later exportable with same start date	0.01818s
validates overlapping exportables when there is an earlier exportable	0.01743s
validates overlapping exportables when there is a later exportable	0.01724s
state machine	
is expected to transition state to :ready from :ready on event :download, with params: [] (on :default)	0.00905s
is expected to have initial state :draft	0.00254s
sets exported_at on export	0.32568s
cannot mark with billing items invalid for export	0.43672s
transitions state to :ready on event :mark	0.42213s
is expected to transition state to :exported from :exported on event :download, with params: [] (on :default)	0.01036s
is expected to transition state to :exported from :exported on event :export, with params: [] (on :default)	0.01096s
can be downloaded more than once	0.02868s
is expected to have states "draft", "ready", and "exported"	0.00326s
can be exported more than	0.02994s
sets downloaded_at on download	0.39699s
cannot mark without billing items	0.01181s
is expected to transition state to :exported from :ready on event :export, with params: [] (on :default)	0.01125s
#validate_export_validations	
validates billing items are valid on export	0.41358s
#filtered billing items	
filters medication billing items that do not have a corresponding formulary item	0.90581s
filters medication billing items that are non-billable	0.96362s
Configurations::Float	
casts to float	0.00970s
Planning::Decorators::OnOddWeeks	
even week	
is expected not to be scheduled	0.00256s
odd week	
is expected to be scheduled	0.00245s
VascularAccess::SiteTechnique	
site technique validations are present	
is expected to validate that :type_flag cannot be empty/falsy	0.01271s
is expected to validate that :type cannot be empty/falsy	0.01438s
is expected to validate that :name is case-sensitively unique	0.01654s
is expected to validate that :name cannot be empty/falsy	0.01573s
is expected to define :type as an enum backed by an integer with values ‹["graft", "fistula", "catheter"]›	0.01010s
is expected to define :type flag as an enum backed by an integer with values <["no type flag", "single lumen catheter", "double lumen catheter"]>	0.00874s
Madientines	
Medications	
DestroyHomeMedicationOrder	0.20766-
cancels sent orders	0.28766s
soft-deletes orders without prescription	0.20485s
fails if patient does not exist denies destroying if not granted	0.17149s 0.19806s
defined destroying it not granted	0.190008

fails if order does not exist	0.12210s
atients::PatientAttachment	
is expected to have an attachment named media	0.00355s
is expected to belong to patient required: true	0.00605s
reatments	
returns all treatments	0.08426s
requires read rights	0.03481s
returns treatments sorted by name	0.08470s
etVascularAccessSiteTechniques	
requires authorization	0.033239
returns a list of site techniques	0.039839
enter	
UpdateCenter	
requires the correct rights to update	0.067338
updates the center data	0.09699
fails updating if shifts are removed	0.08274
validates facility identifier fails if a center with given id is not found	0.05728s 0.04115s
Tails if a certical with given in is not found	0.04113:
etPatientTransport	
requires write rights	0.117669
fails if patient does not exist	0.03735
returns patient's transport preferences	0.11772:
et deviations for a patient	
lists deviations for a given patient etRoles	0.078209
returns all roles sorted by name	0.06491s
rejects roles retrieval if not granted	0.03292s
edications	
validate_provided_moments	
invalidates an invalid set of moments	0.18723;
requires read rights	0.17443
fails validation if patient not found	0.18535;
validates a valid set of moments (PENDING: Temporarily skipped with xit)	0.10000
sersController	
.destroy	
also deletes a user's global center acl's	0.07656
deletes a user when admin	0.16288
allow an admin to delete another admin role	0.13679
also deletes a user's center acl's	0.08633
rejects users deletion if not authorized	0.034439
reate order	
creates a new recurrent order	0.104239
fails when patient does not exist	0.03341:
fails when user is unauthorized	0.09211s
fails when end date comes before start date	0.10068
fails when end date is in the past	0.10084
fails when type is not included in category	0.09694
creates a new single order	0.10641s
reate exportable	
returns created (201) and the exportable	0.04475s

returns unprocessable entity (422) when using invalid parameters	0.07810s
returns created (201) and a draft record when trying to create a ready record returns forbidden (403) if the user isn't authorized	0.08283s 0.05282s
returns forbidden (403) if the user isn't additionzed	0.032825
aboratory::LabOrder	
is expected to validate that :status cannot be empty/falsy	0.01069s
is expected to validate that :external_lab_order_id cannot be empty/falsy	0.01046s
is expected to belong to patient required: true	0.00665s
.period	
return lab orders for the past month, newest first	0.30948s
return lab orders for the past three month, newest first	0.30200s
return lab orders for the past year, newest first	0.27601s
etAccessSiteAttachments	
returns not_found (404) if the site attachment cannot be found	0.03144s
returns forbidden (403) if the user isn't authorized	0.56191s
returns the site attachments ordered by date descending	1.38704s
ledications::ActiveIngredient	
is expected to have many product_ingredients	0.00275s
is expected to have many variant_ingredients	0.00960s
eleteAddressForPatient	
deletes an address	0.13327s
returns forbidden (403) if the user isn't authorized	0.13011s
rejects deleting a patient's legal domicle	0.09090s
reate medications query execution	2.12212
returns created (201) and the execution transitioned to `enqueued`	0.10219s
returns forbidden (403) if the user isn't authorized enqueues a publish job	0.00842s 0.06594s
	0.003345
pdatePrescription	
returns 422 unprocessable if patient has no treatment	0.09875s
fails to update with bad parameters and returns errors	0.29713s
returns 404 not found if patient does not exist	0.03848s 0.10595s
requires rights	0.10333
when successfully updating the prescription	
returns success and the updated prescription	0.24703s
audits the action	0.45082s
updates the prescription	0.51463s
ELETE /ultrafiltration_volume_adjustments/:id	
returns 404 not found if the ultrafiltration volume adjustment does not exist	0.04047s
returns 403 forbidden if the user isn't authorized	0.04592s
when destroying a ultrafiltration volume adjustment	
destroys the ultrafiltration volume adjustment	
	0.12842s
returns 200	0.12842s 0.12622s
returns 200 audits the action	0.12622s
returns 200	0.12622s
returns 200 audits the action ession sign off report gets a pdf with the session sign off overview	0.12622s 0.14194s
returns 200 audits the action ession sign off report gets a pdf with the session sign off overview ledications::Price	0.12622s 0.14194s 0.12221s
returns 200 audits the action ession sign off report gets a pdf with the session sign off overview ledications::Price is expected to validate that :price_cents cannot be empty/falsy	0.12622s 0.14194s 0.12221s 0.01136s
returns 200 audits the action ession sign off report gets a pdf with the session sign off overview ledications::Price is expected to validate that :price_cents cannot be empty/falsy is expected to validate that :price_type cannot be empty/falsy	0.12622s 0.14194s 0.12221s 0.01136s 0.01076s
returns 200 audits the action ession sign off report gets a pdf with the session sign off overview ledications::Price is expected to validate that :price_cents cannot be empty/falsy	0.12622s 0.14194s 0.12221s 0.01136s

actitionerValidator	
is expected to be valid	0.084969
when prescriber is nil	0.074046
is expected not to be valid	0.07404s
when a prescriber attribute is specified	
is expected not to be valid	0.05518s
when prescriber is a doctor without practitioner identifier	
is expected not to be valid	0.05670s
when prescriber is a nurse	
is expected not to be valid	0.054069
oms	
when creating a room	
creates a room in list mode	0.55337
returns an error if center does not exist	0.04350
returns an error if room dimension is under the list dimension limit	0.06255
creates a room in grid mode	0.40767
returns an error if room dimension is under/over the grid dimension limit	0.11093
returns an error if room name is not unique within a center	0.08643
returns unauthorized if unauthorized	0.05097
edications::Formulary::Item	
is expected to have many stocks class_name => Infrastructure::Stock through item_stocks	0.00250
is expected to have carbon :id, :name, :multidose, :billed_to, and :external_identifier	0.00276
is expected to validate that :name cannot be empty/falsy	0.00807
is expected to validate that :billed_to is either <"patient">, <"service">, or <"non_billable">	0.00814
is expected to have many identifiers class_name => Medications::Formulary::Identifier dependent => destroy	0.00372
#billed_to_patient? / #billed_to_service? / #non_billable? when the item is billed to the patient	
is expected not to be non billable	0.00882
is expected not to be billed to service	0.00760
is expected to be billed to patient	0.00784
when the item is non billable	
is expected not to be billed to service	0.00760
is expected to be non billable	0.00712
is expected not to be billed to patient	0.00797
when the item is billed to the service	
is expected to be billed to service	0.00726
is expected not to be billed to patient	0.00785
is expected not to be non billable	0.00708
chive order	
archives if order is already ended	
archives if order is already ended fails stopping if order not found	0.04843
archives if order is already ended fails stopping if order not found archives a recurring order	0.04843 0.09672
archives if order is already ended fails stopping if order not found archives a recurring order rejects stopping if not granted	0.04843 0.09672 0.07288
archives if order is already ended fails stopping if order not found archives a recurring order rejects stopping if not granted rejects archiving if order is already archived	0.04843 0.09672 0.07288 0.08705
archives if order is already ended fails stopping if order not found archives a recurring order rejects stopping if not granted rejects archiving if order is already archived archives a recurring order in the future	0.04843 0.09672 0.07288 0.08705 0.09059
archives if order is already ended fails stopping if order not found archives a recurring order rejects stopping if not granted rejects archiving if order is already archived	0.04843 0.09672 0.07288 0.08705 0.09059
archives if order is already ended fails stopping if order not found archives a recurring order rejects stopping if not granted rejects archiving if order is already archived archives a recurring order in the future	0.09889 0.04843 0.09672 0.07288 0.08705 0.09059
archives if order is already ended fails stopping if order not found archives a recurring order rejects stopping if not granted rejects archiving if order is already archived archives a recurring order in the future archives one-off orders in the future	0.04843 0.09672 0.07288 0.08705 0.09059
archives if order is already ended fails stopping if order not found archives a recurring order rejects stopping if not granted rejects archiving if order is already archived archives a recurring order in the future archives one-off orders in the future	0.04843 0.09672 0.07288 0.08705 0.09059

is expected to validate that :number cannot be empty/falsy validates uniqueness of order	0.03
validates uniqueness of order	0.03
rswap	
swaps the positions order	0.05
raises an error when swapping two positions from a different room	0.03
nning::Schema	
checks that no two schemas overlap	0.08
allows updating a schema without overlap warning for itself	0.10
detects overlapping schemas	0.09
is expected to belong to patient required: true	0.00
checks that start date is strictly before end date	0.00
is expected to have many schema_elements	0.00
is expected to validate that :start_date cannot be empty/falsy	0.00
checks that start date is before end date	0.00
overlapping	
returns overlapping schemas for a new schema with an end date D	0.08
returns overlapping schemas for a new schema with an end date C	0.0
returns all the schemas that a new schema does overlap	0.10
returns overlapping schemas for a new schema with an end date A	0.08
returns overlapping schemas for a new schema without end_date C	0.0
returns overlapping schemas for a new schema with an end date B	0.13
returns overlapping schemas for a new schema without end_date D	0.09
returns an empty set when no schema overlaps	0.10
returns overlapping schemas for a new schema without end_date A	0.09
returns overlapping schema	0.09
returns overlapping schemas for a new schema with an end date F	0.08
returns overlapping schemas for a new schema with an end date E	0.08
returns overlapping schemas for a new schema without end_date B	0.08
active	
returns active schema (PENDING: Temporarily skipped with xit)	
tEndDate	
ot on same day	
validates that end date cannot be before start date	0.00
validates that end date cannot be on the same day as start date	0.00
validates that end date can be after start date	0.00
n same day	
validates that and date cannot be before start date	0.0
validates that end date can be after start date	0.00
validates that end date can be on the same day as start date	0.0
orts::ExportableAdapter	
serializes correctly	0.2
ctivateRole	
denies role soft-deletion if not granted	0.0
soft-deletes a role	0.09
soft defects a role	0.00
	0.00
rejects soft-deletes for used roles	
rejects soft-deletes for used roles denies update if role does not exist	0.0
rejects soft-deletes for used roles denies update if role does not exist soft delete an admin role	0.03
rejects soft-deletes for used roles denies update if role does not exist	0.09

POST (api)patients/patient_idabences corates a new absence in the parts corates a new absence in the parts corates a new absence in the fature dis to create a new absence where end date comes before start date POST (api)patients/patient_idabencescent OST (api)patients/patient_idabencescent OST (api)patients/patient_idabences Idab (ature absences for a given patients OST (api)patients/patient_idabences Idab (ature absences for a given patients OST (api)patients/patient_idabences Idab (ature absences for a given patients OST (api)patients/patient_idabences Idab (ature absences for a given patients OST (api)patients/patient_idabences Idab (ature absences for a given patients OST (api)patients/patient_idabences OST (api)patient_idabences OST	sets the default currency	0.0032
cereates a new absence in the pase cereates a new absence in the Martine	bsences	
remarks a new absence in the future Tall bit creates a new absence when end doke comes before start date DELETE explipationates when end doke comes before start date DELETE explipationates when end doke comes before start date DELETE explipationates when end doke comes before start date DELETE explipationates and dokence DELETE explipationates of a given patient DELETE explipationates of a given patien	POST /api/patients/:patient_id/absences	
fails to create a new absence of nement date comes before start date Comment	creates a new absence in the past	0.1240
DELETE (papirabenesorid deletes an absonce 0 0 0 0 0 0 0 0 0	creates a new absence in the future	0.1202
deletes an absence Its to ture absence for a given patient Its superior to validate that constrable cannot be empty/finity It is expected to beging to constrable required true Its expected to validate that constrable cannot be empty/finity Its expected to validate that constrable required true Its expected to validate that mane cannot be empty/finity Its expected to validate that mane cannot be empty/finity Its expected to validate that mane cannot be empty/finity Its expected to validate that mane cannot be empty/finity Its expected for expected patients job Its expected patients job Its expected patients job Its expected patients in the list of values Its expected before give cannot give true Its expected to before give treatment true in the expected patient required; true Its expected to before give treatment required; true Its expected to before give the same id Its expected patients expected patient required; true Its expected patients in the list of values in the instrability of the user instrability of the use	fails to create a new absence when end date comes before start date	0.1294
CET / patipatemasi patient, lis/abbences ints sturue absences for a given patient ontset: is expected to validate that contectable cannot be empty/filely is expected to validate that contectable cannot be empty/filely is expected to validate that contectable required true is expected to validate that contectable required true is expected to validate that contectable required true improfes purple patients got improfes purple patient got improfes purple got improfes got improfes purple got improfes purple got improfes purple got improfes purple got improfes got improfes purple got improfes got	DELETE /api/absences/:id	
Institute absences for a given patient be expected to validate that contactable cannot be empty/felay be expected to validate that contactable cannot be empty/felay be expected to validate that contactable cannot be empty/felay be expected to validate that contactable cannot be empty/felay be expected to validate that contactable cannot be empty/felay grateo CockworkEventeFeature/Toggle ***down ***Index or such a such	deletes an absence	0.2084
is expected to validate that contactable cannot be empty/filely is expected to teleging to contactable regized: from is expected to belong to contactable regized: from is expected to belong to contactable regized from ignates purge patients job ignates purge patients job ignates purge patients job indicators: iLHVNidicator accepts valid values in the list of values also rejects nil values also rejects	GET /api/patients/:patient_id/absences	
is expected to validate that contactable cannot be emptyfaley is expected to belong to contactable required: true is expected to validate that name cannot be emptyfaley grateClockvorkEventaFeatureTeggle #################################	lists future absences for a given patient	0.1410
is expected to belong to contactable required: true is expected to validate that name cannot be empty/folay is concerned to validate that name cannot be empty/folay ignated CockworkEventaFeatureToggle #down migrates purge patients job	ontact	
is expected to validate that mane cannot be emptyfibley figrate-Clockwork Events Feature Toggle ##################################	is expected to validate that :contactable cannot be empty/falsy	0.0108
projects Cockwork Events Feature Toggle ##################################	is expected to belong to contactable required: true	0.0083
returns froetides (asi) if the user iant authorized only returns froetides a addininistration on creates an administration on creates on a biline creates on belong to connector required: true on creates an administration on creates on a biline creates on belong to the creates on th	is expected to validate that :name cannot be empty/falsy	0.0154
migrates purge patients job fup ingrates purge patients job obliticators::Ist Validator accepts valid values in the list of values	igrateClockworkEventsFeatureToggle	
migrates purge patients job foliators::ListValidator accepts valid values in the list of values	#down	
migrates purpe patients job Ilidators::ListValidator accepts valid values in the list of values also rejects nil values in the list of values does not fail if value is nil is expected to belong to created, by required: true is expected to belong to treatment required: true is expected to belong to patient required: true returns forbidden (403) if the user isn't authorized creates an administration creates an administration creates an administration creates an administration forstructure:/Connector/bevice is expected to belong to connector required: true is expected to have many patient, attachments stantins://patient is expected to have many patient, attachments or true true and infections for a patient returns forbidden (403) if the user isn't authorized stantins://patient is expected to have many patient, attachments or true true and true true true true true true true true	migrates purge patients job	0.0326
migrates purpe patients job Ilidators::ListValidator accepts valid values in the list of values also rejects nil values in the list of values does not fail if value is nil is expected to belong to created, by required: true is expected to belong to treatment required: true is expected to belong to patient required: true returns forbidden (403) if the user isn't authorized creates an administration creates an administration creates an administration creates an administration forstructure:/Connector/bevice is expected to belong to connector required: true is expected to have many patient, attachments stantins://patient is expected to have many patient, attachments or true true and infections for a patient returns forbidden (403) if the user isn't authorized stantins://patient is expected to have many patient, attachments or true true and true true true true true true true true	#up	
accepts valid values in the list of values does not fail if value is nil destroit file value is nil sexpected to belong to created, by required: true is expected to belong to created, by required: true is expected to belong to preatment required: true is expected to belong to preatment required: true is expected to belong to preatment required: true is expected to belong to patient required: true destroit estarts an episode only restarts episodes with same id only restarts episodes with same id only restarts episodes with same id only restarts episodes with administer and in internal hids estarts an episode returns forbidden (403) if the user isn't authorized returns forbidden (403) if the user isn't authorized estarts an administration creates an admini	migrates purge patients job	0.0128
accepts valid values in the list of values does not fail if value is nil destroit file value is nil sexpected to belong to created, by required: true is expected to belong to created, by required: true is expected to belong to preatment required: true is expected to belong to preatment required: true is expected to belong to preatment required: true is expected to belong to patient required: true destroit estarts an episode only restarts episodes with same id only restarts episodes with same id only restarts episodes with same id only restarts episodes with administer and in internal hids estarts an episode returns forbidden (403) if the user isn't authorized returns forbidden (403) if the user isn't authorized estarts an administration creates an admini	alidators::ListValidator	
also rejects nil values of does not fall if value is nil 00000000000000000000000000000000000		0.003
is expected to belong to created, by required; true		0.004
is expected to belong to created_by required; true is expected to belong to treatment required; true is expected to belong to patient required; true is expected to belong to call the series of true is expected to belong to call the series of true true series of the series of the series of true true series of the series of true true series of the series of true series of true series of true series of true series of the series of true series of true series of the series of the series of true series of the series of true series of the series of the series of the series of true series of the series of true series of the series of true series of the series of the series of true series of true series of the series of true se	does not fail if value is nil	0.0038
is expected to belong to created_by required: true 0 0 is expected to belong to treatment required: true 0 0 is expected to belong to patient required: true 0 0 is expected to belong to patient required: true 0 0 is expected to belong to patient required: true 0 0 is expected to belong to patient required: true 0 0 is expected to belong to patient required: true 0 0 is expected to belong to gravity and the standard of the stan	stients::PatientTreatment	
is expected to belong to treatment required: true is expected to belong to patient required: true obsides::Services::CancelDischarge restarts an episode only restarts episodes with same id oversides::Device returns forbidden (403) if the user isn't authorized returns heat disinfections for a device with an internal hds odications::Services::AdministerStandingOrderMedication standing orders with medicinal products creates an administration creates a billing item obstanding orders with magistral preparations creates an administration creates an administration obstanding orders with magistral preparations creates an administration obstanding orders with magistral preparations creates an administration obstance::ConnectorDevice is expected to belong to connector required: true obstance::ConnectorDevice is expected to belong to device required: true obstance::ConnectorDevice stance::ConnectorDevice is expected to belong to device required: true obstance::ConnectorDevice stance::ConnectorDevice is expected to belong to device required: true obstance::ConnectorDevice stance::ConnectorDevice is expected to belong to device required: true obstance::ConnectorDevice is expected to belong to device required: true obstance::ConnectorDevice is expected to belong to device required: true obstance::ConnectorDevice is expected to belong to device required: true obstance::ConnectorDevice is expected to belong to device required: true obstance::ConnectorDevice is expected to belong to device required: true obstance::ConnectorDevice is expected to belong to device required: true obstance::ConnectorDevice is expected to belong to device required: true obstance::ConnectorDevice is expected to belong to device required: true obstance::ConnectorDevice is expected to belong to connector required: true obstance::ConnectorDevice is expected to belong to connector required: true		0.006
restarts an episode with same id 0 only restarts episodes with same id 0 only restarts episodes with same id 0 only restarts episodes with same id 0 oreturns forbidden (403) if the user isn't authorized 0 oreturns heat disinfections for a device with an internal hds 0 oreturns heat disinfections for a device with an internal hds 0 oreturns heat disinfections for a device with an internal hds 0 oreturns with medicinal products creates an administration 0 oretes a billing item 0 oreturns an indigental preparations creates an administration 0 oreturns and indigental preparations 0 oreturns even to belong to connector required: true 0 is expected to belong to connector required: true 0 oreturns all infections for a patient of the user isn't authorized 0 oreturns (returns all infections for a patient 0 oreturns (returns (returns (403)) if the user isn't authorized 0 oreturns (returns (700)) if the user isn't authorized 0 oreturns (700) if the user isn't authorized 0 oreturns (0.0054
restarts an episode 0 only restarts episodes with same id 0 only restarts episodes with same id 0 oreturns forbidden (403) if the user isn't authorized 0 returns heat disinfections for a device with an internal hds 0 oredications::Services::AdministerStandingOrderMedication standing orders with medicinal products creates an administration 0 oreates a billing item 0 oreates a billing item 0 oreates an administration 0 o	is expected to belong to patient required: true	0.0055
restarts an episode 0 only restarts episodes with same id 0 only restarts forbidden (403) if the user isn't authorized 0 only restarts episodes with medicinal products creates an administration 0 only restarts episodes with medicinal products creates an administration 0 only restarts episodes with medicinal products creates an administration 0 only restarts episodes with magistral preparations creates an administration 0 only restarts episodes with magistral preparations creates an administration 0 only restarts episodes with magistral preparations creates an administration 0 only restarts episodes with an internal hds 0 only restarts episodes with medicinal products creates an administration 0 only restarts episodes with endicinal products creates an administration 0 only restarts episodes with endicinal products creates an administration 0 only restarts episodes with endicinal products creates an administration 0 only restarts episodes with endicinal products creates an administration 0 only restarts episodes with endicinal products creates an administration 0 only restarts episodes with endicinal products creates an administration 0 only restarts episodes with endicinal products creates an administration 0 only restarts episodes with endicinal products creates an administration 0 only restarts episodes with endicinal products creates an administration 0 only restarts episodes with endicinal products creates an administration 0 only restarts episodes with endicinal products creates an administration 0 only restarts episodes with endicinal products creates an administration 0 only restarts episodes episo	pisodes::Services::CancelDischarge	
returns forbidden (403) if the user isn't authorized 0 returns heat disinfections for a device with an internal hds 0 adications::Services::AdministerStandingOrderMedication standing orders with medicinal products creates an administration 0 creates a billing item 0 standing orders with magistral preparations creates an administration 0 frastructure::ConnectorDevice is expected to belong to connector required: true 0 is expected to belong to device required: true 0 stanfectionsForPatient returns all infections for a patient 0 returns forbidden (403) if the user isn't authorized 0 output tients::Patient is expected to have many patient_attachments 0		0.1900
returns forbidden (403) if the user isn't authorized returns heat disinfections for a device with an internal hds odications::Services::AdministerStandingOrderMedication standing orders with medicinal products creates an administration creates a billing item outerates a billing item outerates an administration creates an administration outerates an admi	only restarts episodes with same id	0.265
returns forbidden (403) if the user isn't authorized returns heat disinfections for a device with an internal hds odications::Services::AdministerStandingOrderMedication standing orders with medicinal products creates an administration creates a billing item ocreates a billing item ocreates an administration creates an administration ocreates an administr	evices::Device	
standing orders with medicinal products creates an administration 0 creates a billing item 0 standing orders with magistral preparations creates an administration 0 frastructure::ConnectorPevice is expected to belong to connector required: true 0 is expected to belong to device required: true 0 standingstration 0 frastructure::Infections for a patient 0 returns forbidden (403) if the user isn't authorized 0 stients::Patient is expected to have many patient_attachments 0		0.0639
creates an administration 0 creates a billing item 0 standing orders with magistral preparations creates an administration 0 frastructure::ConnectorDevice is expected to belong to connector required: true 0 is expected to belong to device required: true 0 stanfectionsForPatient returns all infections for a patient 0 returns forbidden (403) if the user isn't authorized 0 stients::Patient is expected to have many patient_attachments 0	returns heat disinfections for a device with an internal hds	0.0634
creates an administration 0 creates a billing item 0 standing orders with magistral preparations creates an administration 0 frastructure::ConnectorDevice is expected to belong to connector required: true 0 is expected to belong to device required: true 0 stanfectionsForPatient returns all infections for a patient 0 returns forbidden (403) if the user isn't authorized 0 stients::Patient is expected to have many patient_attachments 0	edications::Services::AdministerStandingOrderMedication	
creates an administration 0 creates a billing item 0 standing orders with magistral preparations creates an administration 0 frastructure::ConnectorDevice is expected to belong to connector required: true 0 is expected to belong to device required: true 0 stinfectionsForPatient returns all infections for a patient 0 returns forbidden (403) if the user isn't authorized 0 tients::Patient is expected to have many patient_attachments 0		
standing orders with magistral preparations creates an administration frastructure::ConnectorDevice is expected to belong to connector required: true is expected to belong to device required: true outlinectionsForPatient returns all infections for a patient returns forbidden (403) if the user isn't authorized outlinets::Patient is expected to have many patient_attachments		0.2924
creates an administration 0 frastructure::ConnectorDevice is expected to belong to connector required: true 0 is expected to belong to device required: true 0 estInfectionsForPatient returns all infections for a patient 0 returns forbidden (403) if the user isn't authorized 0 estIntents::Patient is expected to have many patient_attachments 0	creates a billing item	0.3387
creates an administration 0 frastructure::ConnectorDevice is expected to belong to connector required: true 0 is expected to belong to device required: true 0 estInfectionsForPatient returns all infections for a patient 0 returns forbidden (403) if the user isn't authorized 0 estIntents::Patient is expected to have many patient_attachments 0	standing orders with magistral preparations	
is expected to belong to connector required: true is expected to belong to device required: true cetInfectionsForPatient returns all infections for a patient returns forbidden (403) if the user isn't authorized outients::Patient is expected to have many patient_attachments		0.2119
is expected to belong to connector required: true is expected to belong to device required: true cetInfectionsForPatient returns all infections for a patient returns forbidden (403) if the user isn't authorized outlients::Patient is expected to have many patient_attachments	Frankrich was Common the Province	
is expected to belong to device required: true ctInfectionsForPatient returns all infections for a patient returns forbidden (403) if the user isn't authorized ctients::Patient is expected to have many patient_attachments		0.004
returns all infections for a patient returns forbidden (403) if the user isn't authorized tients::Patient is expected to have many patient_attachments		0.004
returns all infections for a patient returns forbidden (403) if the user isn't authorized outients::Patient is expected to have many patient_attachments		3.004
returns forbidden (403) if the user isn't authorized 0 attients::Patient is expected to have many patient_attachments 0		0.135
is expected to have many patient_attachments 0		0.1357
is expected to have many patient_attachments	recurris formudent (405) it the user isn't additionized	0.1029
		0.002
	is expected to validate that :first_name cannot be empty/falsy	0.0110

is expected to validate that :sex is either <"M">, <"F">, <"O">, or <"U">	0.012
is expected to validate that :last_name cannot be empty/falsy	0.012
is expected to have many deviations	0.003
is expected to have many infections	0.002
is expected to have many patient_transplant_eligibility_statuses	0.002
is expected to have many orders	0.002
is expected to have many patient_diagnoses	0.002
is expected to have many ultrafiltration_volume_adjustments	0.002
has default avatar	0.011
is expected to have carbon :id, :hospital_id, :case_id, :first_name, :last_name, :birthdate, and :sex	0.003
is expected to have many allergies	0.002
is expected to have many patient_treatments	0.002
is expected to have many absences	0.002
is expected to have many sessions	0.002
formats the national idenfication number correctly	0.011
is expected to have many schemas	0.002
is expected to have many remarks	0.002
is expected to validate that :birthdate cannot be empty/falsy	0.008
is expected to have many intradialytic medication prescriptions	0.002
is expected to have many addresses	0.002
is expected to have many weights	0.003
is expected to have many home medication prescriptions	0.002
is expected to validate that :diabetes type is either <"none">, <"prediabetes">, <"diabetes type 1">, <"diabetes type 2">, or <"other"> as long as it is not nil	0.015
is expected to validate that :sex cannot be empty/falsy	0.012
is expected to variable that is ex-cultive be employinally	
is expected to validate that :renal_failure_type is either <"chronic"> or <"acute"> as long as it is not nil idomicile_address returns the patient's domicile clast_n_sessions	
returns the patient's domicile	0.010 0.046 0.615
returns the patient's domicile clast_n_sessions	0.046
returns the patient's domicile *last_n_sessions returns the patient's last n sessions	0.046 0.615
returns the patient's domicile clast_n_sessions returns the patient's last n sessions schronic?	0.04£ 0.615 0.012
returns the patient's domicile clast_n_sessions returns the patient's last n sessions cchronic? returns `true` if the patient recieves chronic care	0.04£ 0.615 0.012
returns the patient's domicile clast_n_sessions returns the patient's last n sessions cchronic? returns `true` if the patient recieves chronic care returns `false` if the patient recieves acute care	0.04£ 0.615 0.012
returns the patient's domicile Plast_n_sessions returns the patient's last n sessions returns the patient's last n sessions returns `true` if the patient recieves chronic care returns `false` if the patient recieves acute care without_ongoing_session example at ./spec/models/patients/patient_spec.rb:45 (PENDING: Not yet implemented)	0.04£ 0.615 0.012
returns the patient's domicile Flast_n_sessions returns the patient's last n sessions Fichronic? returns 'true' if the patient recieves chronic care returns 'false' if the patient recieves acute care without_ongoing_session	0.04£ 0.615 0.012
returns the patient's domicile Flast_n_sessions returns the patient's last n sessions returns the patient's last n sessions returns `true` if the patient recieves chronic care returns `false` if the patient recieves acute care without_ongoing_session example at ./spec/models/patients/patient_spec.rb:45 (PENDING: Not yet implemented) not_enrolled example at ./spec/models/patients/patient_spec.rb:41 (PENDING: Not yet implemented)	0.046 0.615 0.012
returns the patient's domicile returns the patient's last n sessions returns the patient's last n sessions returns 'true' if the patient recieves chronic care returns 'false' if the patient recieves acute care without_ongoing_session example at _/spec/models/patients/patient_spec.rb:45 (PENDING: Not yet implemented) not_enrolled example at _/spec/models/patients/patient_spec.rb:41 (PENDING: Not yet implemented)	0.046 0.615 0.012
returns the patient's domicile returns the patient's last n sessions returns the patient's last n sessions returns 'true' if the patient recieves chronic care returns 'false' if the patient recieves acute care without_ongoing_session example at //spec/models/patients/patient_spec.rb:45 (PENDING: Not yet implemented) not_enrolled example at //spec/models/patients/patient_spec.rb:41 (PENDING: Not yet implemented) returns 'false' if the patient recieves acute care	0.046 0.615 0.012 0.012
returns the patient's domicile returns the patient's last n sessions returns the patient's last n sessions returns 'true' if the patient recieves chronic care returns 'false' if the patient recieves acute care without_ongoing_session example at ./spec/models/patients/patient_spec.rb:45 (PENDING: Not yet implemented) not_enrolled example at ./spec/models/patients/patient_spec.rb:41 (PENDING: Not yet implemented) returns 'false' if the patient recieves acute care returns 'false' if the patient recieves acute care returns 'false' if the patient recieves acute care returns 'true' if the patient recieves chronic care and not dialysis has been initiated	0.046 0.615 0.012 0.012 0.013
returns the patient's domicile returns the patient's last n sessions returns the patient's last n sessions returns 'true' if the patient recieves chronic care returns 'false' if the patient recieves acute care without_ongoing_session example at //spec/models/patients/patient_spec.rb:45 (PENDING: Not yet implemented) not_enrolled example at //spec/models/patients/patient_spec.rb:41 (PENDING: Not yet implemented) returns 'false' if the patient recieves acute care	0.046 0.615 0.012 0.012 0.013
returns the patient's domicile returns the patient's last n sessions returns the patient's last n sessions returns 'true' if the patient recieves chronic care returns 'false' if the patient recieves acute care without_ongoing_session example at ./spec/models/patients/patient_spec.rb:45 (PENDING: Not yet implemented) not_enrolled example at ./spec/models/patients/patient_spec.rb:41 (PENDING: Not yet implemented) returns 'false' if the patient recieves acute care returns 'false' if the patient recieves acute care returns 'false' if the patient recieves acute care returns 'true' if the patient recieves chronic care and not dialysis has been initiated	0.046 0.615 0.012 0.012 0.012
returns the patient's domicile Plast_n_sessions returns the patient's last n sessions returns 'fue' if the patient recieves chronic care returns 'false' if the patient recieves acute care without_ongoing_session example at _/spec/models/patients/patient_spec.rb:45 (PENDING: Not yet implemented) not_enrolled example at _/spec/models/patients/patient_spec.rb:41 (PENDING: Not yet implemented) predialysis? returns 'false' if the patient recieves acute care returns 'false' if the patient recieves chronic care and not dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated	0.046
returns the patient's domicile last_n_sessions returns the patient's last n sessions returns 'true' if the patient recieves chronic care returns 'false' if the patient recieves acute care without_ongoing_session example at _/spec/models/patients/patient_spec.rb:45 (PENDING: Not yet implemented) returns 'false' if the patient recieves acute care returns 'false' if the patient recieves chronic care and dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated	0.046 0.615 0.012 0.012 0.013 0.013
returns the patient's domicile returns the patient's last n sessions returns 'true' if the patient recieves chronic care returns 'false' if the patient recieves acute care without_ongoing_session example at _/spec/models/patients/patient_spec.rb:45 (PENDING: Not yet implemented) not_enrolled example at _/spec/models/patients/patient_spec.rb:41 (PENDING: Not yet implemented) returns 'false' if the patient recieves acute care returns 'false' if the patient recieves acute care returns 'false' if the patient recieves acute care returns 'false' if the patient recieves chronic care and not dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns a fully qualified URL	0.046 0.615 0.012 0.012 0.012 0.012
returns the patient's domicile Plast n_sessions returns the patient's last n sessions returns 'true' if the patient recieves chronic care returns 'false' if the patient recieves acute care without_ongoing_session example at ./spec/models/patients/patient_spec.rb:45 (PENDING: Not yet implemented) not_enrolled example at ./spec/models/patients/patient_spec.rb:41 (PENDING: Not yet implemented) predialysis? returns 'false' if the patient recieves acute care returns 'false' if the patient recieves chronic care and not dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns a fully qualified URL transport_types_identical?	0.046 0.615 0.012 0.012 0.012 0.012
returns the patient's domicile last_n_sessions returns the patient's last n sessions returns the patient's last n sessions chronic? returns 'true' if the patient recieves chronic care returns 'false' if the patient recieves acute care without_ongoing_session example at _/spec/models/patients/patient_spec.rb:45 (PENDING: Not yet implemented) not_enrolled example at _/spec/models/patients/patient_spec.rb:41 (PENDING: Not yet implemented) predialysis? returns 'false' if the patient recieves acute care returns 'true' if the patient recieves chronic care and not dialysis has been initiated returns 'true' if the patient recieves chronic care and dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated	0.046 0.615 0.012 0.012 0.012 0.012
returns the patient's domicile Plast n_sessions returns the patient's last n sessions returns 'true' if the patient recieves chronic care returns 'false' if the patient recieves acute care without_ongoing_session example at _/spec/models/patients/patient_spec.rb:45 (PENDING: Not yet implemented) not_enrolled example at _/spec/models/patients/patient_spec.rb:41 (PENDING: Not yet implemented) predialysis? returns 'false' if the patient recieves acute care returns 'false' if the patient recieves acute care returns 'true' if the patient recieves chronic care and not dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns a fully qualified URL transport_types_identical? when forth_transport_type and back_transport_type are not equal	0.046 0.615 0.012 0.012 0.012 0.012
returns the patient's domicile last_n_sessions returns the patient's last n sessions chronic? returns 'true' if the patient recieves chronic care returns 'true' if the patient recieves acute care without_ongoing_session example at /spec/models/patients/patient_spec.rb:45 (PENDING: Not yet implemented) not_enrolled example at /spec/models/patients/patient_spec.rb:41 (PENDING: Not yet implemented) preclaitysis? returns 'false' if the patient recieves acute care returns 'false' if the patient recieves acute care returns 'true' if the patient recieves chronic care and not dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns a fully qualified URL transport_types_identical? when forth_transport_type and back_transport_type are not equal is expected to be transport types identical	0.046 0.615 0.012 0.012 0.012 0.012 0.012
returns the patient's domicile last_n_sessions returns the patient's last n_sessions returns the patient's last n_sessions returns 'true' if the patient recieves chronic care returns 'false' if the patient recieves acute care without_ongoing_session example at _/spec/models/patients/patient_spec.rb:45 (PENDING: Not yet implemented) not_enrolled example at _/spec/models/patients/patient_spec.rb:41 (PENDING: Not yet implemented) returns 'false' if the patient recieves acute care returns 'false' if the patient recieves chronic care and not dialysis has been initiated returns 'true' if the patient recieves chronic care and dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns 'false' if the patient recieves chronic care and dialysis has been initiated returns 'true' if the patient recieves chronic care and dialysis has been initiated returns 'true' if the patient recieves chronic care and dialysis has been initiated returns 'true' if the patient recieves chronic care and dialysis has been initiated returns 'true' if the patient recieves chronic care and dialysis has been initiated returns 'true' if the patient recieves chronic care and to be in the patient recieves chronic care and to be in the patient recieves chronic care and to be in the patient recieves chronic care and to be in the patient recieves chronic care and to be in the patient recieves chronic care and to be in the patient recieves chronic care and to be in the patient recieves chronic care and to be in the patient recieves chronic care and to b	0.046 0.615 0.012 0.012 0.012 0.012 0.018

when chronic

	0.02
when acute	
isn't applicable	0.01
acute?	
	0.01
returns `false` if the patient recieves chronic care	0.01
returns `true` if the patient recieves acute care	0.01
t audit	
rescription parameter audits	
fails if 'patient_id' query param is missing	0.03
returns last audit for entry for prescription parameter	0.24
fails if no value exist for the given parameter	0.18
esource audits	
fails if resource does not exist	0.11
fails if resource type is not valid	0.11
returns last audit entry	0.11
returns last dualt entry	U.II
or patient treatment audits	
returns audit for last treatment change	0.22
fails if the treatment wasn't changed before	0.06
lications::Unit	
is expected to validate that :identifier cannot be empty/falsy	0.00
is expected to have many product prescribable units dependent => destroy	0.00
is expected to have many products through product prescribable units	0.00
is expected to validate that :name cannot be empty/falsy	0.00
is expected to belong to source required: true	0.00
book Promotions fails when legbook entry does not exist	0.21
fails when logbook entry does not exist	0.21
allows promoting a logbook entry to a journal	
fails when user doesn't have required rights for given journals	0.23
fails when journal does not exist	0.20
allows promoting a logbook entry to multiple journals	0.23
/api/connectors/:id	
returns success (200) and the connector	0.05
returns forbidden (403) if the user isn't authorized	0.03
returns not found (404) if the connector is not found	0.04
estructible	
n indestructible record	
#destroy	
prevents destroying the record	0.02
#destroy!	
prevents destroying the record	0.00
· AllergyIntolerance	
creates an allergy for a patient	0.10
requires authorization	0.03
requires auditorization	0.04
returns not found if nationt is not found	0.04
returns not found if patient is not found	
returns not found if patient is not found ateAccessSiteExamination	
	0.26
ateAccessSiteExamination	
ateAccessSiteExamination returns (422) if the parameters for a fistula / graft are not valid	0.26 0.20 0.33

returns thrisiden (403) if the service in sumantes creates conditional valent registered in exeminations control conditions when registered in exeminations control conditions when registered in exeminations is expected to the exemination of control control in exeminations is expected to what exemination and control is exempted to the exemination of control in expected to what the sumanter control control is expected to what the sumanter control control is expected to what the sumanter control control is expected to what the sumanter control to emptyticity is expected to what the sumanter control to emptyticity validation uniqueness of commans is expected to what the sum of course the control to emptyticity validation uniqueness of commans is expected to what the sum of course the control to emptyticity validation uniqueness of commans is expected to what the sum of course the emptyticity is expected to what the sum of exempticity producing a costom validation enter or failure is expected to what the sum of exempticity producing a costom validation enter or failure is expected to what the sum of exempticity producing a costom validation enter or failure is expected to validate that direct particles of exempticity is expected to validate that sum of exempticity is expected to validate that sum of presence is a lived 5 is expected to validate that sum of presence is a lived 5 is expected to validate that sum of presence is a lived 5 is expected to validate that sum of exempticity is expected to validate that sum	returns (404) if the access site is not found	0.11096s
executes complications when registered in examinations () 0.444011 returns to warnings when an exemination is positive () 0.27702 Exemplated to have carbon int. If its harnes, leads name, and smoothlines identified () 0.00273 Exemplated to have carbon int. If its harnes, leads name and smoothlines identified () 0.00273 Exemplated to warning or the carbon int. If its harnes, leads name and smoothlines identified () 0.00273 Exemplated to warning or the carbon int. If its harnes or carbon the empty failing () 0.00273 Exemplated to warning or the empty failing () 0.00273 Exemplated to be thorse to return an empty failing () 0.00273 Exemplated to be thorse to return an empty failing, producing a number validation among a failing () 0.00273 Exemplated to warning to the empty failing () 0.00273 Exemplated to warning to the empty failing () 0.00273 Exemplated to warning to the empty failing () 0.00273 Exemplated to warning to the empty failing () 0.00273 Exemplated to warning to the empty failing () 0.00273 Exemplated to warning to the empty failing () 0.00273 Exemplated to warning to the empty failing () 0.00273 Exemplated to warning to the empty failing () 0.00273 Exemplated to warning to the empty failing () 0.00274 Exemplated to warning to the empty failing () 0.00274 Exemplated to warning to the empty failing () 0.00274 Exemplated to warning to the empty failing () 0.00274 Exemplated to warning to the empty failing () 0.00274 Exemplated to the practition identified correctly () 0.00274 Exemplated to the practition identified correctly () 0.00274 Exemplated to the practition identified correctly () 0.00274 Exemplated to the practition identified correctly () 0.00274 Exemplated to the practition identified correctly () 0.00274 Exemplated to the practition identified correctly () 0.00274 Exemplated to the practition identified correctly () 0.00274 Exemplated to the empty failing to the empty failing to the empty failing to the empty	when no complication, don't register complications	0.27421s
recours no summings when an examination is gratitive Veneralities is executed to have carbon oil, first name, leaf name, and spectificate is defilled is executed to have an attachment names awaits is executed to value an attachment names awaits is executed to value an attachment names awaits is executed to value that the stress cannot be emptyfishing and is executed to value that the stress cannot be emptyfishing and the stress cannot cannot be emptyfishing and the stress cannot cannot cannot be emptyfishing and the stress cannot cannot cannot be emptyfishing and the stress cannot cannot c	returns forbidden (403) if the user isn't authorized	0.19354s
Users: User is expected to have center is direct server. Jest name, and snecitions fearinfe is expected to validate that is server of the validate that is server of the validate that is server of the validate that is server or not the enabythary is expected to validate that is servance cannot be enabythary validates undirects of iserance. is expected to be abort to the resoluted true is expected to validate that is servance cannot be enabythary is expected to validate that is servance or not be enabythary is expected to validate that is servance or not be enabythary is expected to validate that is servance or not be enabythary is expected to validate that is servance cannot be enabythary is expected to validate that is servance cannot be enabythary is expected to validate that is servance cannot be enabythary is expected to validate that is servance cannot be enabythary is expected to validate that is servance cannot be enabythary is expected to validate that is servance cannot be enabythary is expected to validate that is servance cannot be enabythary is expected to validate that is servance cannot be enabythary is expected to validate that is servance cannot be enabythary is expected to validate that is servance. is expected to validate that is servance to enabythary is expected to validate that is servance or not be enabythary is expected to validate that is servance to enable the validate cannot be enabythary is expected to validate that is servance to enable the validate cannot be enabythary is expected to validate that is servance to enable the validate cannot be enabythary is expected to validate that is servance to enable the validate cannot be enabythary is expected to validate that is servance to enable the validate cannot be enabythary is expected to validate that is servance to enable the validate cannot be enabythary is expected to validate that is servance to enable the validate that is servance to enabythary is expected to validate that is servance to enabythary is e	creates complications when registered in examinations	0.44401s
is expected to have carbon ad, first name, last name, and practitioner identifier is expected for there an attachment nervice levalur is expected for validate that passessory disest carnot be emptylably is expected as validate that passessory disest carnot be emptylably is expected to validate that passessory disest carnot be emptylably is expected to validate that passessory disest carnot be emptylably is expected to validate that passessory disest carnot be emptylably as carnot provide the provided true is expected to validate that passessory disested that the provided provided that the provided provided provided provided that the provided pro	returns no warnings when an examination is positive	0.27242s
is expected to have carbon ad, first name, last name, and practitioner identifier is expected for there an attachment nervice levalur is expected for validate that passessory disest carnot be emptylably is expected as validate that passessory disest carnot be emptylably is expected to validate that passessory disest carnot be emptylably is expected to validate that passessory disest carnot be emptylably is expected to validate that passessory disest carnot be emptylably as carnot provide the provided true is expected to validate that passessory disested that the provided provided that the provided provided provided provided that the provided pro	licere: licer	
is expected to have an esschiment named avalate is expected to validate hard passesord digiest connot be engrythisly is expected or validate that passesord digiest connot be engrythisly is expected to delidate that instead cannot be entity/fably validates uniquences of usersimene 0.04389 is expected to belong to role required true is expected to validate that instead cannot be emptyfalsy, producing a custom validation error on feature 1.04389 is expected to validate that instead cannot be emptyfalsy producing a custom validation error validatio		0.00273s
is expected to validate that passward_digate cannot be empty/falsy considerate for validate in that summane cannot be empty/falsy colorates considerate for validate in that summane cannot be empty/falsy is expected to validate that cross cannot be empty/falsy is expected to validate that cross cannot be empty/falsy is expected to validate that cross cannot be empty/falsy considerate for process of considerate for processor cannot be empty/falsy considerate for validate that the cross cannot be empty/falsy considerate for validate that the cross cannot be empty/falsy is expected to validate that the cross cannot be empty/falsy is expected to validate that the cross cannot be empty/falsy is expected to validate that the cross cannot be empty/falsy is expected to validate that the cross cannot be empty/falsy is expected to validate that control be empty falsy is expected to validate that control be empty falsy is expected to validate that control be empty falsy is expected to the co		
a supeccest to validate that Jauername cannot be empty/falay 0.00221 validate uniqueness of senamen 0.003314 si expected to validate that role cannot be empty/falay, producing a custom validation error on failure 0.00344 si expected for validate that role cannot be empty/falay, producing a custom validation error on failure 0.00344 si expected to validate that frist, name cannot be empty/falay 0.00254 is expected to validate that first, name cannot be empty/falay 0.00254 is expected to validate that first, name cannot be empty/falay 0.00254 is expected to validate that first, name cannot be empty/falay 0.00254 is expected to validate that first, name cannot be empty/falay 0.00264 is expected to validate that falat, name cannot be empty/falay 0.00264 is expected to validate that falat, name cannot be empty/falay 0.002644 is expected to validate that falat, name cannot be empty/falay 0.002644 is expected to validate that falat, name cannot be empty/falay 0.002644 is expected to validate that falat, name cannot be empty/falay 0.002644 is expected to validate that falat, name cannot be empty/falay 0.002644 is expected to validate that falat, name cannot be empty/falay 0.002644 is expected to validate that falat, name cannot be empty/falay 0.002644 is expected to validate that falat, name cannot be empty/falay 0.002644 is expected to validate that falat, name cannot be empty/falay 0.002644 ##################################		
validates uniqueness of username is expected to belong to relievative to use of the cannot be empty/falsy producing a custom validation error on failure is expected to validate that income to empty/falsy 0.032555 is expected to validate that instrument cannot be empty/falsy 0.032555 is expected to validate that instrume cannot be empty/falsy 0.032555 is expected to validate that the length of cassonor is at least 5 0.035555 is expected to validate that the length of cassonor is at least 5 0.03555 is expected for validate that strain cannot be empty/falsy 0.032555 is expected for validate that strain cannot be empty/falsy 0.032555 is expected for validate that strain cannot be empty/falsy 0.032555 is expected for validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555 is expected to validate that strain cannot be empty/falsy 0.032555		
is expected to bring to rote required true is expected to utilisate that rote cannot be empty/fishy, prosocing a custom validation error on failure is expected to utilisate that rote cannot be empty/fishy normalizes email is expected to utilisate that first, name cannot be empty/fishy normalizes email is expected to utilisate that first, name cannot be empty/fishy is expected to utilisate that first, name cannot be empty/fishy is expected to utilisate that the might of password is at least 5 is expected not to elitor email to be "user example.com" is expected to utilisate that miss name cannot be empty/fishy is expected to utilisate that miss name cannot be empty/fishy is expected to utilisate that miss name cannot be empty/fishy is expected to utilisate that email cannot be empty/fishy is expected to utilisate that email cannot be empty/fishy is expected to utilisate that email cannot be empty/fishy is expected to utilisate that email cannot be empty/fishy is expected to utilisate that email cannot be empty/fishy is expected to utilisate that email cannot be empty/fishy is expected to utilisate that email cannot be empty/fishy is expected to utilisate that email cannot be empty/fishy is expected to utilisate that email cannot be empty/fishy is expected to utilisate that email cannot be empty/fishy is expected to utilisate that email to utilisate that empty email utilisate that email to utilisate		
is expected to validate that mole cannot be empty/fally producing a custom validation error on failure is expected to validate that password connot be empty/fally is expected to validate that first, name cannot be empty/fally is expected to validate that first, name cannot be empty/fally is expected to validate that first, name cannot be empty/fally is expected to validate that first, name cannot be empty/fally is expected to validate that first, name cannot be empty/fally is expected to validate that first name cannot be empty/fally is expected to validate that its the frame exemple.com² is expected to validate that its name cannot be empty/fally is expected to validate that its name cannot be empty/fally is expected to validate that its name cannot be empty/fally is expected to validate that its creal cannot be empty/fally is expected to validate that its creal cannot be empty/fally is expected to validate that its creal cannot be empty/fally is expected to validate that its creal cannot be empty/fally is expected to validate that its creal cannot be empty/fally is expected to validate that its creal cannot be empty/fally is expected to validate that its creal cannot be empty/fally is expected to validate that its creal cannot be empty/fally validates uniqueness of empty returns the if the user has a specific right validates uniqueness of empty returns the if the user has a specific right validates uniqueness of empty returns the if the user has a specific right validates uniqueness of empty returns the if the user has a specific right validates uniqueness of empty returns the if the sever has a specific right validates uniqueness of empty returns the if the sever has a specific right validates uniqueness of empty returns the if the sever has a specific right validates uniqueness of empty returns the right of the cannot cannot be empty the sever has a specific right validates uniqueness of empty returns the product of the cannot cannot be empty the product of the cannot cannot be returned t		
is expected to validate that password cannot be empty/falsy normalizes email is expected to validate that their, name cannot be empty/falsy is expected to validate that their password is at least 5 is expected to validate that the length of password is at least 5 is expected not to allow email to be "user example com" comparison to allow email to be "user example com" comparison to allow email to be "user example com" comparison to allow email to be "user example com" comparison to allow email to be "user example com" comparison to allow email to be "user example com" comparison to allow email to be "user example com" comparison to allow email to be "user example com" comparison to allow email to be "user example com" comparison to allow email to be "user example com" comparison to allow email to be "user example com" comparison to allow email to be "user example com" comparison to allow email to be "user example com" comparison to allow email to be "user example com" comparison to allow email to be "user example com" comparison to allow email to be "user example com" comparison to allow email to be "user example com" comparison to allow email to be "user example com" comparison to allow email to be "user example com" comparison to allow email to be user has a specific right condition to user hy its user allow email to allow em		
nomalizes amai		
is expected to validate that first_name cannot be emptyfalory is expected to validate that the length of passward is at least 5 0.01836: is expected to validate that isse_name cannot be emptyfalory is expected to validate that isse_name cannot be emptyfalory 0.02209: is expected to validate that isse_name cannot be emptyfalory 0.02209: is expected to validate that isse_name cannot be emptyfalory 0.02209: is expected to validate that isse_name cannot be emptyfalory 0.02209: is expected to validate that isse_name cannot be emptyfalory 0.02209: is expected to validate that isse_name cannot be emptyfalory 0.02209: is expected to validate that isse_name cannot be emptyfalory 0.02209: is expected to validate that isse_name cannot be emptyfalory 0.02209: is expected to validate that isse_name cannot be emptyfalory 0.02209: is expected to validate that isse_name cannot be emptyfalory 0.02209: validate better that the control to emptyfalory 0.02209: validate uniqueness of email 0.02209: validates uniqueness of email 0.02209:		
is expected to validate that the length of 'pacsward is at least 5		
is expected not to allow remait to the "user example.com" 0.00985 Is expected to validate that Jest, name cannot be empty/fallay 0.022965 is expected to validate that Jest, name cannot be empty/fallay 0.009466 is expected to allow remait to the "user@example.com" 0.009466 is expected to allow remait to the "user@example.com" 0.009466 is expected to allow remait to the "user@example.com" 0.009466 is expected to allow remait to the "user@example.com" 0.009466 is expected to allow remait to the "user@example.com" 0.009466 formats the practitional identifier correctly 0.018966 restures true if the user has a specific right 0.016996 phase_right2 returns true if the user has a specific right 0.016996 phase_right2 returns true if the user has a specific right 0.016996 phase_right2 returns user rights 0.016996 phase_right3 returns user rights 0.016996 finds an user by its username case insensitive) 0.019766 finds an user by its username case insensitive) 0.019766 finds a user by email 0.017966 finds a user by email 0.017966 finds a user by case insensitive username 0.028331 find		
is expected to validate that seat, name cannot be emptyfoley is expected to validate that senal cannot be emptyfoley is expected to allow senal to be "user@example.com" bas default avatar constants the practitioner identifier correctly validates uniqueness of email constants as practitioner identifier correctly validates uniqueness of email constants as specific right returns true if the user has a specific right behaves like Indestructible is indestructible is indestructible is indestructible		
is expected to validate that semal cannot be enjity/fatey 0.022066 is expected to allow remail to be "user@example.com" 0.009486 has default avotar 0.017838 formats the practitioner identifier correctly 0.018986 validates uniqueness of email 0.030456 validates uniqueness of email 0.0304566 validates uniqueness of email 0.0304566 validates uniqueness of email 0.03045666 validates uniqueness of email 0.03045666 validates uniqueness of email 0.030456666 validates uniqueness of email 0.030456666 validates uniqueness of email 0.030456666 validates uniqueness of email 0.0304566666666666666666666666666666666666		
is expected to allow remail to be "userglexample.com" 0.009445 has default avatar 0.017838 formats the practitioner identifier correctly 0.018866 validates uniqueness of email 0.0180655 normalizes username 0.016355 ### Contract of the user has a specific right 0.016355 #### Dehaves like indestructible 0.002776 ##################################		
has default avatar 0.017835 formats the practitioner identifier correctly 0.018965 validates uniqueness of email 0.030455 normalizes username 0.016355 returns true if the user has a specific right 0.016895 behaves like Indestructible 0.002775 returns user rights 0.016265 returns user rights 0.016266 find or create by user_info finds an user by its username 0.020415 finds an user by its username 0.020415 finds as user by case insensitive username 0.020415 finds as user by case insensitive username 0.020435 ##Watarg.url returns a fully qualified URL 0.016265 ##When password policy is enforced enforces strong passwords 0.737565 ##Ull name returns a user his/fine full_name 0.021375 ##Password- strong password in 'password_digest' 0.036486 Lbb System Peletet labSystem returns not found (404) if the lab system doesn't exist 0.035935 deletes the lab system 0.036359		
formats the practitioner identifier correctity validates uniqueness of email 0.030455 normalizes username 0.016355 **Phas_right?** returns true lift he user has a specific right 0.016395 **Debaves like Indestructible is indestructible 1.002773 **rights returns user rights 0.016265 **Ind_or_create_by_user_info 1.016395 **Ind_or_create_by_user_info 1.016395 **Ind_by_email_or_username 1.017395 **Ind_by_email_or		
validates uniqueness of email 0.030455 normalizes username 0.016355 **has_right?** returns true if the user has a specific right 0.016395 **behaves like indestructible 0.002775 **rights 0.016395 **r		
normalizes username 0.01635: #has_right? returns true if the user has a specific right 0.01689: behaves like Indestructible 0.002775: #rights returns user rights 0.016265: find or_create_by_user_Info finds an user by_user_Info finds an user by its username (case-insensitive) 0.01973: creates an user by its username (ase-insensitive) 0.01736: finds a user by_email_or_username finds a user by_email_or_username finds a user by_email_or_username finds a user by_email_or_username finds a user by_case insensitive username 0.02835: #avatar_url returns a fully qualified URL 0.016265: when password policy is enforced enforces strong passwords 0.737566; #full_name returns a user his/her full_name 0.021375 #password beletes strong password in 'password_digest' 0.003645 Lab System Deletet_abSystem returns not found (404) if the lab system doesn't exist 0.035935 deletes the lab system 0.044845 deletes the lab system 0.044845		
#has_right? returns true if the user has a specific right 0.016899 behaves like Indestructible 0.002775 #rights returns user rights 0.016269 finds an user by its username (case-insensitive) 0.017369 finds an user by weali 0.02419 finds a user by email 0.017369 finds a user by email 0.017369 finds a user by email 0.017369 finds a user by case insensitive username 0.024319 #avstar_url returns a fully qualified URL 0.016269 #hen password policy is enforced enforces strong passwords 0.737569 #full_name returns a user his/her full_name 0.021375 #password= tones encrypted password in 'password_digest' 0.003645 Lab System Peletet_abSystem returns not found (404) if the lab system doesn't exist 0.0359366 deletes the lab system 0.0448456 deletes the lab system 0.0448456 deletes the lab system 0.0448456		
returns true if the user has a specific right behaves like Indestructible is indestructible o.002775 #rights returns user rights o.016265	normalizes ascribante	0.010333
behaves like Indestructible is indestructible o.00277s #rights returns user rights o.01626s find or_create_by_user_info finds an user by its username (case-insensitive) creates an user by its username o.02041s .find by_enail_or_username finds a user by case insensitive username o.0283s #avatar_url returns a fully qualified URL o.01626s when password policy is enforced enforces strong passwords o.73756s #full_name returns a user his/her full_name o.02137s #password= stores encrypted password in `password_digest` DeleteLabSystem returns not found (404) if the lab system doesn't exist o.03593s deletes the lab system o.02491s	•	
is indestructible 0.002775 #rights returns user rights 0.016265 .find or_create_by_user_info finds an user by its username (case-insensitive) 0.019736 creates an user by its username (case-insensitive) 0.02413 .find by_email_or_username finds a user by ease insensitive username 0.028335 finds a user by case insensitive username 0.028335 #avatar_url returns a fully qualified URL 0.016265 when password policy is enforced enforces strong passwords 0.737565 #full_name returns a user his/her full_name 0.021375 #password= stores encrypted password in 'password_digest' 0.003645 Lab System DeleteLabSystem returns not found (404) if the lab system doesn't exist 0.035935 deletes the lab system 0.044845	returns true if the user has a specific right	0.01689s
#rights returns user rights 0.01626s .find_or_create_by_user_info finds an user by its username (case-insensitive) 0.01973s creates an user by its username 0.02041s .find_by_email_or_username finds a user by email 0.01736s finds a user by case insensitive username 0.0283ss #avatar_url returns a fully qualified URL 0.01626s when password policy is enforced enforces strong passwords 0.73756s #full_name returns a user his/her full_name 0.02137s #password= stores encrypted password_digest` 0.00364s Lab System DeleteLabSystem returns not found (404) if the lab system doesn't exist 0.03593s deletes the lab system 0.04484s		
returns user rights 0.016265 find or create_by_user_info finds an user by its username (case-insensitive) 0.019735 creates an user by its username 0.020415 find by_email_or_username finds a user by email 0.017365 finds a user by case insensitive username 0.028335 #avatar_url returns a fully qualified URL 0.016265 when password policy is enforced enforces strong passwords 0.737565 #full_name returns a user his/her full_name 0.021375 #password= stores encrypted password_digest` 0.003648 Lab System DeleteLabSystem returns not found (404) if the lab system doesn't exist 0.035935 deletes the lab system 0.048485	behaves like Indestructible	
returns user rights 0.016265 find or create_by_user_info finds an user by its username (case-insensitive) 0.019735 creates an user by its username 0.020415 find by_email_or_username finds a user by email 0.017365 finds a user by case insensitive username 0.028335 #avatar_url returns a fully qualified URL 0.016265 when password policy is enforced enforces strong passwords 0.737565 #full_name returns a user his/her full_name 0.021375 #password= stores encrypted password_digest` 0.003648 Lab System DeleteLabSystem returns not found (404) if the lab system doesn't exist 0.035935 deletes the lab system 0.048485		0.00277s
finds an user by its username (case-insensitive) creates an user by its username .tind by email or username finds a user by email finds a user by case insensitive username .tinds a user by case insensitive username .to .01736s finds a user by case insensitive username .to .01626s .	is indestructible	0.00277s
finds an user by its username (case-insensitive) creates an user by its username .tind by email or username finds a user by email finds a user by case insensitive username .tinds a user by case insensitive username .to .01736s finds a user by case insensitive username .to .01626s .	is indestructible #rights	
creates an user by its username find_by_email_or_username finds a user by email	is indestructible #rights returns user rights	
######################################	#rights returns user rights .find_or_create_by_user_info	0.01626s
finds a user by email 0.01736s finds a user by case insensitive username 0.02833s #avatar_url returns a fully qualified URL 0.01626s when password policy is enforced enforces strong passwords 0.73756s #full_name returns a user his/her full_name 0.02137s #password= stores encrypted password in `password_digest` 0.00364s Lab System DeleteLabSystem returns not found (404) if the lab system doesn't exist 0.03593s deletes the lab system 0.0484s	#rights returns user rights .find_or_create_by_user_info finds an user by its username (case-insensitive)	0.01626s 0.01973s
#avatar_url returns a fully qualified URL 0.01626s when password policy is enforced enforces strong passwords 0.73756s #full_name returns a user his/her full_name 0.02137s #password= stores encrypted password in `password_digest` 0.00364s Lab System DeleteLabSystem returns not found (404) if the lab system doesn't exist 0.03593s deletes the lab system 0.04484s	#rights returns user rights .find_or_create_by_user_info finds an user by its username (case-insensitive)	0.01626s 0.01973s
#avatar_url returns a fully qualified URL 0.016269 when password policy is enforced enforces strong passwords 0.737569 #full_name returns a user his/her full_name 0.021379 #password= stores encrypted password in `password_digest` 0.003649 Lab System DeleteLabSystem returns not found (404) if the lab system doesn't exist 0.035938 deletes the lab system 0.044849	#rights returns user rights .find_or_create_by_user_info finds an user by its username (case-insensitive) creates an user by its username	0.01626s 0.01973s
returns a fully qualified URL when password policy is enforced enforces strong passwords #full_name returns a user his/her full_name outliness and the full_name stores encrypted password in `password_digest` beleteLabSystem PeleteLabSystem returns not found (404) if the lab system doesn't exist deletes the lab system 0.016269	#rights returns user rights .find_or_create_by_user_info finds an user by its username (case-insensitive) creates an user by its username .find_by_email_or_username	0.01626s 0.01973s 0.02041s
returns a fully qualified URL when password policy is enforced enforces strong passwords #full_name returns a user his/her full_name outliness and the full_name stores encrypted password in `password_digest` beleteLabSystem PeleteLabSystem returns not found (404) if the lab system doesn't exist deletes the lab system 0.01626s	#rights returns user rights .find_or_create_by_user_info finds an user by its username (case-insensitive) creates an user by its username .find_by_email_or_username finds a user by email	0.01626s 0.01973s 0.02041s 0.01736s
when password policy is enforced enforces strong passwords #full_name returns a user his/her full_name stores encrypted password in `password_digest` Lab System DeleteLabSystem returns not found (404) if the lab system doesn't exist deletes the lab system 0.035938 0.044848	#rights returns user rights .find_or_create_by_user_info finds an user by its username (case-insensitive) creates an user by its username .find_by_email_or_username finds a user by email finds a user by case insensitive username	0.01626s 0.01973s 0.02041s 0.01736s
enforces strong passwords #full_name returns a user his/her full_name #password= stores encrypted password in `password_digest` DeleteLabSystem returns not found (404) if the lab system doesn't exist deletes the lab system 0.03593s 0.04484s	#rights returns user rights .find_or_create_by_user_info finds an user by its username (case-insensitive) creates an user by its username .find_by_email_or_username finds a user by email finds a user by case insensitive username #avatar_url	0.01626s 0.01973s 0.02041s 0.01736s 0.02833s
#full_name returns a user his/her full_name 0.02137s #password= stores encrypted password in `password_digest` 0.00364s Lab System DeleteLabSystem returns not found (404) if the lab system doesn't exist 0.03593s deletes the lab system 0.04484s	#rights returns user rights .find_or_create_by_user_info finds an user by its username (case-insensitive) creates an user by its username .find_by_email_or_username finds a user by email finds a user by case insensitive username #avatar_url returns a fully qualified URL	0.01626s 0.01973s 0.02041s 0.01736s 0.02833s
returns a user his/her full_name 0.02137s #password= stores encrypted password in `password_digest` 0.00364s Lab System DeleteLabSystem returns not found (404) if the lab system doesn't exist 0.03593s deletes the lab system 0.04484s	#rights returns user rights .find_or_create_by_user_info finds an user by its username (case-insensitive) creates an user by its username .find_by_email_or_username finds a user by email finds a user by case insensitive username #avatar_url returns a fully qualified URL when password policy is enforced	0.01626s 0.01973s 0.02041s 0.01736s 0.02833s
#password= stores encrypted password in `password_digest` Lab System DeleteLabSystem returns not found (404) if the lab system doesn't exist deletes the lab system 0.03593s	#rights returns user rights .find_or_create_by_user_info finds an user by its username (case-insensitive) creates an user by its username .find_by_email_or_username finds a user by email finds a user by case insensitive username #avatar_url returns a fully qualified URL when password policy is enforced	0.01626s 0.01973s 0.02041s 0.01736s 0.02833s
stores encrypted password in `password_digest` Lab System DeleteLabSystem returns not found (404) if the lab system doesn't exist 0.03593s deletes the lab system 0.04484s	#rights returns user rights .find_or_create_by_user_info finds an user by its username (case-insensitive) creates an user by its username .find_by_email_or_username finds a user by email finds a user by case insensitive username #avatar_url returns a fully qualified URL when password policy is enforced enforces strong passwords	0.01626s 0.01973s 0.02041s 0.01736s 0.02833s
stores encrypted password in `password_digest` Lab System DeleteLabSystem returns not found (404) if the lab system doesn't exist 0.03593s deletes the lab system 0.04484s	#rights returns user rights .find_or_create_by_user_info finds an user by its username (case-insensitive) creates an user by its username .find_by_email_or_username finds a user by email finds a user by case insensitive username #avatar_url returns a fully qualified URL when password policy is enforced enforces strong passwords #full_name	0.01626s 0.01973s 0.02041s 0.01736s 0.02833s 0.01626s
Lab System DeleteLabSystem returns not found (404) if the lab system doesn't exist deletes the lab system 0.03593s	#rights returns user rights .find_or_create_by_user_info finds an user by its username (case-insensitive) creates an user by its username .find_by_email_or_username finds a user by email finds a user by case insensitive username #avatar_url returns a fully qualified URL when password policy is enforced enforces strong passwords #full_name returns a user his/her full_name	0.01626s 0.01973s 0.02041s 0.01736s 0.02833s 0.01626s
DeleteLabSystem returns not found (404) if the lab system doesn't exist 0.03593s deletes the lab system 0.04484s	#rights returns user rights find_or_create_by_user_info finds an user by its username (case-insensitive) creates an user by its username find_by_email_or_username finds a user by email finds a user by case insensitive username #avatar_url returns a fully qualified URL when password policy is enforced enforces strong passwords #full_name returns a user his/her full_name #password=	0.01626s 0.01973s 0.02041s 0.01736s 0.02833s 0.01626s 0.73756s
returns not found (404) if the lab system doesn't exist deletes the lab system 0.035936 0.044846	#rights returns user rights find_or_create_by_user_info finds an user by its username (case-insensitive) creates an user by its username find_by_email_or_username finds a user by email finds a user by case insensitive username #avatar_url returns a fully qualified URL when password policy is enforced enforces strong passwords #full_name returns a user his/her full_name #password=	0.01626s 0.01973s 0.02041s 0.01736s 0.02833s 0.01626s 0.73756s
deletes the lab system 0.04484s	#rights returns user rights find_or_create_by_user_info finds an user by its username (case-insensitive) creates an user by its username find_by_email_or_username finds a user by email finds a user by case insensitive username #avatar_url returns a fully qualified URL when password policy is enforced enforces strong passwords #full_name returns a user his/her full_name #password= stores encrypted password_digest`	0.01626s 0.01973s 0.02041s 0.01736s 0.02833s 0.01626s 0.73756s
	#rights returns user rights find_or_create_by_user_info finds an user by its username (case-insensitive) creates an user by its username finds by_email_or_username finds a user by email finds a user by case insensitive username #avatar_url returns a fully qualified URL when password policy is enforced enforces strong passwords #full_name returns a user his/her full_name #password= stores encrypted password in `password_digest` Lab System	0.01626s 0.01973s 0.02041s 0.01736s 0.01626s 0.73756s
	#rights returns user rights find_or_create_by_user_info finds an user by its username (case-insensitive) creates an user by its username find by_email_or_username finds a user by email finds a user by case insensitive username #avatar_url returns a fully qualified URL when password policy is enforced enforces strong passwords #full_name returns a user his/her full_name #password= stores encrypted password in `password_digest` Lab System DeleteLabSystem	0.01626s 0.01973s 0.02041s 0.01736s 0.02833s 0.01626s 0.73756s 0.02137s
returns forbidden (403) if the user isn't authorized 0.04172s	#rights returns user rights find_or_create_by_user_info finds an user by its username (case-insensitive) creates an user by its username finds a user by email_or_username finds a user by email finds a user by case insensitive username #avatar_url returns a fully qualified URL when password policy is enforced enforces strong passwords #full_name returns a user his/her full_name #password= stores encrypted password in `password_digest` Lab System DeleteLabSystem returns not found (404) if the lab system doesn't exist	0.00277s 0.01626s 0.01973s 0.02041s 0.01736s 0.01626s 0.73756s 0.02137s 0.00364s 0.03593s 0.04484s

Planning::SessionFinder	
decoration	
decorates the evaluator	0.01267s
#in_week_of	
returns a WeekEvaluator	0.01251s
	0.012313
#in_month_of	
returns a MonthEvaluator	0.01173s
#in_day_of	
returns a DayEvaluator	0.01164s
#in_session_on	
returns a SessionEvaluator	0.01194s
Sync exportable	
returns forbidden (403) when the user isn't authorized	0.03930s
returns success (200) and updates the billing item data	0.42540s
returns unprocessable entity (422) when syncing a ready exportable	0.03995s
returns unprocessable entity (422) when syncing an exported exportable	0.04119s
touches the exportable timestamp	0.05583s
returns not found (404) if the exportable isn't found	0.03214s
Interpretion with this Details and the Compile	
Integration::MachineDataIngestionService raises when there's no ongoing session for a patient	0.15523s
raises when there's no ongoing session for a machine serial number	0.133235
raises if units are incompatible	0.15940s
	0.155 .65
when message contains treatment ended status	
updates session to reflect that the treatment has ended	0.17197s
when message contains machine info	
saves diagnostic information about the machine connection	0.03254s
saves machine info on the session	0.15417s
when treatment is ongoing (according to machine)	
rejects parameters with null values	0.14954s
rejects unknown parameters	0.14908s
accepts all parameters	0.15519s
when treatment has ended (according to machine)	
accepts all parameters if messages are replayed	0.15439s
only accepts blood pressure measurements	0.14972s
Asynchronous reports: transport_overview	2.2225
generates the report	0.33858s
GetLogbookEntries	
returns entries ordered by date descending	0.37246s
returns paginated entries	0.61700s
returns entries with meta data	0.18656s
returns 404 when `session_id` doesn't exist	0.03768s
returns 403 when user doesn't have the required rights	0.16374s
GetPatientVascularAccessSummaries	
fails if patient does not exist	0.04465s
requires write rights	0.03952s
returns patient's vascular access summaries	0.29031s
GetIngredients	
returns forbidden (403) if the user isn't authorized	0.04309s
returns an list of ingredients	0.22810s
can filter by name	0.11914s

ecutions::Reports::Autodialysis	
#sanitize_payload	0.07
sanitizes payload	0.076
ersController	
show	
returns the given user	0.071
requires authorization	0.036
fails when given user does not exist	0.037
SessionOrders	
returns the list of session orders and not other tasks	0.224
returns an empty list when there are no orders	0.178
returns a unique set of actors	0.256
returns the orders that belong to the session	0.380
returns the orders with their correct status	0.240
returns the list of session orders	0.196
returns forbidden (403) if the user isn't authorized	0.17
plve_alerts	
fails when not authorized	0.05
succeeds when authorized	0.08
latejournaljournals	0.11
return forbidden (403) if the user only has manage rights for other journals	0.110
return forbidden (403) if the user only has read rights	0.100
updates an existing journal entry's scope	
update fails when no scope is specified return forbidden (403) if the user isn't authorized	0.12
update fails when scope is not valid	0.11
	0.11.
date patient transplant eligibility	
sets patient's transplant eligibility when he/she has no status yet	0.18
updates patient's transplant eligibility status	0.164
fails if the transplant eligibility status does not exist	0.129
fails if patient does not exist	0.04
updates audit information	0.22
requires write rights	0.04
cutions::Base	
is expected to belong to user required: true	0.029
is expected to validate that :type cannot be empty/falsy	0.03
is expected to validate that :category is either <"reports">, <"maestro">, <"ehealth">, or <"medications">	0.033
is expected to validate that :runner cannot be empty/falsy	0.03
is expected to validate that :state cannot be empty/falsy	0.03
is expected to validate that :runner is either <"sidekiq">, <"maestro">, or <"apollo">	0.03
is expected to validate that :category cannot be empty/falsy	0.033
eattach	
attaches a file	0.07
rices::Device	
returns success (200)	0.07
returns success (200) returns forbidden (403) if the user isn't authorized	0.05
returns not found (404) if the device is not found	0.04
audits the destroy action	0.05
	0.03

creates a new schema	0.21084s
fails when new schema overlaps with an existing one	0.18037s
fails when given shift doesn't exist	0.18185s
fails when given position doesn't exist	0.18197s
PUT /api/schemas/:id	
updates a existing schema	0.46792s
DELETE /api/schemas/:id	
preserves the 'add' deviations if set so	0.19612s
deletes the 'add' deviations if set so	0.19857s
only deletes deviations covered by the schema	0.22827s
always deletes the 'remove' deviations	0.24690s
deletes a schema	0.16219s
	0.10110
GET /api/patients/:patient_id/schemas	
lists active schemas for a given patient	0.10667s
AddRole	
audits the action	0.06035s
fails creation when giving existing role name	0.06181s
requires authorization	0.03806s
adds a role	0.05158s
Synauthou Synauthous (Pationt Master Pasaud	
Exports::Exporters::PatientMasterRecord includes patients when the relevant parameter is passed	0.34084s
contains patient master records	0.41124s
filters patients by is_enrolled when the relevant parameter is passed	0.34403s
excludes patients when the relevant parameter is passed	0.32060s
excludes patients when the relevant parameter is passed	0.320003
PUT /api/connectors/:id	
returns success (200) and updated connector	0.05129s
returns forbidden (403) when the user isn't authorized	0.03848s
returns unprocessable entity (422) if the parameters are invalid	0.04287s
audits the update action	0.05291s
returns not found (404) if the connector is not found	0.03721s
Double Create Code by Codable	
returns the new code after a previous code for same system was deleted	0.18750s
Medications::MedicationAdministrationAdapter	
serializes service correctly on patient billing	0.25956s
serializes stock correctly on no stock	0.25739s
serializes common fields correctly	0.29142s
serializes stock correctly on dialysis stock	0.31717s
serializes service correctly on service billing	0.271175
serializes stock correctly on central stock	0.27288s
	3.5.253
UpdatePatientContactInfo	
returns forbidden (403) if the user isn't authorized	0.10660s
updates a patient's contact info	0.19442s
denies updating not enrolled patients	0.08414s
Centers API	
/centers	
returns only centers with shifts if `with_shifts` is passed	0.13939s
returns all centers	0.14109s
returns all center with details	0.32201s
/centers/:id	0.04500
returns not found (404) if center doesn't exist	0.04586s
returns a single center with details	0.17527s

RecipePrescriptionPdf	
gets a pdf of the recip-e prescription	0.11145s
	3,333,03
UpdateMedicationAdministration	
returns not found (404) if the administration is not found	0.04757s
returns forbidden (403) if the user isn't authorized	0.25528s
returns success (200) if updated	0.32651s
Destroy medication administration addition	
returns success (204) if destroyed	0.27842s
returns forbidden (403) if the user isn't authorized	0.07193s
returns not found (404) if the administration is not found	0.04172s
Position	
requires the correct rights	0.08449s
swaps two positions	0.10970s
Journal Comments	
	0.31048s
returns comments for a given journal entry	0.13355s
unauthorized for a user with manage rights for other journals creates a new comment for a given journal entry	0.133335 0.14207s
unauthorized for a user with only read rights	0.11656s
when updating an existing comments	
succeeds for the original author	0.13573s
fails for users other that the original author	0.14429s
when deleting an existing comments	
fails for users other that the original author	0.13484s
succeeds for the original author	0.12238s
UnitValidator	
validations	
given invalid units	
an empty string should not be valid	0.00378s
given valid units	
m should be valid	0.00451s
cm should be valid	0.00308s
km should be valid	0.00325s
mm should be valid	0.00310s
error messages	
when the message is not defined	
adds the default message	0.00340s
	0.003403
when the message is defined	
adds the customized message	0.00268s
Medications::HomeMedicationOrder	
is expected to belong to prescriber optional: true	0.00353s
is expected to have many home_medication_order_items	0.00248s
is expected to belong to patient required: true	0.00370s
Patients::PatientDiagnosis	
audits the update action	0.15464s
returns forbidden (403) if the user isn't authorized	0.07569s
returns success (200) and all updated ranks	0.12857s
	V.120373
GetSessionPrescription	
returns forbidden (403) if the user isn't authorized	0.15319s
returns not found (404) if the session prescription cannot be found	0.09357s

returns the requested session prescription	0.24210s
Patients::UltrafiltrationVolumeAdjustment	
is expected to validate that :milliliters cannot be empty/falsy	0.00845s
is expected to validate that :milliliters looks like an integer	0.00935s
is expected to validate uniqueness of name	0.08561s
is expected to have an index on :patient_id	0.00578s
is expected to validate that :name cannot be empty/falsy	0.01143s
is expected to belong to patient required: true	0.00651s
Devices::Device	
returns success (200) and the device	0.07094s
returns not found (404) if the device is not found	0.04154s
returns forbidden (403) if the user isn't authorized	0.04109s
GetPatientInsurance	
returns patient's transport preferences	0.10941s
fails if patient does not exist	0.03057s
requires write rights	0.10009s
Executions::RecipE::Base	
is expected to be enqueueable	0.02392s
has a default category	0.00332s
has a default runner	0.00264s
#execute!	
updates home medication order with warning	0.41634s
updates prescription with technical exception	0.35506s
updates home medication order with backend exception	0.37517s
MergeEmergencyPatients	0.027000
requires authorization	0.03790s
returns unprocessable if both patients are enrolled	0.10745s
returns not found if the emergency_patient is not found	0.10613s
returns not found if the EHR_patient is not found	0.06435s
merging enrolled patients	
merges successfuly two patients	0.20859s
POST /api/connectors/:id/device/:id	
returns unprocessable entity (422) for an invalid address	0.05388s
creates no audit for invalid create action	0.06911s
creates audit for create action	0.08551s
returns success (200) and creates a connector_device	0.08353s
returns unprocessable entity (422) for invalid data	0.06405s
returns forbidden (403) if the user isn't authorized	0.04682s
returns unprocessable_entity (422) if the configuration between device and connector is not unique	0.06155s
Infrastructure::Services::FindMatchingStock	
returns the central stock if the room's stock does not match the formulary item stock, but the formulary item is in the central stock	0.10169s
returns nil when there is no room	0.02421s
returns nil when the room's stock does not match the formulary item	0.10444s
returns the room's stock if it matches at least one formulary item stock	0.10292s
returns nil when there is no variant	0.00510s
returns nil if the room's stock does not match the formulary item stock, and the formulary item is not in a central stock	0.08923s
returns nil when there is no matching formulary item	0.03884s
returns the central stock if the room does not match the formulary item stock, but the formulary item is in the central stock	0.09158s
returns nil when the room has no stock	0.07543s
returns the room's stock if it matches the formulary item stock	0.07173s
POCT (A. P. A. P. P. A.	

	returns 403 forbidden if the user isn't authorized	0.09467s
	when creating a ultrafiltration volume adjustment	
	returns 201 created with the created ultrafiltration volume adjustment	0.11299s
	audits the action	0.11476s
	when params are wrong	0.00070-
	returns 422 unprocessable entity does not audit the action	0.09870s 0.10331s
	does not addit the action	0.103315
Lis	st ultrafiltration calculations	
L	returns the ultrafiltration calculations for the given session	0.16797s
	returns 404 not found if the session cannot be found	0.05698s
	returns 403 forbidden if the user isn't authorized	0.16192s
Lo	ogbook::Comment	
	is expected to belong to author required: true	0.00626s
	is expected to belong to parent required: true	0.00564s
	is expected to validate that :content cannot be empty/falsy	0.00838s
	<pre>#viewer_can_{edit,delete}?</pre>	
	equals true for the author within 8 hours after creation	0.02886s
	equals false for the author more than 8 hours after creation	0.03026s
	always equals false for a user other the author or promoter	0.09159s
ME	edications::MagistralPreparation	0.012266
	is expected to validate that :form cannot be empty/falsy validate uniqueness of magistral preparation	0.01336s 0.03489s
H	is expected to validate that :formula cannot be empty/falsy	0.01505s
H	is expected to validate that :dose cannot be empty/falsy	0.01303\$
_	is expected to validate that tuose cannot be emptyrialsy	0.014403
Cr	reate Category	
H	returns unprocessable entity (422) when creating doubles	0.04084s
	returns forbidden (403) when the user isn't authorized	0.03681s
	returns success (200)	0.03971s
Ad	ddServiceIdToMedicationAdministrations	
	updates billing items (PENDING: Temporarily skipped with xit)	
Ex	cecutions::Medications::TimeoutJob	
Ī	transitions the execution to `scheduled`, and then to `completed`	0.06640s
	and in a state of the state of	
EX	transitions the execution to `waiting`	0.04754s
	publishes an Apollo message	0.08661s
	filters enabled sources	0.06829s
	filters by source id	0.06086s
		33333
Me	edications::Requests::Intradialytic	
	is expected to validate that :scheduled_at cannot be empty/falsy	0.07207s
Мє	edications::Category	
	is expected to validate that :name cannot be empty/falsy	0.00962s
	is expected to have many products dependent => nullify	0.00328s
	is expected to validate that :name is case-sensitively unique	0.01453s
De	elete Ingredient	
Ī	returns success (200) and deletes the route when in in a unsupervised source	0.09522s
Ĩ	returns method not allowed (405) when deleting within a supervised source	0.09819s
Ĩ	returns forbidden (403) when the user isn't authorized	0.06497s
دا	aboratory::LaboratoryResultRepository	
	ignores unknown parameters	0.12010-
	ignores unknown parameters	0.13010s

translates observation units in the configured unit dialect	0.19752s
returns a sorted set of observations (newest first)	0.16376s
returns the last known reference ranges for an observation	0.15970s
translates observation units in the configured display unit	0.14407s
filters results on subset	0.14974s
doesn't return observations for which patient has no results	0.10017s
PatientAttachments	
when deleting an attachment	
returns not found if attachment doesn't exist	0.03903s
requires authorization	0.15651s
deletes the attachment	0.17909s
Medications::Providers::Handler	
when service discovery is disabled	
discards the message	0.02012s
when service discovery is enabled	0.04005-
updates the description and publication date	0.04095s
creates a new disables source on first sighting	0.02488s
touches the last_seen_at timestamp	0.03661s
Patients::Enrollment	
is expected to belong to patient required: true	0.00598s
is expected to belong to user required: true	0.00515s
Request account unlock	
for a non-existing user	
returns unprocessable entity (422) and does not send an account unlock email by username	0.01846s
returns unprocessable entity (422) and does not send an account unlock email by email	0.01935s
for an existing user	
returns created (201), sends an account unlock email and sets unlock token by username	0.06433s
returns unprocessable entity (422) when the user is not locked	0.03356s
returns created (201), sends an account unlock email and sets unlock token by email	0.06823s
paranoid mode returns created (201) when the user is not locked	0.03754s
returns created (201) for a non-existing user	0.02015s
returns created (201) for an existing user	0.06350s
retains created (2017) for an existing aser	0.005505
Update transplant eligibility status	
returns forbidden (403) when the user isn't authorized	0.04129s
return unprocessable entity (422) when reusing a name	0.05312s
returns success (200) and an updated transplant eligibility status	0.05286s
AddDiet	
returns forbidden (403) if the user isn't authorized	0.03440s
create a new diet	0.04362s
Patients::Remark	
is expected to validate that :remark_type is either <"general">, <"diabetes">, <"esrd">, <"dnr_code_0">, <"dnr_code_1">, <"dnr_code_2">, <"dnr_code_1">, <"dnr_code_2">, <"dnr_code_1">, <"dnr	
is expected to validate inclusion of type in category	0.01553s 0.01393s
is expected to belong to patient required: true	0.00467s
is expected to validate that :category is either ‹"general"›, ‹"care_trajectory"›, ‹"dnr"›, or ‹"fluid_balance"›	0.01052s
Get stocks	
returns success (200) and stocks sorted by external identifier	0.07110s
·	
Positions	
Get Position	
returns not found if position does not exist	0.03519s

returns the positions	0.07167s
Auth::OIDC::UserInfo	
#username	
returns user's username	0.00235s
#last_name returns user's last name	0.00342s
Tetutis user's last fialle	0.003425
#email	
returns user's email	0.00255s
#first_name	
returns user's first name	0.00261s
DeleteIntervention	
deletes the specified intervention	0.13805s
returns forbidden (403) if the user isn't authorized	0.13405s
returns not_found (404) if the intervention cannot be found	0.03448s
POST /api/connectors	
creates audit for create action	0.04546s
returns forbidden (403) if the user isn't authorized	0.03415s
return success (200) and created a connector	0.04564s
Delete Code system returns forbidden (403) when the user isn't authorized	0.04087s
returns method not allowed (405) when not editable	0.04383s
returns success (200) and deletes the code sytem when editable	0.05368s
	0.055005
CreateMagistralPreparation	
returns 422 if form is not given	0.04888s
returns 422 if formula is not given	0.04479s
returns 403 if the user isn't authorized	0.03615s 0.04448s
returns 422 if a magistral preparation already exists returns 422 if dose is not given	0.03995s
returns created magistral preparation	0.04897s
	0.010373
Patient remarks	
returns all remarks for a patient	0.13855s
returns forbidden (403) if the user isn't authorized	0.11186s
Medications::ProductRoute	
is expected to belong to route required: true	0.00904s
is expected to belong to product required: true	0.00789s
CreateVascularAccessSites	
saves metadata for catheter	0.23579s
creates a new vascular access site	0.21156s
requires write rights	0.12186s
updates audit information	0.31787s
fails if technique is invalid	0.20321s
fails if patient does not exist	0.11977s
GetVascularAccessComplications	
returns the list of vascular access complications	0.29435s
returns forbidden (403) if the user isn't authorized	0.12234s
returns complications that belong to the vascular_access category	0.25975s
UpdateRoleName	
updates admin role name	0.07282s
audits the action	0.06172s
requires authorization	0.04584s

updates role's name	0.05637s
denies update if role does not exist	0.03574s
Validators::RequiredValidator	
accepts values if they are not null	0.00296s
rejects null values	0.00323s
DeletePatientAvatar	
deletes even if patient has no avatar	0.14842s
deletes a patient's avatar	0.54714s
returns forbidden (403) if the user isn't authorized	0.50136s
Ratio	0.00002-
is expected to respond to [:numerator, :denominator]	0.00683s
type cast	
type casts using .to_ratio	0.01178s
type casts using Ratio()	0.01261s
#next, #succ	
returns the next value	0.01189s
#<=>	
returns 1 when numerator is greater	0.00915s
returns 0 when value is equal	0.00810s
returns nil when denominator is different	0.00881s
returns -1 when value is smaller	0.00762s
Even tienen Mediestien aufmanutle b	
Executions::Medications::ImportJob transitions the execution to `waiting`	0.08489s
publishes Apollo message grouped by source	0.06442s
publishes ripolio message grouped by source	0.001123
Executions::Reports::GeneralPractitioner	
payload	
validates inclusion of `year`	0.05678s
	0.05678s 0.01760s
validates inclusion of `year`	
validates inclusion of `year` validates inclusion of `patient_id`	
validates inclusion of `year` validates inclusion of `patient_id` Update transport type	0.01760s
validates inclusion of `year` validates inclusion of `patient_id` Update transport type returns unprocessable entity (422) when updating to existing name allows to reuse the name of deleted transport type returns forbidden (403) when the user isn't authorized	0.01760s 0.07309s
validates inclusion of `year` validates inclusion of `patient_id` Update transport type returns unprocessable entity (422) when updating to existing name allows to reuse the name of deleted transport type	0.01760s 0.07309s 0.07320s
validates inclusion of `year` validates inclusion of `patient_id` Update transport type returns unprocessable entity (422) when updating to existing name allows to reuse the name of deleted transport type returns forbidden (403) when the user isn't authorized	0.01760s 0.07309s 0.07320s 0.04794s
validates inclusion of `year` validates inclusion of `patient_id` Update transport type returns unprocessable entity (422) when updating to existing name allows to reuse the name of deleted transport type returns forbidden (403) when the user isn't authorized returns success (200) and an updated transport type	0.01760s 0.07309s 0.07320s 0.04794s
validates inclusion of `year` validates inclusion of `patient_id` Update transport type returns unprocessable entity (422) when updating to existing name allows to reuse the name of deleted transport type returns forbidden (403) when the user isn't authorized returns success (200) and an updated transport type	0.01760s 0.07309s 0.07320s 0.04794s 0.06405s
validates inclusion of `year` validates inclusion of `patient_id` Update transport type returns unprocessable entity (422) when updating to existing name allows to reuse the name of deleted transport type returns forbidden (403) when the user isn't authorized returns success (200) and an updated transport type Delete Code returns method not allowed (405) when the codesystem is not editable	0.01760s 0.07309s 0.07320s 0.04794s 0.06405s
validates inclusion of `year` validates inclusion of `patient_id` Update transport type returns unprocessable entity (422) when updating to existing name allows to reuse the name of deleted transport type returns forbidden (403) when the user isn't authorized returns success (200) and an updated transport type Delete Code returns method not allowed (405) when the codesystem is not editable returns forbidden (403) when the user isn't authorized	0.01760s 0.07309s 0.07320s 0.04794s 0.06405s 0.05779s
validates inclusion of `year` validates inclusion of `patient_id` Update transport type returns unprocessable entity (422) when updating to existing name allows to reuse the name of deleted transport type returns forbidden (403) when the user isn't authorized returns success (200) and an updated transport type Delete Code returns method not allowed (405) when the codesystem is not editable returns forbidden (403) when the user isn't authorized returns success (200) and deletes the code when the codesystem is editable	0.01760s 0.07309s 0.07320s 0.04794s 0.06405s 0.05779s
validates inclusion of `year` validates inclusion of `patient_id` Update transport type returns unprocessable entity (422) when updating to existing name allows to reuse the name of deleted transport type returns forbidden (403) when the user isn't authorized returns success (200) and an updated transport type Delete Code returns method not allowed (405) when the codesystem is not editable returns forbidden (403) when the user isn't authorized returns success (200) and deletes the code when the codesystem is editable Get record template	0.01760s 0.07309s 0.07320s 0.04794s 0.06405s 0.05779s 0.05377s 0.06399s
validates inclusion of `year` validates inclusion of `patient_id` Update transport type returns unprocessable entity (422) when updating to existing name allows to reuse the name of deleted transport type returns forbidden (403) when the user isn't authorized returns success (200) and an updated transport type Delete Code returns method not allowed (405) when the codesystem is not editable returns forbidden (403) when the user isn't authorized returns success (200) and deletes the code when the codesystem is editable Get record template returns an error when unauthorized	0.01760s 0.07309s 0.07320s 0.04794s 0.06405s 0.05779s 0.05377s 0.06399s
validates inclusion of `year` validates inclusion of `patient_id` Update transport type returns unprocessable entity (422) when updating to existing name allows to reuse the name of deleted transport type returns forbidden (403) when the user isn't authorized returns success (200) and an updated transport type Delete Code returns method not allowed (405) when the codesystem is not editable returns forbidden (403) when the user isn't authorized returns success (200) and deletes the code when the codesystem is editable Get record template returns an error when unauthorized returns 404 when the record isn't present gets a tif file of report	0.01760s 0.07309s 0.07320s 0.04794s 0.06405s 0.05779s 0.05377s 0.06399s 0.03910s 0.04150s
validates inclusion of `year` validates inclusion of `patient_id` Update transport type returns unprocessable entity (422) when updating to existing name allows to reuse the name of deleted transport type returns forbidden (403) when the user isn't authorized returns success (200) and an updated transport type Delete Code returns method not allowed (405) when the codesystem is not editable returns forbidden (403) when the user isn't authorized returns success (200) and deletes the code when the codesystem is editable Get record template returns an error when unauthorized returns 404 when the record isn't present gets a tlf file of report Asynchronous Recip-e executions	0.01760s 0.07309s 0.07320s 0.04794s 0.06405s 0.05779s 0.05377s 0.06399s 0.03910s 0.04150s 0.08480s
validates inclusion of `year` validates inclusion of `patient_id` Update transport type returns unprocessable entity (422) when updating to existing name allows to reuse the name of deleted transport type returns forbidden (403) when the user isn't authorized returns success (200) and an updated transport type Delete Code returns method not allowed (405) when the codesystem is not editable returns forbidden (403) when the user isn't authorized returns success (200) and deletes the code when the codesystem is editable Get record template returns an error when unauthorized returns 404 when the record isn't present gets a tif file of report	0.01760s 0.07309s 0.07320s 0.04794s 0.06405s 0.05779s 0.05377s 0.06399s 0.03910s 0.04150s
validates inclusion of `year' validates inclusion of `patient_id` Update transport type returns unprocessable entity (422) when updating to existing name allows to reuse the name of deleted transport type returns forbidden (403) when the user isn't authorized returns success (200) and an updated transport type Delete Code returns method not allowed (405) when the codesystem is not editable returns forbidden (403) when the user isn't authorized returns success (200) and deletes the code when the codesystem is editable Get record template returns an error when unauthorized returns 404 when the record isn't present gets a tif file of report Asynchronous Recip-e executions sets an exception on order when the Recip-e command fails	0.01760s 0.07309s 0.07320s 0.04794s 0.06405s 0.05779s 0.05377s 0.06399s 0.03910s 0.04150s 0.08480s
validates inclusion of 'year' validates inclusion of 'patient_id' Update transport type returns unprocessable entity (422) when updating to existing name allows to reuse the name of deleted transport type returns forbidden (403) when the user isn't authorized returns success (200) and an updated transport type Delete Code returns method not allowed (405) when the codesystem is not editable returns forbidden (403) when the user isn't authorized returns success (200) and deletes the code when the codesystem is editable Get record template returns an error when unauthorized returns 404 when the record isn't present gets a tif file of report Asynchronous Recip-e executions sets an exception on order when the Recip-e command fails GetForms returns an list of forms	0.01760s 0.07309s 0.07320s 0.04794s 0.06405s 0.05779s 0.05377s 0.06399s 0.03910s 0.04150s 0.08480s 0.72381s
validates inclusion of `year' validates inclusion of `patient_id` Update transport type returns unprocessable entity (422) when updating to existing name allows to reuse the name of deleted transport type returns forbidden (403) when the user isn't authorized returns success (200) and an updated transport type Delete Code returns method not allowed (405) when the codesystem is not editable returns forbidden (403) when the user isn't authorized returns success (200) and deletes the code when the codesystem is editable Get record template returns an error when unauthorized returns 404 when the record isn't present gets a tif file of report Asynchronous Recip-e executions sets an exception on order when the Recip-e command fails	0.01760s 0.07309s 0.07320s 0.04794s 0.06405s 0.05779s 0.05377s 0.06399s 0.03910s 0.04150s 0.08480s
validates inclusion of 'year' validates inclusion of 'patient_id' Update transport type returns unprocessable entity (422) when updating to existing name allows to reuse the name of deleted transport type returns forbidden (403) when the user isn't authorized returns success (200) and an updated transport type Delete Code returns method not allowed (405) when the codesystem is not editable returns forbidden (403) when the user isn't authorized returns success (200) and deletes the code when the codesystem is editable Get record template returns an error when unauthorized returns 404 when the record isn't present gets a tif file of report Asynchronous Recip-e executions sets an exception on order when the Recip-e command fails GetForms returns an list of forms	0.01760s 0.07309s 0.07320s 0.04794s 0.06405s 0.05779s 0.05377s 0.06399s 0.03910s 0.04150s 0.08480s 0.72381s
validates inclusion of `year' validates inclusion of `patient_id` Update transport type returns unprocessable entity (422) when updating to existing name allows to reuse the name of deleted transport type returns forbidden (403) when the user isn't authorized returns success (200) and an updated transport type Delete Code returns method not allowed (405) when the codesystem is not editable returns forbidden (403) when the user isn't authorized returns success (200) and deletes the code when the codesystem is editable Get record template returns an error when unauthorized returns 404 when the record isn't present gets a tif file of report Asynchronous Recip-e executions sets an exception on order when the Recip-e command fails GetForms returns an list of forms returns forbidden (403) if the user isn't authorized	0.01760s 0.07309s 0.07320s 0.04794s 0.06405s 0.05779s 0.05377s 0.06399s 0.03910s 0.04150s 0.08480s 0.72381s

when the ingredient is an active_substance	
is expected to validate that :quantity looks like a number greater than or equal to 0	0.029
is expected to validate that :unit cannot be empty/falsy	0.02
is expected to validate that :quantity cannot be empty/falsy	0.024
arts::UltrafiltrationHistory	
fcall	
returns the patient's UF for the last five sessions	0.07-
dications::Source	
is expected to validate that :description cannot be empty/falsy	0.010
is expected to have many forms dependent => destroy	0.00
is expected to have many route dependent => destroy	0.00
is expected to have many ingredients dependent => destroy	0.00
is expected to have many units dependent => destroy	0.00
is expected to validate that :name is case-sensitively unique	0.01
is expected to validate that :version cannot be empty/falsy	0.00
is expected to have many packages dependent => destroy	0.00
is expected to have many product dependent => destroy	0.00
is expected to have many companies dependent => destroy	0.00
is expected to validate that :name cannot be empty/falsy	0.01
validates only lowercase alphanumeric and dash/underscore name	0.01
supervised?	
has the alias '#supervised'	0.00
when name is 'manual'	
returns false	0.00
returns raise	0.00.
when name not 'manual'	
returns true	0.00
dications::Requests::Templates::Ambulatory	
has default order_properties	0.03
IMedicationAdministration	
returns forbidden (403) if the user isn't authorized	0.16
returns success (200) if add	0.22
ContactsForPatient	
returns forbidden (403) if the user isn't authorized	0.11
returns all contacts for a patient	0.14
LogbookCategories	
returns a list of categories	0.04
ks::Scheduler	
*due?	
even weeks	
even cweek	
is expected to be due :even_weeks and ["monday"]	0.25
is expected not to be due :even_weeks and ["tuesday"]	0.23
odd cweek	
is expected not to be due :even_weeks and ["monday"]	0.22
is expected not to be due :even_weeks and ["tuesday"]	0.24
odd weeks	
even cweek	
is expected not to be due :odd_weeks and ["monday"]	0.23

is expected not to be due :odd_weeks and ["tuesday"]	0
is expected to be due :odd_weeks and ["monday"]	0
week	
ient is on a monday - wednesday - friday schedule	
vhen it is monday	
is expected not to be due :every_week and ["tuesday", "thursday", "saturday"]	0
is expected not to be due :every_week and ["thursday"]	0
is expected to be due :every_week and ["monday", "wednesday", "friday"]	0
is expected not to be due :every_week and ["tuesday"]	0
is expected to be due :every_week and ["monday"]	0
is expected not to be due :every_week and ["saturday"]	0
is expected not to be due :every_week and ["wednesday"]	0
is expected not to be due :every_week and ["sunday"]	0
vhen it is tuesday	
is expected not to be due :every_week and ["saturday"]	0
is expected not to be due :every_week and ["monday", "wednesday", "friday"]	0
is expected not to be due :every_week and ["sunday"]	0
is expected not to be due :every_week and ["tuesday", "thursday", "saturday"]	0
is expected not to be due :every_week and ["thursday"]	0
is expected not to be due :every_week and ["tuesday"]	0
is expected not to be due :every_week and ["monday"]	0
is expected not to be due :every_week and ["wednesday"]	0
vhen it is wednesday	
is expected not to be due :every_week and ["saturday"]	0
is expected not to be due :every_week and ["tuesday"]	0
is expected not to be due :every_week and ["sunday"]	0
is expected not to be due :every_week and ["monday"]	0
is expected not to be due :every_week and ["thursday"]	0
is expected to be due :every_week and ["wednesday"]	0
is expected not to be due :every_week and ["tuesday", "thursday", "saturday"]	0
is expected to be due :every_week and ["monday", "wednesday", "friday"]	0
vhen it is thursday	
is expected not to be due :every_week and ["sunday"]	0
is expected not to be due :every_week and ["tuesday", "thursday", "saturday"]	0
is expected not to be due :every_week and ["monday", "wednesday", "friday"]	0
is expected not to be due :every_week and ["thursday"]	0
is expected not to be due :every_week and ["monday"] is expected not to be due :every_week and ["tuesday"]	0
is expected not to be due :every_week and ["saturday"]	0
is expected not to be due :every_week and ["wednesday"]	0
ient is on a tuesday - thursday - saturday schedule	
vhen it is monday	
is expected not to be due :every_week and ["monday"]	0
is expected not to be due :every_week and ["thursday"]	0
is expected not to be due :every_week and ["wednesday"]	0
is expected not to be due :every_week and ["tuesday", "thursday", "saturday"]	0
is expected not to be due :every_week and ["monday", "wednesday", "friday"]	0
is expected not to be due :every_week and ["tuesday"]	0
is expected not to be due :every_week and ["sunday"]	0
is expected not to be due :every_week and ["saturday"]	(

is expected to be due :every_week and ["thursday"]	0.25974s
is expected to be due :every_week and ["tuesday", "thursday", "saturday"]	0.23409s
is expected not to be due :every_week and ["saturday"]	0.22522s
is expected not to be due :every_week and ["sunday"]	0.21533s
is expected not to be due :every_week and ["wednesday"]	0.22942s
is expected not to be due :every_week and ["tuesday"]	0.22399s
is expected not to be due :every_week and ["monday", "wednesday", "friday"]	0.22446s
is expected not to be due :every_week and ["monday"]	0.25154s
when it is wednesday	
is expected not to be due :every week and ["monday"]	0.22199s
is expected not to be due :every_week and ["wednesday"]	0.21376s
is expected not to be due :every_week and ["tuesday"]	0.23253s
is expected not to be due :every_week and ["sunday"]	0.22534s
is expected not to be due :every_week and ["saturday"]	0.19178s
is expected not to be due :every_week and ["thursday"]	0.22566s
is expected not to be due :every_week and ["monday", "wednesday", "friday"]	0.23407s
is expected not to be due :every_week and ["tuesday", "thursday", "saturday"]	0.25046s
when it is tuesday	
is expected not to be due :every_week and ["saturday"]	0.23500s
is expected not to be due :every_week and ["monday", "wednesday", "friday"]	0.25362s
is expected not to be due :every_week and ["wednesday"]	0.21430s
is expected not to be due :every_week and ["sunday"]	0.22397s
is expected to be due :every_week and ["tuesday", "thursday", "saturday"]	0.22899s
is expected not to be due :every_week and ["monday"]	0.24194s
is expected not to be due :every_week and ["thursday"]	0.21860s
is expected to be due :every_week and ["tuesday"]	0.22218s
overy session	
every session	
on tuesday	
on tuesday	0.28776s
on tuesday when there is an ongoing session is expected to be due :every_session and nil	0.28776s
on tuesday when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session	
on tuesday when there is an ongoing session is expected to be due :every_session and nil	0.28776s 0.26522s
on tuesday when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session	
on tuesday when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil	
when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil when there is a completed session	0.26522s
when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil when there is a completed session is expected to be due :every_session and nil	0.26522s
when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil when there is a completed session is expected to be due :every_session and nil on wednesday is expected to be due :every_session and nil	0.26522s 0.36898s
when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil when there is a completed session is expected to be due :every_session and nil on wednesday is expected to be due :every_session and nil on monday	0.26522s 0.36898s 0.23837s
when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil when there is a completed session is expected to be due :every_session and nil on wednesday is expected to be due :every_session and nil	0.26522s 0.36898s
when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil when there is a completed session is expected to be due :every_session and nil on wednesday is expected to be due :every_session and nil on monday	0.26522s 0.36898s 0.23837s
when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil when there is a completed session is expected to be due :every_session and nil on wednesday is expected to be due :every_session and nil on monday is expected to be due :every_session and nil first full week of the month	0.26522s 0.36898s 0.23837s
when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil when there is a completed session is expected to be due :every_session and nil on wednesday is expected to be due :every_session and nil on monday is expected to be due :every_session and nil	0.26522s 0.36898s 0.23837s
when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil when there is a completed session is expected to be due :every_session and nil on wednesday is expected to be due :every_session and nil on monday is expected to be due :every_session and nil first full week of the month session planned is expected to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"]	0.26522s 0.36898s 0.23837s 0.23452s
when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil when there is a completed session is expected to be due :every_session and nil on wednesday is expected to be due :every_session and nil on monday is expected to be due :every_session and nil first full week of the month session planned is expected to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"] no session planned	0.26522s 0.36898s 0.23837s 0.23452s 0.24972s
when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil when there is a completed session is expected to be due :every_session and nil on wednesday is expected to be due :every_session and nil on monday is expected to be due :every_session and nil first full week of the month session planned is expected to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"]	0.26522s 0.36898s 0.23837s 0.23452s
when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil when there is a completed session is expected to be due :every_session and nil on wednesday is expected to be due :every_session and nil on monday is expected to be due :every_session and nil first full week of the month session planned is expected to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"] no session planned	0.26522s 0.36898s 0.23837s 0.23452s 0.24972s
when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil when there is a completed session is expected to be due :every_session and nil on wednesday is expected to be due :every_session and nil on monday is expected to be due :every_session and nil first full week of the month session planned is expected to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"] no session planned is expected not to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"]	0.26522s 0.36898s 0.23837s 0.23452s 0.24972s
when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil when there is a completed session is expected to be due :every_session and nil on wednesday is expected to be due :every_session and nil on monday is expected to be due :every_session and nil first full week of the month session planned is expected to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"] no session planned is expected not to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"] not the first week is expected not to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"]	0.26522s 0.36898s 0.23837s 0.23452s 0.24972s 0.22329s
when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil when there is a completed session is expected to be due :every_session and nil on wednesday is expected to be due :every_session and nil on monday is expected to be due :every_session and nil first full week of the month session planned is expected to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"] no session planned is expected not to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"] not the first week is expected not to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"] specific dates	0.26522s 0.36898s 0.23837s 0.23452s 0.24972s 0.22329s
when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil when there is a completed session is expected to be due :every_session and nil on wednesday is expected to be due :every_session and nil on monday is expected to be due :every_session and nil first full week of the month session planned is expected to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"] no session planned is expected not to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"] not the first week is expected not to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"] specific dates session planned	0.26522s 0.36898s 0.23837s 0.23452s 0.24972s 0.22329s
when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil when there is a completed session is expected to be due :every_session and nil on wednesday is expected to be due :every_session and nil on monday is expected to be due :every_session and nil first full week of the month session planned is expected to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"] no session planned is expected not to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"] not the first week is expected not to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"] specific dates session planned is expected to be due :specific_dates, nil, and Mon, 22 Jun 2020	0.26522s 0.36898s 0.23837s 0.23452s 0.24972s 0.22329s 0.22249s
when there is an ongoing session is expected to be due :every_session and nil when there is no ongoing session is expected not to be due :every_session and nil when there is a completed session is expected to be due :every_session and nil on wednesday is expected to be due :every_session and nil on monday is expected to be due :every_session and nil first full week of the month session planned is expected to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"] no session planned is expected not to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"] not the first week is expected not to be due :first_full_week_of_the_month and ["monday", "wednesday", "friday"] specific dates session planned	0.26522s 0.36898s 0.23837s 0.23452s 0.24972s 0.22329s

session already completed	
is expected not to be due :specific_dates, nil, and Mon, 22 Jun 2020	0.28728s
is expected for to be due ispecting dates, fill, and Holl, 22 juil 2020	0.207203
no session planned	
is expected not to be due :specific_dates, nil, and Sun, 21 Jun 2020	0.08284s
#new	
evaluation date default to today	0.10683s
Journal Printout	
when journal data available	
expect a report with the journal export	0.09742s
expect a report with the journal export	0.037425
TikTok	
tik toks (PENDING: Temporarily skipped with xit)	
CreateCenterAcl	
returns forbidden (403) if the user isn't authorized	0.04400s
creates a center acl	0.08338s
fails when the acl already exists	0.11171s
returns not found (404) if the center is not found	0.05295s
GetWoundPrescription	
returns not found (404) if the wound cannot be found	0.10985s
returns the serialized form definition	0.17518s
returns forbidden (403) if the user isn't authorized	0.14714s
DeleteCenterAcl	
returns forbidden (403) if the user isn't authorized	0.07060s
returns not_found (404) if the center acl isn't found	0.04945s
deletes the user's center acl	0.09354s
Get intradialytic prescription options	
returns prescriptions for the given patient	0.15430s
requires read rights	0.08396s
returns prescriptions for products and magistral preparations	0.25603s
returns several prescriptions ordered by product name	0.29841s
does not return prescriptions if outside date range	0.20128s
UpdateCenterAcl	
returns not_found (404) if the center acl isn't found	0.05894s
updates the user's center acl	0.08619s
returns forbidden (403) if the user isn't authorized	0.06040s
Madicabious Providence Over	
Medications::Providers::Queue	
#pop	
returns products	0.03583s
touches synced_at	0.03595s
does not return products recently synced	0.03693s
buckets	
syncs minimum products	0.00776s
syncs maximum products	0.00748s
syncs real products	0.00755s
syncs all products if less than the minimum	0.00755s
Lab parameters	
passing a display unit for a unitless parameter should result in error	0.05364s
returns errors when a unit is invalid	0.10833s
updates lab parameters	0.06453s
requires an authorized user	0.03165s
Henreullear Adaptor	
Users::UserAdapter	

serializes correctly	0.01739s
Infrastructure::Connector	
is expected to validate that :name cannot be empty/falsy	0.00621s
VascularAccess::Intervention	
is expected to belong to site required: true	0.00598s
is expected to belong to intervention_type required: true	0.00513s
Executions::Reports::TransportOverview	
is expected to be thin	0.00239s
#sanitize_payload	
sanitizes payload	0.02725s
Exports::Exporters::MedicationAdministration	
does not contain administration outside of start and end date	0.66167s
contains administered medications	0.28303s
UpdateUserRole	
fails to the user's role if the role does not exist	0.07726s
is allowed to promote someone to a role with app_admin when having the right	0.08665s
updates the user's role	0.07752s
is allowed to demote someone to a role without app_admin rights when having the right	0.07801s
requires authorization	0.05489s
updates role for admin users	0.09444s
is not allowed to demote someone to a role without app_admin rights without having the right	0.07498s
is not allowed to promote someone to a role with app_admin without having the right	0.06511s
Create medications import execution	
enqueues a publish job	0.07511s
returns forbidden (403) if the user isn't authorized	0.03495s
returns created (201) and the execution transitioned to `enqueued`	0.07229s
Medications	
StopIntradialyticMedication	
deletes future medications	0.16455s
requires write rights	0.03750s
fails deletion if medication not found	0.11016s
stops medication without archiving	0.16967s
delete future medication of restarted stopped medication creates stopped medication	0.41736s
can't stop stopped medication	0.16142s
AddAddressForPatient	
fails if `address_type` is not valid	0.10586s
returns forbidden (403) if the user isn't authorized	0.11512s
saves an optional note for the address	0.11117s
creates a new address	0.10804s
accepts other as an `address_type`	0.10702s
Infrastructure::GlobalCenterAcl	
is expected to belong to user required: true	0.00342s
GetDayOverview	
returns forbidden (403) if the user isn't authorized	0.15624s
returns not_found (404) if the session cannot be found	0.03140s
returns the day overview for the given session	0.17580s
returns due intradialytic medication for the given session	0.37764s
returns due orders for the given session	0.24716s
when orders and medication are planned in a night shift session	
stills show the orders and medications after 12pm	0.60713s

when an order is planned the first session of the week	
is in the Monday session when sessions are scheduled on Monday and Tuesday	0.37
elete Category	
returns success (200)	0.04
returns forbidden (403) when the user isn't authorized	0.034
Totalila Totalilador (1997 Milest die deel 1917 e dationized	0.03
tients::PatientDiagnosis	
returns success (200) and by row_order sorted patient diagnoses	0.15
returns forbidden (403) if the user isn't authorized	0.07
returns forbidden (404) if the patient is not found	0.03
b System	
UpdateLabSystem	
returns forbidden (403) if the user isn't authorized	0.04
returns not found (404) if the lab system doesn't exist	0.04
returns the updated lab system	0.10
returns the updated lab system	0.10.
scularAccess::Site	
is expected to belong to patient required: true	0.09
validates must include meta containing catheter data if a catheter	0.16
validates catheter meta data are consistent	0.16
is expected to have many site_attachments	0.08
accepts valid meta when catheter	0.17
is expected to belong to technique required: true	0.08
is expected to have many interventions	0.08
is expected to validate that :side is either <"left">, <"right">, or <"unknown">	0.14
is expected to validate that :status cannot be empty/falsy	0.10
is expected to validate that :status is either <"available">, <"unavailable">, or <"permanently_removed">	0.11
is expected to validate that :technique cannot be empty/falsy	0.09
is expected to have many site_examinations	0.08
validates that only catheter type can meta containing catheter data	0.26
is expected to validate that :side cannot be empty/falsy	0.16
ite technique validation must fail	
does not validate if incorrect technique is set	0.21
does not validate if no technique is set	0.15
does not validate if existing technique is set	0.18
atheter validation must fail	
does not validate if catheter already exist and 'type' is not 'permanently_destroyed'	0.12
emoved_at date must validate	0.00
clears the removed_at date for non-removed access sites	0.09
accepts removed_at date for removed access sites	0.09
emoved_at date validation must fail	
does not accept a removed_at date before placed_at date	0.09
raft and fistula validation must fail	
does not validate if graph or fistula exist	0.12
does not validate if graph of installa exist	0.12
ite validation has to pass validation	
	0.14
does validate if catheter does not exist or is permantly removed	
·	0.13
does validate if catheter does not exist or is permantly removed does validate if fistula or graft does not exist	0.13
does validate if catheter does not exist or is permantly removed does validate if fistula or graft does not exist ite technique validations must succeed	
does validate if catheter does not exist or is permantly removed does validate if fistula or graft does not exist ite technique validations must succeed allows creation and usage of a new technique	
does validate if catheter does not exist or is permantly removed does validate if fistula or graft does not exist ite technique validations must succeed	0.13 0.08

is expected to belong to template entianal, tru-	0.033
is expected to belong to template optional: true	0.030
is expected to belong to requester optional: true	0.03
is expected to belong to recorder required: true	0.03
is expected to validate that :status is either «"active"», «"cancelled"», «"completed"», or «"stopped">	0.039
ete a deviation for a patient	
fails if deviation does not exist	0.03
deletes a deviation	0.18
kupPrescriptionReportPdf	
generates a pdf of the prescription	0.09
ter Communication of the Commu	
entersEmailContact	
returns unprocessable entity (422) if the email_contact is not valid	0.05
updates the center email contact	0.05
fails if a center with given id is not found	0.03
requires the correct rights to update	0.05
lth::WorkerHealthChecker	
check	
creates a snapshot check of the queues	0.01
when not all queues are healthy is unhealthy	0.00
is unleading	0.00
when all queues are healthy	
is healthy	0.00
mark_healthy!	
mark_healthy! marks a queue as healthy by setting a key in Redis	0.000
marks a queue as healthy by setting a key in Redis	0.00
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs	
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs queues a dummy job per queue that updates health per job	
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs queues a dummy job per queue that updates health per job MedicationsFormularyItems	0.02
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs queues a dummy job per queue that updates health per job MedicationsFormularyItems returns forbidden (403) if the user isn't authorized	0.02
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs queues a dummy job per queue that updates health per job MedicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters	0.02 0.03 0.16
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs queues a dummy job per queue that updates health per job MedicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name	0.02 0.03 0.16 0.05
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs queues a dummy job per queue that updates health per job MedicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name filters on multidose	0.02 0.03 0.16 0.05
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs queues a dummy job per queue that updates health per job MedicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name filters on multidose filters on stocks	0.02 0.03 0.16 0.05 0.05
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs queues a dummy job per queue that updates health per job MedicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name filters on multidose filters on stocks returns paginated list of formulary items	0.02 0.03 0.16 0.05 0.05 0.16
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs queues a dummy job per queue that updates health per job MedicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name filters on multidose filters on stocks returns paginated list of formulary items	0.02 0.03 0.16 0.05 0.05 0.16
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs	0.02 0.03 0.16 0.05 0.05 0.16
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs queues a dummy job per queue that updates health per job MedicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name filters on multidose filters on stocks returns paginated list of formulary items filters on billed_to	0.02 0.03 0.16 0.05 0.16 0.06
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs queues a dummy job per queue that updates health per job AddicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name filters on multidose filters on stocks returns paginated list of formulary items filters on billed_to te Codable Code returns success (200) and removes the code from the codable	0.02 0.03 0.16 0.05 0.06 0.06
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs queues a dummy job per queue that updates health per job AddicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name filters on multidose filters on stocks returns paginated list of formulary items filters on billed_to Attended to the Codable Code returns success (200) and removes the code from the codable returns forbidden (403) when the user isn't authorized	0.02 0.03 0.16 0.05 0.06 0.06
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs queues a dummy job per queue that updates health per job AddicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name filters on multidose filters on stocks returns paginated list of formulary items filters on billed_to te Codable Code returns success (200) and removes the code from the codable returns forbidden (403) when the user isn't authorized tions	0.02 0.03 0.16 0.05 0.06 0.06
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs queues a dummy job per queue that updates health per job MedicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name filters on multidose filters on stocks returns paginated list of formulary items filters on billed_to tet Codable Code returns success (200) and removes the code from the codable returns forbidden (403) when the user isn't authorized tions	0.02 0.03 0.16 0.05 0.16 0.06 0.06 0.08
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs queues a dummy job per queue that updates health per job MedicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name filters on multidose filters on stocks returns paginated list of formulary items filters on billed_to te Codable Code returns success (200) and removes the code from the codable returns forbidden (403) when the user isn't authorized tions retare Position	0.02 0.03 0.16 0.05 0.05 0.06 0.06 0.08
enqueue_dummy_jobs queues a dummy job per queue that updates health per job MedicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name filters on multidose filters on stocks returns paginated list of formulary items filters on billed_to MedicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name filters on billed_to MedicationsFormularyItems filters on billed_to MedicationsFormula	0.02 0.03 0.16 0.05 0.06 0.06 0.08 0.08 0.08
enqueue_dummy_jobs queues a dummy job per queue that updates health per job AedicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name filters on multidose filters on stocks returns paginated list of formulary items filters on billed_to Ae Codable Code returns success (200) and removes the code from the codable returns forbidden (403) when the user isn't authorized tions reate Position creates a position with used to false fails if room is in grid mode and has reached max capacity	0.02 0.03 0.16 0.05 0.05 0.16 0.06 0.06 0.08 0.08
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs queues a dummy job per queue that updates health per job MedicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name filters on multidose filters on stocks returns paginated list of formulary items filters on billed_to tec Codable Code returns success (200) and removes the code from the codable returns forbidden (403) when the user isn't authorized tions reate Position creates a position with used to false fails if room is in grid mode and has reached max capacity fails if number not unique in room requires the correct rights	0.02 0.03 0.16 0.05 0.06 0.06 0.06 0.08 0.08 0.08 0.08 0.08
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs queues a dummy job per queue that updates health per job MedicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name filters on multidose filters on stocks returns paginated list of formulary items filters on billed_to te Codable Code returns success (200) and removes the code from the codable returns forbidden (403) when the user isn't authorized tions eate Position creates a position with used to false fails if room is in grid mode and has reached max capacity fails if number not unique in room	0.02 0.03 0.16 0.05 0.05 0.06 0.06 0.08 0.08 0.08 0.08 0.08 0.08
marks a queue as healthy by setting a key in Redis anqueue_dummy_jobs queues a dummy job per queue that updates health per job MedicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name filters on multidose filters on stocks returns paginated list of formulary items filters on billed_to tec Codable Code returns success (200) and removes the code from the codable returns forbidden (403) when the user isn't authorized tions eate Position creates a position with used to false falls if room is in grid mode and has reached max capacity falls if number not unique in room requires the correct rights requires the given room to exist creates a position	0.02 0.03 0.16 0.05 0.05 0.06 0.06 0.08 0.08 0.08 0.08 0.08 0.08
marks a queue as healthy by setting a key in Redis anqueue_dummy_jobs queues a dummy job per queue that updates health per job AddicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name filters on multidose filters on stocks returns paginated list of formulary items filters on billed_to te Codable Code returns success (200) and removes the code from the codable returns forbidden (403) when the user isn't authorized tions eate Position creates a position with used to false falls if room is in grid mode and has reached max capacity fails if number not unique in room requires the correct rights requires the given room to exist creates a position	0.02 0.03 0.16 0.05 0.05 0.06 0.06 0.06 0.08 0.08 0.08 0.006 0.006 0.008 0.008
marks a queue as healthy by setting a key in Redis enqueue_dummy_jobs queues a dummy job per queue that updates health per job MedicationsFormularyItems returns forbidden (403) if the user isn't authorized combines multiple filters filters on name filters on multidose returns paginated list of formulary items filters on billed_to te Codable Code returns success (200) and removes the code from the codable returns forbidden (403) when the user isn't authorized tions eate Position creates a position with used to false falls if room is in grid mode and has reached max capacity fails if number not unique in room requires the given room to exist	0.02 0.03 0.16 0.05

Institute internal price group (2000)	Get workers health status	
this healthy statuses status assessed, 1200 0.001035 Securiorist illegeration (Control III) (C	with an unhealthy status	
Executions Reported: Programmation Favorables: payloads	returns internal server error (500)	0.02212s
Executions Reported: Programmation Favorables: payloads	with healthy statuses	
Personal page Personal pag		0.01655s
### Activities purposed Contract and the proposed of contraction of contractio		
Bandines payload Castarias		
payload validates inclusion of late is constant of center gid constant in the constant in the center gid constant in gid in medication billing items for one sky constant in the center gid constant in the cente		
validates inclusion of "date" 0.001105 validates inclusion of "date" 0.001405 validates inclusion of "date" 0.001405 validates inclusion of "date" 0.001700 Context initialistiatic France:	sanitizes payload	0.04824s
validates inclusion of 'renter_id' 0.02420's validates inclusion of 'rehit_id' 0.01760's Context link sisted (***********************************	payload	
validates inclusion of "shift id" 0.007865 ContextLinks itStatic Frender Frender Adds a new identifier Creates an a sportable containing all medication billing items for one day 2.0310s 2.07009s 2.0700s 2.0700s 2.0700s 2.0700s	validates inclusion of `date`	0.03110s
Concest Links is Static un	validates inclusion of `center_id`	0.02442s
remotes a static uni	validates inclusion of `shift_id`	0.01780s
renders a static un! 0.000336 AddPatientIdentIffer adds a fiew identIffer 0.112486 return forbident (400) if the user ion't authorized 0.112236 CenerateMedication's portjob creates an exportable containing all medication billing tens for one week 2.3.933106 creates an exportable containing all medication billing tens for one week 2.3.933106 creates an exportable containing all medication billing tens for one week 2.3.933106 creates an exportable containing all medication billing tens for one week 2.3.933106 creates an exportable containing all medication billing tens for one week 2.3.933106 creates an exportable containing all medication billing tens for one week 2.3.933106 creates and containing all medication billing tens for one week 2.3.933106 **** ***AddAppAdminRod*** ***AddAppAdminRod*** ***CaddAppAdminRod*** ***CaddAppAdmin	ContextLinks::Static	
Add/attentifier adds a new identifier 0.124885 return forbidden (409) if the user isn't authorized 0.11238 Cenerate Medications propriable creates an exportable containing all medication billing items for one week 2.333106, creates an exportable containing all medication billing items for one day 2.070598, resists an exportable containing all medication billing items for one day 2.070598, resists an exportable containing all medication billing items for one day 2.070598, resists an exportable containing all medication billing items for one day 2.070598, resists an exportable containing all medication billing items for one day 2.070598, automatically transitions exportable to ready when all billing items are valid 0.443665, automatically transitions exportable to ready when all billing items are valid 0.443666 AddAppAdminatcle **Lop** Cenerates an app admin role and assigns rights 0.02805	#render	
adds a new identifier creates an exportable containing all medication billing items for one week creates an exportable containing all medication billing items for one week creates an exportable containing all medication billing items for one week creates an exportable containing all medication billing items for one week creates an exportable containing all medication billing items for one week creates an exportable containing all medication billing items for one week creates an exportable containing all medication billing items for one day creates an exportable containing all medication billing items for one day creates an exportable containing all medication billing items durantically transitions exportable to ready when there are invalid billing items autoready* option dues not transition exportable to ready when all billing items are valid AddAppAdmIRRole #forw removes the APP_ADMIN right from existing roles #when the default role set exists when the default role set exists when the default role set exists creates an app admin role and assigns rights ###################################	renders a static uri	0.00233s
adds a new identifier creates an exportable containing all medication billing items for one week creates an exportable containing all medication billing items for one week creates an exportable containing all medication billing items for one week creates an exportable containing all medication billing items for one week creates an exportable containing all medication billing items for one week creates an exportable containing all medication billing items for one week creates an exportable containing all medication billing items for one day creates an exportable containing all medication billing items for one day creates an exportable containing all medication billing items durantically transitions exportable to ready when there are invalid billing items autoready* option dues not transition exportable to ready when all billing items are valid AddAppAdmIRRole #forw removes the APP_ADMIN right from existing roles #when the default role set exists when the default role set exists when the default role set exists creates an app admin role and assigns rights ###################################	AddPakiantIdantifian	
return forbidden (403) if the user iant authorized 0.11123s Central Education is port job		0.124889
Creates an exportable containing all medication billing items for one week 2.35310s creates an exportable containing all medication billing items for one week 2.07059s raises ArgumentError when the options are incorrect 0.00538s Lautoready' option 0.00538s Lautoready' option 0.00538s AddAppAdminRote 0.041746 0.04366s AddAppAdminRote 0.04289s 0.0428		
creates an exportable containing all medication billing items for one week creates an exportable containing all medication billing items for one day croises ArgumentError when the options are incorrect		0.1111200
creates an exportable containing all medication billing items for one day 2,070595 raises ArgumentError when the options are incorrect 0,005385 autoready' option 0,005385 0,0	•	
raises ArgumentError when the options are incorrect autoready option does not transition exportable to ready when there are invalid billing items automatically transitions exportable to ready when all billing items are valid AddAppAdminitole #down removes the APP_ADMIN right from existing roles 0.022805 #up creates an app admin role and assigns rights 0.014145 when the default role set exists creates an app admin role and assigns rights 0.059465 Medications:ProductPrescribableUnit is expected to belong to unit required: true 0.00611s is expected to belong to product required: true 0.005495 Sessions:SessionStateMachline after_transition caches the current state property on the model 0.07692s initial_state treturns unprocessable entity (422) when creating doubles returns unprocessable entity (422) when creating doubles returns unprocessable entity (422) when creating doubles returns unprocessable entity (422) when creating doubles 0.04998 returns unprocessable entity (422) when creating doubles 0.04998 returns unprocessable entity (422) when creating doubles 0.04998 returns unprocessable entity (422) when creating doubles 0.04998 returns unprocessable entity (422) when creating doubles 0.04998 returns unprocessable entity (422) when creating doubles 0.04998 returns unprocessable entity (422) when creating doubles 0.04998 returns unprocessable entity (422) when creating doubles 0.04998 returns unprocessable entity (422) when creating doubles 0.04998 returns unprocessable entity (423) when the user isn't authorized 0.04998 returns uncrease (200) and creates the code system 0.044898 CockworkEvent is expected to validate that imday lies inside the range (1 to 31) is expected to validate that inday lies inside the engely/flos/s is expected to validate that inday lies inside the engely/flos/s is expected to validate that inday lies inside the engely/flos/s		
autoready* option does not transition exportable to ready when there are invalid billing items automatically transitions exportable to ready when all billing items are valid AddAppAdminRote #down removes the APP_ADMIN right from existing roles 0.022805 #up creates an app admin role and assigns rights 0.014145 when the default role set exists creates an app admin role and assigns rights 0.059465 Medications:ProductPrescribableUnit is expected to belong to unit required: true 0.006115 is expected to belong to unit required: true 1.006115 is expected to belong to unit required: true 2.006115 is expected to belong to unit required: true 2.006115 is expected to belong to unit required: true 2.006115 is expected to belong to unit required: true 2.0076925 Initial_state starts in the 'unstanted' state 2.001205 Create Code System returns unprocessable entity (422) when creating doubles returns forbidden (403) when the user fain't authorized 2.0012965 Create Code System returns success (200) and creates the code system 0.004895 CockworkEvent Is expected to validate that: frequency cannot be empty/falsy is expected to validate that: frequency cannot be empty/falsy is expected to validate that: frequency cannot be empty/falsy is expected to validate that; job is either (*GenerateBackupReportjob*, *ClossSessionspob*, *PurgePatientsjob*, *GenerateBillingExportjob*, *Separated in the start of the control of		
does not transition exportable to ready when there are invalid billing items are valid 0.443665 AddAppAdminRole #down removes the APP_ADMIN right from existing roles 0.022805 #UP creates an app admin role and assigns rights 0.01414s when the default role set exists creates an app admin role and assigns rights 0.059465 Medications:BroductPrescribableUnit is expected to belong to unit required: true 0.00611s is expected to belong to unit required: true 0.00611s is expected to belong to unit required: true 0.005495 Cessions:SessionStateMachine #Iter transition caches the current state property on the model 0.07692s Initial_state stars in the 'unstarted' state 0.02120s Create Code System returns unprocessable entity (422) when creating doubles 0.0489s ClockworkEvent Es expected to validate that :rirday lies inside the range (1) to (31) 0.015445 is expected to validate that :rirday lies inside the range (1) to (31) 0.015445 is expected to validate that :rirday lies inside the range (1) to (31) 0.015445 is expected to validate that :rirday lies inside the range (1) to (31) 0.015445 is expected to validate that :rirday lies inside the range (1) to (31) 0.015445 is expected to validate that :rirday lies inside the range (1) to (31) 0.015445 is expected to validate that :rirday lies inside the range (1) to (31) 0.01545 is expected to validate that :rirday lies inside the range (1) to (31) 0.01545 is expected to validate that :rirday lies inside the range (1) to (31) 0.01545 is expected to validate that :rirday lies inside the range (2) to (31) 0.01545 is expected to validate that :rirday lies inside the range (2) to (31) 0.01545 is expected to validate that :rirday lies inside the range (2) to (31) 0.01545 is expected to validate that :rirday lies inside the range (3) to (31) 0.01545 is expected to validate that :rirday lies inside that :ri	raises ArgumentError when the options are incorrect	0.005385
automatically transitions exportable to ready when all billing items are valid AddAppAdminRole #down removes the APP_ADMIN right from existing roles 0.022805 #up creates an app admin role and assigns rights 0.01146s when the default role set exists reates an app admin role and assigns rights 0.05946s Medications::ProductPrescribableUnit is expected to belong to unit required: true 0.00611s is expected to belong to product required: true 1.00611s is expected to belong to product required: true 1.00611s is expected to belong to product required: true 1.007692s Initial_state 1.007692s Initial_state 1.007692s Create Code System returns unprocessable entity (422) when creating doubles 1.007692s Treturns forbidden (403) when the user isn't authorized 1.007692s ClockworkEvent Is expected to validate that inday lies inside the range 4-1 to 431- Is expected to validate that inday lies inside the range 4-1 to 431- Is expected to validate that inday lies inside the range 4-1 to 431- Is expected to validate that inday lies inside the range 4-1 to 431- Is expected to validate that inday lies inside the range 4-1 to 431- Is expected to validate that inday lies inside the range 4-1 to 431- Is expected to validate that inday lies inside the range 4-1 to 431- Is expected to validate that inday lies inside the range 4-1 to 431- Is expected to validate that inday lies inside the range 4-1 to 431- Is expected to validate that inday lies inside the range 4-1 to 431- Is expected to validate that inday lies inside the range 4-1 to 431- Is expected to validate that inday lies inside the range 4-1 to 431- Is expected to validate that inday lies inside the range 4-1 to 431- Is expected to validate that inday lies inside the range 4-1 to 431- Is expected to validate that inday lies inside the range 4-1 to 431- Is expected to validate that inday lies inside the range 4-1 to 431- Is expected to validate that inday lies inside the range 4-1 to 431- Is expected to validate that inday lies inside th	`autoready` option	
AddAppAdminRole #down removes the APP_ADMIN right from existing roles 0.02280s #up creates an app admin role and assigns rights 0.01414s when the default role set exists creates an app admin role and assigns rights 0.05946s Medications::ProductPrescribableUnit is expected to belong to unit required: true 0.00611s is expected to belong to product required: true 0.00549s Sessions::SessionStateMachine after_transition caches the current state property on the model 0.07692s Initial_state starts in the 'unstarted' state 0.02120s Create Code System returns unprocessable entity (422) when creating doubles 0.04199s returns forbidden (403) when the user isn't authorized 0.03294s returns success (200) and creates the code system 0.04498s ClockworkEvent is expected to validate that :mday lies inside the range <1 to <31 > 0.01544s is expected to validate that :india isnide the regenerate BackupReportjob*s, "CloseSessionspob*s, "PurgePatientsjob*s, "GenerateBillingExportjob*s, "GenerateBillingExportjob*s, "ColoseSessionspob*s, "PurgePatientsjob*s, "GenerateBillingExportjob*s, "GenerateBillingExportjob*s, "SenerateBillingExportjob*s, "SenerateBillingExportjob*s, "SenerateBillingExportjob*s, "SenerateBillingExportjob*s, "GenerateBillingExportjob*s, "SenerateBillingExportjob*s, "SenerateBillingExpor	does not transition exportable to ready when there are invalid billing items	0.41274s
#down removes the APP_ADMIN right from existing roles 0.022805 #up creates an app admin role and assigns rights 0.014145 when the default role set exists creates an app admin role and assigns rights 0.059465 Medications;:ProductPrescribableUnit is expected to belong to unit required: true 0.006115 is expected to belong to product required: true 0.005495 Sessions;:SessionstateMachine after_transition caches the current state property on the model 0.076925 initial_state starts in the 'unstarted' state 0.021205 Create Code System returns unprocessable entity (422) when creating doubles 0.041995 returns forbidden (403) when the user isn't authorized 0.03294s returns success (200) and creates the code system 0.044895 ClockworkEvent is expected to validate that: mday lies inside the range (1) to (31) 0.015448 is expected to validate that: frequency cannot be empty/falsy 0.009165 is expected to validate that it; job is either "CenerateBakupReportjob"s, "CloseSessionsjob"s, "PurgePatientsjob"s, "GenerateBillingExportjob"s, "ConcerateBillingExportjob"s, "Con	automatically transitions exportable to ready when all billing items are valid	0.44366s
removes the APP_ADMIN right from existing roles #up Creates an app admin role and assigns rights	AddAppAdminRole	
#up creates an app admin role and assigns rights when the default role set exists venetes an app admin role and assigns rights 0.05946s Medications:ProductPrescribableUnit is expected to belong to unit required: true 0.00611s is expected to belong to product required: true 3.00549s Sessions:SessionStateMachine after_transition caches the current state property on the model 0.07692s initial_state starts in the 'unstarted' state 0.02120s Create Code System returns unprocessable entity (422) when creating doubles returns forbidden (403) when the user isn't authorized 0.03294s returns success (200) and creates the code system is expected to validate that :mday lies inside the range <1x to <31x is expected to validate that :mday lies inside the range <1x to <31x is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy	#down	
when the default role set exists creates an app admin role and assigns rights 0.05946s Medicationsi:ProductPrescribableUnit is expected to belong to unit required: true 0.00611s is expected to belong to product required: true 0.00549s Sessions:SessionStateMachine after_transition caches the current state property on the model 0.07692s initial_state starts in the 'unstarted' state o.02120s Create Code System returns unprocessable entity (422) when creating doubles returns forbidden (403) when the user isn't authorized 0.03294s returns success (200) and creates the code system ClockworkEvent is expected to validate that :mday lies inside the range ◆1 to ◆31> is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy	removes the APP_ADMIN right from existing roles	0.02280s
when the default role set exists creates an app admin role and assigns rights 0.05946s Medicationsi:ProductPrescribableUnit is expected to belong to unit required: true 0.00611s is expected to belong to product required: true 0.00549s Sessions:SessionStateMachine after_transition caches the current state property on the model 0.07692s initial_state starts in the 'unstarted' state o.02120s Create Code System returns unprocessable entity (422) when creating doubles returns forbidden (403) when the user isn't authorized 0.03294s returns success (200) and creates the code system ClockworkEvent is expected to validate that :mday lies inside the range ◆1 to ◆31> is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy	#up	
returns unprocessable entity (422) when creating doubles returns success (200) and creates the code system cockes (200) and creates the code system cockes (200) and creates the code system is expected to validate that :mday lies inside the range (1) to (31) is expected to validate that :frequency cannot be empty/falsy is expected to validate that :job is either «'GenerateBackupReportjob's, «'CloseSessionsjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, P. (*PurgePatientsjob's, «'GenerateBillingExportjob's, "PurgePatientsjob's, «'GenerateBillingExportjob's, "PurgePatientsjob's, «'GenerateBillingExportjob's, " returns unprocessable that :gob is either «'GenerateBackupReportjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, " is expected to validate that :job is either «'GenerateBackupReportjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, " is expected to validate that :job is either «'GenerateBackupReportjob's, «'CloseSessionsjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, " is expected to validate that :job is either «'GenerateBackupReportjob's, «'CloseSessionsjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, " is expected to validate that :job is either «'GenerateBackupReportjob's, «'CloseSessionsjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, " is expected to validate that :job is either «'GenerateBackupReportjob's, «'CloseSessionsjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, " is expected to validate that :job is either «'GenerateBackupReportjob's, «'CloseSessionsjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, " is expected to validate that :job is either «'GenerateBackupReportjob's, «'CloseSessionsjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, " is expected to validate that :job is either «'GenerateBackupReportjob's, «'CloseSessionsjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, "		0.01414s
returns unprocessable entity (422) when creating doubles returns success (200) and creates the code system cockes (200) and creates the code system cockes (200) and creates the code system is expected to validate that :mday lies inside the range (1) to (31) is expected to validate that :frequency cannot be empty/falsy is expected to validate that :job is either «'GenerateBackupReportjob's, «'CloseSessionsjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, P. (*PurgePatientsjob's, «'GenerateBillingExportjob's, "PurgePatientsjob's, «'GenerateBillingExportjob's, "PurgePatientsjob's, «'GenerateBillingExportjob's, " returns unprocessable that :gob is either «'GenerateBackupReportjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, " is expected to validate that :job is either «'GenerateBackupReportjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, " is expected to validate that :job is either «'GenerateBackupReportjob's, «'CloseSessionsjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, " is expected to validate that :job is either «'GenerateBackupReportjob's, «'CloseSessionsjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, " is expected to validate that :job is either «'GenerateBackupReportjob's, «'CloseSessionsjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, " is expected to validate that :job is either «'GenerateBackupReportjob's, «'CloseSessionsjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, " is expected to validate that :job is either «'GenerateBackupReportjob's, «'CloseSessionsjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, " is expected to validate that :job is either «'GenerateBackupReportjob's, «'CloseSessionsjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, " is expected to validate that :job is either «'GenerateBackupReportjob's, «'CloseSessionsjob's, «'PurgePatientsjob's, «'GenerateBillingExportjob's, "		
Medications::ProductPrescribableUnit is expected to belong to unit required: true 0.00611s is expected to belong to product required: true 0.00549s Sessions::SessionStateMachine after_transition caches the current state property on the model 0.07692s initial_state starts in the 'unstarted' state 0.02120s Create Code System returns unprocessable entity (422) when creating doubles 0.04199s returns forbidden (403) when the user isn't authorized 0.03294s returns success (200) and creates the code system 0.04489s ClockworkEvent is expected to validate that :mday lies inside the range ⟨□⟩ to ⟨₃1⟩ 0.01544s is expected to validate that :frequency cannot be empty/falsy 0.00916s is expected to validate that :frequency cannot be empty/falsy 0.00916s is expected to validate that :frequency cannot be empty/falsy 0.00916s		0.05946s
is expected to belong to unit required: true 0.00611s is expected to belong to product required: true 0.00549s Sessions::SessionStateMachine after_transition caches the current state property on the model 0.07692s initial_state starts in the 'unstarted' state 0.02120s Create Code System returns unprocessable entity (422) when creating doubles 0.04199s returns forbidden (403) when the user isn't authorized 0.03294s returns success (200) and creates the code system 0.04489s ClockworkEvent is expected to validate that :inday lies inside the range (1) to (31) 0.01544s is expected to validate that :frequency cannot be empty/falsy 0.00916s is expected to validate that :frequency cannot be empty/falsy 0.00916s	creates an app damin role and assigns rights	0.033 103
is expected to belong to product required: true 0.00549s Sessions::SessionStateMachine after_transition caches the current state property on the model 0.07692s initial_state starts in the 'unstarted' state 0.02120s Create Code System returns unprocessable entity (422) when creating doubles 0.04199s returns forbidden (403) when the user isn't authorized 0.03294s returns success (200) and creates the code system 0.04489s ClockworkEvent is expected to validate that :mday lies inside the range <1> to <31> 0.01544s is expected to validate that :frequency cannot be empty/falsy 0.00916s is expected to validate that :job is either <"GenerateBackupReportJob">, <"CloseSessionsJob">, <"PurgePatientsJob">, <"GenerateBillingExportJob">, <"GenerateBillingExportJob" <td></td> <td></td>		
Sessions::SessionStateMachine after_transition caches the current state property on the model 0.07692s initial_state starts in the 'unstarted' state 0.02120s Create Code System returns unprocessable entity (422) when creating doubles 0.04199s returns forbidden (403) when the user isn't authorized 0.03294s returns success (200) and creates the code system 0.04489s ClockworkEvent is expected to validate that :mday lies inside the range <1> to <31> 0.01544s is expected to validate that :frequency cannot be empty/falsy 0.00916s is expected to validate that :job is either <"GenerateBackupReportJob">, <"CloseSessionsJob">, <"PurgePatientsJob">, <"GenerateBillingExportJob">, <"GenerateBillingExportJob" " , <"GenerateBillingExportJob" "		
after_transition caches the current state property on the model 0.07692s initial_state starts in the 'unstarted' state 0.02120s Create Code System returns unprocessable entity (422) when creating doubles 0.04199s returns forbidden (403) when the user isn't authorized 0.03294s returns success (200) and creates the code system 0.04489s ClockworkEvent is expected to validate that :mday lies inside the range <1> to <31> 0.01544s is expected to validate that :frequency cannot be empty/falsy 0.00916s is expected to validate that :job is either <"GenerateBackupReportJob">, <"CloseSessionsJob">, <"PurgePatientsJob">, <"GenerateBillingExportJob">, <"GenerateBillingExportJob" <td>is expected to belong to product required: true</td> <td>0.00549s</td>	is expected to belong to product required: true	0.00549s
caches the current state property on the model 0.07692s initial_state starts in the 'unstarted' state 0.02120s Create Code System returns unprocessable entity (422) when creating doubles 0.04199s returns forbidden (403) when the user isn't authorized 0.03294s returns success (200) and creates the code system 0.04489s ClockworkEvent is expected to validate that :mday lies inside the range <1> to <31> 0.01544s is expected to validate that :frequency cannot be empty/falsy 0.00916s is expected to validate that :job is either <"GenerateBackupReportJob">, <"CloseSessionsJob">, <"PurgePatientsJob">, <"GenerateBillingExportJob">, <"GenerateBillingExportJob	Sessions::SessionStateMachine	
initial_state starts in the 'unstarted' state Create Code System returns unprocessable entity (422) when creating doubles returns forbidden (403) when the user isn't authorized returns success (200) and creates the code system ClockworkEvent is expected to validate that :mday lies inside the range (1) to (31) is expected to validate that :frequency cannot be empty/falsy is expected to validate that :job is either <"GenerateBackupReportJob">, <"CloseSessionsJob">, <"PurgePatientsJob">, <"GenerateBillingExportJob">, <"GenerateBilling	after_transition	
starts in the 'unstarted' state 0.02120s Create Code System returns unprocessable entity (422) when creating doubles 0.04199s returns forbidden (403) when the user isn't authorized 0.03294s returns success (200) and creates the code system 0.04489s ClockworkEvent is expected to validate that :mday lies inside the range <1> to <31> 0.01544s is expected to validate that :frequency cannot be empty/falsy 0.00916s is expected to validate that :job is either <"GenerateBackupReportJob">, <"CloseSessionsJob">, <"PurgePatientsJob">, <"GenerateBillingExportJob">, <"GenerateBillingExportJob" <td>caches the current state property on the model</td> <td>0.07692s</td>	caches the current state property on the model	0.07692s
starts in the 'unstarted' state 0.02120s Create Code System returns unprocessable entity (422) when creating doubles 0.04199s returns forbidden (403) when the user isn't authorized 0.03294s returns success (200) and creates the code system 0.04489s ClockworkEvent is expected to validate that :mday lies inside the range <1> to <31> 0.01544s is expected to validate that :frequency cannot be empty/falsy 0.00916s is expected to validate that :job is either <"GenerateBackupReportJob">, <"CloseSessionsJob">, <"PurgePatientsJob">, <"GenerateBillingExportJob">, <"GenerateBillingExportJob" <td>initial state</td> <td></td>	initial state	
returns unprocessable entity (422) when creating doubles returns forbidden (403) when the user isn't authorized 0.03294s returns success (200) and creates the code system ClockworkEvent is expected to validate that :mday lies inside the range <1> to <31> 0.01544s is expected to validate that :frequency cannot be empty/falsy 0.00916s is expected to validate that :job is either <"GenerateBackupReportJob">, <"CloseSessionsJob">, <"PurgePatientsJob">, <"GenerateBillingExportJob">, <"GenerateBillingExportJob" <td></td> <td>0.02120s</td>		0.02120s
returns unprocessable entity (422) when creating doubles returns forbidden (403) when the user isn't authorized 0.03294s returns success (200) and creates the code system ClockworkEvent is expected to validate that :mday lies inside the range <1> to <31> 0.01544s is expected to validate that :frequency cannot be empty/falsy 0.00916s is expected to validate that :job is either <"GenerateBackupReportJob">, <"CloseSessionsJob">, <"PurgePatientsJob">, <"GenerateBillingExportJob">, <"GenerateBillingExportJob" <td>Create Code System</td> <td></td>	Create Code System	
returns forbidden (403) when the user isn't authorized 0.03294s returns success (200) and creates the code system 0.04489s ClockworkEvent is expected to validate that :mday lies inside the range <1> to <31> 0.01544s is expected to validate that :frequency cannot be empty/falsy is expected to validate that :job is either <"GenerateBackupReportJob">, <"CloseSessionsJob">, <"PurgePatientsJob">, <"GenerateBillingExportJob">, <"GenerateBillingExportJob" <td>•</td> <td>0.04100c</td>	•	0.04100c
returns success (200) and creates the code system ClockworkEvent is expected to validate that :mday lies inside the range <1> to <31>		
ClockworkEvent is expected to validate that :mday lies inside the range <1> to <31> is expected to validate that :frequency cannot be empty/falsy is expected to validate that :frequency cannot be empty/falsy is expected to validate that :job is either <"GenerateBackupReportJob">, <"CloseSessionsJob">, <"PurgePatientsJob">, <"GenerateBillingExportJob">, <"GenerateBillingExportJob" - , <"GenerateBillingExportJob" -		
is expected to validate that :mday lies inside the range <1> to <31> 0.01544s is expected to validate that :frequency cannot be empty/falsy 0.00916s is expected to validate that :job is either <"GenerateBackupReportJob">, <"CloseSessionsJob">, <"PurgePatientsJob">, <"GenerateBillingExportJob">, <"GenerateBillingExportJob" <td></td> <td>0.044035</td>		0.044035
is expected to validate that :frequency cannot be empty/falsy 0.00916s is expected to validate that :job is either <"GenerateBackupReportJob">, <"CloseSessionsJob">, <"PurgePatientsJob">, <"GenerateBillingExportJob">, <"GenerateBillingExportJob" - , <"GenerateBillingExportJob" -		
is expected to validate that :job is either <"GenerateBackupReportJob">, <"CloseSessionsJob">, <"PurgePatientsJob">, <"GenerateBillingExportJob">,		
		0.00916s
		0.02143s

expected to validate that :name cannot be empty/falsy	0.01
lidate_options	
is invalid when extra options are present	0.00
is valid when options are present	0.00
is valid when at is valid	0.0
is invalid when at is invalid	0.0
lidate_cwday_or_mday	
is valid when neither cwday or mday are present	0.0
is invalid when both cwday and mday are present	0.0
is valid when only cwday is present is valid when only mday is present	0.0
	0.0
nabled	
when it is enabled	
is expected to be if Fri, 26 Jun 2020	0.00
when it is not enabled	
is expected not to be if Fri, 26 Jun 2020	0.0
veekly jobs	
is expected to be if Tue, 08 Oct 2019	0.0
is expected not to be if Thu, 10 Oct 2019	0.0
is expected not to be if Wed, 09 Oct 2019	0.0
is expected to be if Tue, 01 Oct 2019	0.0
is expected not to be if Wed, 02 Oct 2019	0.0
is expected not to be if Mon, 07 Oct 2019	0.0
is expected not to be if Mon, 30 Sep 2019	0.0
is expected not to be if Thu, 03 Oct 2019	0.0
nonthly jobs	
is expected not to be if Mon, 04 Nov 2019	0.0
is expected to be if Wed, 02 Oct 2019	0.0
is expected not to be if Sat, 05 Oct 2019	0.0
is expected not to be if Fri, 01 Nov 2019	0.0
is expected not to be if Fri, 04 Oct 2019	0.0
is expected not to be if Tue, 01 Oct 2019	0.00
is expected to be if Sat, 02 Nov 2019	0.0
is expected not to be if Sun, 03 Nov 2019	0.0
is expected not to be if Tue, 05 Nov 2019	0.0
is expected not to be if Thu, 03 Oct 2019	0.0
aily jobs	
is expected to be if Thu, 03 Oct 2019	0.0
is expected to be if Fri, 04 Oct 2019	0.0
is expected to be if Wed, 02 Oct 2019	0.0
is expected to be if Sat, 05 Oct 2019	0.0
is expected to be if Tue, 01 Oct 2019	0.0
eature toggle	
when it is enabled	
is expected to be if Fri, 26 Jun 2020	0.03
when it is disabled	

#schedule!	
when the event does not have options	
schedules the job and sets the last_scheduled_at timestamp	0.01
when the event has options	
schedules the job and sets the last_scheduled_at timestamp	0.01
•	
is expected to have many images	0.00
is expected to belong to examined by required: true	0.00
is expected to belong to site required: true	0.01
returns success (204) if destroyed	0.04
returns forbidden (403) if the user isn't authorized	0.03
returns not found (404) if the addition is not found	0.03
ounds::WoundPrescription	
#perform!	0.15
consumes each prescribed disposable	0.15
nter	
returns unprocessable entity (422) if the center name already exists	0.04
validate facility identifier	0.03
returns forbidden (403) if the user isn't authorized	0.03
returns created (201) if the center was created	0.06
T /ultrafiltration_volume_adjustments/:id	
returns 403 forbidden if the user isn't authorized	0.10
returns 404 not found if the ultrafiltration volume adjustment does not exist	0.03
when updating a ultrafiltration volume adjustment	
audits the action	0.12
returns 200 OK with the updated ultrafiltration volume adjustment	0.12
when the update params are wrong	
does not audit the action	0.12
returns 422 unprocessable	0.16
isodes::Services::CancelAdmit	
destroys an episode	0.13
only destoys episodes with same id	0.12
letes an existing patient contact	
deletes an existing contact	0.07
returns forbidden (403) if the user isn't authorized	0.06
ports::Exporters::TransportPrognosis	
does not include absent patients	0.4
counts back_transport_type for nil as identical to forth_transport_type	0.40
contains patients with transport types	0.40
does not include patients that have no planned sessions	0.5
deviations	
includes patients with deviations (removed session)	0.55
	0.55
includes patients with deviations (added session)	
dateLogbookEntry	_ n 2º
	0.21 0.23
dateLogbookEntry returns forbidden (403) if the user isn't authorized	

returns an adt event	0.10687
returns forbidden (403) if the user isn't authorized	0.09403
illing::Services::BillSession	
does not bill unbillable sessions	0.12556
creates two billing items if both fee and forfait code are present	0.16562
does not bill a session twice	0.16438
carbonizes billing items	0.16200
when the session sign off is billed	
creates a billing item for the session	0.18069
when the attending doctor is billed	
creates a billing item for the session	0.1890
edications::StandingOrders::Magistral	
is expected to validate with PractitionerValidator	0.0601
#administer!	
creates an administration	0.1934
edications::Product	
is expected to transition state to :removed from :active on event :remove, with params: [] (on :default)	0.0053
is expected to transition state to :active from :suspended on event :activate, with params: [] (on :default)	0.0048
is expected to have states "active", "suspended", and "removed"	0.0053
is expected to transition state to :removed from :suspended on event :remove, with params: [] (on :default)	0.0049
is expected to have initial state :active	0.0045
is expected to transition state to :suspended from :active on event :suspend, with params: [] (on :default)	0.0054
constituent Even when Transport with Dynamics	
xecutions::Exports::TransportPrognosis	
#sanitize_payload	
sanitizes payload	0.0215
sanitizes payload atient Unenrollments	0.0215
	0.0215 0.0375
atient Unenrollments	
returns forbidden (403) if the user isn't authorized	0.0375
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found	0.0375 0.1268
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found pisodes::Episode	0.0375 0.1268 0.0331
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found pisodes::Episode returns nil of no admission id is present	0.0375 0.1268 0.0331 0.0715
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found pisodes::Episode returns nil of no admission id is present does not return admission id of episodes started after passed date	0.0375 0.1268 0.0331 0.0715 0.0761
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found pisodes::Episode returns nil of no admission id is present does not return admission id of episodes started after passed date returns active admission id on specific date	0.0375 0.1268 0.0331 0.0715 0.0761
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found pisodes::Episode returns nil of no admission id is present does not return admission id of episodes started after passed date returns active admission id on specific date is expected to have many adt_events class_name => Episodes::AdtEvent	0.0375 0.1268 0.0331 0.0715 0.0761 0.0716
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found risodes::Episode returns nil of no admission id is present does not return admission id of episodes started after passed date returns active admission id on specific date is expected to have many adt_events class_name => Episodes::AdtEvent is expected to validate that :patient_type is either <"in"> or <"out">	0.0375 0.1268 0.0331 0.0715 0.0761 0.0716 0.0025
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found plisodes::Episode returns nil of no admission id is present does not return admission id of episodes started after passed date returns active admission id on specific date is expected to have many adt_events class_name => Episodes::AdtEvent is expected to validate that :patient_type is either <"in"> or <"out"> returns case id of episode with latest start date when multiple are active	0.0375 0.1268 0.0331 0.0715 0.0761 0.0025 0.0061
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found isodes::Episode returns nil of no admission id is present does not return admission id of episodes started after passed date returns active admission id on specific date is expected to have many adt_events class_name => Episodes::AdtEvent is expected to validate that :patient_type is either <"in"> or <"out"> returns case id of episode with latest start date when multiple are active is expected to belong to patient required: true	0.0375 0.1268 0.0333 0.0715 0.0761 0.0025 0.0061 0.0763
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found pisodes::Episode returns nil of no admission id is present does not return admission id of episodes started after passed date returns active admission id on specific date is expected to have many adt_events class_name => Episodes::AdtEvent is expected to validate that :patient_type is either <"in"> or <"out"> returns case id of episode with latest start date when multiple are active is expected to belong to patient required: true returns active case id on specific date	0.0375 0.1268 0.0331 0.0715 0.0761 0.0716 0.0025 0.0061 0.0761
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found pisodes::Episode returns nil of no admission id is present does not return admission id of episodes started after passed date returns active admission id on specific date is expected to have many adt_events class_name => Episodes::AdtEvent is expected to validate that :patient_type is either <"in"> or <"out"> returns case id of episode with latest start date when multiple are active is expected to belong to patient required: true returns active case id on specific date does not return case ids as admission id	0.0375 0.1268 0.0333 0.0715 0.0761 0.0761 0.0025 0.0061 0.0045 0.0728
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found pisodes::Episode returns nil of no admission id is present does not return admission id of episodes started after passed date returns active admission id on specific date is expected to have many adt_events class_name => Episodes::AdtEvent is expected to validate that :patient_type is either <"in"> or <"out"> returns case id of episode with latest start date when multiple are active is expected to belong to patient required: true returns active case id on specific date does not return case id sa sadmission id returns nil when case id is present	0.0375 0.1268 0.0331 0.0715 0.0716 0.0716 0.0025 0.0061 0.0763 0.0728 0.0743
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found pisodes::Episode returns nil of no admission id is present does not return admission id of episodes started after passed date returns active admission id on specific date is expected to have many adt_events class_name => Episodes::AdtEvent is expected to validate that :patient_type is either <"in"> or <"out"> returns case id of episode with latest start date when multiple are active is expected to belong to patient required: true returns active case id on specific date does not return case ids as admission id returns nil when case id is present returns admission id of episode with latest start date when multiple are active	0.0375 0.1268 0.0331 0.0715 0.0761 0.0761 0.0025 0.0061 0.0761 0.0743 0.0774 0.0833
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found iisodes::Episode returns nil of no admission id is present does not return admission id of episodes started after passed date returns active admission id on specific date is expected to have many adt_events class_name => Episodes::AdtEvent is expected to validate that :patient_type is either <"in"> or <"out"> returns case id of episode with latest start date when multiple are active is expected to belong to patient required: true returns active case id on specific date does not return case id sa admission id returns nil when case id is present	0.0375 0.1268 0.0331 0.0715 0.0761 0.0761 0.0061 0.0065 0.0762 0.0743 0.0774 0.0833
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found returns nil of no admission id is present does not return admission id of episodes started after passed date returns active admission id on specific date is expected to have many adt_events class_name => Episodes::AdtEvent is expected to validate that :patient_type is either <"in"> or <"out"> returns case id of episode with latest start date when multiple are active is expected to belong to patient required: true returns active case id on specific date does not return case ids as admission id returns nil when case id is present returns admission id of episode with latest start date when multiple are active does not return case id of episode with latest start date when multiple are active	0.0375 0.1268 0.0331 0.0715 0.0761 0.0761 0.0025 0.0061 0.0761 0.0743 0.0774 0.0833
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found isodes::Episode returns nil of no admission id is present does not return admission id of episodes started after passed date returns active admission id on specific date is expected to have many adt_events class_name => Episodes::AdtEvent is expected to validate that :patient_type is either <"in"> or <"out"> returns case id of episode with latest start date when multiple are active is expected to belong to patient required: true returns active case id on specific date does not return case ids as admission id returns nil when case id is present returns admission id of episode with latest start date when multiple are active does not return case id of episode started after passed date	0.0379 0.1268 0.0333 0.0719 0.0769 0.0069 0.0069 0.00749 0.00749 0.00774 0.0833
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found returns nil of no admission id is present does not return admission id of episodes started after passed date returns active admission id on specific date is expected to have many adt_events class_name => Episodes::AdtEvent is expected to validate that :patient_type is either <"in"> or <"out"> returns case id of episode with latest start date when multiple are active is expected to belong to patient required: true returns active case id on specific date does not return case ids as admission id returns nil when case id is present returns admission id of episode with latest start date when multiple are active does not return case id of episodes started after passed date frastructure::Stock	0.0375 0.1268 0.0331 0.0715 0.0763 0.0716 0.0025 0.0063 0.0763 0.0743 0.0774 0.0833 0.0788
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found isodes::Episode returns nil of no admission id is present does not return admission id of episodes started after passed date returns active admission id on specific date is expected to have many adt_events class_name => Episodes::AdtEvent is expected to validate that :patient_type is either ."in", or ."out", returns case id of episode with latest start date when multiple are active is expected to belong to patient required: true returns active case id on specific date does not return case ids as admission id returns nil when case id is present returns admission id of episode with latest start date when multiple are active does not return case id of episode started after passed date frastructure::Stock validates uniqueness of stocks and central stocks	0.0375 0.1268 0.0333 0.0715 0.0761 0.0761 0.0025 0.0061 0.0763 0.0774 0.0774 0.0833 0.0788
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found isodes::Episode returns nil of no admission id is present does not return admission id of episodes started after passed date returns active admission id on specific date is expected to have many adt_events class_name => Episodes::AdtEvent is expected to validate that :patient_type is either «"in"» or «"out"» returns case id of episode with latest start date when multiple are active is expected to belong to patient required: true returns active case id on specific date does not return case ids as admission id returns nil when case id is present returns admission id of episode with latest start date when multiple are active does not return case id of episodes started after passed date frastructure::Stock validates uniqueness of stocks and central stocks is expected to validate that :external_identifier is case-sensitively unique as long as it is not blank	0.0375 0.1268 0.0331 0.0715 0.0761 0.0716 0.0025 0.0061 0.0761 0.0743 0.0774 0.0833 0.0788
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found isodes::Episode returns nil of no admission id is present does not return admission id of episodes started after passed date returns active admission id on specific date is expected to have many adt_events class_name => Episodes::AdtEvent is expected to validate that :patient_type is either <"in" or «"out"> returns case id of episode with latest start date when multiple are active is expected to belong to patient required: true returns active case id on specific date does not return case ids as admission id returns nil when case id is present returns admission id of episodes with latest start date when multiple are active does not return case id of episodes with latest start date when multiple are active is expected to validate that :external_identifier is case-sensitively unique as long as it is not blank is expected to have many formulary_items class_name => Medications::Formulary::Item through item_stocks	0.0375 0.1268 0.0331 0.0715 0.0761 0.0761 0.0025 0.0061 0.0745 0.0774 0.0833 0.0788
returns forbidden (403) if the user isn't authorized returns all unenrollments for a patient returns not found (404) if the patient cannot be found pisodes::Episode returns nil of no admission id is present does not return admission id of episodes started after passed date returns active admission id on specific date is expected to have many adt_events class_name => Episodes::AdtEvent is expected to validate that::patient_type is either <*in*> or <*out*> returns case id of episode with latest start date when multiple are active is expected to belong to patient required: true returns active case id on specific date does not return case ids as admission id returns nil when case id is present returns admission id of episode with latest start date when multiple are active does not return case ids on specific date does not return case ids of episode with latest start date when multiple are active in the case id of episode with latest start date when multiple are active does not return case ids of episodes started after passed date frastructure::Stock validates uniqueness of stocks and central stocks is expected to validate that: external_identifier is case-sensitively unique as long as it is not blank is expected to validate that: name cannot be empty/falsy	0.0375 0.1268 0.0331 0.0715 0.0761 0.0716 0.0025 0.0061 0.0761 0.0045 0.0728 0.0743

praintize paylored animizes pa	Executions::Reports::SessionSignOff	
services payoned 0,002506 Illing side-vices Bill Order	is expected to be thin	0.00944s
services payoned 0,002506 Illing side-vices Bill Order	#sanitize payload	
Immigration receives a alliting time for the content contains as a billing time for the content contains as a billing time for the content contains as billing times contains as billing times contains as billing times contains as billing times contains a content content of content contains as content contains a content content of content contains a content content billing times contains a content content content content content billing times content billing times content billing times content times content to templeted when all sources responded content times content to templeted when all sources responded content times content to templeted when all sources responded content content to the execution reas of found content content to allowed (655) when counting utilities a subserviced source content content to allowed (655) when counting utilities a subserviced source content content to allowed (655) when counting utilities a subserviced source content content to allowed (655) when counting utilities a subserviced source content content time to allowed (655) when counting utilities a subserviced source content content time time time time time time time tim		0.02506s
creates a billing item for the order 0.1910/22		
centames beling terms of both fice and forfas code are presents 0.1920/accentames billing terms 0.01346/accentames billing terms 0.01366/accentames billing terms of session 0.01367/accentames the execution to a centames responsed 0.01367/accentames the execution to a centames responsed 0.01357/accentames the execution to a centames responsed 1.01367/accentames the execution to a centames responsed 1.01367/accentames the execution to a centames responsed entiry (42) and execution creating responses 1.01367/accentames the execution of a centames responsed entiry (42) and execution creating responses 1.01367/accentames the execution of a centames response to the execut	•	
carbonizate billing interes 0.34646 Dillia in order fould for different sessions 0.048692 does not bill billian criser found for a session 0.231366 design of billian criser found for a session 0.231366 design of billian criser found for a session 0.231366 design of billian criser found for a session 0.231366 design of billian criser found for a session 0.231366 design of billian criser found for a session 0.231376 design of the message when the execution was rot. Cound 0.221376 design of the message when the execution was rot. Cound 0.221376 design of the message when the execution was rot. Cound 0.221376 design of the message when the execution was rot. Cound 0.221376 design of the message when the execution was rot. Cound 0.221376 design of the message when the execution was rot. Cound 0.221376 design of the message when the execution was rot. Cound 0.221376 design of the message when the execution was rot. Cound 0.221376 design of the message when the execution was rot. Cound 0.221376 desture found of the design of the execution was rot. Cound 0.221377 desture success (2000) and creates me north when in in a unsupported source 0.222377 desture success (2000) and creates me north when in in a unsupported source 0.222377 destures creates (2011) and a pVT 0.222377 destures created the position of the second access rephretion 0.222377 destures created the position of the second access rephretion 0.222377 destures a specific (emplate in the are are to default templates present 0.222377 destures a specific (emplate in the are are to default templates present 0.222377 destures a specific (emplate in the are are to default templates present 0.222377 destures a specific (emplate in the se		
bits an order twice for different enseisons does not bill anothized orders does not bill anothized order becelor or session does not bill anothized orders turnalison the exception or completed when all sources responded does not bill anothized the message when the execution was not found does not bill anothized orders standers results to the exception does not bill anothized orders treamed unprocessable entity (422) when resting doubles resume unprocessable entity (423) when resting doubles resume netbod out allowed (465) when creating doubles resume unstanders out allowed (465) when creating doubles resume unstanders out allowed (465) when creating doubles resume unstanders of out allowed (465) when creating doubles resume unstanders of out (464) when used in an unsupported dourse double unstanders out allowed (464) when used in an unsupported dourse double unsupported (461) if user doesn't exist resume unsubtorized (461) if the user was self decisted double unsupported (461) if the user was self decisted double unsupported (461) if the user was self decisted double unsupported (461) if the user cannot decess neithroflow doesn't be indicated (461) if the user cannot decess neithroflow doublest bill unsupported (461) if the user cannot decess neithroflow doublest bill unsupported (461) if the user cannot decess neithroflow doublest bill unsupported (461) if the user and orders the transfer of the post of the user cannot decess neithroflow doublest bill unsupported (461) if the user and orders the unsupported (461) if the user cannot decess neithroflow doublest bill unsupported (461) if the user and orders the unsupported (461) if the user and orders the unsupported (461) if the user and orders the unsupported (461)		
does not bill an order tweet for a service		
does not bill an order twice for a session 0.211855 Medications: Provides: stander Variables: the execution to Completed" when all sources resonded 0.101175 dought the research and the Completed of the all sources resonded 0.101175 attacles: results to the execution was not found 0.101375 create Company Create Company Creater Company Cr		
Medications:Providens:Intender to residuous the execution to 'completed' when all sources responded		
transitions the execution to "completed" when all sources responded 0.013375 drops the message when the execution was not found 0.113476 stackes results to the execution 0.013375 Create Company returns forbidden (401) when the user son't authorized 0.02516 returns unprocessable entity (222) when creating within a supervised source 0.023736 returns unprocessable entity (222) when creating within a supervised source 0.023736 returns success (200) and creates the route when in in a unsupervised source 0.023736 returns not found (404) when using an undefined source 0.023736 returns not found (404) when using an undefined source 0.023736 returns created (201) and a JWT 0.055107 returns unauthorized (401) if the creates whether the source 0.023736 returns unauthorized (401) if the creates whether the source 0.023736 returns unauthorized (401) if the creates when the creates 0.023736 returns unauthorized (401) if the creates of the creates 0.023736 returns unauthorized (401) if the creates 0.023736 returns the disposables recreates the places of the place of 0.023736 returns unauthorized (401) if the returns under 0.023736 returns the places of the returns under 0.023736 returns unprocessable (4021) if the file is invalid 0.023736 returns unprocessable (4021) if the file is invalid 0.037360 returns unprocessable (4021) if the file is invalid 0.037360 returns unprocessable (4021) if the file is invalid 0.037360 returns unprocessable (4021) if the file is invalid 0.037360 returns unprocessable (4021) if the file is invalid 0.037360 returns unprocessable (4021) if the	does not bill an order twice for a session	0.21186s
drops the message when the execution was not found 0.02217s attaches results to the execution 0.01357s create Company Tecture Company Tecture Studded (403) when the user ian't authorized 0.02251s returns unprocessable entity (422) when creating doubles 0.03195s returns method, jord, allowed (455) when creating within a surspervised source 0.03751s returns not found (404) when using an undefined source 0.03751s returns not found (404) when using an undefined source 0.03751s returns not found (404) when using an undefined source 0.03751s returns not found (404) if user doesn't exist 0.03751s returns unauthorized (401) if user doesn't exist 0.03751s returns unauthorized (401) if the user was soft deleted 0.03751s returns unauthorized (401) if the user cannot access nephroflow 0.03251s returns unauthorized (401) if the user cannot access nephroflow 0.03251s returns unauthorized (401) if the user cannot access nephroflow 0.03251s returns unauthorized (401) if the user cannot access nephroflow 0.03251s returns unauthorized (401) if the user cannot access nephroflow 0.03251s returns unauthorized (401) if the user cannot access nephroflow 0.03251s returns unauthorized (401) if the user cannot access nephroflow 0.03251s returns unauthorized 0.03251s returns unauthorized 0.03251s returns 0.03251s retur	Medications::Providers::Handler	
attaches results to the execution 0.11537s Create Company returns forbidden (403) when the user isn't authorized 0.03251s returns insproaces (200) and creates the route when in in a unsupervised source 0.03733s returns success (200) and creates the route when in in a unsupervised source 0.047651s returns uneathorized (401) if user desent exist 0.03087s returns uneathorized (401) if user desent exist 0.03087s returns unauthorized (401) if user desent exist 0.03087s returns unauthorized (401) if user desent exist 0.05739s returns unauthorized (401) if the user was seft deleted 0.05739s accepts case insensitive legin 0.05619s returns unauthorized (401) if the user was seft deleted 0.05739s accepts case insensitive legin 0.05619s returns unauthorized (401) if the user annot access nephroflow 0.05619s returns unauthorized (401) if the user annot access nephroflow 0.05619s returns unauthorized (401) if the user annot access nephroflow 0.05619s returns unauthorized (401) if the user annot access nephroflow 0.05619s returns unauthorized (401) if the user annot access nephroflow 0.05619s returns unauthorized (401) if the user are not default templates present 0.05619s returns unauthorized (401) if the user are not default templates present 0.05619s returns unauthorized (401) if the user are not default templates present 0.05619s returns unprocessable (422) if the file is invalid 0.05619s returns unprocessable (422) if the file is invalid 0.05619s returns unprocessable (422) if the file is invalid 0.05619s returns unprocessable (422) if the file is invalid 0.05619s returns unprocessable (422) if the file is invalid 0.05619s returns unprocessable (422) if the file is invalid 0.05619s returns unprocessable (422) if the file is invalid 0.05619s returns unprocessable (422) if the file is invalid 0.05619s returns unprocessable (422) if the file is invalid 0.05619s returns unprocessable (422) if the file is invalid 0.05619s returns unprocessable (422) if the file in valid 0.05619s returns unprocessable (422) if the file is i	transitions the execution to `completed` when all sources responded	0.10317s
returns furbiliden (403) when the user isn't authorized 0,0251s returns improcessable entity (422) when creating doubles 0,031955 returns supprocessable entity (422) when creating forbiliden (403) when creating with in a unsupervised source 0,037355 returns success (200) and creates the route when in in a unsupervised source 0,037355 returns success (200) and creates the route when in in a unsupervised source 0,037355 returns such found (404) when using an undefined source 0,030555 returns such found (404) when using an undefined source 0,030555 returns unauthorized (401) if user desert exist 0,030555 returns unauthorized (401) if user desert exist 0,030555 returns unauthorized (401) if the user was self-deleted 0,037305 decepts case insensitive login 0,050555 returns unauthorized (401) if the user cannot access neptroflow 0,05255 returns unauthorized (401) if the user cannot access neptroflow 0,05255 returns unauthorized (401) if the user cannot access neptroflow 0,05255 returns unauthorized (401) if the user cannot access neptroflow 0,05255 returns unauthorized (401) if the user cannot access neptroflow 0,05255 returns for fine of disposables 0,05055 returns for fine of the returns unprocessable (422) if the file is invalid 0,050505 returns unprocessable (422) if the file is invalid 0,050505 returns for fine of the posable 0,050505 returns fine of the posable 0,050505 returns file of the order of the posable 0,050505 returns file of the order of the posable 0,050505 returns file of the order of the posable 0,050505 returns file of the order of the posable 0,050505 returns file	drops the message when the execution was not found	0.01247s
returns furbidden (403) when the user isn't authorized 0.03251s returns unprocessable entity (422) when creating doubles 0.03253s returns unprocessable entity (422) when creating within a supervised source 0.03733 returns smethod not allowed (405) when creating within a supervised source 0.03735s returns not found (404) when using an undefined source 0.03735s returns not found (404) when using an undefined source 0.03735s returns not found (404) when using an undefined source 0.03735s returns returns unauthorized (401) if user doesn't exist 0.05735s returns created (201) and a jWT 0.06519s returns unauthorized (401) if the user was soft deleted 0.05730s accepts case insensitive login 0.05730s accepts case insensitive login 0.05730s returns unauthorized (401) if the user cannot access nephroflow 0.05730s returns unauthorized (401) if the user cannot access nephroflow 0.05730s returns unauthorized (401) if the user cannot access nephroflow 0.05730s returns unauthorized (401) if the user cannot access nephroflow 0.05730s returns unauthorized (401) if the user cannot access nephroflow 0.05730s returns unauthorized (401) if the user cannot access nephroflow 0.05730s returns defined disposables 0.05730s returns from the might be returns unauthorized 0.05730s returns from the might be returns unauthorized 0.05730s returns from the might be user isn't authorized 0.05730s returns from the might be returns unauthorized 0.05730s returns from the returns unauthorized 0.05730s returns from the returns unauthorized 0.05730s returns from the returns unauthorized 0.05730	attaches results to the execution	0.11537s
returns furbidden (403) when the user isn't authorized 0.03251s returns unprocessable entity (422) when creating doubles 0.03253s returns unprocessable entity (422) when creating within a supervised source 0.03733 returns smethod not allowed (405) when creating within a supervised source 0.03735s returns not found (404) when using an undefined source 0.03735s returns not found (404) when using an undefined source 0.03735s returns not found (404) when using an undefined source 0.03735s returns returns unauthorized (401) if user doesn't exist 0.05735s returns created (201) and a jWT 0.06519s returns unauthorized (401) if the user was soft deleted 0.05730s accepts case insensitive login 0.05730s accepts case insensitive login 0.05730s returns unauthorized (401) if the user cannot access nephroflow 0.05730s returns unauthorized (401) if the user cannot access nephroflow 0.05730s returns unauthorized (401) if the user cannot access nephroflow 0.05730s returns unauthorized (401) if the user cannot access nephroflow 0.05730s returns unauthorized (401) if the user cannot access nephroflow 0.05730s returns unauthorized (401) if the user cannot access nephroflow 0.05730s returns defined disposables 0.05730s returns from the might be returns unauthorized 0.05730s returns from the might be returns unauthorized 0.05730s returns from the might be user isn't authorized 0.05730s returns from the might be returns unauthorized 0.05730s returns from the returns unauthorized 0.05730s returns from the returns unauthorized 0.05730s returns from the returns unauthorized 0.05730	Create Company	
returns method_not_allowed (405) when creating within a supervised source 0.037336 returns success (200) and creates the route when in in a unsupervised source 0.04761s returns not found (404) when using an undefined source 0.03055 Creates athernatication returns created (401) if user doesn't exist 0.180726 returns created (401) if user doesn't exist 0.180726 returns unauthorized (401) if user doesn't exist 0.059519 returns unauthorized (401) if the user was sold deleted 0.057036 returns unauthorized (401) if the user cannot access nephroflow 0.050246 returns unauthorized (401) if the user cannot access nephroflow 0.050246 returns unauthorized (401) if the user cannot access nephroflow 0.050346 returns unauthorized (401) if the user cannot access nephroflow 0.05036 returns unauthorized (401) if the user cannot access nephroflow 0.05036 returns unauthorized (401) if the user cannot access nephroflow 0.05036 returns unauthorized (401) if the user cannot access nephroflow 0.05036 returns unauthorized (401) if the user cannot access nephroflow 0.05036 returns unauthorized (401) if the user cannot access nephroflow 0.05036 returns services ii Consumes defined disposables 0.05036 returns for disposables as consumed 0.05036 returns for disposables as consumed 0.05036 returns the disposables as consumed 0.05036 returns the disposables as consumed 0.05036 returns for biddien (403) if the user isn't authorized 0.05036 returns for biddien (403) if the user isn't authorized 0.05036 returns for biddien (403) if the user isn't authorized 0.05036 returns for biddien (403) if the user isn't authorized 0.05036 returns for biddien (403) if the user isn't authorized 0.05036 returns for biddien (403) if the user isn't authorized 0.05036 returns for biddien (403) if the user isn't authorized 0.05036 returns for biddien (403) if the user isn't authorized 0.05036 returns for biddien (403) if the user isn't authorized 0.05036 returns for biddien (403) if the user isn't authorized 0.05036 returns for biddien (403) if the user isn't au		0.03251s
returns success (200) and creates the route when in in a unsupprvised source 0.047615 returns not found (404) when using an undefined source 0.030855 (Create subtentication	returns unprocessable entity (422) when creating doubles	0.05195s
returns not found (404) when using an undefined source 0.030856 Create authentication returns unauthorized (401) if user doesn't exist 0.180756 returns created (401) if user doesn't exist 0.055106 returns created (401) if the user was soft deleted 0.057206 accepts case insensitive login 0.050246 returns unauthorized (401) if the user cannot access nephroflow 0.028406 accepts case insensitive login 0.050246 returns unauthorized (401) if the user cannot access nephroflow 0.028406 accepts email as login 0.050746 Sessions:ifservices:iConstumeFormDisposables **retall** **constumes defined disposables** marks the disposables as consumed 0.115656 Create the landscape templates if there are no default templates present 0.064546 creates the landscape templates if there are no default templates present 0.050468 **Default template if there are no default templates present 0.0504686 **Default templates if there are no default templates present 0.0504686 **Default templates if there are no default templates present 0.0504686 **Default templates if there are no default templates present 0.0504686 **Default templates if there are no default templates present 0.0504686 **Default templates if there are no default templates present 0.0504686 **Default templates present 0.05046866 **returns unprocessable (422) if the file is invalid 0.057036 creates the portrait report, templates 0.066136 returns unprocessable (422) if the file is invalid 0.057036 creates the portrait report, templates 0.066136 returns unprocessable (422) if the mane is invalid 0.057036 creates the landscape report, templates 0.066136 returns unprocessable (422) if the mane is invalid 0.057036 returns the order for the patient 0.056136 returns the order	returns method not allowed (405) when creating within a supervised source	0.03733s
Treates authentication returns unauthorized (401) if user doesn't exist 0.18072s returns unauthorized (401) if user doesn't exist 0.05319s returns unauthorized (401) if the user was soft deleted 0.05730s accepts case insensitive login 0.05004s returns unauthorized (401) if the user was soft deleted 0.05730s accepts case insensitive login 0.05004s returns unauthorized (401) if the user cannot access nephroflow 0.08490s accepts email as login 0.05074s Sessions::Services::ConsumeFormDisposables **Zeall** **Consumes defined disposables** **consumes defined disposables as consumed 0.11565s Creates the landscape templates if there are no default templates present 0.04549s creates the landscape templates if there are no default templates present 0.04549s creates the portrait templates if there are no default templates present 0.0319s creates the portrait templates if there are no default templates present 0.05489s returns unprocessable (422) if the file is invalid 0.05499s creates the portrait templates if there are no default templates present 0.05499s creates the portrait templates if there are no default templates present 0.05499s creates the portrait templates if there are no default templates present 0.05499s creates the portrait templates if there are no default templates present 0.05499s creates the portrait templates if there are no default templates present 0.05499s creates the portrait templates if there are no default templates present 0.05499s creates the portrait templates if there are no default templates present 0.05499s creates the portrait templates if there are no default templates present 0.05499s creates the portrait templates if there are no default templates present 0.05499s creates the portrait report_templates 0.05613s creates the portrait report_templates 0.	returns success (200) and creates the route when in in a unsupervised source	0.04761s
returns unauthorized (401) if user doesn't exist 0.053198 returns unauthorized (401) if the user was soft deleted 0.057308 accepts case insensitive login 0.057308 returns unauthorized (401) if the user cannot access nephroflow 0.052388 returns unauthorized (401) if the user cannot access nephroflow 0.052388 accepts email as login 0.050748 Sessions::Services::ConsumeFormDisposables returns unauthorized (401) if the user cannot access nephroflow 0.052388 returns unauthorized (401) if the user cannot access nephroflow 0.057038 Sessions::Services::ConsumeFormDisposables retall consumes defined disposables created seport formplates if there are no default templates present 0.015558 creates the landscape templates if there are no default templates present 0.042576 returns forbidden (403) if the user isn't authorized 0.031798 creates the potrait templates if there are no default templates present 0.054888 returns unprocessable (422) if the file is invalid 0.057038 creates a specific report_templates 0.057038 creates a specific report_templates 0.057038 creates the potrrait report_templates 0.057038 creates a specific report_templates 0.057038 creates a specific report_templates 0.057038 creates a specific report_templates 0.057038 creates the potrrait report_templates 0.05	returns not found (404) when using an undefined source	0.03085s
returns unauthorized (401) if user doesn't exist 0.053198 returns unauthorized (401) if the user was soft deleted 0.057308 accepts case insensitive login 0.057308 returns unauthorized (401) if the user cannot access nephroflow 0.052388 returns unauthorized (401) if the user cannot access nephroflow 0.052388 accepts email as login 0.050748 Sessions::Services::ConsumeFormDisposables returns unauthorized (401) if the user cannot access nephroflow 0.052388 returns unauthorized (401) if the user cannot access nephroflow 0.057038 Sessions::Services::ConsumeFormDisposables retall consumes defined disposables created seport formplates if there are no default templates present 0.015558 creates the landscape templates if there are no default templates present 0.042576 returns forbidden (403) if the user isn't authorized 0.031798 creates the potrait templates if there are no default templates present 0.054888 returns unprocessable (422) if the file is invalid 0.057038 creates a specific report_templates 0.057038 creates a specific report_templates 0.057038 creates the potrrait report_templates 0.057038 creates a specific report_templates 0.057038 creates a specific report_templates 0.057038 creates a specific report_templates 0.057038 creates the potrrait report_templates 0.05	Contract that Darker	
returns created (201) and a JWT 0.06519s returns unauthorized (401) if the user was soft deleted 0.05730s accepts case insensitive login 0.050243 returns unauthorized (401) if the user cannot access nephroflow 0.06236 returns unauthorized (401) if the user cannot access nephroflow 0.05036s accepts email as login 0.05074s Sessions:iservices:iConsumeFormDisposables # Consumes defined disposables		0.100725
returns unauthorized (401) if the user was soft deleted 0.05730s accepts case insensitive login 0.05024s returns unauthorized (401) if the credentials aren't correct 0.06123s returns unauthorized (401) if the user cannot access nephroflow 0.02800s 0.05074s 0.05050s email as 10401 if the user cannot access nephroflow 0.02800s 0.05074s 0.05050s. **Sossions::Services::ConsumeForm Disposables** **Consumes defined disposables** **consumes defined disposables** **consumes defined disposables** **creates the landscape templates if there are no default templates present 0.06456s 0.05050s 0.050		
accepts case insensitive login returns unauthorized (401) if the credentials aren't correct 0.06123s returns unauthorized (401) if the user cannot access nephroflow 0.02840s accepts email as login 0.05574s Sessions::Services::ConsumeFormDisposables **call **consumes defined disposables **creates the disposables as consumed 0.11565s Creates the disposables as consumed 0.11565s Creates a specific templates if there are no default templates present creates a specific template if there are no default templates present creates the portrait templates if there are no default templates present 0.04257s creates the portrait templates if there are no default templates present 0.0548s returns unprocessable (422) if the file is invalid 0.05703s creates the portrait report, templates 0.07380s creates the portrait report, templates 0.07380s creates the portrait report, templates 0.07380s creates the landscape report, templates 0.0817s Medications **GetHomeNedicationOrders does not return deleted orders 0.04284s 0.0480s		
returns unauthorized (401) if the credentials aren't correct 0.06123s returns unauthorized (401) if the user cannot access nephroflow 0.02840s accepts email as login 0.05974s Sessions::Services::ConsumeFormDisposables #call Consumes defined disposables		
returns unauthorized (401) if the user cannot access nephroflow 0.05840s accepts email as login 0.05074s Sessions::Services::ConsumeFormDisposables #call consumes defined disposables marks the disposables as consumed 0.11565s creates the landscape templates if there are no default templates present 0.06454s creates a specific template if there are no default templates present 0.04257s returns forbidden (403) if the user isn't authorized 0.03179s creates the portrait templates if there are no default templates present 0.05489s perfault templates present returns unprocessable (422) if the file is invalid 0.05703s creates the portrait report_templates creates a specific report_templates creates a specific report_templates creates the portrait report_templates of the sinvalid 0.05703s creates the portrait report_templates creates the portrait report_templates creates the landscape report_templates does not return deleted orders does not return deleted orders falls if patient does not exist 0.27600s falls if patient does not exist		
accepts email as login 0.05074s Sessions::Services::ConsumeFormDisposables #call consumes defined disposables marks the disposables as consumed 0.11565s creates the landscape templates if there are no default templates present 0.04257s returns forbidden (403) if the user isn't authorized 0.03179s creates the portrait templates if there are no default templates present 0.05048s Default templates present 0.05048s returns unprocessable (422) if the file is invalid 0.05499s returns unprocessable (422) if the file is invalid 0.05499s creates the portrait report_templates 0.05613s creates the portrait report_templates 0.05613s creates a specific report_templates 0.05613s creates the landscape report_templates 0.06613s creates the landscape report_templates 0.06613s creates the landscape report_templates 0.06613s returns unprocessable (422) if the file is invalid 0.09871s creates the landscape report_templates 0.06613s returns unprocessable (422) if the name is invalid 0.09871s creates the landscape report_templates 0.06613s returns unprocessable (422) if the name is invalid 0.09871s creates the landscape report_templates 0.06613s returns unprocessable (422) if the name is invalid 0.09871s creates the landscape report_templates 0.06613s for the portrait report templates 0.06613s creates the landscape report_templates 0.06613s creates the landscape report_templates 0.06613s does not return deleted orders 0.14903s returns the order for the patient 0.27600s fails if patient does not exist 0.21824s		
Sessions::Services::ConsumeFormDisposables #call consumes defined disposables marks the disposables as consumed 0.11565s CreateReportTemplates creates the landscape templates if there are no default templates present 0.06454s creates a specific template if there are no default templates present 0.04257s returns forbidden (403) if the user isn't authorized 0.03179s creates the portrait templates if there are no default templates present 0.05489s returns unprocessable (422) if the file is invalid 1.05489s creates the portrait report_templates 0.07380s creates the portrait report_templates 0.07380s creates the portrait report_templates 0.07380s creates the portrait report_templates 0.0780s creates the landscape report_templates 0.08871s creates the landscape report_templates 0.08107s Medications GetHomeMedicationOrders does not return deleted orders 0.12826s falls if patient does not exist 0.21824s		
consumes defined disposables marks the disposables as consumed creates the landscape templates if there are no default templates present creates a specific template if there are no default templates present creates the portrait templates if there are no default templates present creates the portrait templates if there are no default templates present creates the portrait templates if there are no default templates present 0.0548s Default templates present returns unprocessable (422) if the file is invalid 0.05703s creates the portrait report_templates creates the portrait report_templates creates the portrait report_templates creates the portrait report_templates creates the indicape report_templates creates the indicape report_templates does not return deleted orders does not return deleted orders 0.14903s returns the order for the patient 0.27600s falls if patient does not exist 0.21824s	accepts chiair as login	0.030743
consumes defined disposables marks the disposables as consumed CreateReportTemplates Creates the landscape templates if there are no default templates present Creates a specific template if there are no default templates present Creates a specific template if there are no default templates present Creates the portrait templates if there are no default templates present Pefault templates present returns unprocessable (422) if the file is invalid Creates the portrait report_templates Creates the portrait report_templates Creates a specific report_templates Creates a specific report_templates Creates the portrait report_templates Creates the portrait report_templates Creates the portrait report_templates Creates the landscape report_templates	Sessions::Services::ConsumeFormDisposables	
marks the disposables as consumed CreateReportTemplates creates the landscape templates if there are no default templates present creates a specific template if there are no default templates present creates a specific template if there are no default templates present creates the portrait templates if there are no default templates present o.05048s Default templates present returns unprocessable (422) if the file is invalid creates the portrait report_templates creates a specific report_templates creates a specific report_templates creates a specific report_templates creates the portrait report_templates creates a specific report_templates creates the landscape report_templates o.06613s returns unprocessable (422) if the name is invalid o.09871s creates the landscape report_templates o.08107s Medications GetHomeMedicationOrders falls if patient does not exist o.27600s falls if patient does not exist o.22824s	#call	
Creates Report Templates creates the landscape templates if there are no default templates present 0.06454s creates a specific template if there are no default templates present 0.03179s returns forbidden (403) if the user isn't authorized 0.03179s creates the portrait templates if there are no default templates present 0.05048s Default templates present returns unprocessable (422) if the file is invalid 0.05489s returns unprocessable (422) if the file is invalid 0.05703s creates the portrait report_templates 0.07380s creates a specific report_template 0.0613s returns unprocessable (422) if the name is invalid 0.09871s creates the landscape report_templates 0.08107s Medications Medications GetHomeMedicationOrders does not return deleted orders 0.14903s returns the order for the patient 0.27600s fails if patient does not exist 0.21824s	consumes defined disposables	
creates the landscape templates if there are no default templates present creates a specific template if there are no default templates present creates a specific template if there are no default templates present creates the portrait templates if there are no default templates present Default templates present returns unprocessable (422) if the file is invalid creates the portrait report_templates creates the portrait report_templates creates the portrait report_templates creates a specific report_template creates a specific report_template creates a specific report_template creates a specific report_templates creates the landscape report_templates does not return deleted orders falls if patient does not exist 0.21824s	marks the disposables as consumed	0.11565s
creates the landscape templates if there are no default templates present creates a specific template if there are no default templates present creates a specific template if there are no default templates present creates the portrait templates if there are no default templates present Default templates present returns unprocessable (422) if the file is invalid creates the portrait report_templates creates the portrait report_templates creates the portrait report_templates creates a specific report_template creates a specific report_template creates a specific report_template creates a specific report_templates creates the landscape report_templates does not return deleted orders falls if patient does not exist 0.21824s	CreateReportTemplates	
returns forbidden (403) if the user isn't authorized 0.031795 creates the portrait templates if there are no default templates present 0.050485 Default templates present returns unprocessable (422) if the file is invalid 0.054895 returns unprocessable (422) if the file is invalid 0.057038 creates the portrait report_templates 0.073805 creates a specific report_template 0.066138 returns unprocessable (422) if the name is invalid 0.09871s creates the landscape report_templates 0.081075 Medications GetHomeMedicationOrders does not return deleted orders 0.149035 returns the order for the patient 0.276005 fails if patient does not exist 0.218245		0.06454s
returns unprocessable (422) if the file is invalid 0.05489s returns unprocessable (422) if the file is invalid 0.05703s creates the portrait report_templates 0.07380s creates a specific report_template 0.06613s returns unprocessable (422) if the name is invalid 0.09871s creates the landscape report_templates 0.08107s Medications GetHomeMedicationOrders does not return deleted orders 0.14903s returns the order for the patient 0.27600s fails if patient does not exist 0.21824s	creates a specific template if there are no default templates present	0.04257s
Pefault templates present returns unprocessable (422) if the file is invalid 0.05489s returns unprocessable (422) if the file is invalid 0.05703s creates the portrait report_templates 0.07380s creates a specific report_template 0.06613s returns unprocessable (422) if the name is invalid 0.09871s creates the landscape report_templates 0.08107s Medications GetHomeMedicationOrders does not return deleted orders 0.14903s returns the order for the patient 0.27600s fails if patient does not exist 0.21824s	returns forbidden (403) if the user isn't authorized	0.03179s
returns unprocessable (422) if the file is invalid 0.05489s returns unprocessable (422) if the file is invalid 0.05703s creates the portrait report_templates 0.07380s creates a specific report_template 0.06613s returns unprocessable (422) if the name is invalid 0.09871s creates the landscape report_templates 0.08107s Medications GetHomeMedicationOrders does not return deleted orders 0.14903s returns the order for the patient 0.27600s fails if patient does not exist 0.21824s	creates the portrait templates if there are no default templates present	0.05048s
returns unprocessable (422) if the file is invalid 0.05489s returns unprocessable (422) if the file is invalid 0.05703s creates the portrait report_templates 0.07380s creates a specific report_template 0.06613s returns unprocessable (422) if the name is invalid 0.09871s creates the landscape report_templates 0.08107s Medications GetHomeMedicationOrders does not return deleted orders 0.14903s returns the order for the patient 0.27600s fails if patient does not exist 0.21824s	D. C. H. Lawrell L. L. Warner	
returns unprocessable (422) if the file is invalid 0.05703s creates the portrait report_templates 0.07380s creates a specific report_template 0.06613s returns unprocessable (422) if the name is invalid 0.09871s creates the landscape report_templates 0.08107s Medications GetHomeMedicationOrders does not return deleted orders 0.14903s returns the order for the patient 0.27600s fails if patient does not exist 0.21824s		0.054906
creates the portrait report_templates 0.07380s creates a specific report_template 0.06613s returns unprocessable (422) if the name is invalid 0.09871s creates the landscape report_templates 0.08107s Medications GetHomeMedicationOrders does not return deleted orders 0.14903s returns the order for the patient 0.27600s fails if patient does not exist 0.21824s		
creates a specific report_template 0.06613s returns unprocessable (422) if the name is invalid 0.09871s creates the landscape report_templates 0.08107s Medications GetHomeMedicationOrders does not return deleted orders 0.14903s returns the order for the patient 0.27600s fails if patient does not exist 0.21824s		
returns unprocessable (422) if the name is invalid creates the landscape report_templates Medications GetHomeMedicationOrders does not return deleted orders returns the order for the patient fails if patient does not exist 0.09871s 0.08107s 0.18107s		
creates the landscape report_templates Medications GetHomeMedicationOrders does not return deleted orders returns the order for the patient fails if patient does not exist 0.08107s		
Medications GetHomeMedicationOrders does not return deleted orders returns the order for the patient fails if patient does not exist 0.21824s		
GetHomeMedicationOrders does not return deleted orders 0.14903s returns the order for the patient 0.27600s fails if patient does not exist 0.21824s	diction die iuridocupe report_tempiates	0.001075
does not return deleted orders returns the order for the patient 0.27600s fails if patient does not exist 0.21824s	Medications	
returns the order for the patient 0.27600s fails if patient does not exist 0.21824s	GetHomeMedicationOrders GetHomeMedicationOrders	
fails if patient does not exist 0.21824s	does not return deleted orders	0.14903s
	returns the order for the patient	0.27600s
denies getting if not granted 0.22635s	fails if patient does not exist	0.21824s
	denies getting if not granted	0.22635s

Lab System	
GetLabSystem	
returns forbidden (403) if the user isn't authorized	0.03603s
returns the lab system	0.04192s
AddRemarkForPatient	
returns forbidden (403) if the user isn't authorized	0.11447s
creates a new remark	0.12105s
Update Journal Entry	
when updating an existing entry	
fails for a journal item that isn't of the type 'note'	0.13203s
succeeds for a note	0.15754s
CloneHomeMedicationOrder	
returns forbidden (403) if the user isn't authorized	0.15884s
copies a home medication order with multi line items	0.26656s
copies a home medication order with one order item	0.22884s
MergePatients	
return not found if none of the patients are found	0.04726s
requires authorization	0.03088s
merging enrolled patients	
returns unprocessable if merge patient has or has had a treatment (and hence a prescription)	0.20383s
succesfully merges many patients	0.55755s
returns unprocessable if patients have merge conflicts	0.26377s
uses first mergeable patient if the base patient is not found	0.13859s
succesfully merges patients and updates patient master record	0.25979s
succesfully merges patients and all associations	0.36267s
merging two unenrolled patients	
returns unprocessable if patients have merge conflicts	0.19593s
succesfully merges patients	0.24395s
merging enrolled patients with unenrolled patients	
merges successfully by keeping the enrolled patient if base patient is unenrolled	0.53462s
merges successfuly if base patient is enrolled	0.22918s
PUT /api/connectors/:id/devices/:id	
returns forbidden (403) when the user isn't authorized	0.05953s
returns unprocessable_entity (422) if the configuration between device and connector is not unique	0.07245s
returns not found (404) if the connector_device is not found	0.03692s
audits the update action	0.07652s
returns unprocessable_entity (422) if the parameters are invalid	0.05519s
returns success (200) and updates the connector device	0.08007s
Health::InfluxDBHealthChecker	
.check	
when the database is healthy	
returns a healthy check	0.00595s
Infrastructure::CenterAcl	
is expected to belong to center required: true	0.00426s
is expected to belong to user required: true	0.00341s
QuantityType	
(de-)serializes	0.01514s
#cast	
returns a quantity when the object is a hash	0.00441s
returns nil when object is nil	0.00189s

raises a TypeError when the object cannot be cast returns the object when the object is a quantity	0.002
returns a quantity when the object is a string	0.006
ient Measurements	
requires proper authorization	0.071
returns all measurements for a given patient	0.286
fails to create a measurement in the future	0.150
creates a new measurement for a given patient	0.145
doens't support registering certain measurements outside of a session	0.061
returns all measurements for a given patient by name	0.223
nplate::DefinitionBuilder	
#default_value properly handles `false` as default value (PENDING: Temporarily skipped with xit)	
is expected to validate that :version cannot be empty/falsy	0.014
	0.014
is expected to validate that :published_at cannot be empty/falsy	
is expected to validate that :name is case-sensitively unique	0.015
is expected to validate that :uri cannot be empty/falsy	0.016
is expected to have many codes dependent => destroy	0.008
is expected to validate that :name cannot be empty/falsy	0.015
is expected to validate that :title cannot be empty/falsy	0.015
dications::Requests::Templates::Intradialytic	
is expected to validate with PractitionerValidator	0.122
is expected to belong to requester optional: true	0.109
is expected to belong to schedule required: true	0.113
cutions::Maestro::Base	
is expected to be enqueueable	0.027
has a default runner	0.004
has a default category	0.004
fexecute!	
processes the runner's result	0.110
astructure::DisposableConsumption	
persists consumable items	0.149
is expected to belong to consumed_by class_name => Users::User required: true	0.004
is expected to belong to session class_name => Sessions::Session optional: true	0.003
preserves consumable initial state	0.148
is expected to belong to patient class_name => Patients::Patient required: true	0.003
ry queue	
returns forbidden (403) if the user isn't authorized	0.052
returns not found (404) if the execution is not found	0.031
returns success (200) and the execution transitioned to `scheduled`	0.082
:InterventionTypes	
returns the list of all intervention types	0.043
returns forbidden (403) if the user isn't authorized	0.032
returns the list of available intervention types	0.057
sion Sign Off	
does not schedule a send session summary job when manual sending of a session summary is enabled and publish_ehr variable is false	0.270
returns an evaluated session when no session publish parameter was provided	0.292
igns off a high care session	

returns an evaluated session when success	0.1787
does not schedule a send session summary job when manual sending of a session summary is enabled and publish_ehr variable is false	0.2103
synchronous exports: medication_administration	
generates the report	0.4399
edications::Providers::Handler	
processes the message when the execution was not found	0.0498
attaches updates to the execution	0.1239
transitions the execution to `completed` when all sources responded	0.114
eleteRemarkForPatient	
returns forbidden (403) if the user isn't authorized	0.064
deletes an existing remark	0.075
onsumable Items API	
create a new consumable item	0.057
updates an existing consumable item	0.062
does not update the title of an existing consumable item	0.057
returns forbidden (403) if the user isn't authorized	0.034
disables an existing consumable item	0.062
ringifyKeys stringifies keys	0.002
stringifies keys	0.002
earch Products	
can filter by source	0.296
can filter by name	0.172
returns an list of products	0.313
can filter by ingredient name	0.138
can filter products without virtual link	0.220
can limit the result	0.280
returns forbidden (403) if the user isn't authorized	0.058
can filter by intradialytic	0.222
can filter by virtual	0.882
can filter by ambulatory	0.313
can filter by administration routes	0.442
evices::Device	
audits the create action	0.073
returns unprocessable entity (422) if the device name already exists	0.072
returns success (200) and the created device	0.076
returns forbidden (403) if the user isn't authorized	0.086
returns success (200) and configurations without `protected` level if the user isn't authorized	0.044
returns success (200) and all configurations	0.044
Teturis success (200) and an configurations	0.001
tegration	
Cancel admission	
removes admission event, unsets admitted and updates session	0.406
leaves untouched if admission id is 'unknown'	0.266
succeeds if patient doesn't exist	0.040
synchronous billing export	
exports the billing exportable	0.818
adds an execution to the queue	0.494
odateVascularAccessSite	
cannot modify already defined fields	0.345
returns not found if the access site does not exist	0.279

updates the given vascular access site status	0.52
updates metadata for catheter	0.31
updates emergency patient	0.29
returns audit info	0.37
requires write rights	0.11
when updating the catheter type from temporary to permanent	
creates a new identical catheter site as permanent	0.47
makes audit for both sites	0.61
updates the catheter site to permanently removed	0.51
egration	
Cancel discharge	
succeeds if patient doesn't exist	0.04
leaves untouched if no corresponding discharge event can be found	0.14
Uses date of latest discharge event if no date is present	0.20
removes discharge event and sets admitted	0.21
T /api/connectors/:id/devices/:id	
returns not found (404) if the connnector is not found	0.03
returns forbidden (403) if the user isn't authorized	0.04
returns success (200) and the connector_device	0.10
scularAccess::InterventionType	
returns not found (404) if the diagnosis doesn't exist	0.03
returns forbidden (403) if the user isn't authorized	0.03
audits the action	0.04
returns success (200) and the deleted intervention_type	0.04
System	
CreateLabSystem	
creates the lab system and adds a mapping for every defined parameter	0.06
returns forbidden (403) if the user isn't authorized	0.03
ecutions::Medications::Query	
is not valid when query_type is missing	0.01
is not valid when query_type is invalid	0.01
is not valid when query is missing	0.01
#sources	
returns filtered sources when specified in payload	0.04
returns enabled supervised sources when none specified in payload	0.04
#sanitize_payload	
sanitizes payload	0.01
#schedule	
raises unless there are sources defined	0.03
schedules a publish job	0.03
schedules a timeout job	0.03
de	
is expected to validate that :code is case-sensitively unique within the scope of :code_system_id	0.02
is expected to validate that :code cannot be empty/falsy	0.00
is expected to belong to code_system required: true	0.00
is expected to validate that :description cannot be empty/falsy	0.01
is expected to have many codable_codes dependent => destroy	0.00
get_used_code_system_names	

returns unprocessable_entity (422) when updating a billing item belonging to a ready exportable	0.33221s
returns success (200) and updates bill to and service code	0.516379
returns success (200) and updates both a session billing item and it's counterpart	0.64328
returns unprocessable_entity (422) whe updating a billing item belonging to an exported exportable	0.33658
returns success (200) and updates an order billing item	0.38071
returns success (200) and updates a session billing item returns success (200) and updates a medication billing item	0.38071
does not update unpermitted parameters	0.46760
returns forbidden (403) when the user isn't authorized	0.28250
returns not found (404) if the billing item is not found	0.02961
	0.02301
ession_progress#index	0.22700
returns the graph data	0.33799
requires authorization	0.22015
et patient context link	
returns forbidden (403) if the user isn't authorized	0.10376
returns not found (404) if the patient does not exist	0.03749
returns not found (404) if the link does not exist	0.09355
templated links	
returns redirect (302)	0.11781
xperthis care links	
returns redirect (302)	0.12950
Tetaris redirect (302)	0.12330
static links	
returns redirect (302)	0.12626
earch Ingredients	
returns forbidden (403) if the user isn't authorized	0.03382
can filter by name	0.08207
returns an list of ingredients	0.08218
can filter by source	0.07285
et exportable	
returns not found (404) if the exportable is not found	0.03804
returns success (200) and the medication exportable	0.47132
returns forbidden (403) if the user isn't authorized	0.03869
returns success (200) and the billing exportable	0.76934
atients::Diagnosis	
returns forbidden (403) if the user isn't authorized	0.03446
returns only active diagnoses	0.08129
returns only archived diagnoses	0.07439
returns success (200) and alphabetically sorted diagnoses	0.07790
	0107730
ledicationsPrescriptionAddition	
UpdateMedicationsPrescriptionAddition	
fails if object does not exit	0.03646
suceeds if all ok	0.05101
denies update if not granted	0.04269
atientRedirects	
redirects `/p/:hospital_id` to `/patients/:patient_uid`	0.10467
set source	
returns success (200) and the source	0.04463
returns not found (404) if the source is not found	0.03541
returns forbidden (403) if the user isn't authorized	0.033341
	0.03137
riefings::Participant	

is expected to belong to user required: true	
is expected to belong to diser required: true	0.00597s 0.00554s
is expected to belong to briefing required. title	0.003345
practitioner identifier validation	
validates practitioner identifier if present	0.01181s
accepts null practitioner identifier	0.01667s
accepts valid practitioner identifier	0.01889s
.by_profession	
returns users with the provided profession	0.06795s
returns no users for invalid profession	0.01961s
returns users with the provided profession	0.05692s
Cathalianthia	
fails if patient does not exist	0.03178s
returns current diet	0.14564s
requires read rights	0.11300s
	0.12422s
returns patient's diet	
returns not found if the patient has no diet	0.09885s
Validators::MinValueValidator	
accepts values equal to min	0.00233s
rejects values lower than min	0.00272s
accepts values greater than min	0.00264s
BriefingDiscussions	
when marking a journal entry as discussed	
mark the given journal entry as discussed	0.18239s
fails if briefing does not exist	0.10760s
fails if journal entry does not exist	0.05621s
fails if journal entry was not selected	0.13165s
fails if briefing is closed	0.14920s
when marking a journal entry as un-discussed	
fails if journal entry does not exist	0.05469s
fails if briefing is closed	0.15034s
fails if briefing does not exist	0.10414s
fails if journal entry was not selected	0.12727s
mark the given journal entry as un-discussed	0.16333s
DeleteVascularAccessSite	
returns not_found (404) if the access site cannot be found	0.03530s
deletes the specified access site if status is permanently_removed	0.11912s
cannot delete the specified access site if the status is not permanently_removed	0.11818s
returns forbidden (403) if the user isn't authorized	0.11316s
EditMagistralPreparation	
returns 403 if the user isn't authorized	0.03752s
returns 422 if form is not given	0.04375s
returns 422 if formula is not given	0.04313s
returns edited magistral preparation	0.04779s
returns 422 if dose is not given	0.04465s
GetSessionProgressChart	0.000
returns forbidden (403) if the user isn't authorized	0.15432s
returns ultrafiltration evolution chart	0.15710s
returns unprocessable_entity (422) if chart cannot be found	0.14685s
returns blood pressure evolution chart	0.15638s
returns not_found (404) if the session cannot be found	0.03088s
Validators::MinLengthValidator	

accepts values with length higher than min	0.00238s
rejects too short values	0.00277s
Medications::MedicinalVariant	
is expected to belong to galenic_term optional: true	0.00295s
is expected to have many variant ingredients	0.00336s
is expected to have carbon :id, :quantities, :galenic_form, and :medicinal_product	0.00276s
is expected to have many medicinal product packages	0.00279s
is expected to belong to medicinal product optional: true	0.00273s
is expected to have many medication_administration	0.00255s
is expected to have many formulary_items through medicinal_product_packages	0.00307s
Manuscripton, there	
#formulary_item	0.05541s
returns nil when there are no packages linked to a formulary item	
returns the formulary item when there is at least one package linked to a formulary item	0.07089s
#in_formulary?	
returns true when there is at least one package linked to a formulary item	0.05991s
returns false when there are no packages linked to a formulary item	0.05668s
.in_formulary	
returns all medicinal variants that have a matching formulary item	0.07548s
Orders::Order	0.003516
is expected to have one billing_item class_name => Billing::tem dependent => destroy	0.00251s
is expected to validate that :moment is either <"preparation_phase">, <"connect_phase">, <"treatment_phase">, <"disconnect_phase">, <"reflect_phase">, or <"outside_session">	0.02698s
is expected to have carbon :id, :order_type, :category, and :description	0.00314s
cascades destroy to billing items	0.21360s
is expected to validate that :category is either <"follow_up">, <"measurement">, <"administration">, <"examination">, <"care">	0.02610s
is expected to belong to patient required: true	0.00843s
is expected to validate that :order type cannot be empty/falsy	
is expected to validate that .order_type carriot be empty/raisy	0.01626s
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"even_weeks">, <"odd_weeks">, <"odd_weeks">, or <"first_full_week_o	f_the_month">
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"even_weeks">, <"odd_weeks">, <"odd_weeks">, or <"first_full_week_o	
	f_the_month">
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"every_weeks">, <"odd_weeks">, or <"first_full_week_orders" .days sets a default value	f_the_month"> 0.06053s
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"every_weeks">, <"odd_weeks">, or <"first_full_week_or days .days sets a default value .historic	f_the_month"> 0.06053s 0.00473s
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"every_weeks">, <"odd_weeks">, or <"first_full_week_or days .days sets a default value .historic does not return an order if start date is in the past and no end date is set	f_the_month"> 0.06053s 0.00473s
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"every_week">, <"odd_weeks">, <"odd_weeks">, or <"first_full_week_or days .days sets a default value .historic does not return an order if start date is in the past and no end date is set does not return a one-off order for today	f_the_month">
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"even_weeks">, <"odd_weeks">, or <"first_full_week_or of the control of the cont	0.00473s 0.00473s 0.02112s 0.04637s 0.05218s
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"every_week">, <"odd_weeks">, <"odd_weeks">, or <"first_full_week_or of the control of the cont	0.00473s 0.02112s 0.04637s 0.05218s 0.05013s
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"even_weeks">, <"odd_weeks">, <"odd_weeks">, or <"first_full_week_or of the control of the cont	0.00473s 0.00473s 0.02112s 0.04637s 0.05218s 0.05013s
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"even_weeks">, <"odd_weeks">, or <"first_full_week_or days .days sets a default value .historic does not return an order if start date is in the past and no end date is set does not return a one-off order for today does not return an order if start date is in the past and end date is in the future returns a past one-off order does not return a future one-off order returns an order if both start date and end date are in the past	0.00473s 0.00473s 0.02112s 0.04637s 0.05218s 0.05013s 0.05030s 0.05077s
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"even_weeks">, <"odd_weeks">, <"odd_weeks">, or <"first_full_week_or days .days sets a default value .historic does not return an order if start date is in the past and no end date is set does not return a one-off order for today does not return an order if start date is in the past and end date is in the future returns a past one-off order does not return a future one-off order returns an order if both start date and end date are in the past does not return an order if start date is in the future	0.00473s 0.00473s 0.02112s 0.04637s 0.05218s 0.05013s 0.05077s 0.04656s
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"even_weeks">, <"odd_weeks">, or <"first_full_week_or days .days sets a default value .historic does not return an order if start date is in the past and no end date is set does not return a one-off order for today does not return an order if start date is in the past and end date is in the future returns a past one-off order does not return a future one-off order returns an order if both start date and end date are in the past	0.00473s 0.00473s 0.02112s 0.04637s 0.05218s 0.05013s 0.05030s 0.05077s
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"even_weeks">, <"odd_weeks">, <"odd_weeks">, or <"first_full_week_or days .days sets a default value .historic does not return an order if start date is in the past and no end date is set does not return a one-off order for today does not return an order if start date is in the past and end date is in the future returns a past one-off order does not return a future one-off order returns an order if both start date and end date are in the past does not return an order if start date is in the future	0.00473s 0.00473s 0.02112s 0.04637s 0.05218s 0.05013s 0.05077s 0.04656s
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"every_weeks">, <"odd_weeks">, or <"first_full_week_or odd weeks">, <"odd_weeks">, or <"first_full_week_or odd weeks">, <"odd_weeks">, or <"first_full_week_or odd weeks">, <"odd_weeks">, or <"first_full_week_or odd weeks">, or <"first_full_week_or odd weeks not odd weeks not odd weeks">, or <"first_full_week_or odd weeks not odd weeks not odd week	0.00473s 0.00473s 0.02112s 0.04637s 0.05218s 0.05013s 0.05077s 0.04656s
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"even_weeks">, <"odd_weeks">, <"odd_weeks">, or <"first_full_week_or odd.weeks">, or <"first_full_week_or odd.weeks">, <"even_weeks">, <"even_weeks">, <"even_weeks">, <"even_weeks">, <"even_weeks">, <"odd_weeks">, <"odd_weeks">, or <"first_full_week_or odd.weeks">, or <"first_full_week_or odd.weeks">, <"even_weeks">, <"eve	f_the_month">
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"even_weeks">, <"odd_weeks">, or <"first_full_week_of the control of the control	0.00473s 0.00473s 0.00473s 0.02112s 0.04637s 0.05218s 0.05013s 0.05077s 0.04656s 0.04465s
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"even_weeks">, <"odd_weeks">, or <"first_full_week_of the value of t	f_the_month">
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"even_weeks">, <"odd_weeks">, or <"first_full_week_orders"> days sets a default value historic does not return an order if start date is in the past and no end date is set does not return a one-off order for today does not return an order if start date is in the past and end date is in the future returns a past one-off order does not return a future one-off order returns an order if both start date and end date are in the past does not return an order if start date is in the future does not return an order if start date is in the future returns an order if order if start date is in the future does not return an archived order active.orders_for(patient:) returns an empty list if orders are in the past returns a patient having a one-off orders is in the past returns a patient having an order for today	f_the_month">
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"even_weeks">, <"odd_weeks">, or <"first_full_week_of days sets a default value historic does not return an order if start date is in the past and no end date is set does not return a one-off order for today does not return an order if start date is in the past and end date is in the future returns a past one-off order does not return a future one-off order returns an order if both start date and end date are in the past does not return an order if start date is in the future does not return an order if start date is in the future returns an order if both start date is in the future does not return an order if start date is in the future does not return an order if start date and end date are in the past returns an empty list if orders are in the past returns an empty list if orders are in the past returns an empty list if a one-off order for today returns an empty list if a one-off orders is in the past	f_the_month">
is expected to validate that :frequency is either :*specific_dates*s, :*every_session*s, :*every_week*s, :*even_weeks*s, :*odd_weeks*s, or :*first_full_week_of_atass*sets a default value .historic does not return an order if start date is in the past and no end date is set does not return a one-off order for today does not return an order if start date is in the past and end date is in the future returns a past one-off order does not return a future one-off order returns an order if both start date and end date are in the past does not return an order if start date is in the future does not return an order if start date is in the future does not return an order if start date is in the future does not return an order if start date is in the future does not return an archived order active.orders_for(patient:) returns a nempty list if orders are in the past returns a patient having a one-off order for today returns a patient having an order for today #walidate_days_inclusion	f_the_month">
is expected to validate that :frequency is either «"specific_dates"», «"every_session"», «"every_week"», «"even_weeks"», or «"first_full_week_or	f_the_month">
is expected to validate that :frequency is either <"specific_dates">, <"every_session">, <"every_week">, <"even_weeks">, <"odd_weeks">, or <"first_full_week_ordays sets a default value .historic does not return an order if start date is in the past and no end date is set does not return a one-off order for today does not return an order if start date is in the past and end date is in the future returns a past one-off order does not return a future one-off order returns an order if both start date and end date are in the past does not return an order if start date is in the future does not return an order if start date is in the future returns an order if orders are in the past returns an empty list if orders are in the past returns an empty list if a one-off order for today returns an empty list if a one-off orders is in the past returns a patient having a one-off orders is in the past returns a patient having an order for today dates to false when a day is not in the list validates to true when all days are in the list farchive!	f_the_month">
is expected to validate that :frequency is either -(*specific_dates*)-, -(*every_session*)-, -(*every_week*)-, -(*even_weeks*)-, -(*odd_weeks*)-, or -(*first_full_week_offic_dates*)-, -(*every_week*)-, -(*even_weeks*)-, -(*odd_weeks*)-, or -(*first_full_week_offic_dates*)-, -(*every_week*)-, -(*even_weeks*)-, -(*odd_weeks*)-, or -(*first_full_week_offic_dates*)-, -(*every_week*)-, -(*even_weeks*)-, -(*odd_weeks*)-, -(*odd_weeks*)-, -(*even_weeks*)-, -(*odd_weeks*)-, -(*odd_week	f_the_month">
is expected to validate that :frequency is either -ispecific_dates's, -ispecific_dates	f_the_month">
is expected to validate that :frequency is either -ispecific_dates'->, -isevery_session'->, -isevery_week'->, -isevery_weeks'->, -isevery_weeks'->	f_the_month">

does not validate if date is in the past	0.013
validates if date is in the future	0.012
validates if date is today	0.013
ture?	
ne-time orders	
returns true if date is in the future	0.002
ecurring orders	
returns true if start date is in the future	0.002
returns true if start date is today and end date is in the future	0.002
returns true if start date is in the future and end date is unspecified	0.003
der by future date	
orders future orders by ascending start_date or most recent future date	0.073
ure returns future orders	0.083
	0.00.
rring orders validation	
validates if start and end date overlap	0.01
does not validate if both start and end date are today	0.01
validates if start date is in the past, without an end date	0.01
does not validate if end date is in the past	0.01
validates if start date is in the past and end date in the future	0.01
validates if start date is today and end date in the future	0.01
op!	0.04
fails stopping an ended order fails stopping a one-off order	0.04
	0.03
fails stopping a recurring order in the future stops a recurring order	0.03
fails stopping an archived order	0.03
ve normalizes date columns for a specific date(s) order	0.03
normalizes date columns for a specific date(s) order	0.03
ormalizes date columns for a recurring order	
nullifies `date` column	0.04
normalizes `start_date` column when `start_date` is today	0.03
normalizes `start_date` and `end_date` columns	0.03
defaults `start_date` column to current time if it's today	0.03
ormalizes date columns for an every session order	0.00
nullifies `date` and `days` columns	0.03
ive	
ecurring orders	0.04
returns an empty list if start date and end date are in the past	0.04
returns an order if start date is in the past and end date is unspecified	0.03
returns an order if start date is today and end date is unspecified returns an order if start date is in the past and end date is today	0.039
	0.04
ne-off orders	
returns an empty list if dates are in the future	0.03
returns an order if dates are in the past and the future	0.04
returns an empty list if dates are in the past	0.04
returns an order if date is today	0.04
der_by_past_date	
orders historic orders by descending end_date or most recent past date	0.06

rchived	
retuns an archived order	0.03881s
does not return a one-off order for today does not return a future one-off order	0.03745s 0.03941s
does not return an recurring order in the past	0.04373s
does not return a past one-off order	0.04443s
does not return an order if start date is in the past and end date is in the future	0.04621s
does not return an order if start date is in the future	0.04003s
does not return an order if start date is in the past and no end date is set	0.04518s
active?	
one-off orders	
returns true if date is today	0.00319s
returns false if date is in the past	0.00291s
recurring orders	0.00200-
returns true if start date is in the past and end date is today and time is after current time	0.00300s
returns true if start date is today and end date is unspecified	0.00235s
returns true if it starts in the past and has no end date	0.00270s
returns false if start date is in the past and end date is today and time is before current time	0.00305s
returns false if start date is in the past and end date is in the past	0.00306s
returns true if start date is today and end date is in the future	0.00258s
ateGlobalCenterAcl	
updates the user's center acl	0.07014s
returns forbidden (403) if the user isn't authorized	0.03429s
ions::History	
retrieves history from live data	0.17485s
retrieves history from cached data	0.16240s
etrieves history from cached data	0.102403
ions::OpenSessionsProcessor	
call	
closes, either complete or cancel, open sessions older than 24 hours (PENDING: Temporarily skipped with xit)	
sessions_eligible_for_processing	
returns open sessions older than 24 hours	0.19682s
tePatientIdentifier	
deletes and existing identifier	0.07432s
returns forbidden (403) if the user isn't authorized	0.06468s
pook::Entry	
s expected to belong to session optional: true	0.00693s
validates scope	0.08490s
is expected to belong to author required: true	0.00664s
s expected to belong to patient required: true	0.00730s
is expected to belong to promoted by optional: true	0.00594s
s expected to validate that :type cannot be empty/falsy	0.01260s
is expected to validate that :category is either <"administration">, <"care">, <"complication">, <"follow up">, <"measurement">, <"note">, <"session">,	
or <"examination">	0.03018s
validates type/category consistency	0.17046s
s expected to validate that :journals cannot be empty/falsy	0.00925s
is expected to validate that :type is either <"medication">, <"packed_cells">, <"vaccination">, <"catheter_care">, <"wound_care">, <"wound_evaluatio	oma">, <"hemolysis">, ter_lock">, der_residue">, status">, <"glycemia">, "">, nect_phase">, it">, <"anticoagulation">,

<pre>#viewer_can_{edit,delete}?</pre>	
equals true for the author within 8 hours after creation	0.02928s
always equals false for a user other the author or promoter	0.03001s
equals false for the promoter more than 8 hours after creation	0.04610s
equals true for the promoter within 8 hours after promotion	0.04452s
equals false for the author more than 8 hours after creation	0.02773s
.any_tags	0.20000
returns all entries with any given tag	0.30808s
.all_tags	
returns all entries with all given tags	0.31477s
.period	
returns last week's entries	0.50488s
returns last month's entries	0.50446s
returns today entries	0.50554s
returns last two week's entries	0.50465s
xecutions::Reports::Base	
has a default category	0.00280s
	0.002003
#execute!	
generates a report and attaches it	0.08742s
#schedule!	
schedules a job	0.03638s
ledications	
GetHomeMedicationScheduleValidation	
requires read rights	0.24823s
home medication schedule should indicate if valid	0.25757s
home medication schedule should indicate if invalid	0.24952s
home medication schedule validness should update when made valid	0.36860s
pisodes::AdtEvent	
is expected to validate that :episode_identifier cannot be empty/falsy	0.01038s
is expected to belong to patient required: true	0.00583s
is expected to validate that :patient_type cannot be empty/falsy	0.01004s
is expected to validate that :date cannot be empty/falsy	0.00719s
is expected to validate that :event_type cannot be empty/falsy	0.01056s
etPatientDiets	
requires write rights	0.09715s
fails if patient does not exist	0.03194s
returns patient's diet history sort by date descending	0.25013s
ddWoundImage	
creates a new wound image for the given wound evaluation	0.52538s
returns forbidden (403) if the user isn't authorized	0.10544s
lsers::Right	
returns rights categories sorted by name	0.00259s
returns rights sorted by name	0.00271s
	0.552715
harts::BloodPressureHistory	
#call	
returns pre and post blood pressures for the last five sessions	0.48909s
ledications	
GetHomeMedicationSchedule	
amount of entries in schedule needs to be the same as amount of active prescritions	0.90728s
fails get if patient not found	0.23414s

requires read rights	0.22
home medication for patient	
does not return active medications if status equals 'stopped'	0.21
returns latest medications for the given patient	0.21
requires read rights	0.09
returns several medications ordered by product name	0.28
returns medications for products and magistral preparations	0.21
returns medications for the given patient	0.18
ortUsers	
fails when header invalid	0.15
returns forbidden when not authorised	0.03
updates the user when he already exists	1.15
insert user with nephrologist role when he does not exist	1.15
status should be 'processing' when an import is busy, and 'available' otherwise	0.11
ails when username is missing	0.15
ails when role does not exists	0.14
chronous reports: general_practitioner	
generates the report	0.69
lators::MaxValueValidator	
accepts values lower than max	0.00
rejects values greater than max	0.00
accepts values equal to max	0.00
ications::Services::AdministerFixedDoseMedication	
creates an administration	0.45
creates a billing item (PENDING: Not yet implemented)	
ents::TransplantEligibilityStatus	0.00
is expected to validate that :name cannot be empty/falsy is expected to have many patient_transplant_eligibility_statuses	0.00
s expected to have many patient_transplant_engininty_statuses	0.00
s_use?	
is false when new	0.01
is true when in use	0.05
discard!	
soft deletes when in use	0.05
hard deletes when not in use	0.02
nme	
validates uniqueness	0.01
FormularyItemIdToMedicationAdministrations	0.20
adds a reference to the formulary item	0.30
does not add a reference when there is no formulary item	0.26
VoundEvaluation	
returns the wound evaluation picture	0.55
returns forbidden (403) if the user isn't authorized	0.11
returns all evaluations for a given wound	0.11
returns not_found (404) if the wound evaluation cannot be found	0.03
ion Notes	
	0.21
creates a new session note	
requires authorization	0.03

denies updating patients insurance if not granted

0.13030s

updates a patients insurance	0.13
updates only the given fields	0.13
transport types	
returns success (200) and archived transport types	0.06
returns success (200) and active transport types	0.06
returns forbidden (403) when the user isn't authorized	0.04
returns success (200) and transport types	0.05
subsu Coccione Vicibou	
prts::SessionsVisitor gives priority to patient id	0.74
yields only billable sessions	0.99
yields sessions for the given patient	1.61
yields sessions for the given patient	2.12
yields only sessions for the given center	2.07
related only described the given center	2.07
ications::Services::UpdateAdministrationRoute	
updates an administration route with its codes	0.04
ning::Evaluators::MonthEvaluator	
is expected to respond to #on_days	0.21
is expected to respond to #on_odd_weeks	0.19
is expected to respond to #on_even_weeks	0.20
hen the month starts on a tuesday	
no session planned	0.23
is expected not to be scheduled	0.23
second planned session in the second (complete) week	
is expected to be scheduled	0.21
first planned session in the first (incomplete) week	
is expected not to be scheduled	0.21
is expected not to be scheduled	0.29
is expected not to be scrieduled	0.29
session completed on the same day	
is expected not to be scheduled	0.32
session ongoing in the first (incomplete) week	
is expected not to be scheduled	0.29
and almost a set of the floor floor materials and	
second planned session in the first (incomplete) week is expected not to be scheduled	0.25
is expected not to be scheduled	0.23
first planned session in the second (complete) week	
is expected to be scheduled	0.23
session ongoing in the second (complete) week	
is expected to be scheduled	0.28
hen the month starts on a monday	
first planned session in the second (complete) week	
is expected not to be scheduled	0.24
second planned session in the second (complete) week	
is expected not to be scheduled	0.24
session ongoing	
session ongoing	0.23
is expected to be scheduled	0.31
first planned session (in a complete week)	

is expected to be scheduled	0.22079s
session completed on another day	
is expected to be scheduled	0.26705s
no session planned is expected not to be scheduled	0.22918s
is expected not to be scheduled	0.223105
session completed on the same day	
is expected not to be scheduled	0.29528s
when the month starts on a friday	
no session planned	
is expected not to be scheduled	0.21669s
session completed on another day	
is expected to be scheduled	0.25641s
first planned session in the first (incomplete) week	0.21020-
is expected not to be scheduled	0.21828s
session ongoing in the third (complete) week	
is expected not to be scheduled	0.27537s
second planned session in the second (complete) week	
is expected to be scheduled	0.21823s
session completed on the same day	
is expected not to be scheduled	0.26183s
session ongoing in the second (complete) week is expected to be scheduled	0.26371s
is expected to be scrieduled	0.203/15
session ongoing in the first (incomplete) week	
is expected not to be scheduled	0.26528s
first planned session in the second (complete) week	
is expected to be scheduled	0.21853s
second planned session in the third (complete) week	
is expected not to be scheduled	0.23223s
first planned session in the third (complete) week	
is expected not to be scheduled	0.26109s
Medications	
CreateHomeMedicationOrder	
fails if prescription patient does not match order patient	0.22575s
creates order	0.18851s
fails if package does not match medication	0.15109s
denies creating if not granted	0.15665s 0.15261s
fails if patient does not exist	0.1732015
creates order for magistral preparation creates and sends an order	0.24258s
creates and serius an order	0.242305
Billing::Services::BillMedication	
does not bill a medication administration twice	0.33471s
carbonizes billing items	0.21134s
creates a billing item for the medication	0.23174s
Patient threads	
adds a journal entry with tags	0.13980s
fails if a given tag id does not exist	0.10366s
fails when author has no manage rights, only read rights	0.03210s
requires authorization	0.03180s
fails when author only has manage rights for other journals	0.06219s

adds a journal entry	0.1238
eateAccessSiteAttachments	
returns forbidden (403) if the user isn't authorized	0.1090
creates the site attachment	0.5101
returns (404) if the access site is not found	0.0398
edicationAdministrationsController	
.index	
returns paginated result	0.3814
requires view rights	0.0399
returns all medication when no params provided	0.5395
when date parameters are provided	
return all medication between date_from and date_to	0.5217
and only date_from is provided, return all medication after date_from	0.4559
and only date_to is provided, return all medication before date_to	0.6042
when product id parameter provided	
return all results with that product	0.2428
returns no result when product does not exist	0.2393
when ingredients parameter provided	0.0050
returns no result when ingredient is included of none of the administrations	0.3258
return all results with that ingredient	0.3099
return all results with that ingredient when multiple products have the same ingredient	0.4411
etReportTemplates	
returns all the report_templates	0.0681
returns forbidden (403) if the user isn't authorized	0.0399
etUserAvatarByLogin	
fails when invalid email or username is provided	0.0231
returns user's avatar for a given username	0.0332
returns user's avatar for a given email	0.0307
requires no authentication	0.0297
returns user's avatar with the given case insensitive username	0.0283
date ingredient	
returns success (200) and an updated ingredient	0.0764
returns unprocessable entity (422) when reusing a name within same source	0.0960
returns forbidden (403) when the user isn't authorized	0.0571
can also update codes	0.1260
returns method not allowed (405) when updating within a supervised source	0.0839
return success (200) when reusing a name from a different source	0.1013
etWoundImage	
returns the wound image	0.5356
returns the wound image returns forbidden (403) if the user isn't authorized	
	0.5282
returns forbidden (403) if the user isn't authorized	0.5282
returns forbidden (403) if the user isn't authorized returns not_found (404) if the wound image cannot be found	0.528 <u>2</u> 0.0834
returns forbidden (403) if the user isn't authorized returns not_found (404) if the wound image cannot be found lidators::MaxLengthValidator	0.5282 0.0834 0.0031
returns forbidden (403) if the user isn't authorized returns not_found (404) if the wound image cannot be found lidators::MaxLengthValidator rejects values too long	0.5282 0.0834 0.0033
returns forbidden (403) if the user isn't authorized returns not_found (404) if the wound image cannot be found lidators::MaxLengthValidator rejects values too long accepts values with length lower than max	0.5282 0.0834 0.0031 0.0030
returns forbidden (403) if the user isn't authorized returns not_found (404) if the wound image cannot be found lidators::MaxLengthValidator rejects values too long accepts values with length lower than max	0.5282 0.0834 0.0031 0.0030 0.1448
returns forbidden (403) if the user isn't authorized returns not_found (404) if the wound image cannot be found lidators::MaxLengthValidator rejects values too long accepts values with length lower than max etCompanies returns an list of companies returns forbidden (403) if the user isn't authorized	0.5356 0.5282 0.0834 0.0031 0.0030 0.1448 0.0475
returns forbidden (403) if the user isn't authorized returns not_found (404) if the wound image cannot be found lidators::MaxLengthValidator rejects values too long accepts values with length lower than max etCompanies returns an list of companies	0.5282 0.0834 0.0031 0.0030 0.1448

produces candidates for active every week orders that were created on the same day	0.19629s
produces candidates for active one-off orders	0.16880s
produces candidates for active every week orders	0.19134s
does not create candidates for past one-off orders	0.15920s
creates a due candidate for an order when the session start date is different from the session end date	0.22306s
produces candidates for active recurring orders	0.16924s
tTag	
returns the list of available tags	0.05900s
ssions::Services::StartSession	
#call	0.65514
can't start session on a disabled position	0.65514s
can't start session for an unsupported treatment (PENDING: Temporarily skipped with xit)	
can't start session for a taken position (PENDING: Temporarily skipped with xit)	
can't start session for a patient with an ongoing session (PENDING: Temporarily skipped with xit)	
can't start session for a deactivated patient	0.24371s
can't start session for an invalid shift	0.59144s
can't start session for a patient with an invalid prescription	0.633229
starts a new session	0.730409
skGroups	
returns the workflow task groups for the current phase (PENDING: Temporarily skipped with xit)	
ionType	
(de-) serializes integers	0.002029
(de-) serializes ranges	0.00823
(de-) serializes strings	0.00217
(de-) serializes quantities	0.00452
(de-) serializes ratios	0.00731:
(40) 50.10.125 (40.05	0.00751
#cast	
returns nil when object is blank	0.00221
returns a range when the object is a hash containing quantities	0.00948
returns a quantity when the object is a hash with a quantity	0.00494
returns the object when the object is something else	0.007709
returns nil when object is nil	0.00215
returns a ratio when the object is a hash	0.00940s
quest password reset	
paranoid mode	
returns created (201) for a non-existing user	0.01933
returns created (201) for an existing user	0.04981
for an existing user	0.05150
returns created (201), sends a password reset email and sets reset token by username	0.05159
returns created (201), sends a password reset email and sets reset token by email	0.04815
for a non-existing user	
returns unprocessable entity (422) and does not send a password reset email by username	0.01934
returns unprocessable entity (422) and does not send a password reset email by email	0.020339
vices::DeviceAttachment	
vices::DeviceAttachment is expected to belong to uploaded by required: true	0.00765
	0.00765s 0.01174s
is expected to belong to uploaded_by required: true is expected to validate that :name cannot be empty/falsy	0.00765s 0.01174s 0.00722s
is expected to belong to uploaded_by required: true	0.01174

creates a default configuration when the entry is not present

0.01128s

	updates the configuration	0.01829s
	invalidates the cache	0.02751s
.6	get	
	creates a default configuration when the entry is not present	0.01138s
	caches the configuration	0.01068s
	raises an error when the configuration does not exist	0.00342s
	retrieves the configuration	0.03104s