

WhatsApp Bot - 2026-03-... PDF	WhatsApp Bot - 2026-03-... PDF
WhatsApp Bot - 2026-03-... PDF	WhatsApp Bot - 2026-03-... PDF
WhatsApp Bot - 2026-03-... PDF	WhatsApp Bot - 2026-03-... PDF
WhatsApp Bot - 2026-03-... PDF	WhatsApp Bot - 2026-03-... PDF
WhatsApp Bot - 2026-02-... PDF	WhatsApp Bot - 2026-02-... PDF
CodexDefaultMsgTask.txt Document	contactNaccount.txt Document
keyname.conf.txt Document	ONEBOTREBUILDWORKF... Document
	READMEBUILD.txt Document

file PDF ini ialah kerja yang dah di jalankan, wajib ingat sesi ni, terutamanya WhatsApp Bot - 2026-03-10 S0 GD.pdf ialah sesi terakhir dan di akhir sesi ada tracker di sediakan untuk kau sambung, dan semua .txt file yang aku sertakan ni ialah features yang patut ada dalam onebot, jadi kau kena baca dulu dan save dalam memori kau supaya kau tak lupa cara kerja dan syarat dan peraturan tetap penting, dan sebelum kau mula wajib minta codex scan repo dan kau kena faham repo file tu dulu baru boleh mula kerja, dan check juga prompt terakhir dalam sesi akhir WhatsApp Bot - 2026-03-10 S0 GD.pdf, tetap hati

Show more ▾

 Updated memory

Thought for 1m 10s >

Dah. Saya dah lock cara kerja sesi ini dalam memori projek.

Yang saya pegang sekarang:

- WhatsApp Bot - 2026-03-10 S0 GD.pdf saya baca sebagai sesi terbaru yang perlu diperiksa dengan hati-hati sebab ada drift, tetapi sequence sambungan tetap datang dari tracker/handover hujung sesi itu. Dalam masa sama, PDF sesi lain saya guna sebagai rujukan lebih stabil.  WhatsApp Bot - 2026-03-10 S0 GD
- CodexDefaultMsgTask.txt ialah master header. Saya takkan tulis semula master header; saya hanya akan tulis TASK di bawahnya. Sebelum apa-apa report atau fix, Codex wajib fresh full repo scan dan repo semasa atas disk ialah live-server mirror/source of truth.  CodexDefaultMsgTask  WhatsApp Bot - 2026-03-10 S0 GD
- Handover terbaru juga lock supaya kita terangkan bug live + feature yang user nak pulih, kemudian biar Codex scan connected repo chain untuk cari stop-point sebenar. Jangan sempitkan scan ikut tekaan, batch kecil sahaja, dan output mesti full raw changed files sahaja.  WhatsApp Bot - 2026-03-10 S0 GD
- Live blockers yang disebut dalam sesi terbaru ialah ContactBook missing_impl_file, Scheduler missing send service, dan fallback customer DM berhenti pada generic ack "Your message has been received." walaupun command tertentu masih hidup.  WhatsApp Bot - 2026-03-10 S0 GD
- READMEBUILD.txt, ONEBOTREBUILDWORKFLOWTRACKER.txt, keyname.conf.txt, dan contactNaccount.txt saya anggap authoritative untuk build intent, workflow, canonical key reuse, dan spec ACC/PIC/CTX. keyname.conf.txt kekal sebagai library/reference, bukan runtime conf.  CodexDefaultMsgTask  contactNaccount
 keyname.conf  ONEBOTREBUILDWORKFLOWTRACKER  READMEBUILD

TASK pertama yang patut abang paste kepada Codex sekarang, di bawah master header sedia ada, ialah ini:

TASK: REPORT ONLY - PROVE THE EXACT ACTIVE RUNTIME POINTER CHAIN FOR CONTACTBOOK + SCH 

MASTER HEADER REMINDER

- You MUST obey the master header in full.
- Fresh CURRENT repo scan is mandatory first.
- CURRENT repo on disk is the only source of truth.
- Do NOT guess.
- Do NOT narrow the scan by assistant preference.
- Explain from current repo proof only.

SCOPE

- REPORT ONLY. NO CODE/CONF CHANGES. NO COMMITS. NO PR.
- Goal:
 - 1) prove the exact active runtime pointer chain for the 3 live blockers,
 - 2) determine whether repo state already contains fixes that live server is not using
 - 3) find the true current stop-point file/function from connected repo evidence only,
 - 4) choose ONE valid next small repair batch only if the stop-point is proven.

- Max 5 candidate files in the proposed next batch.
- Do NOT dump full file bodies.
- Do NOT drift into 6G, 6H, housekeeping, SendPolicy, or other optional clusters unless

CURRENT LIVE BEHAVIOR TO EXPLAIN

- ContactBook startup shows missing_impl_file path=<none>
- Scheduler startup shows missing send service
- Customer DM fallback stops at generic inbound ack and does not continue the control-
- Some commands already work, including !statusfeed and !help

USER-REQUIRED BEHAVIOR

- ContactBook active entry -> hub -> impl chain must resolve on disk cleanly
- Scheduler must resolve active send service from current runtime wiring and keep usin
- Customer DM fallback may send configured inboundAck, but must continue into ticket/c
- Keep Fallback locked 4x4 structure
- Keep single outbound pipeline
- Do not leak ticketId to customer
- Do not break working command behavior

MANDATORY FIRST OUTPUT

WORKSPACE_ROOT | <run: pwd>

GIT_HEAD | <run: git rev-parse --short HEAD OR echo NONE>

GIT_STATUS | <run: git status --porcelain || echo NONE>

GIT_DIFF_NAMES | <run: git diff --name-only || echo NONE>

SCANNED_ROOTS

- OneBot/
- OneData/bots/ONEBOT/config/modules/Core/
- OneData/bots/ONEBOT/config/modules/Core/Impl/
- OneData/bots/ONEBOT/config/ui/
- READMEBUILD.txt
- ONEBOTREBUILDWORKFLOWTRACKER.txt
- keyname.conf.txt
- contactNaccount.txt

READ CURRENT ON-DISK CONTENT FIRST

- OneBot/modules/Core/ContactBookHub.js
- OneBot/modules/Core/ContactBook/ContactBookCV.js
- OneData/bots/ONEBOT/config/modules/Core/ContactBook.conf
- OneData/bots/ONEBOT/config/modules/Core/ContactBookHub.conf
- OneData/bots/ONEBOT/config/modules/Core/Impl/ContactBookCV.conf
- OneBot/modules/Core/Scheduler/SchedulerCV.js
- OneData/bots/ONEBOT/config/modules/Core/Impl/SchedulerCV.conf
- OneBot/modules/Core/Fallback/FallbackCV.js
- OneData/bots/ONEBOT/config/modules/Core/Impl/FallbackCV.conf
- OneBot/modules/Core/Fallback/FallbackGroupRouterCV.js
- OneBot/modules/Core/Fallback/FallbackForwardTextCV.js
- OneBot/modules/Core/Fallback/FallbackForwardMediaCV.js
- OneBot/modules/Core/Fallback/FallbackForwardAVCV.js
- OneBot/modules/Core/SendQueue/SendQueueCV.js
- OneBot/modules/Core/Outbox/OutboxCV.js
- OneBot/modules/Core/OutboundGateway/OutboundGatewayCV.js
- plus exact active entry conf + hub conf + impl conf + impl js dependencies actually

OUTPUT FORMAT REPORT

A) ACTIVE POINTER PROOF

For each module below, output EXACTLY one line:

MODULE | <Module> | entry=<path> | hub=<path> | implFile=<raw value> | implJsExists=YE

Modules:

- ContactBook
- Scheduler
- Fallback
- SendQueue
- Outbox
- OutboundGateway

B) CONNECTED RUNTIME FLOW

For each live blocker, output the exact connected chain until stop point:

FLOW | ContactBook | 1 | <file/function>

FLOW | ContactBook | 2 | <file/function>

...

FLOW | Scheduler | 1 | <file/function>

...

FLOW | Fallback | 1 | <file/function>

...

C) STOP-POINT PROOF

Output up to 12 strongest current-repo proofs only:

EVIDENCE | <path>:<line or function> | <short raw excerpt>

D) DECISION

Output EXACTLY:

STOP_POINT | <exact file/function>

STOP_REASON | <one line>

NEXT_MODE | REPORT ONLY / CHANGE MODE

E) NEXT SMALL BATCH

If and only if the stop-point is proven and fixable in one small round, output:

CONNECTED_FIX_BATCH_COUNT | <n, max 5>

FILE | <exact path> | STATUS=NEED_EDIT/NO_CHANGE | reason=<one line>

If repo proof shows live issue is likely repo-vs-live mismatch rather than missing cod
NO COPY NEEDED

REASON | current repo already contains the fix; repo-vs-live mismatch must be resolved

STOP.

Bila Codex balas codex.txt , paste yang terbaru sahaja.

    ...  Sources

codex.txt
Document

aku rasa kali ni aku bagi kau script yang kau nak untuk betulkan, cuma kau minta dengan codex semak full script mana perlu repair jadi aku bagi kau script full untuk kau repair dan tulis semula

codex.txt
Document

OneBot.zip
Zip Archive

OneData.zip
Zip Archive

ni current file daman script onebot

CMDLOG.txt
Document

onebot-2026-03-20.log
File

CMDLOG.txt
Document

onebot-2026-03-20.log
File

CMDLOG.txt
Document

onebot-2026-03-20.log
File

FallbackCV.js
JavaScript

tadi audio boleh send fallback sekarang tak ada pulak, tu
aku cakap kau buat script jgn buang freature tapi fix issue

CMDLOG.txt
Document

onebot-2026-03-20.log
File

GAMBAR fallback dapat, video dan audio tak dapat,
document pdf/excel pon tak ada.

FallbackCV.js
JavaScript

onebot-2026-03-20.log
File

CMDLOG.txt
Document

kau kena semak betul2 apa jadi, dari tadi takkan kau pon sama perangai macam codex

CMDLOG.txt
Document

onebot-2026-03-20.log
File

FallbackCV.js
JavaScript

aku rasa ni bukan dekat fallback je, kau ni perangai repair fallback sedangkan script lain berkaitan kau abaikan, kau check zip aku hantar tadi jumpa masalah baru repair..kau patut scan berkali kali supaya dapat senaraikan masalah datang dari script mana, lepas tu aku tengok bila aku msg bot dia delay sampai ke fallback ni mesti ada block sebab tu video pon tak dapat, aaudio kadang2 dapat kadanmg2 tak

CMDLOG.txt
Document

onebot-2026-03-20.log
File

semua fallback tak dapat hantar ke group, makin rosak

CMDLOG.txt

Document

onebot-2026-03-20.log

File

OutboundGatewayCV.js

JavaScript

Connector.js

JavaScript

OutboxCV.js

JavaScript

ok sebenarnya dia jadi, tapi masalahnya delay hantar ke bot 3:12, 3:19 [pm baru ada dekat fallback group, delay lama sangat document ada, delay tak patut ada waktu kita tengah nak test bot ni,

CMDLOG.txt

Document

onebot-2026-03-20.log

File

ok sekarang semua fallback ada, tapi quote reply masih tak boleh

FallbackQuoteParseCV.js

JavaScript

FallbackReplyRouterCV.js

JavaScript

onebot-2026-03-20.log
File

CMDLOG.txt
Document

OK SEKARANG QUOTE REPLY PULAK YANG DELAY
TOLONG CHECK KAT MANA PENYEBAB DIA DELAY TU,
SEPATUTNYA BILA MANUASIA YANG JAWAB DELAY NI
TAKDE HANYA BOT SAJA YANG ADA DELAY

SendQueueCV.js
JavaScript

OutboxCV.js
JavaScript

CMDLOG.txt
Document

onebot-2026-03-20.log
File

Show more 

FallbackReplyAVCV.js
JavaScript

CMDLOG.txt

Document

onebot-2026-03-20.log

File

quote reply masih 1 saja gambar dia hantar kalau reply bug tak boleh dan view tak masuk ke fallback, audio ok, video kalau hantar 1/1 ok kalau hantar sekali bulk dengan gambar file campur dia tak ada pergi ke fallback, sama juga dengan quote reply

codex.txt

Document

codex.txt

codex.txt
Document

5file setiap module.txt

Document

codex.txt

Document

CodexDefaultMsgTask.txt

Document

contactNaccount.txt

Document

keyname.conf.txt

Document

ONEBOTREBUILDWORKF...

Document


READMEBUILD.txt

Document

simpan dalam memory ni

codex.txt
Document

codex.txt
Document



kau salah bagi arahan aku copy main prompt je apa2 kau
nak bagi arahan untuk codex baca 1 prompt saja ni ada
lagi prompt 2,3,4 mmg dia takkan nampak sebab aku
copy main prompt yang banyak2 tulisan tu je

codex.txt
Document

codex.txt

Document

codex.txt

Document

ni apa scan saja ni kata banyak yang hardcore 1 pon takde yang copy apa arahan kau bagi?

codex.txt

Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

onebot-2026-05-10.log
File

ni saya bagi log cmd dan log \OneData\bots\ONEBOT\logs
log kelihatan macam tak tunjuk dekat mana kesilapan bila
aku hantar 5 file, restart dah jalan !role me tak jalan tak
perlu tulis me pon sesiapa tulis role tu maksunya untuk dia
lah, panjang2 buat apa, melainkan admin tulis !role
nombor telefon ni baru baca role orang lain

codex.txt

Document

codex.txt

Document

sambil kita buat pembetulan save dalam memori, yang kita cari masalah sebelum ni waktu siang lepas antara/anggaran 8am- 8pm kemungkinan ada setup manual send by human boleh msg semua 5 file, tapi waktu malam biasanya saya tak pasti script mana yang block human manual msg, sepatutnya ni tak terjadi, bila jumpa terus highlight untuk pembetulan

Document

sebelum aku guna prompt tu tengok dulu cmd ni, kalau
perlu tulis semula prompt tulis semula

codex.txt
Document

codex.txt

Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

onebot-2026-05-10.log
File

codex.txt
Document

tgk cmd dan log semua tak jalan semua file tak ada
fallback, dok berulang tempat sama je ni, lepas tu yang
utama tak selesai2

codex.txt
Document

Pasted text.txt

onebot-2026-05-10.log

Document

File

onebot-2026-05-10.log
File

codex.txt
Document

check dulu kalau kena buat prompt baru

codex.txt

Document

onebot-2026-05-10.log
File

codex.txt
Document

sebelum tulis prompt aku bagi log dulu mungkin kau dapat tengok dalam log ni mana silap, tulis prompt baru sekiranya perlu

codex.txt
Document

codex.txt
Document

onebot-2026-05-10.log

codex.txt

File

Document

5 file, audio dan video tak pegi fallback, reply hanya ada .rar file dan gambar saja, selain tu tak ada.

onebot-2026-05-10.log
File

codex.txt
Document

text pon tak ada fallback/reply, masalah ni tak consistent
kejap ada kejap tak ada, ni masalah apa tak tau tgk dulu
lepas beberapa minit log dia jadi macam ni, kalau perlu
tulis semula prompt tulis semula

codex.txt
Document

codex.txt

Document

ok ni kau tengok berapa lama delay baru dia reply, lama sangat delay ni

codex.txt
Document

check dulu yang ni prompt sebelum ni, codex baru hantar,
jadi check sekali masalah2 log terbaru dan berbangkit,
kalau ok aku copy dulu, kalau tak ok terus buat prompt

codex.txt
Document

onebot-2026-05-10.log
File

codex.txt

Document

codex.txt
Document

9:09pm

codex.txt
Document

onebot-2026-05-10.log
File

audio/video tak ada jalan ni tak pasti mungkin juga sebab
dah lebih 8pm kena cari masalah dekat mana ni

codex.txt
Document

kejap aku tak bagi lagi prompt atas ni kat codex, ko check dulu apa error keluar banyak sangat merah ni

codex.txt
Document

codex1102.txt
Document

onebot-2026-05-11.log
File

codex1102.txt
Document

log terbaru lepas test dan copy 2 file tu, sekarang lepas test fallback dia tulis Ticket 2603T0000003 from 60133335545@c.us (60133335545@c.us) count=4

- 1) hi
- 2) FOLDING DOOR DRAWING.xlsx
- 3) FOLDING TRACK ALIGHTMENT.pdf
- 4) Gambar Kerja 2 Panel Folding Door Bottom Trackless with Fixed on Top.rar 4 file, sedangkan file dapat 4 no 1 tu text yang di sertakan dalam file, kalau ikutkan patut 5 lah 1 text, gambar, xlsx, pdf, rar.. yang tak dapat voice & video.. tuturan nama file ni pon confuse kadang2 sebab tak sama

Show more ▾

codex1102.txt
Document

codex.txt
Document

Pasted text.txt

Document

jadi abaikan yang ni?

onebot-2026-05-11.log

File

Pasted text.txt

Document

takde apa pon jalan ni, makan rollback kenapa kita dok fokus dekat fallback tapi tak selesai2????? buang masa je ni

codex.txt
Document

codex.txt
Document

onebot-2026-05-11.log
File

codex.txt

Document

codex.txt
Document

onebot-2026-05-11.log
File

kau cakap je, dari hari tu dah jalan text, picture, pdf, .rar,
.xls lepas tu cari video dengan audio tak setel reverse balik
sampai semua pon tak jalan

codex.txt
Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

kalau kau ada perlukan info apa2 mintak codex scan dekat mana part kau rasa perlu tahu, bukan kau yang repair, jadi kena tahu pembahagian kerja ni aku tengok kau dah mula repair pulak

Core.zip
Zip Archive

Core.zip
Zip Archive

cuba kau buat semakan .js file ni dan .config ni apa masalah sebenar yang berlaku, ni file live sedang di gunakan



codex.txt
Document

codex.txt
Document

Pasted text.txt
Document

onebot-2026-05-14.log
File

fallback takde ni

codex.txt

Document

Pasted text.txt

Document

onebot-2026-05-14.log

File

semua ada dekat fallback kecuali audio dan video, dan masalah dia sekarang 1 file 1 ticket, sepatutnya bulk file 1 ticket sahaja, ticket video dan audio juga ada tapi audio dan video tak wujud dekat fallback hanya ticket saja

codex.txt
Document

Pasted text.txt
Document

onebot-2026-05-14.log
File

masih sama tiada perubahan

codex.txt
Document

Pasted text.txt
Document

onebot-2026-05-14.log
File

codex.txt
Document

Pasted text.txt
Document

onebot-2026-05-14.log
File

langsung takde sekarang minimize tu disable pulak apahal
takde kena mengena pegi buang connector.js, kau tau ke
connector.js ni freeze script

Pasted text.txt
Document

Pasted text.txt
Document

onebot-2026-05-15.log
File

codex.txt
Document

codex.txt
Document

codex.txt
Document

Pasted text.txt
Document

onebot-2026-05-24.log
File

tak ada apa respond ni malah lebih teruk, fallback tak ada..
yang ada bot reply !help dekat group je

Core.zip
Zip Archive

Core.zip
Zip Archive

kau boleh baca semua script ni? cuba kau check apa sebab
bangang sangat kau ni dah bertahun tak selesai

Pasted text.txt


Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

cuba check yang ni aku dah hantar ke belum nak sambung
masalah yang kita hadapi ni



aku dah cuba guna ni semua ada, voice ada, video ada,
gambar ada, sebab aku guna sebagai conversation no bot
tu, sekarang nampak dia macam berfungsi dan ada

fallback dekat group, tapi terlalu semak, bila sekaligus buka dia tak susun dalam keadaan kemas, msg "Your message has been received." tak patut wujud macam ni nanti orang tahu aku sedang guna bot, aku nak neutral macam manusia, aku dah cakap msg bodoh2 tu jangan auto reply pegi ke group atau pegi ke customer, hanya di fallback group saja kalau nak kucar kacir pon, bodo aku dah bagi tahu human like ni ada msg Your message has been received. lagi ni bot atau auto reply bangang

Pasted text.txt
Document

onebot-2026-02-28.log
File

kau tgk timezone cmd dengan log dalam
\OneData\bots\ONEBOT\logs

codex.txt
Document

ni prompt terakhir semak sekali

codex.txt
Document

codex.txt
Document

ko bagi arahan apa ni codex pon buat kerja macam taik

codex.txt
Document

codex.txt
Document

codex.txt
Document

codex.txt
Document

codex.txt
Document


codex.txt

Document

YE TU SYARKAT KEYNAME BODOH, LEPAS 1/1 BERTAHUN
AKU NAK EXPLAIN BENDA SAMA, SEMUA DAH ADA TAPI
PUKIMAK KAU NI BODOH TAKNAK IKUT ARAHAN,
SEBENARNYA KAU TU BABI BODOH BAGI CODEX
XONFUSE KALAU SURUH KAU BUAT LAGI PUTAR BELIT
MACAM KELING

codex.txt
Document

codex.txt
Document



codex.txt
Document

dalam masa sama sekejap lagi kau minta codex check
kenapa setiap kali fallback ada 2 msg macam ni [9:06 pm,
29/05/2026] Staff - Admin: Ticket

2603T0000003\nCustomer: 60133335545@c.us\nName:
60133335545@c.us\nStatus: open\nTime: 29/05/2026,
21:05:50\nCount: 1\nLast: [video]\nReply 1: \nReply 2:
\nReply 3:

[9:06 pm, 29/05/2026] Staff - Admin: Ticket 2603T0000003
from 60133335545@c.us (60133335545@c.us) count=1
1) [video] sepatutnya 1 msg dah cukup, sampai 2 ni semak,
susunan pon tak kemas sepatutnya senaraikan nombor
telefon pelanggan, kalau dah save senaraikan nama
pelanggan sekali

ticketsquence.txt
Document

Tips.conf
File

cuba kau tengok ticket dan tips ni

codex.txt
Document

ni last prompt aku tak rasa codex buat betul ni susun script
pon berterabur, kalaupon scriptnya betul tapi susunan tak
ada rupa macam susun script

fullrules.zip
Zip Archive

kau faham apa aku nak dalam bot ni

READMEBUILD.txt
Document

YG ni pon dah ada dalam
<https://github.com/neprenkha/whatsappbot/blob/main/READMEBUILD.txt> sepatutnya codex check dan match dengan readme ni apa yang aku nak, cuba check apa yang aku nak semua dah ada dalam readmembuild.txt ni ke atau belum masuk semua, ikut pada *.zip baru aku bagi kau tadi.. patut dia baca readme ni dan cari script /conf mana perlu di betulkan.. sebab aku dah upload live script/conf dalam repo

jangan padam yang tak berkenaan, buat ikut features aku
nak bukan ikut kepala bapak kau

Thought for 1m 21s >

Saya sudah buat **READMEBUILD fixed** sebagai full file, bukan prompt.

Fail ini **tidak padam bahagian lain**. Saya hanya betulkan conflict yang memang buat Codex salah faham: keyname workflow, fallback template path, one-card-per-burst, old layout reject, customer ID rule, Library role, Contact/Account/Context scope, dan output-limit rule.

Download/copy masuk repo:

READMEBUILD_FIXED.txt

Yang dibetulkan

1. R3 keyname

Dari: wajib ikut keyname.conf.txt sahaja

Jadi: scan repo .conf dulu, reuse key sedia ada, keyname.conf sebagai reference/lib

2. Fallback template path

Dari: OneData/config/ui/Fallback/ticketcard.txt

Jadi: template path ikut config/repo scan; current known path ialah:

OneData/bots/ONEBOT/config/ui/ticketsquence.txt

3. Section 9 fallback feature

Tambah jelas:

- 1 inbound burst = 1 card/text sahaja
- media boleh forward selepas card
- reject old layout Ticket ... from ... count=...
- customer no auto-ack
- random group silent
- quote reply / command reply

4. Customer identity

Tambah:

- @c.us boleh clean phone
- @lid jangan tipu sebagai phone
- kalau tak map phone, show raw @lid

5. Library

Betulkan daripada technical helper sahaja kepada catalog/search business content.

Library send mesti melalui fallback ticket, bukan direct customer.

6. Contact/Account/Context

Tambah scope:

- Account/PIC/Context owned by dedicated service
- Fallback consume untuk card display/link ticket
- kalau belum siap, tracker PENDING

7. Codex workflow

Tambah:

- large file satu file sahaja



- output_limit = READY_TO_COPY NO
- malformed/minified/unindented JS tak deployable

Ini align dengan README asal yang memang sudah sebut bot ini untuk customer DM, ticketing, internal group workflow, staff reply, no auto-reply customer, outbound queue, fallback 4x4 dan zero hardcode.  READMEBUILD

Ia juga align dengan template yang kau upload, sebab ticketsquence.txt memang ada placeholder {{TICKET}}, {{FROM_NAME}}, {{FROM_PHONE}}, {{FROM_CHATID}}, {{TEXT}}, {{ATTACH_COUNT}}, dan {{ATTACH_TYPES}}.  ticketsquence

    ...  Sources

READMEBUILD.txt Document

kau jangan betulkan macam ni aku tak percaya nanti kau padam semua yang patut ada, aku nak kau tulis semula bahagian section mana wajib di betulkan penuh, bukan tambah sekerat2, contoh 1) PURPOSE (WHAT THIS BOT IS)
ONEBOT is a WhatsApp automation system that:

- Receives inbound customer messages (DM) and ensures they are not missed.
- Routes customer conversations into an internal control group workflow with ticketing.
- Enables staff to reply manually from the internal group back to the customer, with auditability.

Show more ▼

Thought for 17s >

Betul. Jangan ganti seluruh README. **Ganti section/block yang conflict sahaja.** README asal memang sudah ada purpose, zero hardcode, fallback 4x4, outbound pipeline, module list, dan tracker additions. Yang rosak ialah beberapa ayat yang menyebabkan Codex salah target: keyname, template path, fallback card behavior, Library role, dan output workflow. README asal sekarang memang masih tulis fallback card template path lama dan Library sebagai technical helper sahaja.  READMEBUILD

Di bawah ini replacement penuh untuk bahagian yang wajib dibetulkan sahaja.

1) Ganti penuh section 1) PURPOSE (WHAT THIS BOT IS)

1) PURPOSE (WHAT THIS BOT IS)



ONEBOT is a WhatsApp operations bot for handling customer messages, internal staff wor

ONEBOT must:

- Receive inbound customer messages (DM) and ensure they are not missed.
- Create or reuse an open ticket for customer DM conversations.
- Route customer conversations into the configured internal control/work group workflo
- Post a clear internal inbox card/message for staff to review and reply.
- Enable staff to reply manually from the internal group back to the customer with aud
- Support customer text, image, document, audio, voice/ptt, video, and captions in the
- Separate customer inbox traffic from status/broadcast/system noise and internal chat
- Use the single outbound pipeline so messages are queued, paced, retried, and never s

The main customer inbox flow must not auto-reply to the customer.

For normal customer DM fallback:

- Customer must not receive immediate acknowledgement.
- Customer must not receive ticket id.
- Customer must not receive bot/system text unless an explicitly approved AUTO workflo

Automations are allowed only as separate AUTO workflows, such as scheduled followups,

All AUTO sends must be:

- clearly marked as AUTO,
- sent through the global outbound pipeline,
- rate-limited,
- blocked while the customer is actively chatting when active-chat policy applies,
- audited,
- never allowed to block or limit manual staff replies.

Manual staff replies are human actions and must never be blocked by AUTO rate limits,

2) Ganti penuh block R3. CANONICAL KEYNAMES ONLY

README sekarang kata "Use ONLY keynames listed in keyname.conf.txt", sedangkan workflow kau ialah **scan repo .conf dulu**. Itu conflict. READMEBUILD

R3. CANONICAL KEYNAMES ONLY



- Scan current repo .conf files first.
- Reuse the existing same-function keyname already used in the repo.
- If no same-function key exists in repo .conf, use keyname.conf.txt as a reference/li
- If the key is still missing after repo scan and keyname.conf.txt lookup, propose the
- Do not silently add new keynames.
- Do not create alias keys for the same concept.
- Do not duplicate keys.

- Do not rename existing keys silently.
- One canonical key per concept.

3) Ganti penuh section 5) GLOBAL SINGLE-SOURCE SETTINGS

5) GLOBAL SINGLE-SOURCE SETTINGS



GlobalCV.conf is the single-source for shared runtime settings used by multiple module

Shared settings include, but are not limited to:

- controlGroupId
- prefix
- sendPrefer
- timeZone
- locale
- hour12
- global module log master flags, if implemented

Modules should reference global config using:

globalConfRel=modules/Core/Impl/GlobalCV.conf

Runtime values must come from .conf/template/data only.

JS must not hardcode runtime values such as:

- group ids
- chat ids
- phone numbers
- command prefix
- timezone
- locale
- customer/staff-facing text
- template paths
- runtime defaults

If a required global config value is missing or invalid, the affected module must log

For timezone:

- TimeZoneCV reads timeZone, locale, and hour12 from GlobalCV.conf.
- TimeZoneCV provides the canonical service name: timezone.
- Other modules should use the timezone service when available, or read GlobalCV.conf
- JS must not hardcode timezone or locale values.

4) Dalam section 8) MODULE ROLES , ganti Fallback block sahaja

README sekarang masih tulis card template dari

OneData/config/ui/Fallback/ticketcard.txt , tapi template yang kau tunjuk ialah

OneData/bots/ONEBOT/config/ui/ticketsquence.txt dengan placeholder {{TICKET}}, {{FROM_NAME}}, {{FROM_PHONE}}, {{FROM_CHATID}}, {{TEXT}}, {{ATTACH_COUNT}}, {{ATTACH_TYPES}}.  READMEBUILD  ticketsquence

Fallback (4x4 locked)

- Router (firewall): decide forward/reply path and routing.
- Text handlers: plain text forwarding and staff text replies.
- Media handlers: image/document forwarding and staff media replies.
- AV handlers: audio/video/ptt forwarding and staff AV replies.
- Ticketing: strict ticket format YMMT + 7 digits.
- Customer DM creates or reuses one open ticket.
- Customer DM is forwarded to the configured control/work group.
- Customer must not receive immediate auto acknowledgement in the main inbox flow.
- Customer must not receive ticket id in the main inbox flow.
- Fallback card/text must come from configured template/renderer, not JS hardcoded lay
- Template path must come from config or repo scan.
- Current known sequence template path is:
OneData/bots/ONEBOT/config/ui/ticketsquence.txt
- Do not assume this path exists unless repo scan proves it:
OneData/bots/ONEBOT/config/ui/Fallback/ticketsquence.txt
- Do not use Tips.conf as fallback card layout unless active config explicitly points
- One inbound burst must send exactly one control-group text/card message.
- Media attachments may be forwarded after that one card/message.
- Do not send both ticket card and consolidated text separately.
- Reject old fallback layout:
Ticket <ticket> from <chatId> (<chatId>) count=<n>
- Staff can reply from group by quote reply or configured command mapping.
- Staff manual replies must bypass AUTO rate limits and active-chat blocks.
- Random/unbound groups must stay silent.

5) Dalam section 8) MODULE ROLES , ganti Library block sahaja

README sekarang kata Library technical helper sahaja. Itu tak cukup untuk feature kau sebab kau nak catalog/search reusable content, tapi send tetap melalui ticket supaya audit tak hilang.  READMEBUILD

Library

- Catalog/search service for reusable business content.
- May store or search price text, product info, templates, standard replies, images, d
- Must not directly send customer-facing content to a customer outside the ticket work
- Sending Library content to a customer must go through the fallback ticket reply serv
- Library must remain data/template driven.
- Library must not hardcode customer-facing text in JS.

6) Tambah block baru dalam section 8) MODULE ROLES selepas WorkGroups

ContactBook / ClientBook / Account / PIC / Context



- Own customer account, PIC, and context data.
- Account represents the customer/business/family/company record.
- PIC represents contact person(s), numbers, WhatsApp ids, and ownership.
- Context represents useful notes/history/routing context for staff.
- Fallback may consume this data for inbox card display and ticket linking.
- Fallback must not become the owner of Account/PIC/Context data if a dedicated service
- If ContactBook/ClientBook is not implemented yet, list it as PENDING in the rebuild

7) Ganti penuh section 9) FALLBACK FEATURE TARGETS (AGREED SPEC - SUMMARY)

9) FALLBACK FEATURE TARGETS (AGREED SPEC - SUMMARY)



Must support:

Customer DM intake:

- Never miss customer DM.
- Customer text/media/voice/video/document/caption must create or reuse one open ticket
- Customer must not receive immediate auto acknowledgement in the main inbox flow.
- Customer must not receive ticket id in the main inbox flow.
- Status/broadcast/system noise must not pollute the customer inbox.

Fallback group card:

- Ticket card/text must be posted to the configured control/work group.
- One inbound burst must send exactly one control-group text/card message.
- Media attachments may be forwarded after that one card/message.
- Bot must not send both ticket card and consolidated text separately.
- Reject old fallback layout:
Ticket <ticket> from <chatId> (<chatId>) count=<n>
- Fallback card/text must use configured template/renderer, not JS hardcoded layout.
- Current known sequence template path is:
OneData/bots/ONEBOT/config/ui/ticketssequence.txt
- Template path must come from config or repo scan.
- Do not use Tips.conf as fallback card layout unless active config explicitly points

Fallback card fields:

- ticket id
- customer phone when resolvable
- customer display/saved/push/contact name when available
- raw chat id for audit
- configured timezone time
- inbound text/list
- attachment count/types

- reply instruction/tips from template/config only

Customer identity:

- For @c.us and @s.whatsapp.net, display clean phone when available.
- For @lid, do not pretend it is a phone number.
- If @lid cannot be mapped to phone, show raw @lid as fallback identifier and raw chat
- If saved/display/push/contact name exists, show it.
- Raw chat id must remain available for audit.

Staff reply:

- Staff can reply from group to customer by quote reply or configured command mapping.
- Staff text/media/audio/video/ptt replies must route back to the original customer ti
- Manual staff replies must pass manual/bypass options so they are never blocked by AU
- Random/unbound groups must stay silent.
- No no-access message and no help text should be sent to random/unbound groups.

Ticket and workflow:

- Strict ticket format YYMMT + 7 digits.
- Clear states: New/Open/Pending/Closed, as designed.
- Quick picks such as !1/!2/!3 are allowed if enabled by spec and must use global pref
- WClient/PIC/Account/Context mapping must be supported when implemented.
- Anti-miss reminders/escalation are allowed as AUTO only and must respect active-chat
- Audit view or journal summary per ticket must be supported.
- Status/broadcast must never pollute inbox.

If an item is not implemented yet, it must be listed in the rebuild tracker as PENDING

8) Ganti penuh section 10) HOW CODEX MUST WORK (PROCESS)

README sekarang masih kata "usually 2 files" dan output full files only, tapi masalah live kau ialah FallbackCV.js panjang dan Codex output rosak/terpotong. Kena jelas

output_limit = NO , bukan reka zip atau minified script.  codex

10) HOW CODEX MUST WORK (PROCESS)

- Always scan repo first. Never guess file paths.
- Follow active pointer chain:
 - <Module>.conf -> <Module>Hub.conf -> implFile + implConfig
- Treat the current repo/live mirror as source of truth before editing.
- Use V1/V2/V3 only as reference to port behavior into CV.
- Do not import V1/V2/V* from active CV modules.
- Use small batches.
- For normal fixes, use focused batches such as 1 JS + 1 CONF when needed.
- For large files, output one full file only.
- Do not rewrite large runtime files if a smaller config/template/renderer fix solves
- Do not output malformed, minified, flat, or unreadable JS.
- Output must be full raw file bodies only when deploy/copy is expected.
- No snippets.

- No diff.
- No patch.
- No zip unless explicitly requested by user.
- No split output unless explicitly requested by user.
- If output limit prevents a complete full file, report:
READY_TO_COPY | NO
REASON | output_limit
- Summary-only, diff-only, truncated, malformed, or partial output is not deployable.
- Never claim READY_TO_COPY if the full raw file is not complete and directly copyable
- Never add new keynames silently.
- Scan repo .conf first, reuse existing same-function keys, then use keyname.conf.txt
- Never hardcode IDs/text/prefix/timezone/locale/template paths/runtime defaults in JS
- Runtime values must come from GlobalCV.conf, module .conf, templates, or data stores
- Customer/staff-facing text must come from templates/config.
- If a prompt scope prevents the real fix, stop with READY_TO_COPY | NO and state the

9) Dalam README ADDITIONS , ganti B) REBUILD STATUS block sahaja

B) REBUILD STATUS (DONE / PENDING)

The rebuild is done in a strict sequence. Update this table as work progresses.
This prevents repeating work and prevents adding features on an unstable base.

STATUS RULES

- DONE means: CV-only, no V1/V2 imports, canonical keynames, no hardcode, ASCII-only,
- PENDING means: still not rebuilt OR still violates rules OR still depends on V1/V2 0
- A module can compile and still remain PENDING if live behavior is wrong.

DONE (FILL IN FROM REPO SCAN AND LIVE TEST)

- OutboundGateway: DONE/PENDING
- Outbox: DONE/PENDING
- SendQueue: DONE/PENDING
- RateLimit: DONE/PENDING
- InboundFilter: DONE/PENDING
- InboundDedupe: DONE/PENDING
- MessageJournal: DONE/PENDING
- StatusFeed: DONE/PENDING
- Command: DONE/PENDING
- AccessRoles: DONE/PENDING
- Help: DONE/PENDING
- Scheduler: DONE/PENDING
- WorkGroups: DONE/PENDING
- Fallback (4x4): DONE/PENDING
- ContactBook / ClientBook: DONE/PENDING
- Library / Catalog: DONE/PENDING
- (add other active modules here)

PENDING (NOTES)

For each PENDING module, list:

- exact failed behavior,
- exact missing rule,
- exact script/conf/template involved,
- exact live log evidence if available,
- next small batch target.

Examples:

- Fallback: PENDING - duplicate control group text card + consolidated text.
- Fallback: PENDING - old layout Ticket <ticket> from <chatId> (<chatId>) count=<n> st
- Fallback: PENDING - active template pointer does not match current sequence template
- ContactBook: PENDING - Account/PIC/Context mapping not implemented or not wired to f
- Library: PENDING - search/catalog not wired through ticket reply service.

Ringkas: section/block yang wajib ganti

- 1) PURPOSE (WHAT THIS BOT IS)
- R3. CANONICAL KEYNAMES ONLY
- 5) GLOBAL SINGLE-SOURCE SETTINGS
- 8) Fallback block only
- 8) Library block only
- 8) add ContactBook / ClientBook / Account / PIC / Context block
- 9) FALLBACK FEATURE TARGETS
- 10) HOW CODEX MUST WORK
- README ADDITIONS -> B) REBUILD STATUS



Yang lain jangan usik dulu.

    ...  Sources