



### **Revision History**

Date	Version	Author	Description
29.09.2023	1.0.23	Rommel Lamanilao	Test plan for Neptune DXP Open Edition 23-LTS release



# **Table of Contents**

1.	INTRODUCTION	
	1.1. Overview	3
2.	OBJECTIVES AND TASKS	4
	2.1. Objectives	
	2.2. Tasks	4
3.	SCOPE AND LIMITATIONS	
	3.1. Scope	
	3.2. Limitations	6
4.	TESTING STRATEGY	7
5.	TEST CRITERIA	8
	5.1. Suspension Criteria	
	5.2. Exit Criteria	8
6.	RESOURCE PLANNING	9
	6.1. System Resource	9
	6.2. Human Resource	9
7.	TEST CASE DESIGN 1	11
8.	TEST ENVIRONMENT 1	12
	8.1. Test Server Setup	12
	8.2. Device	
	8.3. Browser	12
9.	SCHEDULE AND ESTIMATION1	
	9.1. Test Estimation	
	9.2. Test Schedule	13
1(	D. RISKS AND MITIGATIONS 1	14
11	. TOOLS 1	15
12	2. BUG REPORTING1	16
	12.1. Bug Priority	
	12.2. Bug Category	16



# 1. INTRODUCTION

#### 1.1. Overview

Neptune DXP — LTS (long-term support) version offers all the features rolled out in one production-ready release. Prior to its actual release, several tests must be executed to ensure that at least all major functionalities are working. This test plan is created to guide the QA Team for the entire testing process.

Also, this document is intended for the testing of **Neptune DXP** — **Open Edition 23-LTS** version.



# 2. OBJECTIVES AND TASKS

### 2.1. Objectives

The person in charge of the tests should pay attention to this objective before actual tests are performed. The initial release notes can be used as reference to help meet these objectives.

The objectives of the test should be:

- that all new features are working as expected
- · that all bug fixes should be tested and verified
- that all major and minor functionalities should be working
- that all other tests defined should PASS.

#### 2.2. Tasks

The activities involve in this test plan are the following:

- Determine the scope of the test tests to be performed and NOT to be performed
- Document the Test Strategy
- Decide the test criteria suspension and exit criteria
- Plan the test resources
- Plan the test environment
- Plan when and how to test
- Deliver test results as part of the execution



# 3. SCOPE AND LIMITATIONS

## **3.1. Scope**

Testing will mostly cover the following:

#### 3.1.1. New Features

More details on how to test these can be found in the Test Management tool.

#### OpenAl Chat

- Parameter validation in User Settings
- Popover documentation
- Chat interface

#### Mobile Client

- Filter in the build list
- Android engine version
- Adding of targetSdkVersion
- Setting of minSdkVersion and maxSdkVersion

#### Cockpit

- Custom cockpit tiles
- o Pagination in the user selection
- o Customizing visible columns
- Artifact search results
- Favorite apps
- Basic test in App Designer
- o Marketplace featured items

#### Launchpad

- PWA install dialog
- Lazy/offline loading of images

#### System Settings

- Authentication to SMTP servers
- Response type field for OpenID authentication

#### Table Definition

- o Import JSON data for definition of structure
- Generate API based on table

#### App Designer

- Create versions on activate
- o Context menu items
- Middle clicking on the tab
- Toolbar aggregation for sap.f.cards.Header
- Support for AvatarGroup, ProductSwitch, SidePanel, DynamicDateRange



- Support for sap.m.MessageView
- o ...more features can be found in the Test Management tool

### 3.1.2. Basic usability and accessibility

### 3.1.3. Re-verification of bug fixes

Bug fixes from GitHub Issues must be re-verified to ensure that the provided fixes are still carried out and that they do not introduce new issues.

Since not all have been granted access to GitHub, all fixed issues are copied and temporarily stored in this Adaptive app.

#### 3.2. Limitations

- Performance Testing
- Stress Testing
- Database Testing
- GitHub changes and commits not testable from tester's perspective and only developers can verify such as server configuration files

<sup>\*</sup>Not on regular basis but will be performed if required



# 4. TESTING STRATEGY

A separate document is created for this section which you can find it here:

Neptune DXP - Test Strategy



# **5. TEST CRITERIA**

# 5.1. Suspension Criteria

If there is at least one major functionality that is not working, for example, unable to create a mobile build then suspend the release of the build until the development team fixes it.

### 5.2. Exit Criteria

All test cases are performed with a mandatory of at least 80% PASS rate



# 6. RESOURCE PLANNING

## **6.1. System Resource**

Resources	Description
Server	The server where the Neptune DXP — SAP Edition is installed
Automated test scripts	These scripts are developed using <u>Playwright</u> . Needed to perform the regression testing.
GitHub access	GitHub is used for bug tracking. If necessary, an access must be provided to all members of the QA Team

## 6.2. Human Resource

Resources	Tasks
Test Manager  Rommel Lamanilao	<ul> <li>Manages the entire testing process</li> <li>Creates and maintains the test plan and test strategy</li> <li>Performs the testing tasks together with the rest of the testers</li> </ul>
<ul> <li>Software Tester</li> <li>Luis Gonzales</li> <li>Carlos Daniel Silva Reis Pires</li> <li>André Carrilho</li> <li>David Carrilho</li> <li>Daniel Vieira</li> <li>Sofia Natálio</li> <li>Cezar Stefan Strugariu</li> <li>Miguel Coelho</li> <li>Levi Bailey</li> </ul>	<ul> <li>Performs feature testing</li> <li>Re-verifies the bug fixes in GitHub</li> <li>Reports bugs/issues found to GitHub</li> </ul>
Automation Tester	<ul> <li>Develops and maintains automated test scripts</li> <li>Executes automated test scripts</li> <li>Manages end-to-end tests on CI/CD pipeline (CI-Nightly)</li> </ul>

### 6.2.1. Test Responsible

Here we define the list of testers who will be assigned to perform the testing for Neptune DXP 23-LTS — Open Edition

- Rommel Lamanilao
- Carlos Daniel Silva Reis Pires
- Cezar Stefan Strugariu



- Levi Bailey
- Miguel Coelho



# 7. TEST CASE DESIGN

Test cases should be defined to determine if different features within a system are performing as expected and to confirm that the system satisfies all related standards, guidelines, and customer requirements. This process can also help reveal errors or defects within the system.

Neptune DXP Open Edition has an app called "<u>Test Unit</u>" where you can write test cases.



# 8. TEST ENVIRONMENT

The following should be setup to ensure software testing process success.

## 8.1. Test Server Setup

Install the Neptune DXP Open Edition on a local server or on the cloud.

Responsible: Rommel Lamanilao

## **Cockpit URL:**

https://planet9-open-edition-23-test.neptune-software.cloud/cockpit.html

Username: qateam Password: qateam

#### 8.2. Device

Tests will be performed on the following devices:

- Desktop
- Tablet
- Phone (Android and iOS)

#### 8.3. Browser

The following browsers should be installed:

- Google Chrome
- Mozilla Firefox
- MS Edge
- Safari



# 9. SCHEDULE AND ESTIMATION

# 9.1. Test Estimation

Testing	Estimate Effort (%)
Smoke Test	5
Feature Test	40
Re-verification	20
System Test	35
TOTAL	100

## 9.2. Test Schedule

	Planned Date	Actual Date
Test started date	02-October-2023	
Test completed date	31-October-2023	_



# **10. RISKS AND MITIGATIONS**

Risks	Mitigations
Lack of test resource availability	Facilitate hiring or loan people from another department
Shortage of time to cover all the scope	<ul><li>Focus on the new features and major changes</li><li>Focus on critical areas</li></ul>
Defects are found at a late stage and consumes time to resolve	Defect management plan is in place to ensure prompt communication and fixing of issues



# **11. TOOLS**

Tools	Usage
GitHub	For reporting of issues found during the testing and for requesting for a new feature
Playwright	For creating automated test scripts
WAVE Evaluation Tool	It is an extension for Chrome browser that provides visual feedback about the accessibility of the web content. This is useful for testing the WCAG compliance feature



## 12. BUG REPORTING

All encountered issues and feature requests should be reported to GitHub.

## 12.1. Bug Priority

Bug priority refers to how urgently a bug needs to be fixed. When creating a bug report, one must provide a priority on it. Although GitHub does not have a field for this priority, labels have defined instead.

Levels of bug priority defined as labels in GitHub:

- Low: Bug can be fixed at a later date. Other more serious bugs take priority
- Medium: Bug can be fixed in the normal course of development and testing
- High: Bug must be resolved at the earliest as it affects the system and renders it unusable until it is resolved

## 12.2. Bug Category

Like in bug priority, GitHub does not have category field as well so we will use labels instead. Category refers to the module or component where the bug is found. This is not a mandatory field but it is nice to have for easy filtering of the issue list.

These are the commonly used labels for categories:

- Use this label for general category particularly for smaller components/applications
  - Cockpit:
- For bigger components/applications:
  - Launchpad
  - App Designer
  - App Editor
  - Script Editor
  - Adaptive Designer
  - Deployment
  - Custom Component