Glass Dataset Exploration

Naren Vijayakumar November 19, 2016

```
library(mlbench)
library(dplyr)
library(e1071)
library(ggplot2)
```

Glass Dataset

```
data(Glass)
str(Glass)
```

```
## 'data.frame': 214 obs. of 10 variables:
## $ RI : num   1.52 1.52 1.52 1.52 1.52 ...
## $ Na : num   13.6 13.9 13.5 13.2 13.3 ...
## $ Mg : num   4.49 3.6 3.55 3.69 3.62 3.61 3.6 3.61 3.58 3.6 ...
## $ Al : num   1.1 1.36 1.54 1.29 1.24 1.62 1.14 1.05 1.37 1.36 ...
## $ Si : num   71.8 72.7 73 72.6 73.1 ...
## $ K : num   0.06 0.48 0.39 0.57 0.55 0.64 0.58 0.57 0.56 0.57 ...
## $ Ca : num   8.75 7.83 7.78 8.22 8.07 8.07 8.17 8.24 8.3 8.4 ...
## $ Ba : num   0 0 0 0 0 0 0 0 0 0 ...
## $ Fe : num   0 0 0 0 0 0.26 0 0 0 0.11 ...
## $ Type: Factor w/ 6 levels "1","2","3","5",..: 1 1 1 1 1 1 1 1 1 1 1 ...
```

There are 9 predictors and 1 outcome. Separating the predictor and outcome variables, we get.

```
glassPredictors <- Glass %>% select(-Type)
glassTypes <- Glass %>% select(Type)
```

Skewness

```
skewNess <- apply(glassPredictors,2,skewness)
skewNess[order(-skewNess)]</pre>
```

```
## K Ba Ca Fe RI Al
## 6.4600889 3.3686800 2.0184463 1.7298107 1.6027151 0.8946104
## Na Si Mg
## 0.4478343 -0.7202392 -1.1364523
```





