INDEX

accelerated systems, Hamiltonian dynamics. *See* Hamiltonian dynamics, in accelerated systems
acceleration
  and relation to mass, 512–513
  block on inclined plane, 2–3
  caused by a constant force, 535–536
  elevator, 20
  transformation of coordinate systems, 266
action functional S, 51, 178, 220
action principle. *See* variation principle
  extended. *See* extended action
  relativistic. *See* relativistic action
  variable, 230–231
action-angle variables, 230–235, 237, 238, 246–247 (prob)
  pendulum. *See* pendulum, action-angle variables
adiabatic invariants, 118, 233–235
airplane wings, 397
Almagest, 130
almost periodic, 238
amplifiers, parametric. *See* parametric amplifiers
analytical mechanics, 23
angle variable, 230, 232
angular frequency, 526
angular momentum, 137–139, 170–172, 283, 245 (prob)
  intrinsic. *See* angular momentum, rotational
  rotational, 292
  total, 291–292
  translational, 292
angular momentum barrier, 140–141
angular velocity, 256–257, 264–266, 283, 293, 304, 306, 276–277 (prob)
anharmonic oscillator, 398–401
  driven, 401–411
  period of, 401
annihilation radiation, 517
antisymmetric four-tensor, electric and magnetic fields, 530, 539
antisymmetric matrix, 264, 304
aphelion, ellipse. *See* ellipse, aphelion
apparent force, 267
approximate solutions to non-analytic problems, 383–411
apsides, ellipse. *See* ellipse, apsides
arc length, 138
area-preserving map. *See* map, area-preserving
Aristarchus of Samos, 317
Aristotle, 317
Arnol'd. *See* KAM theorem
Arnold diffusion, 451, 470, 472
asteroid belt, 469
asteroid, perturbed by Jupiter (prob), 417
astrophysical data, table of, 167–169
asymmetric top, 288, 331 (prob)
  kinetic energy, 306
  torque free, 305–312
attractive force, hyperbolic orbits. *See* hyperbolic orbits, attractive force
attractor, 452 (*see also* phase space trajectories)
  periodic, 425
  strange. *See* strange attractor
Atwood machine, double (prob), 31
axial vector. *See* pseudovector
axions, 155

band theory, of solids, 390
basins of attraction, 453
bead on wire (prob), 30, 34, 114
beam stability, 390
beat frequency. *See* frequency, beat
Bernoulli, Daniel, 45, 86, 344
Bernoulli, Jacques, 4
Bernoulli, Jean, 44–46, 344
Bertrand's theorem, 154
Bertrand's theorem (prob), 167
bicycle (prob), 27
bifurcation diagrams, 459–460, 484–485, 491
  pitchfork, 459, 483–484, 486
Big Bang, 325, 456
binding energy, 516
Biot-Savart law, 509
Birkhoff, 439 (*see also* Poincaré-Birkhoff theorem)
black body radiation, 325
black hole M87, 155
block on inclined plane, example, 1–7
body cone, 297, 298
body coordinate system, 259–264, 284, 300
boldface notation, 262
boost. *See* Lorentz transformations

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 30 May 2020 at 10:52:05, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511801662

bouncing ball (prob), 475
boundary conditions, matching. *See* matching boundary conditions
boundary curve for Poincaré section of double pendulum, 431
bowling ball, 38–39, 35 (prob)
box-counting dimension. *See* dimension, box-counting
brachistochrone, 44–46, 70 (prob)
Brahe, Tycho, 131
Britain, dimension of coastline. *See* dimension, of coastline of Britain
broken symmetry. *See* symmetry breaking
brown dwarfs, 155
bug crawling on a phonograph turntable, Hamiltonian and Lagrangian, 190–192
butterfly effect, 425

calculus of variations. *See* variational calculus
cannonball example, 52, 77
canonical transformations, 207–213, 215–218, 237, 250, 241–244 (prob)
canonically conjugate momentum, 22, 75, 170, 172, 175, 181, 538, 34–35 (prob)
Cantor set, 464–465
capacitor (prob), 116
capacity dimension. *See* dimension, box-counting
Cassini, 339–340
catenary curve, 62
causal Green's function. *See* Green's function, causal
cavity, cylindrical. *See* gedanken experiment, cylindrical cavity
center of mass, 134, 136–137
  motion, 283, 285, 292, 298, 160–161 (prob)
center of momentum. *See* center of mass
central force, 24, 133–141, [161–162, 198, 413] (prob) (*see also* Kepler problem)
  motion
    effective potential, 140–141
    energy diagram, 142
    Kepler's Laws, 132,139
    orbit equation, 142–143
    stability of circular orbit, 384–388
centrifugal force, 142, 267
centripetal acceleration, 40
Ceres, 148
cgs units, 507, 540
chain example, 61
chain rule, 6
Chandler wobble, 299–300
Chandler, S., 300
chaos, 237, 475 (prob)
  in conservative systems, 379, 425, 428–452, 472
  in dissipative systems, 425, 452–468
chaotic dynamics, 423–474
characteristic exponent, 393
  multiplier, 444
  polynomial, 337
charge conservation, 188
circular hoop with 3 point masses connected by massless springs, 365–367
  motion, relativistic. *See* relativistic circular motion
  orbits, 144, 385
classically forbidden, 126
clockwork universe, 423
coastline. *See* dimension, of coastline of Britain
cofactors, 355, 362, 380–382
comets (prob), 163
complex numbers, 111
  solutions, 89
Compton, A. H., 252, 280
Compton generator (prob), 280
Compton scattering (prob), 549
configuration space, 36–37, 229
conic section, 144
conjugate momentum. *See* canonically conjugate momentum
conservation of angular momentum, 170–172
  of charge. *See* charge conservation
  of energy, relativistic (prob), 547
  of momentum. *See* momentum conservation
conservative forces, 18, 41–43
conserved function, 21
  quantity, 174
constant of the motion, 21, 22, 138, 170, 172, 196 (prob)
constraint force, 2, 57
  generalized, 60–61
constraints, 12–13
  holonomic, 13, 57–58, 83, 85, 33 (prob)
  nonholonomic, 36–40, 62–64, 35 (prob)
  nonintegrable, 36
  rheonomic, 13, 22
  scleronomic, 13, 22, 85
contact transformation, 208, 211
continued fraction expansion, 436–437
continuity equation, 188, 525
continuous transformations. *See* transformations, continuous
contravariant components, 529
control parameter, 481
coordinate system
  body. *See* body coordinate system
  rotating. *See* rotating reference frames
  space. *See* space coordinate system
  polar
    cylindrical, 10, 19, 24–25
    elliptical, 309–310
    spherical, 10, 51, 138, 226
coordinates, generalized. *See* generalized coordinates
Copernicus, Nicolaus, 130–131
Coriolis force, 267
cosinelike, 390
cosmic rays, 537
Coulomb potential. *See* hyperbolic orbits, repulsive force
coupled pendulum. *See* pendulum, two coupled
covariant components, 529
  procedure, 538–539
Cramer's rule, 380
critical damping (prob), 117, 121
critically damped. *See* oscillator, damped simple harmonic
cross section (prob), 165
cubic polynomials, 315
curvature, of potential energy, 85–86
cyclic coordinates. *See* ignorable coordinates
cyclotron frequency, relativistic, 540

d'Alembert, 4, 322
d'Alembert's Principle, 5
damped driven pendulum, 425, 453–463, 467–468
  oscillator. *See* oscillator, damped
dark matter, 154–156

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 30 May 2020 at 10:52:05, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511801662

day, length of in age of dinosaurs (prob), 282
degeneracy, 339, 343, 353
  modes, 365–367
degrees of freedom, 2, 8, 10–12, 36, 86, 27 (prob)
  rotational, 283
delta function, 99–100
derivative
  directional. *See* directional derivative
  Lie. *See* Lie derivative
determinant, 203, 352
deterministic chaos, 424
diagonalization, 392
  of symmetric matrices, 336–339
  of **t** and **v** matrices, 364–365
diatomic molecule (prob), 377
diffeomorphism, 55
differential equation
  linear, inhomogeneous, 95
    ordinary, second-order, and homogeneous, 88–89
    superposition, 88–89
  second order, 24
differential equations of motion. *See* equations of motion
dimension, 463–468
  box counting, 463–466
  fractional, 463–464 (*see also* fractal)
  Hausdorff, 463
  Lyapunov, 467
  magnification, 466
  of coastline of Britain, 465–466
  of strange attractor of damped driven pendulum, 468
Dirac delta function. *See* delta function
Dirac, P. A. M., 44
directional derivative, 236
discontinuity, in Green's function, 101–102
discrete transformations. *See* transformations, discrete
displaced axis theorem, 289
displacement ratio. *See* mode displacement ratio
dissipative flow, 189
divergence, 192
  exponential of trajectories. *See* characteristic exponent
Doppler shift, 505, 507, 515, 546 (prob)
dot cancellation, 14
dot product. *See* scalar product
double pendulum
  exact, 425, 426–428, 430–433, 435, 440–442, 451–452
  Hamiltonian, 426–427
  Lagrangian, 349
  small angle approximation, 348–355, 358–359, 377 (prob)
double-well potential (prob), 157
driven oscillator. *See* oscillator, driven
driven support of pendulum. *See* pendulum, with driven support
DSHO. *See* oscillator, damped simple harmonic
Duffing oscillator, 384, 398–401, [158, 419] (prob)
  driven, 401–411
  period of, 401
dumbbell, inertia tensor, 290–291
dynamical equilibrium. *See* equilibrium, dynamical
  instability. *See* instability, dynamical
  stability. *See* stability, dynamical
  variable, 7

Earth. *See* solar system, stability
  as noninertial reference frame, 267–275
  equatorial bulge. *See* equatorial bulge
eccentric anomaly, 148–150
eccentricity, 323, 470–473
  ellipse, 144
ecliptic, 317
effective potential, 140–142, 385
eigenvalues, 302–303, 336–339, 392, 444, 449
  generalized, 353, 359
eigenvectors, 302–303, 337–339, 392, 444, 449
  generalized, 353
Einstein, A., 154, 493–495, 508, 514, 516, 519, 533
Einstein summation convention, 253, 529
electric and magnetic field, antisymmetric four-tensor. *See* antisymmetric four-tensor, electric and magnetic field
electric field, 493, 508–510, 522
  charged particle. *See* particle in electric and magnetic fields
  transformation law for light pulse. *See* transformation law, electric field for light pulse
electric force, transformation law. *See* transformation law, electric and magnetic forces
electromagnetic field (prob), 199–200, 550, 551
electromagnetic field, relativistic Lagrangian. *See* relativistic Lagrangian, electromagnetic field
electron capture, 185
electron-positron annihilation, 517
electrostatics (prob), 67
elevator, 20, 200 (prob)
ellipse, 144–145
  aphelion, 145
  apsides, 145
  eccentricity, 144
  perihelion, 145
  semimajor axis, 145–146
  semiminor axis, 145–146
ellipsoid
  equation of, 306
  inertia, 306
  inertia tensor (prob), 327
  momental, 306
  oblate, 289
  prolate, 289
elliptic fixed points. *See* fixed points, elliptic
  orbits, 145, 385, 162 (prob)
elliptical motion
  period of, 145–147
  time dependence, 147–150
energy, 21 (*see also* Hamiltonian)
  of light wave, transformation law. *See* transformation law, energy of light wave
  binding. *See* binding energy
  relativistic, 515–517, 533
  stored in oscillator. *See* oscillator, stored energy
energy-momentum four-vector. *See* four-vector, energy-momentum
entrainment (prob), 480
EOM. *See* equations of motion
epicyles, 130–131
equant, 130–131
equations of motion, 17–19, 23–24, 51, 54
equator, 339–340
equatorial bulge
  Earth's, 339–342, 332 (prob)

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 30 May 2020 at 10:52:05, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511801662

equilibrium, 82–87, 114 (prob)
  dynamical, 384
  neutral, 85
  pendulum, 82–83
  stable, 82, 125
  unstable, 82, 125
equinoxes
  nutation of (prob), 333
  precession of, 317–323
ether, 493
Euler angles, 284, 300–302
Euler equation, 46–49, 65
Euler force, 267
Euler's equations, 283, 292–293, 297–299, 329–330 (prob)
Euler, Leonard, 23, 46, 299
Euler-Lagrange equations, 19, 23–24, 51, 54
  matrix form, 352
  normal coordinates, 359
exotic particle decay (prob). *See* particle decay (prob)
exponent, characteristic. *See* characteristic exponent
extended action, 76
extremum, 46, 49

Falkland Islands battle (prob), 279
Feigenbaum constant, 458–459, 487, 490
Feigenbaum, M. J., 457, 485, 486
Fermat, 55
Fermat's principle, 55, 75, 229, 68 (prob)
fictitious force, 25, 253, 267, [279–282, 290] (prob)
fig tree, 485, 486
filamentation, 186
fixed point, 481–482
  elliptic, 431, 434–435, 440–441, 445
  hyperbolic, 435, 440–442, 446–448
  neutral, 428–483, 485
  stable, 482, 485
  superstable, 482–486
  unstable, 482–382, 485
Fizeau, M., 493
flip hyperbolic fixed point, 446
Floquet matrix, 390–392
Floquet Theory, 390–395, 397, 445
fluid, incompressible. *See* incompressible fluid
forbidden, classically. *See* classically forbidden
force, causing constant acceleration, 535–536
forced oscillator. *See* oscillator, driven
Foucault pendulum, 253, 272–275, 324
Foucault pendulum (prob), 281
four-acceleration, 555, 543 (prob)
four-momentum, 527
four-vector, 522
  energy-momentum, 502, 526–528
four-velocity, 527
Fourier analysis, 86, 403–404
  decomposition, 390
  series, 402
fractal, 425, 453, 463–468
frame-dragging, 324–325
frames. *See* reference frames
free particle, relativistic Lagrangian. *See* relativistic Lagrangian, free particle
free solution. *See* oscillator, transient solution
frequency
  beat, 348
  cyclotron. *See* cyclotron frequency
  mode. *See* mode frequency
  of oscillator, 88
  resonant, 108
frequency of light wave, transformation law. *See* transformation law, frequency of light wave
friction, 38, 90
full width at half max, 109
functional, 44, 46
functional calculus. *See* variational calculus
fundamental theorem of symmetric real matrices, 336

Galilean Invariance Principle, 54
Galilean transformation laws, 504
Galileo, G., 87, 105, 131–132, 494
Gauss, 148
Gauss-Jordan elimination, 337
Gaussian units. *See* cgs units
gedanken experiment, cylindrical cavity, 519–521
general relativity, 44, 154, 494, 530, 420–422 (prob)
generalized coordinates, 10, 350
  equations of motion, 17–18
  forces, 14–15, 18–19, 82
    central force, 24–25
    kinetic energy, 16–17
  momentum. *See* canonical momentum
  velocities, 14
generating function, 207, 210–217, 240–244 (prob)
geodesic curve, 51, 66–67 (prob)
Gibbs, J. W., 253
global chaos, 442, 451
golden mean, 437
governor (prob), 32
gradient vector, 307
grandfather's clock. *See* pendulum, nonlinear
gravitational constant, 339–342
gravitational field, particle in, Hamiltonian-Jacobi equation, 220–222, 224–228
  potential energy of, 318
gravity, 134, 141–142, 159 (prob)
Gravity Probe B, 317
Green's function, 96, 102, 399, 120 (prob)
  causal, 102
  drive with arbitrary force, 103–105
  simple harmonic oscillator, 99–102, 103, 105
Gutzwiller, M. C., 237, 442
gyroscope, 323, 330 (prob)

hairy ball theorem. *See* Poincaré-Hopf theorem
Hale-Bopp, 163
Halley, Edmond, 132–133, 147–148
Hamilton, 48
Hamilton's Characteristic Function, 222, 230
  equations of motion, 180–181, 207, 218, 248–249
  Principal Function, 219
  Principle, 46, 51, 53–55, 75, 178–186, 220, 72 (prob)
    cannonball example. *See* cannonball example
Hamilton-Jacobi equation, 207, 218–230, 246–247 (prob)
  particle in a gravitational field, 220–222, 224–228
Hamiltonian, 21–22, 175, 178, 180, 211, 234, [29–30, 551] (prob)
  bug crawling on a phonograph turntable. *See* bug crawling on a phonograph turntable

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 30 May 2020 at 10:52:05, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511801662

chaos. *See* chaos, in conservative systems
charged particle in electric and magnetic fields, 192
double pendulum, exact. *See* double pendulum, exact Hamiltonian
dynamics, 175–184, 197–198 (prob)
in accelerated systems, 190–195
invariance. *See* invariance, Hamiltonian
particle on a parabolic wire. *See* particle on a parabolic wire, Hamiltonian
relativistic. *See* relativistic Hamiltonian
simple harmonic oscillator, 88, 182
spherical pendulum. *See* spherical pendulum, Hamiltonian
handedness, 456
harmonic analysis, 402–404
harmonic oscillations, 383
Hausdorff dimension. *See* dimension, Hausdorff
heavy symmetric top. *See* symmetric top, heavy
heliocentric, 130–132, 317
Henon-Heiles Hamiltonian (prob), 378, 478
Hermitian matrices, 337
herpolhode, 308, 311–312
heteroclinic point, 447
tangle, 448
Hill equation, 383, 389–395, 409, 411
Hill, G. W., 389
Hipparchus of Rhodes, 317
holonomic constraints. *See* constraints, holonomic
homoclinic point, 447
tangle, 446–448
homogenous differential equation. *See* differential equation
Hooke, Robert, 132
Hooke's Law, 154
Hubble telescope, 155
hurricanes, 253, 271–272, 281 (prob)
Huygens, C., 87, 125, 480
Hyakutake, 163
hyperbola, 144, 150
hyperbolic fixed points. *See* fixed points, hyperbolic
orbits, 145, 150–154, 164 (prob)
attractive force, 150–151, 153
repulsive force, 150–154
hyperplane, three-dimensional, 429
hysteresis, 402, 408–409

ice ages, 323
ice cream cone rolling on a table, 257–259
identity matrix, 262
identity transformation. *See* transformations, identity
ignorable coordinates, 22–23, 138, 226
impact parameter (prob), 165
impulse force, 99
arbitrary force as superposition of, 104–105
response of oscillator to, 100–101
inclination, 472–473
inclined plane, example, 1–7
incompressible fluid, 188
index of refraction (prob). *See* refractive index (prob)
inertia ellipsoid. *See* ellipsoid, inertia
inertia tensor, 283, 286–291, 339, 327–328 (prob)
dumbbell, 290–291
inertial reference frame, 20, 252, 323–324, 494, 502, 535
infinitesimal rotation. *See* rotation, infinitesimal
infinity, orders of, 465
inhomogenous differential equation. *See* differential equation
initial conditions, 7–8, 89
instability, 392
dynamical, 383, 386
instantaneous angular velocity. *See* angular velocity
axis of rotation. *See* rotation axis
rest frame, 526–527, 535–536
integrable, 425, 447–448, 451–452
integrable systems, 207, 235–237
intermittency, 457
invariable line, 308–309
invariable plane, 308
invariance, 28–29 (prob)
Hamiltonian, 211
Lagrangian, 171, 173, 209
rotational, 170–172
translational, 135–136
theorems. *See* Lorentz invariant, invariance theorems
transformation. *See* transformation, invariance
invariant tori, 237–239, 424, 431–433, 435
invariants, adiabatic. *See* adiabatic invariants
Lorentz. *See* Lorentz invariant
inverse square force, 134
invertible mapping, 55
involution, 235–236
irrational winding number. *See* winding number, irrational
irregular motion, 425, 447, 451
iteration methods, 384, 405

Jacobian, 203, 249–251, 432, 443–444, 452, 454, 241 (prob)
of Lorentz transformation, 501
Jupiter, perturbation effects. *See* asteroid, perturbed by Jupiter (prob)
See solar system, stability

KAM barriers, 451
theorem, 435–439
tori, 433–439, 448, 451, 469
Kepler ellipses, precession of (prob), 420–422
Kepler, J., 131–132
Kepler orbit (prob), 413
problem, 130–133, 141–150, 196 (prob), 226, 228 (*see also* central force problem)
perturbation of, 384–388
Kepler's equation, eccentric anamoly, 149
Laws, 131–132, 139–140, 147
kinematics, 252
kinetic energy, [27, 328] (prob)
asymmetric top. *See* asymmetric top, kinetic energy
block on inclined plane, 4
function of both coordinates and velocities, 16–17
matrix, Taylor series near equilibrium, 350
moving constraints, bead on rotating wire example, 7–9
relativistic change, 515–516
rigid body, 284–286
rotational, 285–287
symmetric top. *See* symmetric top, rotational kinetic energy
sliding ladder example, 16
total, 285
translational, 285
kinetic momentum, 538–539

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 30 May 2020 at 10:52:05, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511801662

Kirkwood, 469
Kirkwood gap, 469–470
Kohlrausch, 493
Kolmogorov. *See* KAM theorem
Kovalevskaya, S. V., 451
Kronecker delta, 286, 307

Lagrange multipliers, 56–65, 73 (prob)
  chain example, 61
  for problems with explicit holonomic constraints, 57–58
  linear pendulum example, 58–59
  nonintegrable nonholonomic constraints, penny example, 62–64
Lagrange, Joseph Louis, 1, 23, 86
Lagrangian, 1, 19, 51, 54–55, 83–86, 209, [28, 30–34, 199–200] (prob)
  bug crawling on a phonograph turntable. *See* bug crawling on a phonograph turntable
  cannonball. *See* cannonball
  central force. *See* central force
  central force, spherical polar coordinates, 138
  charged particle in electric and magnetic fields, 192
  equation of motion, 19
  Foucault pendulum. *See* Foucault pendulum
  heavy symmetric top. *See* symmetric top, heavy, Lagrangian
  in center of mass frame, 137
  invariance. *See* invariance, Lagrangian
  linear pendulum. *See* pendulum, linear
  matrix form, 351
  mechanics, relativistic. *See* relativistic Lagrangian mechanics
  momentum space. *See* momentum space Lagrangian
  nonlinear pendulum. *See* pendulum, nonlinear
  normal coordinates, 359
  penny. *See* penny
  simple harmonic oscillator, 88
Lao-Tze, 437
Laplace, 423, 468
Laplace-Runge-Lenz vector (prob), 196
Larmor frequency, 193
Larmor's Theorem, 192–193
Laskar, J., 471–474
least action. *See* Hamilton's Principle
Legendre transformation, 175–180, 211, 213, 197 (prob)
Leibnitz, 45, 75
length contraction. *See* Lorentz contraction
Lenz vector, 228
LHC, 452
libration, of pendulum. *See* pendulum, nonlinear, libration
Lie derivative, 236
light cone, 522
light pulse, electric field transformation law. *See* transformation law, electric field for light pulse
light wave energy, transformation law. *See* transformation law, energy of light wave
light
  bending (prob), 68–69
  emitted by atom, 514–517
  minimal optical path, 55
  speed of. *See* speed of light
Lighthill, Sir James, 474
Lindstedt-Poincaré perturbation theory, 384, 398–401, 419–420 (prob)
linear differential equation. *See* differential equation
  oscillator. *See* oscillator, simple harmonic
  pendulum. *See* pendulum, linear
  system, 343
linearizing, 383, 385–386
linearly accelerated reference frames. *See* reference frames, linearly accelerated
Liouville's theorem, 184–189, 202–204, 250, 391, 444, 449, 452
local chaos, 442, 451
locomotive (prob), 267
logistic map, 425, 481–492, 474 (prob)
Lorentz, 494
  contraction, 500
  force, 199, 508, 537–539
  invariant, 521–526, 538
    action, 530–532
    charge, 508, 534
    invariance theorems, 524
    mass, 519, 527
    Planck's constant, 512
    proper time, 527
  transformation, 498–501, 503–504, 555–556, 544 (prob)
Lorentzian line shape, 109
Lorenz equations (prob), 477
Lyapunov dimension. *See* dimension, Lyapunov
  exponents
    conservative systems, 449–450
    dissipative systems, 458–459, 467, 471–472
    logistic map, 483, 485–486
Lyapunov time, 471

Mach, E. 324, 513, 528
MACHOS, 155
Mach's principle, 323–325
Maclaurin, 342
magnetic field, 493, 509–510, 522, [30, 74, 277, 550–551] (prob)
  charged particle. *See* particle in electric and magnetic fields
  relativistic particle. *See* particle in a magnetic field, relativistic
magnetic force, transformation law. *See* transformation law, electric and magnetic forces
magnification. *See* dimension, magnification
manifold
  stable, 440, 446
  unstable, 440, 446
map
  area-preserving, 431–432
  logistic. *See* logistic map
  Poincaré section, 434, 439–440
  standard (prob). *See* standard map (prob)
  tangent. *See* stability matrix
marginal stability. *See* stability, marginal
Mars. *See* solar system, stability
mass
  definition of, 512–513
  inertial, 324
  reduced, 136–137
  rest, 513–517
matching boundary conditions, 96–98
Mathematical Principles of Natural Philosophy, 133
Mathieu equation, 383, 395–398
  functions, 397

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 30 May 2020 at 10:52:05, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511801662

matrix
antisymmetric. *See* antisymmetric matrix
Hermitian. *See* Hermitian matrix
identity. *See* identity matrix
mondronomy. *See* stability matrix
notation, 262
orthogonal. 263
stability. *See* stability matrix
transformation, 265
unitary. *See* unitary matrix
Maupertuis, 55, 339
cannonball trajectory, 77
Maupertuis' Principle, 75–80, [74, 162] (prob)
Maxwell, J., 493
Mayer, 514
m-cycle, logistic map, 481
Mechanique Analytique, 23, 86
Mercury. *See* solar system, stability
precession of, 154
method of matching boundary conditions, 96–98
of successive approximations. *See* successive approximations, method of, 356
metric tensor, 51, 529
Michelson-Morley experiment (prob), 551
Milankovitch, M., 323
minimal action principle of Maupertuis. *See* Maupertuis' Principle
minimal optical path for light, 55
Minkowski, 495, 501
mixer, 402
mks units. *See* SI units
mode. *See* normal mode
amplitude ratio. *See* mode displacement ratio
displacement ratio, 343, 346, 352, 353–355, 357, 361, 363–367
frequency, 343, 353, 357, 362–366, 374
vector, 352, 355, 362–367
mode-locking. *See* phase locking
molecule
diatomic (prob). *See* diatomic molecule (prob)
triatomic linear. *See* triatomic molecule, linear
moment of inertia tensor. *See* inertia tensor
momental ellipsoid. *See* ellipsoid, momental
moments, principal. *See* principal moments
momentum
canonically conjugate. *See* canonically conjugate momentum
relativistic, 517–519, 547 (prob)
transverse, relativistic, 517, 532, 548 (prob)
momentum conservation, 519
space, 189–190, 201–202 (prob)
Lagrangian, 190
mondronomy matrix. *See* stability matrix
Moon. *See* solar system, stability
Moser. *See* KAM theorem
multiplicative ergodic theorem. *See* Oseledic's multiplicative ergodic theorem
mylar, aluminized, 517

neutral equilibrium. *See* equilibrium, neutral
neutral fixed point. *See* fixed point, neutral
neutrinos, 155, 528
Newton, Isaac, 45, 132–133, 284, 299, 324, 339–342, 423, 468, 493
Newtonian mechanics, review with sliding block example, 1–3
Newton's Second Law, 2, 5, 17, 512–513
Third Law, 3
Noether, Emmy, 172
Noether's theorem, 172–175, 245
nonconservative force, 90
example of a rubber band, 42–43
nonconstraint force, 5
nondissipative chaos. *See* chaos, in conservative systems
nonholonomic constraints. *See* constraints, nonholonomic
noninertial reference frames. *See* reference frames, noninertial
nonintegrable, 36, 63, 207, 237, 305, 425, 442, 447–448, 451–452
nonlinear oscillator. *See* oscillator, nonlinear
pendulum. *See* pendulum, nonlinear
resonance, 425
double pendulum, 440–442
normal coordinates, 343, 359
mode, 343, 352–355
mode frequency. *See* mode frequency
normalization, 338, 356–357
North Pole, 339–340
N-torus. *See* torus
nuclear magnetic resonance, 277
nutation, 316, 333 (prob)

oblate ellipsoid. *See* ellipsoid, oblate
obliquity, 317
chaotic of Earth, 474
ODE. *See* differential equation, ordinary
one-dimensional systems, 123–125, 158 (prob)
orbital period, 147
orbits, of Kepler problem, 143–151
orders of infinity. *See* infinity, orders of
ordinary differential equation. *See* differential equation, ordinary
orthogonal matrix, 263, 277–278 (prob)
modes, 355–356
transformation, 288, 302, 336
oscillations
harmonic. *See* harmonic oscillations
small. *See* small oscillations
subharmonic. *See* subharmonic oscillations
oscillator
anharmonic. *See* anharmonic oscillator
damped, 81
damped simple harmonic, 90–94, 103, 106–110, 116–120 (prob)
complex driving force, steady state, 108
critically damped, 92
overdamped, 92
response to sinusoidal driving force, relative phase, 110–113
underdamped, 91
driven, 81, 94–113
damped simple harmonic (prob), 120–121
simple harmonic (prob), 119
Duffing. *See* Duffing oscillator
linear. *See* oscillator, simple harmonic
nonlinear, 125–127, 121–122 (prob)
simple harmonic, 81, 88–90, 124, 212–213, 218, 237–239, [115, 202, 240, 246, 551] (prob)
general solution with Green's function, 99–102, 105
Hamiltonian. *See* Hamiltonian, oscillator, simple harmonic

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 30 May 2020 at 10:52:05, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511801662

simple harmonic response to sinusoidal driving force, 106
steady-state solution, 95, 97–98, 107–108
step function drive force, 96–99
stored energy, 94, 109
transient solution, 95, 97–98, 107–108
Oseledic's multiplicative ergodic theorem, 449
overdamped. *See* oscillator, damped simple harmonic

parabola, 144
parabolic orbits, 145, 164 (prob)
parallel axis theorem, 289
parallel plate capacitor, 508–510
parametric amplification, 384
amplifiers, 390
resonance, 384, 388–398, 414–419 (prob)
unstable, 397
particle decay, 528, 546 (prob)
in a gravitational field, Hamiltonian-Jacobi equation, 220–222, 224–228
in a magnetic field, [30, 74] (prob)
relativistic, 539–540
in electric and magnetic fields
Lagrangian and Hamiltonian, 192
on a parabolic wire
Hamiltonian, 182–183
particular solution. *See* oscillator, steady-state solution
pendulum. *See also* oscillator, [33–34, 116–117, 373, 415, 419] (prob)
action-angle variables, 231–232
damped driven. *See* damped driven pendulum
double. *See* double pendulum
equilibrium, 82–83
linear, 58–59
nonlinear, 125–130
libration, 126
period, 128–130
phase portrait, 127–128
rotation, 126
spherical. *See* spherical pendulum
spring. *See* spring pendulum
upside-down. *See* upside-down pendulum
with driven support, 388–398, 414 (prob)
two coupled, 344–348, 376–377 (prob)
pendulum (prob), physical. *See* physical pendulum (prob)
pendulum (prob), triple. *See* triple pendulum (prob)
penny example, 62–64, 73 (prob)
perihelion, ellipse. *See* ellipse, perihelion
period
anharmonic oscillator. *See* anharmonic oscillator, period of
Duffing oscillator. *See* Duffing oscillator, period of
nonlinear pendulum. *See* pendulum, nonlinear
of elliptical motion. *See* elliptical motion, period of
orbital. *See* orbital period
period doubling, 456–458, 483–485
cascade, 457
perpetual motion machine, 514
perturbation, 383, 384–388, 433, 439, 442
perturbation theory, 398, 404–408
Lindstedt-Poincaré. *See* Lindstedt-Poincaré perturbation theory
phase advance, 390, 393
phase portrait (prob), 156–158
phase portrait, pendulum. *See* pendulum, nonlinear, phase portrait
phase space, 127, 203–204, 248
density, 186–189
phase trajectories, 127–128, 424
of damped drive pendulum, 454–457, 461–462
phase velocity, 526
phase-locking, 425, 461
phenomenological, 453
photon disintegration (prob), 546
physical pendulum (prob), 32, 34, 157, 332
pitchfork bifurcation. *See* bifurcation, pitchfork
Planck energy-frequency relation, 512
planet, perturbed by Jupiter (prob). *See* asteroid, perturbed by Jupiter (prob)
planetary orbits (prob), 162–164
Pluto. *See* solar system, stability
Poincaré, 423–424, 426, 428, 433, 439, 447–448, 468, 494
Recurrence Theorem, 204–206
section, 393, 428–436, 442–443, 445, 451, 459
damped driven pendulum, 454–457, 462–463
double pendulum, 430–433, 435, 441, 451
section map. *See* map, Poincaré section
Poincaré-Birkhoff theorem, 439–442
Poincaré-Hopf theorem, 235
Poinsot construction, 283, 307–312
Poinsot, L., 306
point mass sliding on a bowling ball, 38–39
masses
N connected by a string, 367–371, 379 (prob)
transformation, 208, 216
Poisson brackets, 207, 217–218, 236–237, 251, 243–245 (prob)
Polaris, 317
polhode, 308, 311–312
positive definite, 288, 337, 351
positronium acceleration (prob), 550
postulates, of special relativity. *See* special relativity, two postulates
potential energy, 18–19, 42, 85–86. (*See also* conservative forces)
for the earth in a gravitational field, 318
matrix, Taylor series near equilibrium, 350
potential, effective. *See* effective potential
Poynting vector, 507, 517
precessing orbits, 154
precession, 273, 295–298, 315–316, 321
of equinoxes. *See* equinoxes, precession of
of Foucault pendulum. *See* Foucault pendulum
of Kepler ellipses (prob). *See* Kepler ellipses, precession of (prob)
of Mercury, 154
of torque free top. *See* symmetric top, torque free, asymmetric top, torque free
of symmetric heavy top, 313–316
retrograde, 317
pressure, radiation. *See* radiation pressure
primed frame, 260
principal axis, 283, 292, 306, 339
transformation, 288
principal moments, 288
Principia, 133, 340, 474
Principle of Least Action. *See* Hamilton's Principle
of Relativity, 493–494

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 30 May 2020 at 10:52:05, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511801662

prolate ellipsoid, *See* ellipsoid, prolate
proper time, 527, 531
  for a particle in a constant force, 536–537
proton-proton annihilation, 517–518
pseudovector, 257, 277 (prob)
Ptolemy, 130, 317
pumping a swing (prob), 416
Pythagorean theorem, 50

Q, *See* quality factor
quadratic form, 22, 351, 29 (prob)
quadrature, 22, 125
quality factor, 90, 93–94, 453
quantum mechanics, 44, 229–230, 67 (prob)
quasiperiodic, 238
  route to chaos, 428

radiation pressure, 517
radiation reaction force, 533
radiofrequency resonant cavity, 185
rank, of tensor, 333
rapidity (prob), 544
rational winding number. *See* winding number, rational
reduced echelon form, 337
reduced mass, 137
reference frames, 495
  body, 260 (*see also* body coordinate system)
  inertial. *See* inertial reference frames
  linearly accelerated, 193–195
  noninertial, 20
  noninertial (prob), 200
  rotated. *See* rotated reference frames
  rotating. *See* rotating reference frames
  space, 260. *See also* space coordinate system
reflection, 257 (*see also* transformations, discrete)
  hyperbolic fixed point, 446
refractive index (prob), 69
regular motion, 425, 447, 451
relative phase, 110–113
relativistic action, 530–532
  circular motion, 539–540
  energy. *See* energy, relativistic
  Hamiltonian, 533
  Lagrangian, 550–551 (prob)
    electromagnetic field, 534–536
    free particle, 532
  Lagrangian mechanics, 530–540
  mechanics, 494 (*see also* special relativity)
  momentum. *See* momentum, relativistic
  velocity. *See* velocity transformation rules, relativistic
relativity
  general. *See* general relativity
  special. *See* special relativity
  of simultaneity. *See* simultaneity
renormalization, 486–490
repulsive force, hyperbolic orbits. *See* hyperbolic orbits, repulsive force
resonance, 105–110
  nonlinear. *See* nonlinear resonance
  parametric. *See* parametric resonance
resonant cavity, radiofrequency. *See* radiofrequency resonant cavity
  frequency. *See* frequency, resonant
  terms, 400 (*see also* secular terms)
rest frame, instantaneous. *See* instantaneous rest frame
rest mass, 513–517
restricted three-body problem (prob). *See* three- body problem, restricted (prob)
retrograde precession. *See* precession, retrograde
rheonomic constraints. *See* constraints, rheonomic
rigid body, 254–255
  as collection of mass points 11
  kinetic energy, 284–286
  motion, 283–325
  torque free motion. *See* Euler's equations
rotated reference frames, 259–263
rotating reference frames, 190–192, 263–264, 266
rotating turntable (prob), 243
rotation matrix, 259–263
  axis, 255, 257–259
  infinitesimal, 171, 254–259
  number. *See* winding number
  of hurricanes. *See* hurricanes
  of pendulum. *See* pendulum, nonlinear
rotational angular momentum. *See* angular momentum, rotational
  invariance. *See* invariance, rotational
  kinetic energy. *See* kinetic energy, rotational
rotations, 261–263, 302
  simultaneous. *See* simultaneous rotations
  three-dimensional, 239, 261
rotator, 289
Routhian, 23, [35, 197, 331, 377] (prob)
row elimination, 347, 355, 380
  reduction. *See* Gauss-Jordan elimination
rubber band, 42–43
Rutherford, 151
  scattering, 151–152, 165–167, 165 (prob)

saddle hyperbolic fixed point, 446
saddle point, 53, 87
satellite (prob), 200
scalar, 333–334
  potential, 525, 534
  product, 254, 334, 523
scaling function, universal. *See* universal scaling function
scaling transformation, 487
scattering angle, 152
Schrodinger equation, 229, 384, 67 (prob)
scleronomic constraints. *See* constraints, scleronomic
second-order differential equation. *See* differential equation, second-order
secular terms, 400, 404–405
self-similarity, 487–488
semi-axes, 306
semimajor axes, 472
  ellipse, 145–146
semiminor axis, ellipse, 145–146
separability, 208, 225–226
separation constants, 221
  of variables, 221, 228
separatrix, 128, 185, 232, 435, 442
sgrad, 236
SHO. *See* oscillator, simple harmonic
SI units, 507, 540
similarity transformation, 487
simultaneity, 494, 500, 501–503
simultaneous rotations, 258
sinelike, 390
skew gradient, 236
SLAC, 536

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 30 May 2020 at 10:52:05, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511801662

sleeping top, 316
small oscillations, theory of, 343–371, 373–374 (prob)
  vibrations. *See* small oscillations
small-angle approximation, 349
Snell's Law (prob), 71
solar system, stability, 424, 468–474
solenoid lens for electrons (prob), 199
Southern cross, 317
space cone, 297, 298
  coordinate system, 259–264, 284, 300
spacelike separation, 522
space-time areas
  diagrams, 495–498, 501–503
  event, 521
  transformation of, 501
special relativity, 493–540, [542, 546–548, 550, 553] (prob)
  two postulates, 494
speed of light, 494
spherical pendulum, 27 (prob)
  Hamiltonian, 183–184
spin, 293, 296–297, 313
  of electron in magnetic field (prob), 277
spring pendulum (prob), 27
square pulse, 100–101, 104
stability, 392, 413–414 (prob)
  matrix, 443–446, 449, 458, 485
    dynamical, 383, 386
    marginal, 474
    of many-dimensional linear systems near equilibrium, 359–360
    solar system. *See* solar system, stability
stable equilibrium. *See* equilibrium, stable
  fixed point. *See* fixed point, stable
  manifold, *See* manifold, stable
Staeckel conditions, 226
standard map (prob), 476
standing waves on a string, 371
state vector, 350, 355, 357
stationary action, path for, 53
steady-state solution. *See* oscillator, steady-state solution
stellar aberration (prob), 553
step function, 96–97
Stoke's theorem, 231
strange attractor, 425, 453, 461–463
subharmonic oscillations, 383, 409–411
successive approximations, method of, 270–271
summation convention for indices, 253
supercycle, 484, 486–487
superposition, 89, 344, 120 (prob)
superstable fixed point. *See* fixed point, superstable
surface of section. *See* Poincaré section
Sussman, G. J., 471–472
swing. *See* pumping a swing (prob)
symmetric matrices
  diagonalization, 336–339
  top, 289
    heavy, 284, 313–317 (*see also* gyroscope), 331 (prob)
    Lagrangian, 313
  rotational kinetic energy, 305
  torque free, 293–300, 374 (prob)
symmetry breaking, 455–456
symplectic, 248–251, 431–432
tachyons (prob), 544
tangent map. *See* stability matrix
Taylor series, 482
  expansion, 24, 47–48, 83–84, 128
tensor, 286, 333–336
  first-rank, 333–334
  inertia. *See* inertia tensor
  second-rank, 286, 319, 333–336
  zero-rank, 333–334
tether ball (prob), 162
three-body problem, 226–235
  restricted (prob), 478
three-dimensional rotations. *See* rotations, three-dimensional
tides, 322, 163 (prob)
time derivative
  transformation of coordinate systems, 266
  vector. *See* vector, time derivative
time dilation, 499–500, 543 (prob)
timelike separation, 521–522
tippe top (prob), 331
top. *See* symmetric top, asymmetric top
topology, 235
tori, KAM. *See* KAM tori
torus, 235, 429. *See also* invariant tori
tower of Pisa problem, 253, 267–271
trace, 204, 303, 392, 445
transformation law
  electric and magnetic forces 508–510
  electric field for light pulse, 510–511
  energy of light wave, 507–512
  frequency of light wave, 505–507
  Galilean. *See* Galilean transformation laws
  volume, 511–512
transformation
  canonical. *See* canonical transformations
  contact. *See* contact transformation
  continuous, 171
  discrete, 171
  identity, 171, 215
  invariance, 174
  Lorentz. *See* Lorentz transformation
  matrix. *See* matrix transformation
  of coordinates, 173
  orthogonal. *See* orthogonal transformation
  point. *See* point transformation
  principal axis. *See* principal axis, transformation
  scaling. *See* scaling transformation
  similarity. *See* similarity transformation
  velocity. *See* velocity transformation rules
transient solution. *See* oscillator, transient solution
translation invariance. *See* invariance, translation
translational angular momentum. *See* angular momentum, translational
  kinetic energy. *See* kinetic energy, translational
transpose, 249–250, 262
transverse momentum, relativistic. *See* momentum, transverse, relativistic
Tremaine, S., 471
triatomic molecule, linear, 360–363, 377 (prob)
triple pendulum (prob), 373
true anomoly, 148
tune, 445
turning point, 125

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 30 May 2020 at 10:52:05, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511801662

turntable (prob), 279
twin paradox, 554–557
two-body problem, 134

uncountable, 465
underdamped. *See* oscillator, damped simple harmonic
unitary matrix, 263
universal scaling function, 488–490
unprimed frame, 260
unstable equilibrium. *See* equilibrium, stable
  fixed point. *See* fixed point, unstable
  manifold. *See* manifold, unstable
  motion. *See* instability
upside-down pendulum, 397–398, 415 (prob)

Van der Pol equation (prob), 420
variation $\delta y(x)$, 47
variation in the integral I, 48
  principle, 54–55
variational calculus, 44, 51 (*see also* Euler equation), 66–71 (prob)
  shortest distance between two points, 49–50
  derivative, 53
  principle, 532–533
varied curve, 47
vector, 253–254, 333–334
  field, 235
  potential, 525, 534, 538
  time derivative, 253
vectorial mechanics, 23
velocity
  generalized. *See* generalized velocity
  relativistic, 504–505, 542 (prob)
  transformation of coordinate systems, 264–265
  transformation rules
Venus. *See* solar system, stability
vibrational state, complex. *See* state vector
vibrations, small. *See* small oscillations
virtual displacement, 4–5, 14–15
  work, 4–5, 9, 14–15, 27 (prob)
Voltaire, 75, 340
volume, transformation law. *See* transformation law, volume
voyager, 163

water molecule (prob), 375
wave equation, 371
  vector, 526
Weber, 493
Whittaker, E. T., 283, 308–309
width, full at half max, 109
Wigner, E. P., 44
winding number, 237–239, 425, 427–432, 434, 461
  irrational, 238–239, 436–437
  rational, 238–239
Wisdom, J., 469–472
WKB limit, 230
work, definition of, 4–5
world line, 496, 531
Wren, Sir Christopher, 132
WWI, Falkland Islands battle (prob). *See* Falkland Islands battle (prob)

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 30 May 2020 at 10:52:05, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511801662