BASES DE DATOS

UD5

NEREA MONTOYA OLIVARES

Exercise 1

• Insert a new record in the Artist table using the graphical tool offered by Mysql Workbench. The data must be the following:


ArtistId: 276
Name: Bruce Springsteen

- We make the query and Click on "Insert new row".


```
SELECT *
FROM artist;
```




- We add the information and apply the changes.



- In this window, click again on Apply and Finish.



- If we do a search, we will see that it was successfully added:



• Insert a new record in the Album table using the graphical tool offered by Mysql Workbench. The data must be the following:


AlbumId: 348
Title: The River
ArtistId: 276

- We make the query and Click on "Insert new row".


```
SELECT *
FROM album;
```



- We add the information and apply the changes.





AlbumId	Title	ArtistId
342	Locatelli: Concertos for Violin, Strings a...	271
343	Respighi:Pines of Rome	226
344	Schubert: The Late String Quartets & S...	272
345	Monteverdi: L'Orfeo	273
346	Mozart: Chamber Music	274
347	Koyaanisqatsi (Soundtrack from the Mo...	275
	NULL	NULL




AlbumId	Title	ArtistId
344	Schubert: The Late String Quartets & S...	272
345	Monteverdi: L'Orfeo	273
346	Mozart: Chamber Music	274
347	Koyaanisqatsi (Soundtrack from the Mo...	275
348	The River	276

- In this window, click again on Apply and Finish.





- If we do a search, we will see that it was successfully added:



AlbumId	Title	ArtistId
348	The River	276
NULL	NULL	NULL

Exercise 2

Insert more records into the Track table using SQL statements. In the delivery of the task you must copy the sentences that you have used. The data must be the following:

TrackId	Name	AlbumId	MediaTypeId	Gender	Composer	Milliseconds	Bytes	UnitPrice
3504	The River	348	1	1	Bruce Springsteen	302000	9868600	2.10
3505	Hungry Heart	348	1		Bruce Springsteen	200000		0.99
3506	Point Blank	348	2			187000		0.99
3507	Stolen Car	348	3	5	Bruce Springsteen	235000		1.99

```
INSERT INTO track (TrackId, Name, AlbumId, MediaTypeId, GenreId, Composer,
Milliseconds, Bytes, UnitPrice)
VALUES
(3504, 'The River', 348, 1, 1, 'Bruce Springsteen', 302000, 9868600, 2.10),
(3505, 'Hungry Heart', 348, 1, NULL, 'Bruce Springsteen', 200000, NULL, 0.99),
(3506, 'Point Blank', 348, 2, NULL, NULL, 187000, NULL, 0.99),
(3507, 'Stolen Car', 348, 3, 5, 'Bruce Springsteen', 235000, NULL, 1.99);
```

Exercise 3


Modify some employees emails (employee table). Use the graphical tool to do this, submitting with the task screenshots showing all the changes you have made. The emails that you must change are:

EmployeeId	Email
1	adam.andrew@media.com
2	edwarsd.nancy@media.com
3	peacock.jane@store.com
4	park.margaret@store.com
5	johnson.steve@media.com


- We make the query:


```
SELECT EmployeeId, Email
FROM employee;
```

- Click on the email you want to change and apply the changes.




- In this window, click again on Apply and Finish.





- If we do a search, we will see that it was successfully added:



Exercise 4

Modify the customer with the email "enrique_munoz@yahoo.es", using SQL statements, and change his name to "Arturo Sagasta" and the company to "Enchufes S.A.". (Single SQL)
*(To take modifications with UPDATE and DELETES it is necessary to disable **Safe Updates**)*

```
UPDATE customer
SET FirstName = 'Arturo', LastName = 'Sagasta', Company = 'Enchufes S.A.'
WHERE Email = 'enrique_munoz@yahoo.es';
```

Exercise 5

For those customers without any company, save his/her full name linked with the label '(freelancer)' as a company. For example, for the customer 27 (id) the company will be 'Patrick Gray (freelancer)'.

```
UPDATE customer
SET Company = CONCAT(FirstName, ' ', LastName, ' ')
WHERE Company IS NULL OR Company = 'Freelancer';
```

Exercise 6

Raise the price 50 cents for those tracks that contain 'love' in their name. (Single SQL)

```
UPDATE track
SET UnitPrice = UnitPrice + 0.50
WHERE Name LIKE '%love%';
```

Exercise 7

Remove the customers from India and Norway. (Only one SQL)

```
SET foreign_key_checks=0;
DELETE FROM customer WHERE Country= 'Norway' OR Country='India';
```

Exercise 8

Eliminate those artists who don't have any album in our database. (Only one SQL)

```
DELETE FROM artist
WHERE ArtistId NOT IN (SELECT DISTINCT artistId FROM album);
```

Exercise 9

Add all the employees as customers. Fill only the fields you know and leave the other ones with null. The customer identifier will be the employee identifier plus 100. (Only one SQL)

```
INSERT INTO Customer (CustomerId, FirstName, LastName, Email, Phone)
SELECT EmployeeId + 100, FirstName, LastName, Email, NULL
FROM Employee;
```

Exercise 10

Lower the price by 10% for the tracks in the "Classical" genre. (Only one SQL)

```
UPDATE track
SET UnitPrice = UnitPrice * 0.9
WHERE genreId IN( SELECT genreId FROM genre WHERE name='Classical');
```