

Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
grid_feature	19.460 s	1	0	1	0	2	0	1	1

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	grid_feature	TC01_test_case_on_chrome


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@grid	1	0	1	0	1	0	1	0
@grid_chrome	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	grid_feature	1	0	1	0	19.460 s	

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration	
1	grid_feature	TC01_test_case_on_chrome	2	0	1	1	19.457 s	

DETAILED SECTION -- 7

grid_feature

FAILED	DURATION - 19.460 s	Scenarios		Steps	
		Total - 1		Total - 2	
/ 12:29:05.691 PM /	// 12:29:25.151 PM /	Pass - 0	1	Pass - 0	2
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

TC01_test_case_on_chrome



	Status	Duration
Given user is on the "https://www.amazon.com" url on "chrome" browser	FAILED	10.487 s
org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or prowser start-up failure. Host info: host: 'Nermin-MacBook-Pro.local', ip: 'fe80:0:0:0:147c:554b:b701:f141%en0' Build info: version: '4.10.0', evision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.4', java.version: '19.0.2' Driver info: org.openqa. elelenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: args: [remote-allow-origins=*], extensions: []}} at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:549) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227) at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:154) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:134) at stepdefinitions.GridStepDefs.user_is_on_the_url_on_browser(GridStepDefs.java:23) at ?.user is on the "https://www.amazon.com" url on "chrome" browser(file:///Users/nerminbasaran/IdeaProjects/mycucumberproject/./src/est/resources/features/seleniumgrid/day33_grid_test_case.feature:6) Caused by: java.io.UncheckedIOException: java.net.ConnectException: Network is unreachable: /192.168.1.102:4444 at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:73)</init></init>	PAILED	10.407 5
es es es	g.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or owser start-up failure. Host info: host: 'Nermin-MacBook-Pro.local', ip: 'fe80:0:0:147c:554b:b701:f141%en0' Build info: version: '4.10.0', vision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.4', java.version: '19.0.2' Driver info: org.openqa. elenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: rgs: [remote-allow-origins=*], extensions: []}} at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:549) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227) at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:154) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:134) at stepdefinitions.GridStepDefs.user_is_on_the_url_on_browser(GridStepDefs.java:23) at ?.user is on the "https://www.amazon.com" url on "chrome" browser(file:///Users/nerminbasaran/IdeaProjects/mycucumberproject/./src/st/resources/features/seleniumgrid/day33_grid_test_case.feature:6) auseed by: java.io.UncheckedIOException: java.net.ConnectException: Network is unreachable: /192.168.1.102:4444</init></init>	g.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or owser start-up failure. Host info: host: 'Nermin-MacBook-Pro.local', ip: 'fe80:0:0:0:147c:554b:b701:f141%en0' Build info: version: '4.10.0', vision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.4', java.version: '19.0.2' Driver info: org.openqa. elenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: rgs: [remote-allow-origins=*], extensions: []}}} at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:549) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227) at org.openqa.selenium.remote.RemoteWebDriver. at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:154) at stepdefinitions.GridStepDefs.user_is_on_the_url_on_browser(GridStepDefs.java:23) at ?.user is on the "https://www.amazon.com" url on "chrome" browser(file:///Users/nerminbasaran/IdeaProjects/mycucumberproject/./src/st/resources/features/seleniumgrid/day33_grid_test_case.feature:6) aused by: java.io.UncheckedIOException: java.net.ConnectException: Network is unreachable: /192.168.1.102:4444 at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:73) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:48)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:97)		
	at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:115)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)		
	at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:154)</init>		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:134)</init>		
	at stepdefinitions.GridStepDefs.user_is_on_the_url_on_browser(GridStepDefs.java:23)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		
	Caused by: java.net.ConnectException: Network is unreachable: /192.168.1.102:4444		
	at org.asynchttpclient.netty.channel.NettyConnectListener.onFailure(NettyConnectListener.java:179)		
	at org.asynchttpclient.netty.channel.NettyChannelConnector\$1.onFailure(NettyChannelConnector.java:108)		
	at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:28)		
	at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:20)		
	at io.netty.util.concurrent.DefaultPromise.notifyListener0(DefaultPromise.java:590)		
	at io.netty.util.concurrent.DefaultPromise.notifyListeners0(DefaultPromise.java:583)		
	at io.netty.util.concurrent.DefaultPromise.notifyListenersNow(DefaultPromise.java:559)		
	at io.netty.util.concurrent.DefaultPromise.notifyListeners(DefaultPromise.java:492)		
	at io.netty.util.concurrent.DefaultPromise.setValue0(DefaultPromise.java:636)		
	at io.netty.util.concurrent.DefaultPromise.setFailure0(DefaultPromise.java:629)		
	at io.netty.util.concurrent.DefaultPromise.tryFailure(DefaultPromise.java:118)		
	at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.fulfillConnectPromise(AbstractNioChannel.java:321)		
	at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:337)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650)		
	at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997)		
	at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74)		
	at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30)		
	at java.base/java.lang.Thread.run(Thread.java:1589)		
	Caused by: io.netty.channel.AbstractChannel\$AnnotatedSocketException: Network is unreachable: /192.168.1.102:4444 Caused by: java.net.		
	SocketException: Network is unreachable		
	at java.base/sun.nio.ch.Net.pollConnect(Native Method)		
	at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:672)		
	at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973)		
	at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337)		
	at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650)		
	at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562)		
	at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997)		
	at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74)		
	at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30)		
	at java.base/java.lang.Thread.run(Thread.java:1589)		
	* Not displayable characters are replaced by '?'.		
2	Then verify page title contains "amazon" on grid	SKIPPED	0.003 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	8.919 s
	screenshots		
]	