



System Core



Analog



Timers




Connectivity



Computing



Middleware and Software Pac...>





Pinout & Configuration

Clock Configuration

Project Manager

Tools

Software Packs

Pinout



Categories

A->Z

System Core

Analog

Timers

RTC

TIM1

TIM2

TIM3

TIM4

Connectivity

Computing

Middleware and Software Packs

TIM3 Mode and Configuration


Mode

Slave Mode Trigger Source ☐ Internal ClockChannel1 Channel2 Channel3 Channel4

Configuration

Pinout view

System view



STM32CubeMX

FileWindowHelp

myST

HomeSTM32F103C8TxUntitled - Pinout & ConfigurationGENERATE CODE

Pinout & ConfigurationClock ConfigurationProject ManagerTools

Software PacksPinout

Search

CategoriesA->Z

System Core>

Analog>

Timers>

RTC

TIM1

TIM2

TIM3

TIM4

Connectivity>

Computing>

Middleware and Software Packs>

TIM3 Mode and Configuration

Mode

Slave ModeDisable

Trigger SourceDisable

☒ Internal Clock

Channel1Disable

Channel2Disable

Channel3Disable

Channel4Disable

Configuration

Reset Configuration

NVIC Settings

DMA Settings

Parameter Settings

User Constants

Configure the below parameters :

Search (Ctrl+F)

Counter Settings

Prescaler (PS... 0

Counter Mode... 11n

Pinout viewSystem view

STM32F103C8TxLQFP48

202... ubuntu-20...

2Cu... LKU

older kicad-9.0.9...

مستى مرضى Microsoft Office Pro...

VMware-pla...

813... mysql-inst...

2027/07/30

ENG

MX

99

Chrome

Edge

File Explorer

Taskbar

Search

Windows

1

Mode

Configuration

F

DMA Settings

👤 User Constants

Configure the below parameters :

⑤

7199

Up

No Division


No Divis
Disable

System view



0

System view



STM32CubeMX

FileWindowHelp

myST

HomeSTM32F103C8TxUntitled - Pinout & ConfigurationGENERATE CODE

Pinout & ConfigurationClock ConfigurationProject ManagerTools

Software PacksPinout

Search

CategoriesA->Z

System Core>

Analog>

Timers>

RTC

TIM1

TIM2

TIM3

TIM4

Connectivity>

Computing>

Middleware and Software Packs>

TIM3 Mode and Configuration

Mode

Slave ModeDisable

Trigger SourceDisable

☒ Internal Clock

Configuration

Reset Configuration

NVIC Settings

DMA Settings

Parameter Settings

User Constants

NVIC Interrupt Table

Enabled

Preemption Prior

TIM3 global interrupt

☒

0

Pinout viewSystem view

STM32F103C8TxLQFP48

۰۲:۲۷

۲۰۲۶/۰۶/۳۰

ENG

۹۹

۱

202... ubuntu-20...


2Cu... LKU

older kicad-9.0.9...

مستى مرضى Microsoft Office Pro...

VMware-pla...

813... mysql-inst...



STM32CubeMX

FileWindowHelp

myST

HomeSTM32F103C8TxUntitled - Pinout & ConfigurationGENERATE CODE

Pinout & ConfigurationClock ConfigurationProject ManagerTools

Software PacksPinout

CategoriesA->Z

TIM2

✓TIM3

TIM4

Connectivity

CAN

I2C1

✓I2C2

SPI1

SPI2

USART1

USART2

✗USART3

USB

Computing

Middleware and Software Pa...

I2C2 Mode and Configuration

Mode

I2C I2C

Configuration

Reset Configuration

✓DMA Settings

✓GPIO Settings

✓User Constants

✓NVIC Settings

✓Parameter Settings

Configure the below parameters :

Search (Ctrl+F)

Master Features

I2C Speed Mo... Standard Mode


I2C Clock Spe... 100000

Slave Features

Clock No Stret... Disabled

Primary Addre... 7-bit

Pinout viewSystem view



STM32CubeMX

FileWindowHelp

myST

HomeSTM32F103C8TxUntitled - Pinout & ConfigurationGENERATE CODE

Pinout & ConfigurationClock ConfigurationProject ManagerTools

Software PacksPinout

Search

CategoriesA->Z

System Core

DMA

GPIO

IWDG

NVIC

RCC

SYS

WWDG

Analog

Timers

RTC

TIM1

TIM2

TIM3

TIM4

GPIO Mode and Configuration

Configuration

Group By Peripherals

GPIO

I2C

Search Signals

Search (Ctrl+F)

Show only Modified Pins

P...	Sign...	GPI...	GPI...	GPI...	Maxi...	User...	Modi...
PA0...	n/a	n/a	Inpu...	No p...	n/a		☐
PA1	n/a	n/a	Inpu...	No p...	n/a		☐

Select Pins from table to configure them. Multiple sele

Pinout viewSystem view

PD0-...

PD1-...

NRST

VSSA

VDDA

PA0-...

PA1

PA2

PA3

PA4

PA5

PA6

PA7

PB0

PB1

PB2

PB10

PB11

GPIO_Input

GPIO_Input

STM32F103C8Tx

LQFP48

I2C2_SCL

I2C2_SDA



Pinout & Configuration

Clock Configuration

Project Manager

Tools

Software Packs

Pinout

Search



Categories

A->Z

System Core

DMA

GPIO

IWDG

NVIC

RCC

SYS

WWDG

Analog

Timers

RTC

TIM1

TIM2

TIM3

TIM4

GPIO Mode and Configuration

Configuration

Group By Peripherals

GPIO

I2C

Search Signals

Search (Ctrl+F)


☐ Show only Modified Pins

P...	Sign...	GPI...	GPI...	GPI...	Maxi...	User...	Modi...
PA0...	n/a	n/a	Inpu...	No p...	n/a		☐
PA1	n/a	n/a	Inpu...	No p...	n/a		☐
PA2	n/a	n/a	Inpu...	No p...	n/a		☐
PA3	n/a	Low	Out...	No p...	Low		☐

Select Pins from table to configure them. Multiple sele

Pinout view

System view





Pinout & Configuration

Clock Configuration

Project Manager

Tools

Software Packs

Pinout

Search



Categories

A->Z

System Core

DMA

GPIO

IWDG

NVIC

RCC

SYS

WWDG

Analog

Timers

RTC

TIM1

TIM2

TIM3

TIM4

GPIO Mode and Configuration

Configuration

Group By Peripherals

GPIO

I2C

Search Signals

Search (Ctrl+F)

☐ Show only Modified Pins

P...	Sign...	GPI...	GPI...	GPI...	Maxi...	User...	Modi...
PA0...	n/a	n/a	Inpu...	Pull-up	n/a		☒
PA1	n/a	n/a	Inpu...	Pull-up	n/a		☒
PA2	n/a	n/a	Inpu...	Pull-up	n/a		☒
PA3	n/a	Low	Out...	No p...	Low		☐

GPIO output level

Low

GPIO mode


Output Push Pull

GPIO Pull-up/Pull-down


No pull-up and no pull-down

Pinout view

System view



Resolve Clock Issues



STM32CubeMX Assignment2.ioc: STM32F103C8Tx

STM32CubeMX

FileWindowHelpmyST

Home>STM32F103C8Tx>Assignment2.ioc - Project ManagerGENERATE CODE

Pinout & ConfigurationClock ConfigurationProject ManagerTools

Project

Code Generator

Advanced Settings

Project Settings

Project NameAssignment2

Project LocationC:\Users\NN\Documents\Lab

Application StructureAdvanced

Toolchain Folder LocationC:\Users\NN\Documents\Lab\Assignment2\

ToolchainGenerating user source code...Generate Under Root

Linker Settings

Minimum Heap Size0x200

Minimum Stack Size0x400

Thread-safe Settings

Cortex-M3NS

Enable multi-threaded support

Thread-safe Locking StrategyDefault – Mapping suitable strategy depending on RTOS selection.

Mcu and Firmware Package

Mcu ReferenceSTM32F103C8Tx

Firmware Package Name and VersionSTM32Cube FW_F1 V1.8.5

STM32CubeMX Assignment2.ioc: STM32F103C8Tx

STM32CubeMX

FileWindowHelpmyST

Home>STM32F103C8Tx>Assignment2.ioc - Project ManagerGENERATE CODE

Pinout & ConfigurationClock ConfigurationProject ManagerTools

Project

Code Generator

Advanced Settings

Project Settings

Project NameAssignment2

Project LocationC:\Users\NN\Documents\Lab

Application StructureAdvanced

Toolchain Folder LocationC:\Users\NN\Documents\Lab\Assignment2\

Toolchain

Copying libraries files...

☒ Generate Under Root

Linker Settings

Minimum Heap Size0x200

Minimum Stack Size0x400

Thread-safe Settings

Cortex-M3NS

☐ Enable multi-threaded support

Thread-safe Locking StrategyDefault – Mapping suitable strategy depending on RTOS selection.

Mcu and Firmware Package

Mcu ReferenceSTM32F103C8Tx

Firmware Package Name and VersionSTM32Cube FW_F1 V1.8.5

202... ubuntu-20...

2Cu... LKU

older kicad-9.0.9...

مستل مرضى Microsoft Office Pro...

VMware-pla...

813... mysql-inst...

Advanced Settings

STM32Cube FW_F1 V1.8.5

Close

➤

☒ Generate Under Root

STM32CubeMX Assignment2.ioc: STM32F103C8Tx

File Window Help myST

Home > STM32F103C8Tx > Assignment2.ioc - Project Manager

GENERATE CODE

Pinout & Configuration

Project

Code Generator

Advanced Settings

Assignment2

Assignment2

نوع الملف: (.ioc) STM32CubeMX

فتح باستخدام: MicroXplorer for STM32Cube

الموقع: C:\Users\NN\Documents\Lab\Assignment2

الحجم: ٣,٧٥ كيلوبايت (3,841 بايت)

الحجم على القرص: ٤,٠٠ كيلوبايت (4,096 بايت)

تاريخ الإنشاء: ٣٠ حزيران، ٢٠٢٦، ٢٠:٣٩ م

تاريخ التعديل: ٣٠ حزيران، ٢٠٢٦، ٢٠:٣٩ م

التشغيل الأخير: ٣٠ حزيران، ٢٠٢٦، ٢٠:٣٩ م

السمات: ☐ للقراءة فقط ☐ مخفي ☐ خيارات متقدمة...

تطبيق إلغاء الأمر موافق

Assignment2

بدء النسخ الاحتياطي

الاسم

Drivers

.cproject

.mxproject

.project

Assignment2

STM32F103C8TX_FLASH.Id

OneDrive - Personal

سطح المكتب

التنزيلات

المستندات

الصور

الموسيقى

تم تحديد ١ عنصر ٣,٧٥ كيلوبايت

V عناصر

1 V1.8.5

202... ubuntu-20...

LKU

older kicad-9.0.9...

Microsoft Office Pro...

VMware-pla...

mysql-inst...