ReMember

USE CASE DIAGRAM | MEMBER & ADMIN

ReMember Membership Management System

SHARED ACCOUNT & ORGANISATION FUNCTIONS

- Register an account (email or Google)
- Sign in / sign out (email or Google sign-in)
- Verify email / resend code
- Reset forgotten password
- Edit personal profile and notification preferences
- Discover organisations and view membership tiers
- Create an organisation
  - «include» → Define initial membership tier(s)
- Select / switch organisation portal

MEMBER FUNCTIONS

- View membership dashboard and membership card
- Join an organisation
  - «include» → Select membership tier
  - «extend» [paid tier selected] ← Complete demo checkout
- Renew paid membership or upgrade tier
  - «include» → Complete demo checkout
- Schedule / cancel downgrade; cancel / resume subscription
- Browse events and reservations
- RSVP to an event
  - «include» → Check membership / tier, registration time and capacity
- Cancel an event RSVP
- View invoices and receipt details
  - «extend» [download requested] ← Download invoice
  - «extend» [print requested] ← Print receipt
- Read organisation posts and view notifications
- Receive confirmation emails and renewal reminders

ADMIN FUNCTIONS

- View organisation dashboard and member analytics
- Edit / delete organisation; manage visibility and branding
- Search and filter member directory
- Activate, suspend or revoke memberships
- Assign / change member tiers
- Manage tiers, prices, benefits and capacity
- Create / edit / delete events and inspect attendees
- View financial metrics and payment transactions
- Export filtered member data as CSV
- Customise welcome emails and renewal reminder settings
- View and filter audit activity logs
- Create / edit / delete organisation posts
- View demo payment methods and gateway information

Admin = owner of the selected organisation. One account may hold different roles in different organisations.

Member — Actor participation

Admin — Actor participation

«include» — Required behavior: base use case points to included use case

«extend» — Conditional behavior: extension points to base use case