0

पॉवर सिस्टम ऑपरेशन कारपोरेशन लिमिटेड राष्ट्रीय भार प्रेषण केंद्र, नई दिल्ली

Report for previous day Date of Reporting 26-Feb-15

A. Maximum Demand

	NR	WR	SR	ER	NER	Total
Demand Met during Evening Peak hrs(MW)	35550	40316	34693	15910	2116	128585
Peak Shortage (MW)	1357	191	1966	360	150	4024
Energy Met (MU)	773	986	830	342	36	2967
Hydro Gen(MU)	136	43	84	26	4	293
Wind Gen(MU)	12	28	11			52

B. Frequency Profile (%)

Region	<49.2	<49.7	49.7-49.8	49.8-49.9	<49.9	49.9-50.05	> 50.05
NEW GRID	0.00	0.00	0.74	3.91	4.65	62.13	33.22
SR GRID	0.00	0.00	0.74	3.91	4.65	62.13	33.22

		Max. Demand	Shortage during	Energy	Drawal	OD(+)/	Max
RegionRegion	States	Met during the day (MW)	maximum Demand (MW)	Met (MU)	Schedule (MU)	UD(-) (MU)	OD (MW)
	Punjab	3648	0	67.5	35.9	-0.5	115
	Harvana	5900	0	110.9	58.3	-1.4	459
	Rajasthan	9627	0	209.3	66.3	1.8	264
	Delhi	3276	0	60.7	43.6	-0.3	222
NR	UP	11352	2225	232.9	92.3	-1.6	239
	Uttarakhand	1637	40	32.6	22.0	0.4	131
	HP	1185	0	23.5	17.3	-2.3	47
	J&K	1822	322	32.0	30.3	-7.9	39
	Chandigarh	188	0	3.4	3.6	0.3	5
	Chhattisgarh	3473	96	80.9	27.6	1.5	296
	Gujarat	11757	0	268.2	80.1	-1.0	832
	MP	9148	0	188.5	104.6	-2.6	256
	Maharashtra	19352	71	410.5	125.3	1.7	493
WR	Goa	423	0	8.5	7.7	0.3	146
	DD	285	0	6.5	6.5	0.0	11
	DNH	703	0	16.0	16.2	0.8	34
	Essar steel	339	0	6.9	6.1	0.8	107
	Andhra Pradesh	6462	0	147.4	24.8	3.9	539
	Telangana	6297	300	144.1	80.7	3.8	339
	Karnataka	8908	850	195.8	28.7	3.3	541
SR	Kerala	3373	175	63.5	44.3	2.1	241
	Tamil Nadu	12101	968	272.7	105.7	0.4	366
	Pondy	322	0	6.4	6.3	0.1	28
	Bihar	2712	50	53.3	51.0	-1.6	30
	DVC	2642	0	56.7	-16.9	0.1	150
	Jharkhand	1070	0	22.6	11.0	0.3	100
ER	Odisha	3680	60	70.8	22.4	4.4	310
	West Bengal	6977	0	137.1	27.7	5.5	340
	Sikkim	103	0	1.6	1.4	0,2	23
	Arunachal Pradesh	95	2	1.5	1.3	0.2	34
NER	Assam	1178	112	21.6	14.0	2.4	136
	Manipur	128	2	1.7	2.1	-0.4	47
	Meghalaya	334	3	5.0	4.9	-1.0	22
	Mizoram	85	4	1.2	1.0	0.2	29
	Nagaland	112	3	1.9	1.5	0.3	34
	Tripura	206	0	2.9	0.5	0.2	61

 $\underline{ \text{ D. Transnational Exchanges } (MU) \text{ - Import}(+ve) / \text{Export}(-ve) }$

	Bhutan	Nepal	Bangladesh
Actual(MU)	2.1	-3.9	-10.7
Max MW		-187.0	-473.0

E. Import/export By Regions(in MU) - Import(+ve)/Export(-ve); OD(+)/UD(-)

	NR	WR	SR	ER	NER	TOTAL
Schedule(MU)	98.0	-106.6	50.2	-50.3	9.4	0.7
Actual(MU)	93.2	-107.7	41.9	-40.9	11.4	-2.1
O/D/U/D(MU)	-4.8	-1.1	-8.3	9.3	2.0	-2.9

F. Generation Outage(MW)

	NR	WR	SR	ER	NER	Total
Central Sector	4254	9022	750	2670	85	16781
State Sector	6795	11412	3052	4899	110	26268
Total	11049	20434	3802	7569	195	43049

सचिव(ऊर्जा)/ विशेष सचिव(ऊर्जा)/अतिरिक्त सचिव(ऊर्जा)/संयुक्त सचिव(पारेषण)/(ओ एम)/निदेशक(ओ एम)/मुख्य अभियंता-के॰वि॰प्रा॰(ग्रि॰प्र॰)/ अध्यक्ष एवं प्रबंध निदेशक (पावरग्रिङ)/मुख्य कार्यपालक अधिकारी(पोसोको)/सभी राज्यो के मुख्य सचिव/ऊर्जा सचिव

8		INTER-REO	- TOES	Date of F	26-Feb-1			
						Import=(=(-ve)	
Sl No	Voltage Level	Line Details	Circuit	Max Import (MW)	Max Export (MW)	Import (MU)	Export (MU)	NET (MU)
mport/I		ER (With NR)	1	(141 44)	(141 44)		(1.20)	(1120)
1		GAYA-FATEHPUR	S/C	40	-312	0.0	-3.0	-3.0
	765KV	GAYA-BALIA	S/C					
2		SASARAM-FATEHPUR	S/C	0	0	2.0	0.0	2.0
3	HVDC LINK	PUSAULI B/B	S/C	0	0	0.0	-1.0	-1.0
4	LINK	PUSAULI-SARNATH	S/C	0	0	0.0	-9.0	-9.0
5		PUSAULI -ALLAHABAD	D/C	0	-284	0.0	0.0	0.0
6	400 KV	MUZAFFARPUR-GORAKHPUR	D/C	0	-158	0.0	0.0	0.0
7		PATNA-BALIA	Q/C	303	-123	1.0	0.0	1.0
8		BIHARSHARIFF-BALIA	D/C	0	-316	0.0	-11.0	-11.0
10	220 KV	PUSAULI-SAHUPURI	S/C	0	-198	0.0	-3.0	-3.0
11	1	SONE NAGAR-RIHAND GARWAH-RIHAND	S/C S/C	51	0	0.0 1.0	0.0	1.0
13	132 KV	KARMANASA-SAHUPURI	S/C	0	-1	0.0	0.0	0.0
14		KARMANASA-CHANDAULI	S/C	0	0	0.0	0.0	0.0
	I				ER-NR	4.0	-27.0	-23.0
mport/H	Export of	ER (With WR)						
15	765 KV	JHARSUGUDA-DHARAMJAIGARH S/C	D/C	0	138	0.0	0.0	2.2
16		NEW RANCHI-DHARAMJAIGARH	S/C	0	196	0.0	0.0	2.7
17		ROURKELA - RAIGARH (SEL LILO BYPASS)	S/C	0	0	1.0	0.0	1.0
18		JHARSUGUDA-RAIGARH	S/C	0	0	0.0	0.0	0.0
19	400 KV	IBEUL-RAIGARH	S/C	0	0	0.0	0.0	0.0
20		STERLITE-RAIGARH	D/C	0	0	0.0	-5.9	-5.9
21		RANCHI-SIPAT	D/C	1	0	0.0	-0.1	-0.1
22	220 KV	BUDHIPADAR-RAIGARH	S/C	328	0	5.0	0.0	5.0
23		BUDHIPADAR-KORBA	D/C	0	-165	0.0	-2.0	-2.0
Import/I	Export of	ER (With SR)			ER-WR	6.0	-8.0	2.9
24	HVDC	JEYPORE-GAZUWAKA B/B	D/C	0	-558	0	-14.0	-14.0
25	LINK	TALCHER-KOLAR BIPOLE	D/C	0	-1975	0	-47.0	-47.0
26		TALCHER-I/C		0	0	0	0	0
27	220 KV	BALIMELA-UPPER-SILERRU	S/C	0	0 ED CD	0	0	0
[mport/F	Export of	ER (With NER)			ER-SR	0.0	-61.0	-61.0
		BINAGURI-BONGAIGAON	Q/C	0	0	0	0	0
28		BIRPARA-SALAKATI	D/C	0	-456	0	-11	-11
	•		•		ER-NER	0.0	-11.0	-11.0
Import/I		WR (With NR)	_					
29		V'CHAL B/B	D/C	500	0	7.1	0.0	7.1
30		GWALIOR-AGRA	D/C	0	-2100	0.0	-32.4	-32.4
31		ZERDA BHINMAL	S/C	421	0	6.6	0.0	6.6
32		ZERDA -BHINMAL V'CHAL -RIHAND	S/C S/C	361	-514	4.3 0.0	0.0 -11.3	4.3 -11.3
34	700 A V	BADOD-KOTA	S/C	94	0	1.6	0.0	1.6
35		BADOD-MORAK	S/C	89	0	0.9	0.0	0.9
36	220 KV	MEHGAON-AURAIYA	S/C	96	0	1.7	0.0	1.7
37		MALANPUR-AURAIYA	S/C	63	0	0.7	0.0	0.7
38	132KV	GWALIOR-SAWAI MADHOPUR	S/C	0	0	0.0	0.0	0.0
	1		_	1	WR-NR	22.9	-43.7	-20.8
39 mport/F		APL -MHG WR (With SR)	D/C	0	-2317	0.0	-50.6	-50.6
40	HVDC	BHADRAWATI B/B	-	0	-1000	0.0	-23.9	-23.9
41	LINK	BARSUR-L.SILERU	-	0	0	0.0	0.0	0.0
42	765 KV	SOLAPUR-RAICHUR	D/C	263	-566	0.0	-3.2	-3.2
43		KOLHAPUR-CHIKODI	D/C	0	-162	0.0	-3.2	-3.2
44	220 KV	PONDA-AMBEWADI	S/C	0	0	0.0	0.0	0.0
45		XELDEM-AMBEWADI	S/C	103	0	2.1	0.0	2.1
					WR-SR	2.1	-30.3	-28.2
		TRANSNA	TIONAL	EXCHAN	IGE			
2 46		BHUTAN NEPAL	1					-10
2 7 47								