




Model: Vertical

- Size: Custom
- Support Material: Aluminum
- Finish: Custom Finish
- Installation: Optional
- Brand: NERVAL
- Warranty: Limited 1 year


- 10 year life cycle tested to ensure long lasting performance.
- A wider, robust and reliable, industry leading vertical blind system, made of high quality plastic, stainless steel and aluminium with corrosion resistant finishes.
- UV stabilised prime plastics used to guard against ultraviolet degradation.
- Direct drive tilt operation for positive control when opening and closing the blinds
- Self-aligning carrier trucks have limit stops allowing the louvre to rotate to 185° for better closure.
- Wheeled carrier design for heavier duty commercial blinds.
- Operating wand option is child safe by design.
- Available with chain tilt and cord draw operation option.
- Side, centre or split draw stacking options.
- Chainless Gravity weight now available (89mm: 8774-WH; 127mm: 8770-WH).
- Available in white.

Disclaimer: Nerval makes every effort to provide accurate specification data. However, specification may change without notice. Please visit nerval website to see NERVAL'S TERMS AND CONDITIONS.

Hardware Details:



Disclaimer: Nerval makes every effort to provide accurate specification data. However, specification may change without notice. Please visit nerval website to see NERVAL'S TERMS AND CONDITIONS.



Key: 89mm louvre width 127mm louvre width

A. Face fix brackets: 1304: 89mm 1300: 127mm

B. 1352 shallow frame extension face fix brackets

C. 1340 adjustable face fix
Brackets

D. 1320 top fix brackets (screw)

E. 1325 top fix brackets (spring)

F. Extension top fix brackets:

1342: 80mm/180mm;
1341: 130mm/230mm;
1351: 160mm/260mm

G. 1360 side fix brackets

H. Pelmet brackets

	ONE WAY	SPLIT	CENTRE
89mm	225mm for 1st metre width of blind. 175mm for each extra metre	225mm for 1st metre width of blind. 175mm for each extra metre	165mm for 1st metre width of blind. 165mm for each extra metre
127mm	190mm for 1st metre width of blind. 115mm for each extra metre	135mm for 1st metre width of blind. 55mm for each extra metre	115mm for 1st metre width of blind. 115mm for each extra metre

Disclaimer: Nerval makes every effort to provide accurate specification data. However, specification may change without notice. Please visit nerval website to see NERVAL'S TERMS AND CONDITIONS.