



# CHASM

---

Universal AI Session Intelligence Platform

NERVOSYS LLC

Defense-Grade AI Infrastructure

# MISSION CRITICAL PROBLEM

## OPERATIONAL GAP

### ► Fragmented AI Conversations

47% of sessions lost on workspace change

### ► Zero Audit Trail

No visibility into AI-assisted development

### ► Provider Lock-in

5+ AI tools per organization, siloed data

### ► Compliance Failure

Cannot meet DFARS/CMMC requirements

### ► Knowledge Hemorrhage

\$2.3M annual loss per 100 engineers

## CHASM SOLUTION

### ◆ Harvest

Extract sessions from all AI providers

### ◆ Unify

Merge across workspaces and machines

### ◆ Search

Full-text + semantic across all history

### ◆ Audit

Complete activity logging with timestamps

### ◆ Comply

DFARS, CMMC, FedRAMP, NIST 800-171

# < 5MB

BINARY SIZE

# < 50MB

MEMORY

# < 1ms

QUERY P99

01

# SYSTEM ARCHITECTURE

---

# PLATFORM ARCHITECTURE

Defense-in-Depth Design

## CORE COMPONENTS

### chasm-rust

Rust 1.83 / Axum

OPERATIONAL

### chasm-web

React 19 / Vite 7

OPERATIONAL

### chasm-desktop

Tauri 2 / WebView2

OPERATIONAL

### chasm-app

React Native / Expo

OPERATIONAL

### vscode-ext

TypeScript / VS Code API

OPERATIONAL



src/main.rs

rust

```
// Chasm Core Server - Defense-Grade Session Management
use axum::{Router, routing::get};
use chasm_core::{Database, SessionHarvester, MCP};
use tower_http::cors::CorsLayer;

#[tokio::main]
async fn main() -> Result<()> {
    // Initialize encrypted SQLite with FTS5
    let db = Database::open_encrypted("chasm.db", &key)?;

    // Configure harvesters for all providers
    let harvester = SessionHarvester::new()
        .add_provider(CopilotProvider::new())
        .add_provider(CursorProvider::new())
        .add_provider(OllamaProvider::new())
        .build();

    // Build API routes
    let app = Router::new()
        .route("/api/sessions", get(list_sessions))
        .route("/api/harvest", post(run_harvest))
        .route("/api/search", get(search_sessions))
        .layer(CorsLayer::permissive())
        .with_state(AppState { db, harvester });

    // Serve with TLS
    axum_server::bind_rustls(addr, tls_config)
        .serve(app.into_make_service())
        .await
}
```

# DATA FLOW ARCHITECTURE

## Session Lifecycle Management



# 02

## COMMAND LINE INTERFACE

---

# CLI OPERATIONS

## Power User Workflows

### WORKSPACE DISCOVERY

```
$ chasm list workspaces --format table
```

| WORKSPACE DISCOVERY  |          |               |
|----------------------|----------|---------------|
| Path                 | Sessions | Last Activity |
| /secure-comms        | 47       | 2 hours ago   |
| /defense-ai-platform | 123      | 15 min ago    |
| /classified-research | 89       | 1 day ago     |
| /mission-planning    | 34       | 3 hours ago   |

Total: 4 workspaces, 293 sessions

### SESSION SEARCH

```
$ chasm search "authentication vulnerability" --limit 5
```

Found 12 matches across 8 sessions:

- [1]

Session: debug-auth-bypass (3 matches)  
Workspace: /secure-comms  
Date: 2026-01-28 14:32:00
- [2]

Session: security-review-jan (2 matches)  
Workspace: /defense-ai-platform  
Date: 2026-01-27 09:15:00

### HARVEST OPERATIONS

```
$ chasm harvest run --provider all --verbose
```

```
[INFO] Starting harvest operation...  
[INFO] Provider: GitHub Copilot  
  → Scanning workspaceStorage...  
  → Found 47 sessions  
  → Extracted 1,234 messages  
  → Duration: 0.34s
```

```
[INFO] Provider: Cursor  
  → Scanning cursor-state...  
  → Found 23 sessions  
  → Extracted 567 messages  
  → Duration: 0.21s
```

```
[SUCCESS] Harvest complete  
Total sessions: 70  
Total messages: 1,801  
New sessions: 12  
Updated: 58
```

### EXPORT & BACKUP

```
$ chasm export --format json --encrypt \  
  --output /backup/sessions-2026-01-29.enc
```

```
Exporting 293 sessions...  
Encrypting with AES-256-GCM...  
Written: /backup/sessions-2026-01-29.enc (4.2 MB)  
SHA-256: a3f2b1c9d8e7...
```


```
chasm - List Workspaces

<span class="prompt">${</span> <span class="cmd">chasm list workspaces</span>

-----
| Hash                | Project Path                                                                 | Sessions | Has Chats |
| 016d6fbd9d38...    | c:\Users\adamm\dev\nervosys\os\Botnix2                                     | 1        | Yes       |
| 01a050589aac...    | c:\Users\adamm\dev\nervosys\utilities\SwarmSearch                         | 1        | Yes       |
| 01cf9b4a739b...    | c:\Users\adamm\dev\nervosys\modeling\simulation\AeroAstroLab              | 1        | Yes       |
| 034c930d0831...    | c:\Users\adamm\dev\nervosys\web\botwerx_v1                                | 1        | Yes       |
| 0467defc41da...    | c:\Users\adamm\dev\nervosys\cybersecurity\WhiteWalker                     | 5        | Yes       |
| 05e064603bc2...    | c:\Users\adamm\dev\nervosys\modeling\simulation\MassivelyParallelFieldSolver | 1        | Yes       |
| 06e1d2b678bd...    | c:\Users\adamm\dev\nervosys\AetherShell                                    | 1        | Yes       |
| 07380e7c081e...    | c:\Users\adamm\dev\nervosys\web\configurators                             | 1        | Yes       |
| 09fed448ae11...    | c:\Users\adamm\dev\nervosys\cli\AetherShell\vscode                        | 0        | Yes       |
| 0a2d10ad7edd...    | c:\Users\adamm\dev\nervosys\utilities\cuNumPy                             | 1        | Yes       |
| 0fcfff8e211d...    | c:\Users\adamm\dev\nervosys\cli\AetherShell                                | 1        | Yes       |
| 13439c7b67d5...    | c:\Users\adamm\dev\nervosys\command_control\RobotControllerOS            | 4        | Yes       |
| 16b6b1c49631...    | c:\Users\adamm\dev\nervosys\hardware\ugv\legged\B33TL3                    | 1        | Yes       |
| 17ff92c7477e...    | c:\Users\adamm\dev\nervosys\documents\capabilities_statement              | 1        | Yes       |
| 192187b6b34c...    | c:\Users\adamm\dev\nervosys\modeling\simulation\AutonomySim               | 4        | Yes       |
| 1a5b9198324f...    | c:\Users\adamm\dev\nervosys\utilities\simon                               | 1        | Yes       |
| 1ad2cf35ab37...    | c:\Users\adamm\dev\nervosys\web\botwerx_v1                                | 1        | Yes       |
| 1c25bd214fe5...    | c:\Users\adamm\dev\nervosys\web\Hyperlight                                 | 1        | Yes       |
| 1cc7604e099c...    | c:\Users\adamm\dev\nervosys\utilities\lit                                  | 1        | Yes       |
| 1cee705d928b...    | c:\Users\adamm\dev\nervosys\utilities\ncc1                                | 3        | Yes       |
| 1dd3b3818b7c...    | c:\Users\adamm\dev\nervosys\communication\CognitiveSDR                   | 1        | Yes       |
| 1dddf821a35...    | c:\Users\adamm\dev\nervosys\modeling\universal\DifferentiableGeometryKernel | 1        | Yes       |
| 1e3e5ffc108d...    | c:\Users\adamm\dev\nervosys\ai\AgentArena                                  | 1        | Yes       |
| 1e58e215fdac...    | c:\Users\adamm\dev\nervosys\modeling\simulation\MassivelyParallelFluidSolver | 2        | Yes       |
| 1edc4a4a54d1...    | c:\Users\adamm\dev\nervosys\modeling\simulation\AutonomySim               | 1        | Yes       |
| 1f615bb2111f...    | c:\Users\adamm\dev\nervosys\utilities\copilot_chat_relink\examples\copilot_chat | 3        | Yes       |
| 1f615bb2111f...    | c:\Users\adamm\dev\nervosys\utilities\copilot_chat_relink\examples\copilot_chat | 3        | Yes       |
```

Terminal output showing workspace discovery and session enumeration





```
chasm - Agency ADK

<span class="prompt">${</span> <span class="cmd">chasm agency list</span>

+-----+
|               CSM Agent Development Kit (Agency)               |
+-----+

[*] Available Agent Roles:

[C] coordinator
[R] researcher
[D] coder
[V] reviewer
[E] executor
[W] writer
[T] tester
[X] custom
```

Multi-agent orchestration via command line interface

03

WEB APPLICATION

---

# WEB DASHBOARD

React 19 • Vite 7 • TailwindCSS 4


## CORE FEATURES


- ▶ Real-time session sync
- ▶ Interactive chat replay
- ▶ Syntax highlighting (50+ langs)
- ▶ Full-text search with filters
- ▶ Session annotations & tags
- ▶ 40+ keyboard shortcuts
- ▶ Provider comparison view
- ▶ Export: JSON, MD, HTML, PDF

## Q1-Q2 2026

NEW

Session templates  
Batch operations  
Keyboard shortcuts  
Advanced annotations





Full conversation view with syntax highlighting and message actions



Session list with filtering, sorting, and bulk operations

**Chasm**  
Chat System Manager

Overview

Chat

Agents

Harvest

**Workspaces**

Sessions

Comparison

Research

Providers

Accounts

Developer

 Neutral Mode

## Workspaces

Manage VS Code workspaces and their chat sessions

Sort by Last Active ▾



**chasm**  
/Users/dev/projects/chasm  
47 sessions  
Jan 27, 2026, 10:55 AM  

View Sessions



**neural-engine**  
/Users/dev/projects/neural-engine  
23 sessions  
Jan 27, 2026, 07:55 AM  

View Sessions



**ml-ops**  
/Users/dev/projects/ml-ops  
28 sessions  
Jan 27, 2026, 06:55 AM  

View Sessions



**secure-comms**  
/Users/dev/projects/secure-comms  
31 sessions  
Jan 26, 2026, 12:55 PM  

View Sessions



**data-pipeline**  
/Users/dev/projects/data-pipeline  
15 sessions  
Jan 24, 2026, 12:55 PM  


View Sessions

Showing 5 of 5 workspaces


Workspace browser showing linked projects and session counts

# WEB — AGENT MANAGEMENT


## Multi-Agent Inbox & Orchestration



Agent configuration and management



Agent inbox with pending tasks



Side-by-side comparison of AI provider responses



**Chasm**  
Chat System Manager

Overview

Chat

Agents

Harvest

Workspaces

Sessions

Comparison

Research

Providers

Accounts

Developer

Neutral Mode

## Developer

Model training, optimization, and deployment pipeline

Providers

0  
0 connected

Models

8  
4 downloaded

Datasets

6  
3 downloaded

Training Jobs

2  
active

Storage Used

24.8 GB  
of 500 GB

GPU Utilization

87%  
RTX 4090

Models

Datasets

Simulation

Training

Optimization

Deployment

RAG

Tool Use

Multi-Modal

Robotics

Search models...

Filters

LL

Llama 3.2 3B

Meta

3B GGUF 6.4 GB

text-generation chat

Downloaded

LL

Llama 3.2 1B

Meta

1B GGUF 2.3 GB

text-generation chat

Downloaded

PH

Phi-3 Mini

Microsoft

3.8B GGUF 2.4 GB

text-generation reasoning

Download

QW

Qwen 2.5 3B

Alibaba

3B GGUF 6.1 GB

text-generation code

Download

GE

Gemma 2 2B

Google

2B GGUF 5.0 GB

text-generation chat

Downloaded

MI

Mistral 7B

Mistral AI

7B GGUF 4.1 GB

text-generation instruct

Download

DE

DeepSeek R1 7B

DeepSeek

7B GGUF 4.7 GB

reasoning code

Download

CO

Code Llama 7B

Meta

7B GGUF 3.8 GB

code-generation code-completion

Downloaded

Browse HuggingFace Hub

API explorer, debugging, and diagnostic tools

CUI

# 04

## DESKTOP APPLICATION

---


# DESKTOP APP

Tauri 2 • Rust • WebView2/WebKit

---

## NATIVE ADVANTAGES

- ◆ **10MB binary** vs 150MB Electron
- ◆ **< 30MB memory** Efficient WebView2
- ◆ **System tray** Quick actions
- ◆ **Native dialogs** File picker, notifications
- ◆ **Auto-updates** Code-signed releases
- ◆ **Air-gapped** Works fully offline



Win / Mac / Linux



Desktop application with native system integration



 **Chasm**  
Chat System Manager

Overview

Chat

Agents

Harvest

Workspaces

Sessions

Comparison

Research

Providers

Accounts

Developer

Neutral Mode

## Agents

Manage AI agents and orchestrate multi-agent swarms

Inbox 0

All Agents

SWE

OS

Network

Cyber

Web

Social

Research

Swarms

Refresh

New Agent

Agent Inbox

Mark all read

All 2

Messages 2

Permissions 2

Workflows 2



**Code Review completed**

Successfully reviewed 15 files with 3 suggestions

Code Reviewer

5 minutes ago

×



**API Call Permission Required**

Research Agent needs to call external API

Research Agent

15 minutes ago

×



**Build failed**

TypeScript compilation error in src/utlis/parser.ts

Build Agent

30 minutes ago

×

Multi-agent management in native desktop environment

CUI

# 05

## MOBILE APPLICATION

---

# MOBILE APP

React Native • Expo • iOS & Android

---



## Overview

## Overview

Your chat sessions across all providers



0

Sessions



0

Workspaces



0

Messages



0

Providers

## Recent Sessions

[See All](#)

No sessions yet

[Start a Chat](#)

## Quick Actions



Home



Chat



Anants



Search



More



Settings

## HOME

Dashboard &amp; stats

## More

## More Features

Access all ChatSessionManager capabilities



## Model Comparison

Compare AI models by cost, speed &amp; accuracy



## Harvest

Import sessions from share links &amp; sources



## Providers

Manage AI provider connections &amp; API keys



## Accounts

OAuth &amp; API key management



## Research

arXiv papers, trends &amp; saved papers



## Local LLM

LAN servers &amp; on-device inference

## Quick Stats



7



4



12



2



Home



Chat



Anants



Search



More



Settings

## WORKSPACES

Project browser

## Local LLM



LAN Servers



On-Device



Connect to LLM servers running on your local network (same WiFi). Use your computer's IP address, not localhost.

[+ Add Server](#)[Check All](#)

## Ollama

192.168.1.100:11434



● Not checked

[Test](#)[Edit](#)[Delete](#)

## LM Studio

192.168.1.100:1234



● Not checked

[Test](#)[Edit](#)[Delete](#)

## Llama.cpp Server

192.168.1.100:8080



● Not checked

[Test](#)[Edit](#)[Delete](#)

Home



Chat



Anants



Search



More



Settings

## SESSIONS

Session list

## Local LLM



LAN Servers



On-Device



Connect to LLM servers running on your local network (same WiFi). Use your computer's IP address, not localhost.

[+ Add Server](#)[Check All](#)

## Ollama

192.168.1.100:11434



● Not checked

[Test](#)[Edit](#)[Delete](#)

## LM Studio

192.168.1.100:1234



● Not checked

[Test](#)[Edit](#)[Delete](#)

## Llama.cpp Server

192.168.1.100:8080



● Not checked

[Test](#)[Edit](#)[Delete](#)

Home



Chat



Anants



Search



More



Settings

## CHAT

Conversation view

SECURITY

Face ID / Touch ID  
Fingerprint auth  
Offline caching  
Encrypted storage

SYNC

Real-time updates  
Background sync  
Push notifications  
Conflict resolution

PLATFORM

iOS 15+  
Android 10+  
Tablet optimized  
Dark mode

# 06

## VS CODE EXTENSION

---


# IDE INTEGRATION

TypeScript • VS Code API • MCP Protocol

## EXTENSION FEATURES

- ▶ Sidebar panel for sessions
- ▶ Quick session search (Ctrl+Shift+H)
- ▶ One-click harvest from workspace
- ▶ Orphaned session recovery
- ▶ Git checkpoint integration
- ▶ Context menu actions
- ▶ Status bar indicators
- ▶ MCP server auto-start

| Commands                |              |
|-------------------------|--------------|
| Chasm: Show Sessions    | Ctrl+Shift+S |
| Chasm: Search History   | Ctrl+Shift+H |
| Chasm: Recover Session  | Ctrl+Shift+R |
| Chasm: Start MCP Server | Ctrl+Shift+M |
| Chasm: Sync Workspace   | Ctrl+Shift+Y |



VS Code sidebar with session tree view

07

CODE EXAMPLES

---

# RUST API — SESSION HARVESTING

Core extraction and processing logic

src/harvest/copilot.rs

rust

```
/// Harvest sessions from GitHub Copilot Chat storage
pub struct CopilotHarvester {
    db: Arc<Database>,
    config: HarvestConfig,
}

impl SessionHarvester for CopilotHarvester {
    async fn harvest(&self, workspace: &Path) -> Result<HarvestResult> {
        let storage_path = self.locate_workspace_storage(workspace)?;
        let state_db = SqliteConnection::open(&storage_path.join("state.vscdb"))?;

        // Extract sessions from VS Code workspace storage
        let raw_sessions: Vec<RawSession> = state_db
            .query("SELECT key, value FROM ItemTable WHERE key LIKE 'workbench.panel.chat%'")
            .fetch_all()
            .await?;

        let mut result = HarvestResult::default();

        for raw in raw_sessions {
            let session = self.parse_copilot_session(&raw.value)?;

            // Deduplicate based on content hash
            if !self.db.session_exists(&session.content_hash).await? {
                self.db.insert_session(&session).await?;
                result.new_sessions += 1;
            } else {
                self.db.update_session(&session).await?;
                result.updated_sessions += 1;
            }
            result.messages += session.messages.len();
        }

        Ok(result)
    }
}
```

# RUST API — SEARCH & QUERY

Full-text search with FTS5

src/search/engine.rs

rust

```
/// Full-text search across all sessions
pub async fn search_sessions(
    db: &Database,
    query: &SearchQuery,
) -> Result<Vec<SearchResult>> {
    let sql = r#"
        SELECT
            s.id, s.title, s.workspace,
            highlight(messages_fts, 0, '<mark>', '</mark>') as snippet,
            bm25(messages_fts) as score
        FROM messages_fts
        JOIN sessions s ON s.id = messages_fts.session_id
        WHERE messages_fts MATCH ?1
        ORDER BY score
        LIMIT ?2 OFFSET ?3
    "#;

    let results = sqlx::query_as::(<_, SearchResult>(sql))
        .bind(&query.text)
        .bind(query.limit)
        .bind(query.offset)
        .fetch_all(&db.pool)
        .await?;

    Ok(results)
}
```

src/api/routes.rs

rust

```
/// REST API endpoint for search
#[axum::debug_handler]
pub async fn search_handler(
    State(state): State<AppState>,
    Query(params): Query<SearchParams>,
) -> Result<Json<SearchResponse>> {
    let query = SearchQuery {
        text: params.q,
        workspace: params.workspace,
        provider: params.provider,
        date_range: params.date_range(),
        limit: params.limit.unwrap_or(20),
        offset: params.offset.unwrap_or(0),
    };

    let results = search_sessions(&state.db, &query).await?;
    let total = count_search_results(&state.db, &query).await?;

    Ok(Json(SearchResponse {
        results,
        total,
        query: params.q,
        took_ms: start.elapsed().as_millis(),
    }))
}
```

# TYPESCRIPT — REACT COMPONENTS

Web application UI components

```
src/components/SessionList.tsx                                typescript

export const SessionList: React.FC<Props> = ({
  sessions,
  onSelect,
  onBatchAction,
}) => {
  const [selection, dispatch] = useReducer(
    selectionReducer,
    initialState
  );

  const handleBatchDelete = async () => {
    const ids = Array.from(selection.selectedIds);
    await api.batchDelete(ids);
    dispatch({ type: 'deselectAll' });
  };

  return (
    <div className="session-list">
      <BatchToolbar
        selectedCount={selection.selectedIds.size}
        onDelete={handleBatchDelete}
        onArchive={() => onBatchAction('archive', selection)}
        onExport={() => onBatchAction('export', selection)}
      />
      {sessions.map((session) => (
        <SessionCard
          key={session.id}
          session={session}
          isSelected={selection.selectedIds.has(session.id)}
          onToggle={() => dispatch({ type: 'toggle', id: session.id })}
          onClick={() => onSelect(session)}
        />
      ))}
    </div>
  );
};
```

```
src/components/AnnotationsPanel.tsx                          typescript

export const AnnotationsPanel: React.FC<Props> = ({
  sessionId,
  annotations,
  onUpdate,
}) => {
  const [tags, setTags] = useState<SessionTag[]>([]);
  const [notes, setNotes] = useState<SessionNote[]>([]);

  const handleAddTag = async (tag: Omit<SessionTag, 'id'>) => {
    const newTag = await api.createTag(sessionId, tag);
    setTags([...tags, newTag]);
    onUpdate?.();
  };

  const handleHighlight = async (
    messageId: string,
    range: { start: number; end: number },
    color: string
  ) => {
    await api.createHighlight(sessionId, {
      messageId,
      startOffset: range.start,
      endOffset: range.end,
      color,
    });
  };

  return (
    <div className="annotations-panel">
      <TagPicker tags={tags} onAdd={handleAddTag} />
      <NoteEditor notes={notes} onSave={handleSaveNote} />
      <HighlightList highlights={highlights} />
    </div>
  );
};
```



# TYPESCRIPT — TYPE DEFINITIONS

Shared types across all platforms

chasm-shared/src/types/session.ts

typescript

```
/** Core session type — unified across all providers */
export interface ChatSession {
  id: string; // UUID v7 (time-ordered)
  title: string; // Auto-generated or user-defined
  provider: SessionProvider; // copilot | cursor | claude | ollama | ...
  workspace?: string; // Associated workspace path
  messages: ChatMessage[]; // Conversation history
  metadata: SessionMetadata; // Provider-specific data
  createdAt: number; // Unix timestamp (ms)
  updatedAt: number; // Last modification
  contentHash: string; // SHA-256 for deduplication
}

export interface ChatMessage {
  id: string;
  role: 'user' | 'assistant' | 'system';
  content: string; // Raw message content
  timestamp: number;
  model?: string; // e.g., "gpt-4", "claude-3-opus"
  tokens?: { prompt: number; completion: number };
  annotations?: MessageAnnotation[]; // Highlights, notes
}

export interface SessionTag {
  id: string;
  name: string;
  color: string; // Hex color code
  createdAt: number;
}

export type BatchOperationType = 'delete' | 'archive' | 'export' | 'tag' | 'merge';

export interface BatchOperationRequest {
  operation: BatchOperationType;
  sessionIds: string[];
  options?: Record<string, unknown>;
}
```

08

## SECURITY & COMPLIANCE

---

# SECURITY ARCHITECTURE

## Defense-in-Depth Implementation

### DATA PROTECTION

◆ Encryption at Rest

AES-256-GCM via SQLCipher

◆ Encryption in Transit

TLS 1.3 with mTLS option

◆ Key Management

PBKDF2 / Argon2 key derivation

◆ Secure Delete

NIST 800-88 compliant wipe

◆ Audit Logging

Immutable append-only log

### ACCESS CONTROL

Role-based access (RBAC)  
Session-level permissions  
API key authentication  
OAuth 2.0 / SAML SSO  
LDAP/AD integration

### COMPLIANCE FRAMEWORK

COMPLIANT

DFARS 252.227-7015

Commercial software rights

READY

FedRAMP

Moderate baseline

COMPLIANT

CMMC Level 2

CUI protection

COMPLIANT

NIST 800-171

110 controls

Air-Gapped Deploymentbash

```
# Single binary, zero network required
$ chasm api serve \
  --offline \
  --tls-cert /secure/cert.pem \
  --tls-key /secure/key.pem \
  --db /secure/chasm.db \
  --audit-log /secure/audit.log
```

# DEPLOYMENT OPTIONS

From Workstation to Enterprise

## STANDALONE

Single engineer workstation

```
$ chasm api serve  
Listening on https://localhost:8787
```

Zero dependencies  
5MB binary  
Instant startup  
SQLite storage

## CONTAINER

Team / department scale

```
services:  
  chasm:  
    image: ghcr.io/nervosys/chasm  
    ports:  
      - "8787:8787"  
    volumes:  
      - chasm-data:/data
```

Docker / Podman  
Volume persistence  
Health checks

## ENTERPRISE

Organization-wide

```
$ helm install chasm \\  
  nervosys/chasm \\  
  --set replicas=3 \\  
  --set sso.enabled=true
```

Kubernetes HA  
SSO / LDAP  
Central audit  
Multi-tenant

# PLATFORM SUMMARY

Why Chasm for Defense

- ◆ **Local-First** Data never leaves your infrastructure
- ◆ **Rust Performance** Sub-millisecond queries on millions of messages
- ◆ **Universal** Every AI provider, every platform, one tool
- ◆ **Power User Tools** Annotations, templates, 40+ shortcuts
- ◆ **Zero Dependencies** Single binary, instant air-gapped deployment
- ◆ **Compliance Ready** DFARS, CMMC, FedRAMP, NIST 800-171

## PLATFORM MATRIX


|                      |                                  |
|----------------------|----------------------------------|
| <b>chasm-rust</b>    | Core API, CLI, harvesting engine |
| <b>chasm-web</b>     | Browser dashboard, React 19      |
| <b>chasm-desktop</b> | Native app, Tauri 2              |
| <b>chasm-app</b>     | Mobile, React Native             |
| <b>vscode-ext</b>    | IDE integration                  |

[sales@nervosys.ai](mailto:sales@nervosys.ai)

[nervosys.ai/chasm](https://nervosys.ai/chasm)



# CHASM



Never Lose an AI Conversation Again

NERVOSYS LLC

Defense-Grade AI Infrastructure

*The future is what we make.<sup>TM</sup>*