



CHASM

Universal AI Session Intelligence Platform

NERVOSYS LLC

Defense-Grade AI Infrastructure

MISSION CRITICAL PROBLEM

OPERATIONAL GAP

► Fragmented AI Conversations

47% of sessions lost on workspace change

► Zero Audit Trail

No visibility into AI-assisted development

► Provider Lock-in

5+ AI tools per organization, siloed data

► Compliance Failure

Cannot meet DFARS/CMMC requirements

► Knowledge Hemorrhage

\$2.3M annual loss per 100 engineers

CHASM SOLUTION

◆ Harvest

Extract sessions from all AI providers

◆ Unify

Merge across workspaces and machines

◆ Search

Full-text + semantic across all history

◆ Audit

Complete activity logging with timestamps

◆ Comply

DFARS, CMMC, FedRAMP, NIST 800-171

< 5MB

BINARY SIZE

< 50MB

MEMORY

< 1ms

QUERY P99

01

SYSTEM ARCHITECTURE

PLATFORM ARCHITECTURE

Defense-in-Depth Design

CORE COMPONENTS

chasm-rust

OPERATIONAL

Rust 1.83 / Axum

chasm-web

OPERATIONAL

React 19 / Vite 7

chasm-desktop

OPERATIONAL

Tauri 2 / WebView2

chasm-app

OPERATIONAL

React Native / Expo

vscode-ext

OPERATIONAL

TypeScript / VS Code API



src/main.rs

rust

```
// Chasm Core Server - Defense-Grade Session Management
use axum::{Router, routing::get};
use chasm_core::{Database, SessionHarvester, MCP};
use tower_http::cors::CorsLayer;

#[tokio::main]
async fn main() -> Result<()> {
    // Initialize encrypted SQLite with FTS5
    let db = Database::open_encrypted("chasm.db", &key)?;

    // Configure harvesters for all providers
    let harvester = SessionHarvester::new()
        .add_provider(CopilotProvider::new())
        .add_provider(CursorProvider::new())
        .add_provider(OllamaProvider::new())
        .build();

    // Build API routes
    let app = Router::new()
        .route("/api/sessions", get(list_sessions))
        .route("/api/harvest", post(run_harvest))
        .route("/api/search", get(search_sessions))
        .layer(CorsLayer::permissive())
        .with_state(AppState { db, harvester });

    // Serve with TLS
    axum_server::bind_rustls(addr, tls_config)
        .serve(app.into_make_service())
        .await
}
```

DATA FLOW ARCHITECTURE

Session Lifecycle Management



02

COMMAND LINE INTERFACE

CLI OPERATIONS

Power User Workflows

WORKSPACE DISCOVERY

```
$ chasm list workspaces --format table
```

WORKSPACE DISCOVERY		
Path	Sessions	Last Activity
/secure-comms	47	2 hours ago
/defense-ai-platform	123	15 min ago
/classified-research	89	1 day ago
/mission-planning	34	3 hours ago

Total: 4 workspaces, 293 sessions

SESSION SEARCH

```
$ chasm search "authentication vulnerability" --limit 5
```

Found 12 matches across 8 sessions:

- [1] Session: debug-auth-bypass (3 matches)

Workspace: /secure-comms

Date: 2026-01-28 14:32:00
- [2] Session: security-review-jan (2 matches)

Workspace: /defense-ai-platform

Date: 2026-01-27 09:15:00

HARVEST OPERATIONS

```
$ chasm harvest run --provider all --verbose
```

```
[INFO] Starting harvest operation...
[INFO] Provider: GitHub Copilot
      → Scanning workspaceStorage...
      → Found 47 sessions
      → Extracted 1,234 messages
      → Duration: 0.34s
```

```
[INFO] Provider: Cursor
      → Scanning cursor-state...
      → Found 23 sessions
      → Extracted 567 messages
      → Duration: 0.21s
```

```
[SUCCESS] Harvest complete
Total sessions: 70
Total messages: 1,801
New sessions: 12
Updated: 58
```

EXPORT & BACKUP

```
$ chasm export --format json --encrypt \
  --output /backup/sessions-2026-01-29.enc
```

```
Exporting 293 sessions...
Encrypting with AES-256-GCM...
Written: /backup/sessions-2026-01-29.enc (4.2 MB)
SHA-256: a3f2b1c9d8e7...
```

```


chasm - List Workspaces

<span class="prompt">${</span> <span class="cmd">chasm list workspaces</span>

-----
| Hash                | Project Path                                                                 | Sessions | Has Chats |
| 016d6fbd9d38...    | c:\Users\adamm\dev\nervosys\os\Botnix2                                     | 1        | Yes       |
| 01a050589aac...    | c:\Users\adamm\dev\nervosys\utilities\SwarmSearch                         | 1        | Yes       |
| 01cf9b4a739b...    | c:\Users\adamm\dev\nervosys\modeling\simulation\AeroAstroLab              | 1        | Yes       |
| 034c930d0831...    | c:\Users\adamm\dev\nervosys\web\botwerx_v1                                | 1        | Yes       |
| 0467defc41da...    | c:\Users\adamm\dev\nervosys\cybersecurity\WhiteWalker                    | 5        | Yes       |
| 05e064603bc2...    | c:\Users\adamm\dev\nervosys\modeling\simulation\MassivelyParallelFieldSolver | 1        | Yes       |
| 06e1d2b678bd...    | c:\Users\adamm\dev\nervosys\AetherShell                                    | 1        | Yes       |
| 07380e7c081e...    | c:\Users\adamm\dev\nervosys\web\configurators                             | 1        | Yes       |
| 09fed448ae11...    | c:\Users\adamm\dev\nervosys\cli\AetherShell\vscode                        | 0        | Yes       |
| 0a2d10ad7edd...    | c:\Users\adamm\dev\nervosys\utilities\cuNumPy                             | 1        | Yes       |
| 0fcfff8e211d...    | c:\Users\adamm\dev\nervosys\cli\AetherShell                                | 1        | Yes       |
| 13439c7b67d5...    | c:\Users\adamm\dev\nervosys\command_control\RobotControllerOS            | 4        | Yes       |
| 16b6b1c49631...    | c:\Users\adamm\dev\nervosys\hardware\ugv\legged\B33TL3                    | 1        | Yes       |
| 17ff92c7477e...    | c:\Users\adamm\dev\nervosys\documents\capabilities_statement              | 1        | Yes       |
| 192187b6b34c...    | c:\Users\adamm\dev\nervosys\modeling\simulation\AutonomySim               | 4        | Yes       |
| 1a5b9198324f...    | c:\Users\adamm\dev\nervosys\utilities\simon                               | 1        | Yes       |
| 1ad2cf35ab37...    | c:\Users\adamm\dev\nervosys\web\botwerx_v1                                | 1        | Yes       |
| 1c25bd214fe5...    | c:\Users\adamm\dev\nervosys\web\Hyperlight                                 | 1        | Yes       |
| 1cc7604e099c...    | c:\Users\adamm\dev\nervosys\utilities\lit                                  | 1        | Yes       |
| 1cee705d928b...    | c:\Users\adamm\dev\nervosys\utilities\ncc1                                 | 3        | Yes       |
| 1dd3b3818b7c...    | c:\Users\adamm\dev\nervosys\communication\CognitiveSDR                  | 1        | Yes       |
| 1dddf821a35...    | c:\Users\adamm\dev\nervosys\modeling\universal\DifferentiableGeometryKernel | 1        | Yes       |
| 1e3e5ffc108d...    | c:\Users\adamm\dev\nervosys\ai\AgentArena                                  | 1        | Yes       |
| 1e58e215fdac...    | c:\Users\adamm\dev\nervosys\modeling\simulation\MassivelyParallelFluidSolver | 2        | Yes       |
| 1edc4a4a54d1...    | c:\Users\adamm\dev\nervosys\modeling\simulation\AutonomySim               | 1        | Yes       |
| 1f615bb2111f...    | c:\Users\adamm\dev\nervosys\utilities\copilot_chat_relink\examples\copilot_chat | 3        | Yes       |
| 1f615bb2111f...    | c:\Users\adamm\dev\nervosys\utilities\copilot_chat_relink\examples\copilot_chat | 3        | Yes       |

```

Terminal output showing workspace discovery and session enumeration



```
chasm - Agency ADK

<span class="prompt">${</span> <span class="cmd">chasm agency list</span>

+-----+
|               CSM Agent Development Kit (Agency)               |
+-----+

[*] Available Agent Roles:

[C] coordinator
[R] researcher
[D] coder
[V] reviewer
[E] executor
[W] writer
[T] tester
[X] custom
```

Multi-agent orchestration via command line interface

03

WEB APPLICATION

WEB DASHBOARD

React 19 • Vite 7 • TailwindCSS 4


CORE FEATURES


- ▶ Real-time session sync
- ▶ Interactive chat replay
- ▶ Syntax highlighting (50+ langs)
- ▶ Full-text search with filters
- ▶ Session annotations & tags
- ▶ 40+ keyboard shortcuts
- ▶ Provider comparison view
- ▶ Export: JSON, MD, HTML, PDF

Q1-Q2 2026

NEW

Session templates
Batch operations
Keyboard shortcuts
Advanced annotations





Full conversation view with syntax highlighting and message actions



Session list with filtering, sorting, and bulk operations

 **Chasm**
Chat System Manager

Overview

Chat

Agents

Harvest

Workspaces

Sessions

Comparison

Research

Providers

Accounts

Developer

 Neutral Mode

Workspaces

Manage VS Code workspaces and their chat sessions

Sort by Last Active ▾



chasm
/Users/dev/projects/chasm
47 sessions
Jan 27, 2026, 10:55 AM

View Sessions



neural-engine
/Users/dev/projects/neural-engine
23 sessions
Jan 27, 2026, 07:55 AM

View Sessions



ml-ops
/Users/dev/projects/ml-ops
28 sessions
Jan 27, 2026, 06:55 AM

View Sessions



secure-comms
/Users/dev/projects/secure-comms
31 sessions
Jan 26, 2026, 12:55 PM

View Sessions



data-pipeline
/Users/dev/projects/data-pipeline
15 sessions
Jan 24, 2026, 12:55 PM


View Sessions

Showing 5 of 5 workspaces


Workspace browser showing linked projects and session counts

WEB — AGENT MANAGEMENT


Multi-Agent Inbox & Orchestration



Agent configuration and management



Agent inbox with pending tasks



Side-by-side comparison of AI provider responses

**Chasm**
Chat System Manager

Overview

Chat

Agents

Harvest

Workspaces

Sessions

Comparison

Research

Providers

Accounts

Developer

Neutral Mode

Developer

Model training, optimization, and deployment pipeline

Providers

0

0 connected

Models

8

4 downloaded

Datasets

6

3 downloaded

Training Jobs

2

active

Storage Used

24.8 GB

of 500 GB

GPU Utilization

87%

RTX 4090

Models

Datasets

Simulation

Training

Optimization

Deployment

RAG

Tool Use

Multi-Modal

Robotics

Search models...

Filters

LL

Llama 3.2 3B

Meta

3B GGUF 6.4 GB

text-generation chat

Downloaded

LL

Llama 3.2 1B

Meta

1B GGUF 2.3 GB

text-generation chat

Downloaded

PH

Phi-3 Mini

Microsoft

3.8B GGUF 2.4 GB

text-generation reasoning

Download

QW

Qwen 2.5 3B

Alibaba

3B GGUF 6.1 GB

text-generation code

Download

GE

Gemma 2 2B

Google

2B GGUF 5.0 GB

text-generation chat

Downloaded

MI

Mistral 7B

Mistral AI

7B GGUF 4.1 GB

text-generation instruct

Download

DE

DeepSeek R1 7B

DeepSeek

7B GGUF 4.7 GB

reasoning code

Download

CO

Code Llama 7B

Meta

7B GGUF 3.8 GB

code-generation code-completion

Downloaded

Browse HuggingFace Hub

API explorer, debugging, and diagnostic tools

CUI

04


DESKTOP APPLICATION

DESKTOP APP

Tauri 2 • Rust • WebView2/WebKit

NATIVE ADVANTAGES

- ◆ **10MB binary** vs 150MB Electron
- ◆ **< 30MB memory** Efficient WebView2
- ◆ **System tray** Quick actions
- ◆ **Native dialogs** File picker, notifications
- ◆ **Auto-updates** Code-signed releases
- ◆ **Air-gapped** Works fully offline



Win / Mac / Linux





 **Chasm**
Chat System Manager

Overview

Chat

Agents

Harvest

Workspaces

Sessions

Comparison

Research

Providers

Accounts

Developer

Neutral Mode

Agents

Manage AI agents and orchestrate multi-agent swarms

Inbox 0

All Agents

SWE

OS

Network

Cyber

Web

Social

Research

Swarms

Refresh

New Agent

Agent Inbox

Mark all read

All 2

Messages 2

Permissions 2

Workflows 2



Code Review completed

Successfully reviewed 15 files with 3 suggestions

Code Reviewer

5 minutes ago

×



API Call Permission Required

Research Agent needs to call external API

Research Agent

15 minutes ago

×



Build failed

TypeScript compilation error in src/utlis/parser.ts

Build Agent

30 minutes ago

×

Multi-agent management in native desktop environment

CUI

05

MOBILE APPLICATION

MOBILE APP

React Native • Expo • iOS & Android

Overview

Overview

Your chat sessions across all providers



0

Sessions



0

Workspaces



0

Messages



0

Providers

Recent Sessions

[See All](#)

No sessions yet

[Start a Chat](#)

Quick Actions



Home



Chat



Anants



Search



More



Settings

HOME

Dashboard & stats

More

More Features

Access all ChatSessionManager capabilities



Model Comparison

Compare AI models by cost, speed & accuracy



Harvest

Import sessions from share links & sources



Providers

Manage AI provider connections & API keys



Accounts

OAuth & API key management



Research

arXiv papers, trends & saved papers



Local LLM

LAN servers & on-device inference

Quick Stats



7



4



12



2



Home



Chat



Anants



Search



More



Settings

WORKSPACES

Project browser

Local LLM



LAN Servers



On-Device



Connect to LLM servers running on your local network (same WiFi). Use your computer's IP address, not localhost.

[+ Add Server](#)[Check All](#)

Ollama

192.168.1.100:11434



● Not checked

[Test](#)[Edit](#)[Delete](#)

LM Studio

192.168.1.100:1234



● Not checked

[Test](#)[Edit](#)[Delete](#)

Llama.cpp Server

192.168.1.100:8080



● Not checked

[Test](#)[Edit](#)[Delete](#)

Home



Chat



Anants



Search



More



Settings

SESSIONS

Session list

Local LLM



LAN Servers



On-Device



Connect to LLM servers running on your local network (same WiFi). Use your computer's IP address, not localhost.

[+ Add Server](#)[Check All](#)

Ollama

192.168.1.100:11434



● Not checked

[Test](#)[Edit](#)[Delete](#)

LM Studio

192.168.1.100:1234



● Not checked

[Test](#)[Edit](#)[Delete](#)

Llama.cpp Server

192.168.1.100:8080



● Not checked

[Test](#)[Edit](#)[Delete](#)

Home



Chat



Anants



Search



More



Settings

CHAT

Conversation view

SECURITY

Face ID / Touch ID
Fingerprint auth
Offline caching
Encrypted storage

SYNC

Real-time updates
Background sync
Push notifications
Conflict resolution

PLATFORM

iOS 15+
Android 10+
Tablet optimized
Dark mode

06

VS CODE EXTENSION

IDE INTEGRATION

TypeScript • VS Code API • MCP Protocol

EXTENSION FEATURES

- ▶ Sidebar panel for sessions
- ▶ Quick session search (Ctrl+Shift+H)
- ▶ One-click harvest from workspace
- ▶ Orphaned session recovery
- ▶ Git checkpoint integration
- ▶ Context menu actions
- ▶ Status bar indicators
- ▶ MCP server auto-start

Commands

text

Chasm: Show Sessions

Ctrl+Shift+S

Chasm: Search History

Ctrl+Shift+H

Chasm: Recover Session


Ctrl+Shift+R

Chasm: Start MCP Server

Ctrl+Shift+M

Chasm: Sync Workspace

Ctrl+Shift+Y



VS Code sidebar with session tree view

07

CODE EXAMPLES

RUST API — SESSION HARVESTING

Core extraction and processing logic

src/harvest/copilot.rs

rust

```
/// Harvest sessions from GitHub Copilot Chat storage
pub struct CopilotHarvester {
    db: Arc<Database>,
    config: HarvestConfig,
}

impl SessionHarvester for CopilotHarvester {
    async fn harvest(&self, workspace: &Path) -> Result<HarvestResult> {
        let storage_path = self.locate_workspace_storage(workspace)?;
        let state_db = SqliteConnection::open(&storage_path.join("state.vscdb"))?;

        // Extract sessions from VS Code workspace storage
        let raw_sessions: Vec<RawSession> = state_db
            .query("SELECT key, value FROM ItemTable WHERE key LIKE 'workbench.panel.chat%'")
            .fetch_all()
            .await?;

        let mut result = HarvestResult::default();

        for raw in raw_sessions {
            let session = self.parse_copilot_session(&raw.value)?;

            // Deduplicate based on content hash
            if !self.db.session_exists(&session.content_hash).await? {
                self.db.insert_session(&session).await?;
                result.new_sessions += 1;
            } else {
                self.db.update_session(&session).await?;
                result.updated_sessions += 1;
            }
            result.messages += session.messages.len();
        }

        Ok(result)
    }
}
```

RUST API — SEARCH & QUERY

Full-text search with FTS5

src/search/engine.rs

rust

```
/// Full-text search across all sessions
pub async fn search_sessions(
    db: &Database,
    query: &SearchQuery,
) -> Result<Vec<SearchResult>> {
    let sql = r#"
        SELECT
            s.id, s.title, s.workspace,
            highlight(messages_fts, 0, '<mark>', '</mark>') as snippet,
            bm25(messages_fts) as score
        FROM messages_fts
        JOIN sessions s ON s.id = messages_fts.session_id
        WHERE messages_fts MATCH ?1
        ORDER BY score
        LIMIT ?2 OFFSET ?3
    "#;

    let results = sqlx::query_as::(<_, SearchResult>(sql))
        .bind(&query.text)
        .bind(query.limit)
        .bind(query.offset)
        .fetch_all(&db.pool)
        .await?;

    Ok(results)
}
```

src/api/routes.rs

rust

```
/// REST API endpoint for search
#[axum::debug_handler]
pub async fn search_handler(
    State(state): State<AppState>,
    Query(params): Query<SearchParams>,
) -> Result<Json<SearchResponse>> {
    let query = SearchQuery {
        text: params.q,
        workspace: params.workspace,
        provider: params.provider,
        date_range: params.date_range(),
        limit: params.limit.unwrap_or(20),
        offset: params.offset.unwrap_or(0),
    };

    let results = search_sessions(&state.db, &query).await?;
    let total = count_search_results(&state.db, &query).await?;

    Ok(Json(SearchResponse {
        results,
        total,
        query: params.q,
        took_ms: start.elapsed().as_millis(),
    }))
}
```

TYPESCRIPT — REACT COMPONENTS

Web application UI components

```
src/components/SessionList.tsx                                typescript

export const SessionList: React.FC<Props> = ({
  sessions,
  onSelect,
  onBatchAction,
}) => {
  const [selection, dispatch] = useReducer(
    selectionReducer,
    initialSelectionState
  );

  const handleBatchDelete = async () => {
    const ids = Array.from(selection.selectedIds);
    await api.batchDelete(ids);
    dispatch({ type: 'deselectAll' });
  };

  return (
    <div className="session-list">
      <BatchToolbar
        selectedCount={selection.selectedIds.size}
        onDelete={handleBatchDelete}
        onArchive={() => onBatchAction('archive', selection)}
        onExport={() => onBatchAction('export', selection)}
      />
      {sessions.map((session) => (
        <SessionCard
          key={session.id}
          session={session}
          isSelected={selection.selectedIds.has(session.id)}
          onToggle={() => dispatch({ type: 'toggle', id: session.id })}
          onClick={() => onSelect(session)}
        />
      ))}
    </div>
  );
};
```

```
src/components/AnnotationsPanel.tsx                          typescript

export const AnnotationsPanel: React.FC<Props> = ({
  sessionId,
  annotations,
  onUpdate,
}) => {
  const [tags, setTags] = useState<SessionTag[]>([]);
  const [notes, setNotes] = useState<SessionNote[]>([]);

  const handleAddTag = async (tag: Omit<SessionTag, 'id'>) => {
    const newTag = await api.createTag(sessionId, tag);
    setTags([...tags, newTag]);
    onUpdate?.();
  };

  const handleHighlight = async (
    messageId: string,
    range: { start: number; end: number },
    color: string
  ) => {
    await api.createHighlight(sessionId, {
      messageId,
      startOffset: range.start,
      endOffset: range.end,
      color,
    });
  };

  return (
    <div className="annotations-panel">
      <TagPicker tags={tags} onAdd={handleAddTag} />
      <NoteEditor notes={notes} onSave={handleSaveNote} />
      <HighlightList highlights={highlights} />
    </div>
  );
};
```


TYPESCRIPT — TYPE DEFINITIONS

Shared types across all platforms

chasm-shared/src/types/session.ts

typescript

```
/** Core session type — unified across all providers */
export interface ChatSession {
  id: string; // UUID v7 (time-ordered)
  title: string; // Auto-generated or user-defined
  provider: SessionProvider; // copilot | cursor | claude | ollama | ...
  workspace?: string; // Associated workspace path
  messages: ChatMessage[]; // Conversation history
  metadata: SessionMetadata; // Provider-specific data
  createdAt: number; // Unix timestamp (ms)
  updatedAt: number; // Last modification
  contentHash: string; // SHA-256 for deduplication
}

export interface ChatMessage {
  id: string;
  role: 'user' | 'assistant' | 'system';
  content: string; // Raw message content
  timestamp: number;
  model?: string; // e.g., "gpt-4", "claude-3-opus"
  tokens?: { prompt: number; completion: number };
  annotations?: MessageAnnotation[]; // Highlights, notes
}

export interface SessionTag {
  id: string;
  name: string;
  color: string; // Hex color code
  createdAt: number;
}

export type BatchOperationType = 'delete' | 'archive' | 'export' | 'tag' | 'merge';

export interface BatchOperationRequest {
  operation: BatchOperationType;
  sessionIds: string[];
  options?: Record<string, unknown>;
}
```

08

SECURITY & COMPLIANCE

SECURITY ARCHITECTURE

Defense-in-Depth Implementation

DATA PROTECTION

◆ Encryption at Rest

AES-256-GCM via SQLCipher

◆ Encryption in Transit

TLS 1.3 with mTLS option

◆ Key Management

PBKDF2 / Argon2 key derivation

◆ Secure Delete

NIST 800-88 compliant wipe

◆ Audit Logging

Immutable append-only log

ACCESS CONTROL

Role-based access (RBAC)

Session-level permissions

API key authentication

OAuth 2.0 / SAML SSO

LDAP/AD integration

COMPLIANCE FRAMEWORK

COMPLIANT

DFARS 252.227-7015

Commercial software rights

READY

FedRAMP

Moderate baseline

COMPLIANT

CMMC Level 2

CUI protection

COMPLIANT

NIST 800-171

110 controls

Air-Gapped Deploymentbash

```
# Single binary, zero network required
$ chasm api serve \
  --offline \
  --tls-cert /secure/cert.pem \
  --tls-key /secure/key.pem \
  --db /secure/chasm.db \
  --audit-log /secure/audit.log
```

DEPLOYMENT OPTIONS

From Workstation to Enterprise

STANDALONE

Single engineer workstation

```
$ chasm api serve  
Listening on https://localhost:8787
```

Zero dependencies
5MB binary
Instant startup
SQLite storage

CONTAINER

Team / department scale

```
services:  
  chasm:  
    image: ghcr.io/nervosys/chasm  
    ports:  
      - "8787:8787"  
    volumes:  
      - chasm-data:/data
```

Docker / Podman
Volume persistence
Health checks

ENTERPRISE

Organization-wide

```
$ helm install chasm \\  
  nervosys/chasm \\  
  --set replicas=3 \\  
  --set sso.enabled=true
```

Kubernetes HA
SSO / LDAP
Central audit
Multi-tenant

PLATFORM SUMMARY

Why Chasm for Defense

- ◆ **Local-First** Data never leaves your infrastructure
- ◆ **Rust Performance** Sub-millisecond queries on millions of messages
- ◆ **Universal** Every AI provider, every platform, one tool
- ◆ **Power User Tools** Annotations, templates, 40+ shortcuts
- ◆ **Zero Dependencies** Single binary, instant air-gapped deployment
- ◆ **Compliance Ready** DFARS, CMMC, FedRAMP, NIST 800-171

PLATFORM MATRIX

chasm-rust	Core API, CLI, harvesting engine
chasm-web	Browser dashboard, React 19
chasm-desktop	Native app, Tauri 2
chasm-app	Mobile, React Native
vscode-ext	IDE integration

sales@nervosys.ai

nervosys.ai/chasm



CHASM

Never Lose an AI Conversation Again

NERVOSYS LLC

Defense-Grade AI Infrastructure

The future is what we make.TM