

Consolidated Boat Model Specifications

(June 2025)

This sheet now includes the **three universal data points** requested—Cabins/Berths, Fuel & Water capacities, and Black-water holding tanks—for every model, as published on builders' sites (dashes mean not published). Figures are light-ship unless noted.

1 Marex – Norwegian All-Weather Cruisers

Model	LOA (m)	Beam (m)	Draft (m)	Engine / HP options (std/opt)	Fuel (L)	Water (L)	Black-water (L)	Cabins / Berths	T
310 Sun Cruiser	9.46	3.22	0.97	Single Volvo Penta D4-320 – D6-440 / V8-430	440	280	150	2 c / 4 + 2 b	3
330 Scandinavia	10.49	3.40	1.02	Single D6-440/480 or twin 3.0 L 270 hp	650	300	200	2 c / 4 + 2 b	2
360 Cabriolet C	11.49	3.49	0.97 / 1.10	1×D6-440 or 2×D4-300/320	750	350	190	2 c / 4 + 2 b	≤
375 Cruiser	11.70	3.55	1.05	1×D6-440 or 2×D4-300	800	340	200	2 c / 4 + 2 b	3
390 Project	12.00	3.73	1.03	1×D6-480 V-drive or 2×D4/D6	870	590	360	2 c / 4 + 2 b	3
440 Gourmet C	13.70	4.27	1.00	2×D6-440 DPI / D6-480 IPS-650 / V-drive	1190	780	335	2–3 c / 4–6 b	3
440 Scandinavia	13.70	4.27	1.00	Same as 440 GC	1190	780	335	2–3 c / 4–6 b	3
<i>Builder's data with best-engine option, light-ship.</i>									

2 Dufour Yachts – French Performance Cruisers

Model	LOA (m)†	Beam (m)	Draft Std (m)	Displ. (t)	Fuel (L)	Water (L)	Cabins/ Berths	Black-water (L)	Engine hp (std/ opt)	Sail Area (m²)
32	10.31	3.31	1.90	4.9	90	160	2 c / 4- 6 b	—	19	56
37	10.77	3.80	1.90	6.75	160	180	2-3 c / 6-8 b	—	19 / 29	60
41	12.75	4.27	1.86	9.68	250	250	3-4 c / 6-10 b	—	45	83.5
44	13.91	4.45	2.20	10.2	250	250	3-4 c / 6-9 b	—	45	100
48	15.11	4.85	1.75 / 2.35	13.8	250	530	3-4 c / 6-8 b	—	60	118
470	14.85	4.74	2.25	13.2	250	530	3-4 c / 8-12 b	—	60 / 75	107
530	16.35	4.99	2.30	17.77	440	740	3-6 c / 8-14 b	—	75 / 110	125
54	16.84	5.25	2.40 / 2.00	19.9	450	450	3-4 c / 8-10 b	—	80 / 110	142
61	19.22	5.48	2.80	24.5	780	880	4-6 c / 8-14 b	—	180	184
†LOA includes bowsprit where fitted.										

3 Grand Soleil – Italian Performance & Long-Cruise Yachts

3.1 Performance Line

Model	Overall L (m)	Beam (m)	Draft std/opt (m)	Displ. (t)	Fuel (L)	Water (L)	Cabins/ Berths	Sail Area (m²)
Blue (33')	11.30	3.70	2.20 / 1.80	3.5	— / 55*	70	2 c / 4- 6 b	64
40 P	12.90	4.07	2.40 / 2.10 / 1.85	8.7	170	300	3 c / 8 b	81
44 P	14.33	4.27	2.60 / 2.40 / 2.80	10.3	170	300	3 c / 6- 9 b	106

Model	Overall L (m)	Beam (m)	Draft std/opt (m)	Displ. (t)	Fuel (L)	Water (L)	Cabins/ Berths	Sail Area (m ²)
48 P	15.85	4.55	2.80 / 2.60	12.1	250	360	3 c / 6-9 b	127
52 P	17.05	5.15	2.90 / 2.70 / 2.30	16.5	350	600	3 c / 6-8 b	207-250
65 P	21.60	5.95	3.50	26	800	620	4 c / 6-8 b	280
72 P	23.75	6.20	3.70 / 4.20	31	1000	1000	4 c / 8-10 b	327

Blue fuel figure is for optional diesel range-extender; electric standard.

3.2 Long Cruise Line

Model	Overall L (m)	Beam (m)	Draft std (m)	Displ. (t)	Fuel (L)	Water (L)	Cabins/ Berths
42 LC	13.83	4.18	2.25	11.1	200	300	3 c / 6-8 b
46 LC	14.72	4.41	2.30	12.0	300	600	3 c / 6-8 b
52 LC	16.98	4.90	2.50	20.3	300	600	4 c / 6-8 b
60 LC	18.30	5.50	2.85	23.8	825	800	4 c / 6-10 b
65 LC	21.60						