NestedFlow Automation Case Study 1: API Testing

Creation Date: 10/30/2023


Table Of Contents

ntroduction	1
Example: https://dummy.restapiexample.com	
STEP 1: API Call	
STEP 2: Beautify JSON	
STEP 3: Code to Process Data	
STEP 4: Save Data	
Execution And Results	9

Introduction

This document describes the integration of API testing blocks with coding blocks to process the output of API tests. This will help build a proper API framework.

Example: https://dummy.restapiexample.com




The API response is a JSON which has data about multiple fake members.

The target here is to parse the JSON output and get all Names, Salary and age from the output.

STEP 1: API Call




Right click on the component and click Add HTTP API Test option




Enter Method, URL, Accept Type etc. as shown above. Click on Create button

Now right click on the component and click on Add Pass Parameter Name




Enter the parameter name and click on ${\bf Ok}$ button.




STEP 2: Beautify JSON

The API output will always be unformatted and it is difficult to read it. Hence, it becomes necessary to format the data.



Choose the Beautify JSON component from the **Other Controls** component section and drag to draw panel. Click on the component and double click on Code/Data Path property and enter {:APIOUTPUT} which is the pass parameter created in last step. Also, right click on the component and add a pass parameter and assign the same parameter.

After the execution, the JSON will get converted to beautified string:



STEP 3: Code to Process Data


```
using System;
using System.Xml;
using System.Data;
using System.Data.SqlClient;
using System.Windows.Forms;
using System.Drawing;
using System.IO;
using Newtonsoft.Json.Ling;
using Newtonsoft.Json;
using Microsoft.CSharp;
namespace NSUpdateTable
  public class CSUpdateTable
   public static void Main()
   public static DataTable UpdateTable(DataTable T1, string s1, string s2, string s3, string s4, ref string s5, string s6)
      DataTable RES = new DataTable();
      RES.Columns.Add("employee_name");
RES.Columns.Add("employee_salary");
      RES.Columns.Add("employee_age");
        string jsonbeautify = s5;
        var obj1 = JObject.Parse(jsonbeautify);
        JArray items = (JArray)obj1["data"];
        int dcount =items.Count;
        for(int i=0;i<dcount;i++)</pre>
          DataRow DR = RES.NewRow();
          DR["employee_name"] = obj1["data"][i]["employee_name"].ToString();
           DR["employee_salary"] = obj1["data"][i]["employee_salary"].ToString();
           DR["employee_age"] = obj1["data"][i]["employee_age"].ToString();
           RES.Rows.Add(DR);
        File.AppendAllText(s6,"Successful" + "\r\n");
      catch(Exception E)
        MessageBox.Show(E.Message);
        File.AppendAllText(s6,"ERROR: "+ E.Message + "\r\n");
      return (RES);
    }
```

```
| Control | Cont
```

Need to add Micosoft.CSharp.dll, Newtonsoft.Json.Dll and netstandard.dll in references and if any of these dlls not present then add them to %APPDATA% /one/CoreApp folder

STEP 4: Save Data


Save the data generated by the code to a data table





Execution And Results

When the flow execution completes, check the RESULTEXTRACT data table in the Result Grid



We can also make the data to be saved in Excel/XML or Text files as well.

