

Практическая OAuth

Для начала скачаем библиотеку

```
nasya@DESKTOP-4RHHVK2 MINGW64 /e/Repositories/rgpu_/sem/Программирование/Практическая oauth/mysite
$ pip install django-allauth
Collecting django-allauth
  Using cached django_allauth-65.3.1.tar.gz (1.5 MB)
```

Добавим в приложения:

```
INSTALLED_APPS = [
    'django.contrib.admin',
    'django.contrib.auth',
    'django.contrib.contenttypes',
    'django.contrib.sessions',
    'django.contrib.messages',
    'django.contrib.staticfiles',
    'django.contrib.sites',
    'allauth',
    'allauth.account',
    'allauth.socialaccount',
    'allauth.socialaccount.providers.google',
    'polls',
    'users',
]
```

```
MIDDLEWARE = [  
    'django.middleware.security.SecurityMiddleware',  
    'django.contrib.sessions.middleware.SessionMiddleware',  
    'django.middleware.common.CommonMiddleware',  
    'django.middleware.csrf.CsrfViewMiddleware',  
    'django.contrib.auth.middleware.AuthenticationMiddleware',  
    'django.contrib.messages.middleware.MessageMiddleware',  
    'django.middleware.clickjacking.XFrameOptionsMiddleware',  
    'allauth.account.middleware.AccountMiddleware',  
]
```

Обновим основной urls.py

```
Программирование > Практическая оаuth > mysite > mysite > urls.py > ...  
1 from django.contrib import admin  
2 from django.urls import path, include  
3  
4 urlpatterns = [  
5     path('admin/', admin.site.urls),  
6     path('', include('polls.urls')),  
7     path('users/', include('users.urls')),  
8     path('accounts/', include('allauth.urls')),  
9 ]
```

И обновим login.html, чтобы можно было войти через google

```

    <label for="username" class="form-label">Имя пользователя</label>
    <input type="text" class="form-control" id="username" name="username" required>
  </div>
  <div class="mb-3">
    <label for="password" class="form-label">Пароль</label>
    <input type="password" class="form-control" id="password" name="password" required>
  </div>
  <button type="submit" class="btn btn-primary w-100">Войти</button>
</form>
<div class="text-center mt-4">
  <p>Или войдите через:</p>
  <div class="d-grid gap-2">
    <a href="{% provider_login_url 'google' %}" class="btn btn-danger">
      <i class="fab fa-google"></i> Google
    </a>
  </div>
</div>

<div class="text-center mt-3">
  <p>Нет аккаунта? <a href="{% url 'users:register' %}">Зарегистрируйтесь</a></p>
</div>
</div>
</div>

```

Создаем проект в google cloud

 Start your Free Trial with \$300 in credit. Don't worry—you won't be charged if you run out of credits. [Learn more](#)

DISMISS [START FREE](#)

Google Cloud

Search (/) for resources, docs, products, and more

 Search

   

Secure your account and protect your data by turning on multi-factor authentication. Add an extra layer of security today. [LEARN MORE](#) 

New Project

 You have 8 projects remaining in your quota. Request an increase or delete projects. [Learn more](#)

[MANAGE QUOTAS](#)

Project name *

My Project 39464 

Project ID: positive-epoch-446813-g0. It cannot be changed later. [EDIT](#)

Location *

 No organization [BROWSE](#)

Parent organization or folder

[CREATE](#) [CANCEL](#)

API APIs & Services 	OAuth consent screen	Learn
 Enabled APIs & services  Library  Credentials  OAuth consent screen  Page usage agreements	 OAuth consent screen management is changing. This page has been replaced with a new, easier-to-use experience. The current pages will only be available for a few more days. GO TO NEW EXPERIENCE Choose how you want to configure and register your app, including your target users. You can only associate one app with your project. User Type ☐ Internal  Only available to users within your organization. You will not need to submit your app for verification. Learn more about user type ☒ External  Available to any test user with a Google Account. Your app will start in testing mode and will only be available to users you add to the list of test users. Once your app is ready to push to production, you may need to verify your app. Learn more about user type CREATE  Let us know what you think about our OAuth experience	Google OA What is the What are O/ What are se What are re The app re What inform Will my app What if I do How long d How many i Domain ver What else s

who you are and contact you

App name *

MyDjango Poll App

The name of the app asking for consent

User support email *

kosmd25@gmail.com

For users to contact you with questions about their consent.

[Learn more](#)

App logo

This is your logo. It helps people recognize your app and is displayed on the OAuth consent screen.

After you upload a logo, you will need to submit your app for verification unless the app is configured for internal use only or has a publishing status of "Testing". [Learn more](#)

Logo file to upload

[BROWSE](#)

Upload an image, not larger than 1MB on the consent screen that will help users recognize your app. Allowed image formats are JPG, PNG, and BMP. Logos should be square and 120px by 120px for the best results.

App domain

To protect you and your users, Google only allows apps using OAuth to use Authorized Domains. The following information will be shown to your users on the consent screen.

Application home page

http://localhost:8000

Provide users a link to your home page

Application privacy policy link

http://localhost:8000/privacy

Provide users a link to your public privacy policy

Application terms of service link

http://localhost:8000/terms

Provide users a link to your public terms of service

Authorized domains

When a domain is used on the consent screen or in an OAuth client's configuration, it must be pre-registered here. If your app needs to go through verification, please go to the [Google Search Console](#) to check if your domains are authorized. [Learn more](#) about the authorized domain limit.

[+ ADD DOMAIN](#)

Developer contact information

Email addresses *

kosmd25@gmail.com 

These email addresses are for Google to notify you about any changes to your project.

[SAVE AND CONTINUE](#)

CANCEL

Добавляем scopes

Services

Edit app

& services

OAuth consent screen

Agreements

Scope app a from

Only scopes for enabled APIs are listed below. To add a missing scope to this screen, find and enable the API in the [Google API Library](#) or use the Pasted Scopes text box below. Refresh the page to see any new APIs you enable from the Library.

Filter Enter property name or value

API	Scope	User-facing description
☒	.../auth/userinfo.email	See your primary Google Account email address
☒	.../auth/userinfo.profile	See your personal info, including any personal info you've made publicly available
☐	openid	Associate you with your personal info on Google
☐ Analytics Hub API	.../auth/bigquery	View and manage your data in Google BigQuery and see the email address for your Google Account
☐ Analytics Hub API	.../auth/cloud-platform	See, edit, configure, and delete your Google Cloud data and see the email address for your Google Account.

Создаем credentials

Google Cloud

My Project 39464

Search (/) for resources, docs, products, a...

Search

1

?

n

APIs & Services

Enabled APIs & services

Library

Credentials

OAuth consent screen

Page usage agreements

Credentials

+ CREATE CREDENTIALS

DELETE

RESTORE DELETED CREDENTIALS

Create credentials to access your project

API Keys

☐ Name

No API keys to display

OAuth 2.0 Client IDs

☐ Name

Creation date

Type

Client ID

Actions

No OAuth clients to display

Service Accounts

[Manage service accounts](#)

☐ Email

Name

Actions

No service accounts to display

API key

Identifies your project using a simple API key to check quota and access

OAuth client ID

Requests user consent so your app can access the user's data

Service account

Enables server-to-server, app-level authentication using robot accounts

Help me choose

Asks a few questions to help you decide which type of credential to use

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *

Web application

Name *

Polls app

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.



The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins ?

For use with requests from a browser

URIs 1 *

http://localhost:8000

+ ADD URI

Authorized redirect URIs ?

For use with requests from a web server

URIs 1 *

http://localhost:8000/accounts/google/login/callback/



+ ADD URI

Note: It may take 5 minutes to a few hours for settings to take effect

CREATE

CANCEL

OAuth client created

The client ID and secret can always be accessed from Credentials in APIs & Services



OAuth access is restricted to the [test users](#)  listed on your [OAuth consent screen](#)

Client ID

Id: 700... app
s.googleusercontent.com

Client secret

CONFIDENTIAL

Creation date

January 4, 2025 at 5:13:05 PM GMT+3

Status

✓ Enabled

 [DOWNLOAD JSON](#)

OK

Добавляем в приложение

Start typing to filter...

ACCOUNTS

Email addresses + Add

AUTHENTICATION AND AUTHORIZATION

Groups + Add

Users + Add

POLLS

Questions + Add

SITES

Sites + Add

SOCIAL ACCOUNTS

Social accounts + Add

Social application tokens + Add

Social applications + Add

Add social application

Provider: Google

Provider ID:

Name: Google OAuth

Client id: [REDACTED]
App ID, or consumer key

Secret key: [REDACTED]
API secret, client secret, or consumer secret

Key:
Key

Settings:

0

Sites:

Available sites ⓘ

Filter

example.com

Chosen sites ⓘ

Filter

localhost:8000

Choose all ⓘ

Remove all ⓘ

Hold down "Control", or "Command" on a Mac, to select more than one.

SAVE

Save and add another

Save and continue editing

Вход

Имя пользователя

Пароль

Войти

Или войдите через:

Google

Нет аккаунта? [Зарегистрируйтесь](#)

Menu:

- [Change Email](#)
- [Change Password](#)
- [Account Connections](#)
- [Sign Out](#)

Sign In Via Google

You are about to sign in using a third-party account from Google.

Continue

 Войдите в аккаунт Google

Выберите аккаунт

для перехода в приложение "MyDjango Poll App"



nestessia8

kosmd25@gmail.com



Anastasia Kruchkova

anastasia.kruchkova@tblondi.com



Сменить аккаунт

Прежде чем начать работу с приложением "MyDjango Poll App", вы можете ознакомиться с его [политикой конфиденциальности](#) и [условиями использования](#).

Русский



зашло успешно

[Опросы](#) [Главная](#) [Создать опрос](#)

nestessia8 [Выйти](#)

Successfully signed in as nestessia8.



Опросы