

UNIVERSIDAD AUTONOMA DE CHIAPAS

## ANALISIS DE VULNERABILIDADES

ACT. 1.5 PRACTICA I.- INSTALAR EL SERVIDOR WEB Y CREAR UNA PÁGINA  
WEB CON REACT

ALUMNO:  
ZEA HERNANDEZ NESTOR HORACIO  
A200727

CATEDRATICO  
MTRO. LUIS GUTIERREZ ALFARO

SEPTIMO SEMESTRE GRUPO "M"

TUXTLA GUTIÉRREZ, CHIAPAS  
21/08/23

```
Símbolo del sistema
Microsoft Windows [Versión 10.0.19044.2604]
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\nesto>cd C:\Users\nesto\Desktop\react

C:\Users\nesto\Desktop\react>
```

```
C:\Windows\system32\cmd.exe

C:\Users\nesto\Desktop\react>npm cache clean --force
npm WARN using --force Recommended protections disabled.

C:\Users\nesto\Desktop\react>npm uninstall -g create-react-app

up to date in 1s

C:\Users\nesto\Desktop\react>npm install -g create-react-app
npm WARN deprecated tar@2.2.2: This version of tar is no longer supported, and will not receive security updates. Please
upgrade asap.

added 67 packages in 6s

5 packages are looking for funding
  run 'npm fund' for details

npm notice
npm notice New minor version of npm available! 9.6.7 -> 9.8.1
npm notice Changelog: https://github.com/npm/cli/releases/tag/v9.8.1
npm notice Run npm install -g npm@9.8.1 to update!
npm notice

C:\Users\nesto\Desktop\react>npm create-react-app 7m
```

```
Símbolo del sistema

npm audit fix --force

Run 'npm audit' for details.

Success! Created 7m at C:\Users\nesto\Desktop\react\7m
Inside that directory, you can run several commands:

  npm start
    Starts the development server.

  npm run build
    Bundles the app into static files for production.

  npm test
    Starts the test runner.

  npm run eject
    Removes this tool and copies build dependencies, configuration files
    and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

  cd 7m
  npm start

Happy hacking!

C:\Users\nesto\Desktop\react>cd 7m

C:\Users\nesto\Desktop\react\7m>
```

```
Símbolo del sistema

Microsoft Windows [Versión 10.0.19044.2604]
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\nesto>cd C:\Users\nesto\Desktop\react

C:\Users\nesto\Desktop\react>npm create-react-app 7m
npm ERR! code ENOENT
npm ERR! syscall lstat
npm ERR! path C:\Users\nesto\AppData\Roaming\npm
npm ERR! errno -4058
npm ERR! enoent ENOENT: no such file or directory, lstat 'C:\Users\nesto\AppData\Roaming\npm'
npm ERR! enoent This is related to npm not being able to find a file.
npm ERR! enoent

npm ERR! A complete log of this run can be found in: C:\Users\nesto\AppData\Local\npm-cache\_logs\2023-08-22T04_42_31_14
%Z-debug-0.log

C:\Users\nesto\Desktop\react>
```

```
Símbolo del sistema

To address all issues (including breaking changes), run:
  npm audit fix --force

Run 'npm audit' for details.

Success! Created 7m at C:\Users\nesto\Desktop\react\7m
Inside that directory, you can run several commands:

  npm start
    Starts the development server.

  npm run build
    Bundles the app into static files for production.

  npm test
    Starts the test runner.

  npm run eject
    Removes this tool and copies build dependencies, configuration files
    and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

  cd 7m
  npm start

Happy hacking!

C:\Users\nesto\Desktop\react>
```

```
C:\Windows\system32\cmd.exe

Inside that directory, you can run several commands:

  npm start
    Starts the development server.

  npm run build
    Bundles the app into static files for production.

  npm test
    Starts the test runner.

  npm run eject
    Removes this tool and copies build dependencies, configuration files
    and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

  cd 7m
  npm start

Happy hacking!

C:\Users\nesto\Desktop\react>cd 7m

C:\Users\nesto\Desktop\react\7m>npm start

> 7m@0.1.0 start
> react-scripts start
```

```
Windows PowerShell


Compiled successfully!

You can now view 7m in the browser.

  Local:            http://localhost:3000
  On Your Network:  http://192.168.67.1:3000

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully
```





Néstor Horacio Zea Hernández

Tengo 20 años de edad, cursando el 7° semestre de la carrera de LIDTS en mi bella Autonomous University of Chiapas