


Docker hub



https://hub.docker.com/_/redis

Redis 설치

```
→ ~ docker pull redis:6.2
6.2: Pulling from library/redis
fcdb9667c46b: Pull complete
ff36e2ab45d9: Pull complete
3af6a39a85bb: Pull complete
b9246fb7fcf0: Pull complete
253f059bda99: Pull complete
47bcf75014f2: Pull complete
Digest: sha256:09fa1f52ad0cc05590a837eb787799bd768074e6566f53c7a8399243cad456b4
Status: Downloaded newer image for redis:6.2
docker.io/library/redis:6.2
```

Redis 설치

2 Redis

\$ docker images

redis TAG

redis 6.2

IMAGE ID CREATED SIZE 32584f3fbaf0 2 weeks ago 107MB

\$ docker run --rm [IMAGE:VERSION]

```
~ docker run --rm -it redis:6.2
1:C 09 Apr 2023 12:45:37.499 # o000o000o000 Redis is starting o000o000o000
1:C 09 Apr 2023 12:45:37.499 # Redis version=6.2.11, bits=64, commit=00000000, modified=0, pid=1, just started
1:C 09 Apr 2023 12:45:37.499 # Warning: no config file specified, using the default config. In order to specify
1:M 09 Apr 2023 12:45:37.499 * monotonic clock: POSIX clock_gettime
                                        Redis 6.2.11 (00000000/0) 64 bit
                                        Running in standalone mode
                                        Port: 6379
                                        PID: 1
                                             https://redis.io
1:M 09 Apr 2023 12:45:37.500 # Server initialized
1:M 09 Apr 2023 12:45:37.502 * Ready to accept connections
```

\$ docker run --rm -it -d [IMAGE:VERSION]

```
→ ~ docker run --rm -it -d redis:6.2
6d823604d6b1b7c9f67d42c137939e3d16c693f49ef6012e7a79e6614b5aa16a
```

컨테이너 조회

2 Redis

\$ docker ps

CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS ... 6d823604d6b1 redis:6.2 "docker-entrypoint.s..." About a minute ago Up About a minute 6379/tcp

```
→ ~ docker run --rm -it -d redis:6.2
6d823604d6b1<mark>p7c9f67d42c137939e3d16c693f49ef6012e7a79e6614b5aa16a</mark>
```

Redis 실행

2 Redis

\$ docker run --rm -it -d -p [PORT: PORT] [IMAGE:VERSION]


```
→ ~ docker run --rm -it -d -p 6379:6379 redis:6.2
5ba3b0c82e46dd03b42e0767df25b00c8cb829aaet7962d86250726c6d91634d
```

Redis 실행

2 Redis

\$ docker run --rm -it -d -p [PORT: PORT] [IMAGE:VERSION]

→ ~ docker run --rm -it -d -p 6379:6379 redis:6.2
5ba3b0c82e46dd03b42e0767df25b00c8cb829aae+7962d86250726c6d91634d



Redis 컨테이너 종료

Redis

\$ docker kill [Container ID]

CONTAINER ID **IMAGE** 6d823604d6b1 redis:6.2

COMMAND "docker-entrypoint.s..." About a minute ago Up About a minute 6379/tcp

CREATED

STATUS

PORTS

\$ docker kill 6d823604d6b1

6d823604d6b1

실습