



# Creating and managing volumes for Azure NetApp Files

## Cloud Manager

Ben Cammett  
September 01, 2020

This PDF was generated from [https://docs.netapp.com/us-en/occm/task\\_manage\\_anf\\_volumes.html](https://docs.netapp.com/us-en/occm/task_manage_anf_volumes.html) on November 10, 2020. Always check docs.netapp.com for the latest.

# Table of Contents

- Creating and managing volumes for Azure NetApp Files..... 1
  - Creating volumes ..... 1
  - Mounting volumes ..... 2
  - Editing a volume’s size and tags ..... 3
  - Managing Snapshot copies..... 3
  - Deleting volumes ..... 3
- Removing Azure NetApp Files..... 4

# Creating and managing volumes for Azure NetApp Files


After you set up your working environment, you can create and manage Azure NetApp Files accounts, capacity pools, volumes, and snapshots.

## Creating volumes

You can create NFS or SMB volumes in a new or existing Azure NetApp Files account.

### Steps

1. Open the Azure NetApp Files working environment.
2. Click **Add New Volume**.
3. Provide the required information on each page:
  - **Azure NetApp Files Account:** Choose an existing Azure NetApp Files account or create a new account.



The screenshot shows the 'Azure NetApp Files Account' configuration page. At the top, it says 'Choose an Azure NetApp Files account:' with two radio buttons: 'Select existing account' and 'Create new account'. The 'Create new account' option is selected. Below this, there are four input fields arranged in a 2x2 grid. The top-left field is 'Account Name' with the value 'anf1'. The top-right field is 'Location' with a dropdown menu showing 'West US'. The bottom-left field is 'Azure Subscription' with a dropdown menu showing 'OCCM Dev'. The bottom-right field is 'Resource Group' with two radio buttons: 'Create new' (selected) and 'Use existing'. Below the 'Resource Group' radio buttons is a text input field for 'Resource Group Name' with the value 'anf'.

- **Capacity Pool:** Select an existing capacity pool or create a new capacity pool.

If you create a new capacity pool, you need to specify a size and select a [service level](#).

The minimum size for the capacity pool is 4 TB. You can specify a size in multiples of 4 TB.

- **Details & Tags:** Enter a volume name and size, the VNet and subnet where the volume should

reside, and optionally specify tags for the volume.

- **Protocol:** Choose the NFS or SMB protocol and enter the required information.

Here's an example of details for NFS.

The screenshot shows the 'Protocol' configuration page. At the top, the title 'Protocol' is centered. Below it, a section titled 'Select the volume's protocol:' has two radio buttons: 'NFS Protocol' (selected) and 'SMB Protocol'. Under 'NFS Protocol', there are two main sections. The left section, 'Volume Path', has a text input field containing 'vol1'. Below it, 'Select NFS Version:' has two checkboxes: 'NFSv3' (checked) and 'NFSv4.1'. The right section, 'Allowed Client & Access', has a header with a help icon. It contains two rows of configuration. Each row has a text input for the client IP (both containing '192.168.1.22/24') and two radio buttons for access: 'Read & Write' (selected) and 'Read Only'. Each row also has a close 'X' button.

Here's an example of details for SMB. You'll need to provide Active Directory information when you set up your first SMB volume.

The screenshot shows the 'Protocol' configuration page. At the top, the title 'Protocol' is centered. Below it, a section titled 'Select the volume's protocol:' has two radio buttons: 'NFS Protocol' and 'SMB Protocol' (selected). Under 'SMB Protocol', there are two main sections. The left section, 'Protocol', has a 'Share Name' text input field containing 'vol1'. The right section, 'Active Directory', has a text instruction: 'Choose an Active Directory connection joined to your Azure NetApp Files account'. Below this is a dropdown menu labeled 'Active Directory' with 'ActiveDirectory1' selected.

4. Click **Add Volume**.


## Mounting volumes

Access mounting instructions from within Cloud Manager so you can mount the volume to a host.

### Steps

1. Open the working environment.

2. Hover over the volume and select **Mount the volume**.



3. Follow the instructions to mount the volume.

## Editing a volume's size and tags

After you create a volume, you can modify its size and tags at any time.

### Steps

1. Open the working environment.
2. Hover over the volume and select **Edit**.
3. Modify the size and tags as needed.
4. Click **Apply**.

## Managing Snapshot copies

Snapshot copies provide a point-in-time copy of your volume. Create Snapshot copies, restore the data to a new volume, and delete Snapshot copies.

### Steps

1. Open the working environment.
2. Hover over the volume and choose one of the available options to manage Snapshot copies:
  - **Create a Snapshot copy**
  - **Restore to a new volume**
  - **Delete a Snapshot copy**
3. Follow the prompts to complete the selected action.

## Deleting volumes

Delete the volumes that you no longer need.

### Steps


1. Open the working environment.
2. Hover over the volume and click **Delete**.
3. Confirm that you want to delete the volume.

## Removing Azure NetApp Files

This action removes Azure NetApp Files from Cloud Manager. It doesn't delete your Azure NetApp Files account or volumes. You can add Azure NetApp Files back to Cloud Manager at any time.

### Steps

1. Open the Azure NetApp Files working environment.
2. At the top right of the page, select the actions menu and click **Remove Azure NetApp Files**.



3. Click **Remove** to confirm.

## Copyright Information

Copyright © 2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.