



Important changes in Cloud Manager

Cloud Manager

Ben Cammett

September 22, 2020

This PDF was generated from https://docs.netapp.com/us-en/occm/reference_key_changes.html on November 10, 2020. Always check docs.netapp.com for the latest.

Table of Contents

- Important changes in Cloud Manager 1
 - SaaS changes 1
 - Machine type changes 1
 - Account settings 1
 - New permissions 2
 - New endpoints 3

Important changes in Cloud Manager

This page highlights important changes in Cloud Manager that can help you use the service as we introduce new enhancements. You should continue to read the [What's new](#) page to learn about all new features and enhancements.

SaaS changes

We have introduced a software-as-a-service experience for Cloud Manager. This new experience makes it easier for you to use Cloud Manager and enables us to provide additional features to manage your hybrid cloud infrastructure.

- [Cloud Manager transition to SaaS](#)
- [Learn how Cloud Manager works](#)

Machine type changes

To ensure that adequate resources are available for new and upcoming features in Cloud Manager, we've changed the minimum required instance, VM, and machine type as follows:

- AWS: t3.xlarge
- Azure: DS3 v2
- GCP: n1-standard-4

When you upgrade the machine type, you'll get access to features like a new Kubernetes experience, Global File Cache, Monitoring, and more.

These default sizes are the minimum supported [based on CPU and RAM requirements](#).

Cloud Manager will prompt you with instructions to change the machine type of the Connector.

Account settings

We introduced Cloud Central accounts to provide multi-tenancy, to help you organize users and resources in isolated workspaces, and to manage access to Connectors and subscriptions.

- [Learn about Cloud Central accounts: users, workspaces, Connectors, and subscriptions](#)
- [Learn how to get started with your account](#)
- [Learn how to manage your account after you set it up](#)

New permissions

Cloud Manager occasionally requires additional cloud provider permissions as we introduce new features and enhancements. This section identifies new permissions that are now required.

You can find the latest list of permissions on the [Cloud Manager policies page](#).

AWS

Starting with the 3.8.1 release, the following permissions are required to use Backup to Cloud with Cloud Volumes ONTAP. [Learn more](#).

```
{
  "Sid": "backupPolicy",
  "Effect": "Allow",
  "Action": [
    "s3:DeleteBucket",
    "s3:GetLifecycleConfiguration",
    "s3:PutLifecycleConfiguration",
    "s3:PutBucketTagging",
    "s3:ListBucketVersions",
    "s3:GetObject",
    "s3:ListBucket",
    "s3:ListAllMyBuckets",
    "s3:GetBucketTagging",
    "s3:GetBucketLocation",
    "s3:GetBucketPolicyStatus",
    "s3:GetBucketPublicAccessBlock",
    "s3:GetBucketAcl",
    "s3:GetBucketPolicy",
    "s3:PutBucketPublicAccessBlock"
  ],
  "Resource": [
    "arn:aws:s3:::netapp-backup-*"
  ]
},
```

Azure

- To avoid Azure deployment failures, make sure that your Cloud Manager policy in Azure includes the following permission:

```
"Microsoft.Resources/deployments/operationStatuses/read"
```

- Starting with the 3.8.7 release, the following permission is required to encrypt Azure managed disks on single node Cloud Volumes ONTAP systems using external keys from another account. [Learn more.](#)

```
"Microsoft.Compute/diskEncryptionSets/read"
```

- The following permissions are required to enable Global File Cache on Cloud Volumes ONTAP. [Learn more.](#)

```
"Microsoft.Resources/deployments/operationStatuses/read",  
"Microsoft.Insights/Metrics/Read",  
"Microsoft.Compute/virtualMachines/extensions/write",  
"Microsoft.Compute/virtualMachines/extensions/read",  
"Microsoft.Compute/virtualMachines/extensions/delete",  
"Microsoft.Compute/virtualMachines/delete",  
"Microsoft.Network/networkInterfaces/delete",  
"Microsoft.Network/networkSecurityGroups/delete",  
"Microsoft.Resources/deployments/delete",
```

GCP

New permissions for Kubernetes management

Starting with the 3.8.8 release, the service account for a Connector requires the following permissions to discover and manage Kubernetes clusters running in Google Kubernetes Engine (GKE):

```
- container.*
```

New permissions for data tiering

Starting with the 3.8 release, the following permissions are required to use a service account for data tiering. [Learn more.](#)

```
- storage.buckets.update  
- compute.instances.setServiceAccount  
- iam.serviceAccounts.getIamPolicy  
- iam.serviceAccounts.list
```

New endpoints

The Connector requires outbound internet access to manage resources and processes within your

public cloud environment. This section identifies new endpoints that are now required.

You can find the [full list of endpoints accessed from your web browser here](#) and the [full list of endpoints accessed by the Connector here](#).

- Users need to access Cloud Manager from a web browser by contacting the following endpoint:

`https://cloudmanager.netapp.com`

- Connectors require access to the following endpoint to obtain software images of container components for a Docker infrastructure:

`https://cloudmanagerinfraproduct.azurecr.io`

Ensure that your firewall enables access to this endpoint from the Connector.

Copyright Information

Copyright © 2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.