






















s_Lactiplantibacillus.plantarum


0.025
0.020
0.015
0.010
0.005
0.000


FDR: 1.944e-01
Coefficient: -2.31e+00
Value: Non_RA


RA (n=43)

Non_RA (n=34)

diagnosis







s_Streptococcus.oralis_F.1

2e-04

1e-04

0e+00

RA (n=43)


Non_RA (n=34)

diagnosis

FDR: 1.970e-01

Coefficient: -1.28e+00

Value: Non_RA




s_Haemophilus_D.sp900756875


FDR: 2.126e-01
Coefficient: 2.11e+00
Value: Non_RA


RA (n=43)

Non_RA (n=34)

diagnosis







s__Veillonella.sp018367495

FDR: 2.263e-01
Coefficient: 1.47e+00
Value: Non_RA

1e-04


5e-05

0e+00

RA (n=43)


Non_RA (n=34)


diagnosis




s_Lancefieldella.sp000564995.2


FDR: 2.306e-01
Coefficient: 6.91e-01
Value: Non_RA





Value: Non_RA





s_Lactaciseibacillus.paracasei

FDR: 2.454e-01
Coefficient: -2.14e+00
Value: Non_RA

0.006

0.004

0.002

0.000

RA (n=43)

Non_RA (n=34)

diagnosis

