


Network Segregation – Logical Layout

Last Revised: 01.23.2009


Main Cadillac Network



City of Cadillac

City Garage Network Diagram

Rev. 01.23.2009



Network Documentation Prepared By:

**Terrapin Networks**
Where IT Makes Sense


Traverse City, Michigan
231.941.2100

www.terrapiinIT.com
877.815.2100

City of Cadillac

Collections Plant Network Diagram

Rev. 01.23.2009



Network Documentation Prepared By:

Terrapin Networks
Where IT Makes Sense

Traverse City, Michigan
231.941.2100


www.terrapiⁿIT.com
877.815.2100

City of Cadillac

Waste Water Treatment Plant Network

Diagram

Rev. 01.23.2009



Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapinIT.com
877.815.2100

How To... Manage various City of Cadillac Network Devices

Last Revised: 01.23.2009

Device	Private IP Address	Public IP Address	How To Manage It
DCServer	192.168.10.5		VI Client, RDC internally, or RDC connection to DC-Cadillac.Cadillac-MI.net
AppServer	192.168.10.6	N/A	VI Client or RDC internally
LDBServer	192.168.10.7	N/A	VI Client or RDC internally
LWWServer	192.168.10.8	97.83.113.77	VI Client, RDC internally, or RDC connection to WebServer.Cadillac-MI.net
MXServer	192.168.10.9	97.83.113.76	VI Client, RDC internally, or RDC connection to MX-Cadillac.Cadillac-MI.net
ViServer	192.168.10.10	N/A	Local Console or VI Client
VCServer	192.168.10.11	97.83.113.75	Local Console, RDC internally, or RDC connection to vc.Cadillac-MI.net
DocuServer	192.168.10.15	N/A	Local Console or RDC internally
Vision	192.168.10.16	97.83.113.74	Local Console, RDC internally, or RDC connection to vision.Cadillac-MI.net
LTSTServer	192.168.10.17	N/A	Vmware Console(Vserver) or RDC internally
StorServer	192.168.10.18	N/A	Local Console or RDC internally
TSServer	192.168.10.19	97.83.113.73	VI Client, RDC internally, or RDC connection to tsserver.Cadillac-MI.net
AdminWS	192.168.10.219	97.83.113.72	Local Console, RDC internally, or RDC connection to adminws.Cadillac-MI.net
Cisco Catalyst 3560G	192.168.10.245	N/A	HTTPS to IP, Telnet, or serial connection
CHtoWWTP Cisco 1720	192.168.10.249	N/A	Telnet or Serial Connection
Linksys SRW2024	192.168.10.254	N/A	HTTPS to IP from VLAN100 (Management VLAN)
3Com Switches	192.168.10.252 and 253	N/A	HTTP to either switch IP
Cadillac-SBS	10.0.2.7	97.83.113.78	Local Console, RDC internally, or RDC connection to CouncilWeb.Cadillac-MI.net
Aironet 1130AG	10.0.2.249	N/A	RDC connection from Cadillac-SBS or Telnet from My Laptop from the "Main" Network*
D-Link DI-604	10.0.2.254	N/A	
Cisco WLC2006	10.0.4.30	N/A	HTTPS to 10.0.4.30 or serial connection
WWTPtoCH Cisco 1841	10.0.5.250	N/A	Telnet or Serial Connection
* Public address is translated via Static NAT			
** Dynamic PAT Address for all non-Static NAT devices			

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapiⁿIT.com
877.815.2100

City of Cadillac

Domain Registration & DNS Details

Rev. 01.23.2009

Cadillac-Mi.net Domain Registration Details

Administrative Contact:
Terrapin Networks
Timothy Gillen (terrapin@terrapinit.com)
+1.2319412100
Fax: +1.2319412100
1305 E. Eighth St.
Traverse City, MI 49686
US

Technical Contact:
Terrapin Networks
Timothy Gillen (terrapin@terrapinit.com)
+1.2319412100
Fax: +1.2319412100
1305 E. Eighth St.
Traverse City, MI 49686
US

Registrant Contact:
Terrapin Networks
Timothy Gillen ()

Fax:
1305 E. Eighth St.
Traverse City, MI 49686
US

Status: Active

Name Servers:
ns.h-sphere.net
ns2.h-sphere.net
ns3.h-sphere.net

Creation date: 28 Mar 2001 18:50:33
Expiration date: 28 Mar 2010 17:50:33

Cadillac-mi.net DNS Records

Custom A records
cpanel.cadillac-mi.net 14400 IN A 74.55.0.147
www.cadillac-mi.net 14400 IN A 208.90.191.158
*.cadillac-mi.net 14400 IN A 208.90.191.158
cadillac-mi.net 14400 IN A 208.90.191.158
vc.cadillac-mi.net 14400 IN A 97.83.113.75
vision.cadillac-mi.net 14400 IN A 97.83.113.74
mail.council.cadillac-mi.net 14400 IN A 97.83.113.78
council.cadillac-mi.net 14400 IN A 97.83.113.78
tsserver.cadillac-mi.net 14400 IN A 97.83.113.73
adminws.cadillac-mi.net 14400 IN A 97.83.113.72
mx-cadillac.cadillac-mi.net 14400 IN A 97.83.113.76
webserver.cadillac-mi.net 14400 IN A 97.83.113.71

MX records
cadillac-mi.net 14400 IN MX 10 server21.appriver.com
cadillac-mi.net 14400 IN MX 20 server22.appriver.com
council.cadillac-mi.net 14400 IN MX 10 97.83.113.78

Custom CNAME records
mail.cadillac-mi.net 14400 IN CNAME mx-cadillac.cadillac-mi.net
ftp.cadillac-mi.net 14400 IN CNAME cadillac-mi.net
logos.cadillac-mi.net 14400 IN CNAME webserver.cadillac-mi.net
councilweb.cadillac-mi.net 14400 IN CNAME council.cadillac-mi.net
admin.cadillac-mi.net 14400 IN CNAME vc.cadillac-mi.net
rdp.cadillac-mi.net 14400 IN CNAME tsserver.cadillac-mi.net
whm.cadillac-mi.net 14400 IN CNAME cpanel.cadillac-mi.net
webmail.cadillac-mi.net 14400 IN CNAME cpanel.cadillac-mi.net
webdisk.cadillac-mi.net 14400 IN CNAME cpanel.cadillac-mi.net
www.council.cadillac-mi.net 14400 IN CNAME council.cadillac-mi.net
ftp.council.cadillac-mi.net 14400 IN CNAME council.cadillac-mi.net

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapinIT.com
877.815.2100

City of Cadillac

Server Roles

Rev. 01.23.2009

DCServer

Domain Controller (FSMO Roles) – Cadillac.Local.
DNS Server – Zones: Cadillac.Local, CityOfCadillac.Local.
File and Print Services.

MXServer

Exchange Server – Cadillac-MI.net, Cadillac.Local.
BlackBerry Enterprise Server.

AppServer

Hosts DDP Application
Hosts FireHouse Application
Host BS&A Application

LWWSERVER

LOGOS Front End Web Server.

LDBSERVER

Host Logos Database

StorServer

Backup domain controller
Host GIS files

TSServer

Windows Terminal Server

LTSTSERVER

Logos Test Server

Vision Server

Host MESH network video feeds

DM-Cadillac

Host Document Management software

VMVisor

Vmware ESXi Server
Host LTSTSERVER

Cadillac-SBS

Small Business Server for Council Web Site.
Domain Controller (CityOfCadillac.Local), Exchange Server, SharePoint Council Web Site.

WWTP-TS

Buffalo TerraStation NAS – Backup-to-Disk target for Acronis Backup.

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapiinIT.com
877.815.2100

Physical Connectivity

Page 1

Last Revised: 01.23.2009

Patch Pane	Port	Label	Description (As Listed on Panel)	Switch Port	Actual Location / Updated Location
1	1	V-Mail	TOL2000 V-Mail	s2-p8	Data Processing Office - TOLVM
1	2	270		s2-p9	Data Processing Office - FS-Cadillac
1	3	SVR1		s2-p5	Data Processing Office - EMPTY
1	4	SVR2		s2-p17	Data Processing Office - EMPTY
1	5	SRV3		s2-p6	Data Processing Office - DC-Cadillac
1	6	SRV4		s2-p18	Data Processing Office - EMPTY
1	7	SVR5		s2-p16	Data Processing Office - EMPTY
1	8	SRV6		s2-p4	Data Processing Office - EMPTY
1	9	SRV7		s2-p22	Data Processing Office - D-Link DI-604 - RSA II Cards
1	10	SRV8		s2-p15	Data Processing Office - WebServer
1	11	SRV9	EMPTY	N/A	Data Processing Office - EMPTY
1	12	SRV10		s2-p3	Data Processing Office - AppServer
1	13	SRV11		s1-p17	Data Processing Office - EMPTY
1	14	SRV12		s2-p14	Data Processing Office - TestServer
1	15	NL	EMPTY	N/A	
1	16	NL	EMPTY	N/A	
1	17	NL	EMPTY	N/A	
1	18	NL	EMPTY	N/A	
1	19	NL	EMPTY	N/A	
1	20	NL	EMPTY	N/A	
1	21	NL	EMPTY	N/A	
1	22	NL	EMPTY	N/A	
1	23	NL	EMPTY	N/A	
1	24	NL	EMPTY	N/A	
2	1	201	Conf Room 1	s1-p8	Confrence Room 1
2	2	202	City Mgr	s1-p31	City Manager
2	3	203	Ast City Mgr	s1-p32	Asst. City Manager
2	4	204	DDA	s1-p7	DPW Director
2	5	205	Clark Treas	s1-p33	City Clerk

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapiⁿIT.com
877.815.2100

Physical Connectivity

Page 2

Last Revised: 01.23.2009

Patch Pane	Port	Label	Description (As Listed on Panel)	Switch Port	Actual Location / Updated Location
2	6	206	Kyocera KM-6330 (Deputy Clerk)	s1-p9	Vault (Copy / Storage Room)
2	7	207	Admin Asst	s1-p34	Executive Assistant
2	8	208	PR Clerk	s1-p11	Scanner2
2	9	209	ASSR	s1-p15	Asst. City Clerk
2	10	210	ASSG Clerk	s1-p14	Payroll Clerk
2	11	211	Acct Supr	s1-p36	Accounting Supervisor
2	12	212	DOF West	s1-p38	Director of Finance Office - Color LJ9500
2	13	213	Exec Secr	s1-p39	Receptionist
2	14	214	CC (Council Chambers)	s1-p1	Council Chambers
2	15	215	Util Secr	s1-p40	Utilities Secretary
2	16	216	Conf Util	s1-p16	Utilities Conference Room - D-Link 8 port Switch - WS
2	17	217	Util Supr	s1-p30	Utilities Supervisor
2	18	218	DIR	s1-p6	Utilities Director
2	19	219	Engr East	s1-p29	Engineering Tech
2	20	220	Engr West	s1-p5	GIS Tech
2	21	221	City Engr	s1-p28	City Engineer
2	22	222	DPW Dir	s1-p35	Building Office
2	23	223	DP Coord	s1-p4	Data Processing Office - 3Com Switch - Jeff's laptop etc.
2	24	224	C/S	s1-p10	Data Processing Office - AS400
2	25	225	F/S	s2-p19	Data Processing Office - EMPTY
2	26	226	DOF East	s1-p13	Director of Finance Office - Laptop
2	27	227	BLDG N	s1-p37	Zoning Office
2	28	228	BLDG S	s1-p12	Zoning Office - Empty
2	29	229	Engr Secr	s2-p12	Admin Asst. (cube by Engineer & Building)
2	30	230	DPW Secr	s2-p11	Engineering Secretary
2	31	231	Outside DOF Secr	s2-p24	Oposite side of Engineering Secr. - Empty
2	32	232	BKKPR	s2-p23	Intern - (cube outside Data Proc Office)
2	33	233	Counter NE	s1-p25	Counter - left - Empty
2	34	234	LaserJet 9000 (Laser P4)	s1-p2	LaserJet 9000

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

Physical Connectivity

Page 3

Last Revised: 01.23.2009

Patch Pane	Port	Label	Description (As Listed on Panel	Switch Port	Actual Location / Updated Location
2	35	NL	NL	s1-p27	Unable to locate - not active
2	36	236	Cashier	s1-p26	Cashier WS - port is by LJ9000
2	37	237	Counter SW	s1-p3	Network Switch - LJ4200 and both Counter WSs
2	38	238	PSD West	s1-p47	Dir Public Safety - laptop
2	39	239	PSD North	s1-p24	Dir Public Safety - Empty
2	40	240	Admin LT	s1-p48	Police Captain
2	41	241	SGT W	s1-p22	SGT Office
2	42	242	SGT N	s1-p23	SGT Office
2	43	243	SGT E	s1-p46	SGT Office - Belkin 5 port Switch - WS and laptop
2	44	244	Partol W	s1-p45	Patrol - North wall left
2	45	245	Partol E	s1-p21	Patrol - North wall right
2	46	246	Squad Room	s1-p20	Patrol - West wall
2	47	247	P Radio Mid	s2-p20	Police Radio - PS-Cadillac
2	48	248	P Radio NW	s1-p44	Police Radio - WS by the window (West wall)
2	49	NL	EMPTY	N/A	could not locate - Empty
2	50	250	P Radio NE	s1-p19	Police Radio N wall right - Switch - LJ4600, PS RSA II, WS
2	51	251	P Radio S	s1-p43	Police Radio - South wall - Empty
2	52	252	Conf Room 2	s2-p13	Womens Break Room (Stand-alone Scanner Rm)
2	53	253	Det LT	s1-p42	Detective LT.
2	54	NL	EMPTY	N/A	Empty - Not Labeled
2	55	255	Fire Marshall	s1-p18	Fire Marshall
2	56	256	Ext FireWall Port (Fire Radio)	WG WAN	Fire Radio Rm. - Internet connection goes to FW WAN port
2	57	257	EMPTY (Apparatus FLRCPD)	N/A	Apparatus Bay - South wall
2	58	258	Fire Training Rm	s1-p41	Fire Training Rm - Switch - 2 WSs and LJ1300
2	59	259	EMPTY (Fire Sleep Rm)	N/A	Fire Sleep Room - Empty
2	60	125	DP PC	s2-p7	Data Processing Office - TAPIT
2	61	124	AS400	s2-p21	Data Processing Office - EMPTY
2	62	GIS		s2-p10	Map Room - DesignJet 800
2	63	NL	EMPTY	N/A	

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

NAS Devices

Rev. 01.23.2009

LACIE-CADILLAC

IP Address: 192.168.10.20

Capacity: 500GB

Description: Currently contains old backup images.

PSSnap

IP Address: 192.168.10.22

Management Console: <https://192.168.10.22> or <https://pssnap>

Model: SnapServer 210

Capacity: 750GB

Description: Currently contains archived DVR for the police department.

TS210-WWTP

IP Address: 192.168.10.99

Management Console: 192.168.10.99

Model: Buffalo TS210 NAS

Capacity: 750GB

Description: Primary backup to disk location for Acronis True Image. Contains backups of DCServer, AppServer, MXServer, LWWServer, LDBServer, DM-Cadillac, Vision, TSServer, and StorServer.

NAS-CADILLAC

IP Address: 192.168.10.21

Management Console: <http://192.168.10.21> or <http://nas-cadillac>

Model: Iomega NAS

Capacity: 150GB

Description: Currently contains MX-Cadillac vdmk files.

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapiinIT.com
877.815.2100

City of Cadillac

Internet Connection Details

Rev. 01.23.2009

Charter Connection (City Hall)

IP: 97.83.113.66/24
Subnet: 255.255.255.240
Gateway: 97.83.113.65
DNS: 192.168.10.5
192.168.10.18
MAC: 00:1F:E1:A4:57:A1

Cynergy DSL (City Hall)

IP: 67.59.21.194
Subnet: 255.255.255.240
Gateway: 67.59.21.193
DNS: 64.186.63.132
64.141.177.150

Backup DSL Connection (City Hall)

IP: 67.59.21.194
Subnet: 255.255.255.240
Gateway: 67.59.21.193
DNS: 64.186.63.132
64.141.177.150

At&T DSL Connection (Water Collection Plant)

IP: 75.5.224.13
Subnet:
Gateway:
DNS:

Charter Connection (City Garage)

IP: Dynamic
Subnet:
Gateway:
DNS:

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

[www.terrapi~~n~~IT.com](http://www.terrapinIT.com)
877.815.2100

City of Cadillac

VCServer Hardware Details

Rev. 01.23.2009

Operating System

Windows Server 2003 R2 Enterprise Edition Service Pack 2 (build 3790)

System Model

Seneca Data

Processor

2.40 gigahertz Intel Xeon
64 kilobyte primary memory cache
4096 kilobyte secondary memory cache

Main Circuit Board

Board: Intel S3000AHLX D40858-207
Serial Number: AZAX70600881
Bus Clock: 266 megahertz
BIOS: Intel Corporation S3000.86B.02.00.0039.012520071714 01/25/2007

Drives

250.93 Gigabytes Usable Hard Drive Capacity
159.31 Gigabytes Hard Drive Free Space

Slimtype COMBO SSC-2485K [CD-ROM drive]

LSI MegaIDE #00 SCSI Disk Device (250.93 GB) -- drive 0

Memory Modules

4092 Megabytes Installed Memory

Slot 'J8J1' has 1024 MB (serial number 0x83145208)
Slot 'J8J2' has 1024 MB (serial number 0x82144808)
Slot 'J9J1' has 1024 MB (serial number 0x81144B08)
Slot 'J9J2' has 1024 MB (serial number 0x83145408)

Local Drive Volumes

c: (NTFS on drive 0) 78.64 GB 65.44 GB free
e: (NTFS on drive 0) 172.29 GB 93.87 GB free

Printers

Controllers

Standard floppy disk controller
Primary IDE Channel [Controller]
Secondary IDE Channel [Controller]
Standard Dual Channel PCI IDE Controller

Display

Standard VGA Graphics Adapter [Display adapter]
ADI Smart Plus [Monitor] (12.9"vis, April 1999)

Bus Adapters

Intel Embedded server RAID Technology
Standard Enhanced PCI to USB Host Controller
Standard Universal PCI to USB Host Controller (4x)

Communications

Intel(R) PRO/1000 MT Network Connection Intel(R) PRO/1000
IP Address: 192.168.10.11 / 24
Gateway: 192.168.10.245
Physical Address: 00:15:17:1D:65:65
Networking Dns Servers: 192.168.10.5
192.168.10.18

Other Devices

Acronis True Image Backup Archive Explorer
Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
Microsoft PS/2 Mouse
USB Root Hub (5x)

Virus Protection

OfficeScan Corporate Edition Version 7.6.1095
Scan Engine Version 8.910.1002
Virus Definitions Version 10/26/2008 Rev 5.621.00
Realtime File Scanning On

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

VCServer Software Details

Rev. 01.23.2009

Acronis MediaBuilder Version 9,4,0,73 [*](#)
Acronis Scheduler 2 Version 1,0,0,267 [*](#)
Acronis Scheduler Helper Version 1,0,0,267 [*](#)
Acronis True Image Version 4,0,0,452 [*](#)
Acronis True Image Version 9,5,0,8115 [*](#)
ActiveXperts Network Monitor [*](#)
ActiveXperts Report Generator Version 7, 0, 7, 207 [*](#)
ActiveXperts Software B.V. - AxRgTpl Application Version 7, 0, 7, 207 [*](#)
Agitaf - DriveSpacio Version 0.1.2.1 [*](#)
American Power Conversion Corp. - APC PowerChute Business Edition Device List Version 7.0.5.108 [*](#)
American Power Conversion Corp. - APC PowerChute Business Edition Wizard Version 7.0.5.108 [*](#)
AMonitor Application Version 6, 0, 5, 906 [*](#)
APC PowerChute Business Edition Console Version 7.0.5.108 [*](#)
APC PowerChute Business Edition Server Version 7, 0, 5, 108 [*](#)
Araxis Merge Version 6, 5, 0, 2318 [*](#)
ATConsulting, LLC - E-Z Audit Version 10.00.1014 [*](#)
AxWebCfg Application Version 1, 0, 0, 1 [*](#)
Belarc, Inc. - Advisor Version 7.2x [*](#)
BUFFALO INC. - TsClient Version 1.31 [*](#)
BUFFALO Setup Tool Version 1, 1, 9, 1 [*](#)
Crimson Editor Version 3.70 Release [*](#)
Environmental Protection Agency - EZ GPO Power Management Tool Version 2.0.694 [*](#)
filezilla Version 3, 0, 10, 0 [*](#)
Foxit Reader Version 2, 2, 2007, 2129 [*](#)
Funduc Software Inc. <http://www.searchandreplace.com> - Duplicate File Finder for Windows Version 0, 2, 7, 0 [*](#)
Hewlett-Packard Company - Array Configuration Utility Version 8.0.14.0 [*](#)
Igor Pavlov - 7-Zip Version 4.55 beta [*](#)
IrfanView Uninstaller Version 1, 0, 0, 1 [*](#)
IrfanView Version 4.10 [*](#)
Kantech Systems - EntraPass [*](#)
Kantech Systems - EntraPass Corporate Edition Version 4.0 [*](#)
Kantech Systems - EntraPass Corporate Edition Version 4.00.311 [*](#)
Kantech Systems - EntraPass Global/Corporate Edition Version 4.0 [*](#)
Kantech Systems - EntraPass Global/Corporate/Special Edition Version 4.0 [*](#)
Kantech Systems - EntraPass Global/Corporate/Special Version 4.0 [*](#)
Kiwi Syslog Daemon Version 8.03.0030 [*](#)
LSI LOGIC CORPORATION - RAIDMON Application Version 1.25.11.18 [*](#)
Macrovision Corporation - LMTOOLS Utility Version 10, 1, 3, 0 [*](#)
Macrovision Corporation - VMware License Server Version 10, 1, 3, 0 [*](#)
Microsoft (r) Windows Script Host Version 5.6.0.8832 [*](#)
Microsoft Application Error Reporting Version 11.0.8163 [*](#)
Microsoft Clip Organizer Version 11.0.8164 [*](#)
Microsoft Corporation - Internet Explorer Version 7.00.6000.16705 [*](#)
Microsoft Corporation - Internet Information Services Version 6.0.3790.3959 [*](#)
Microsoft Corporation - Office Source Engine Version 11.0.5525 [*](#)
Microsoft Corporation - SelfCert Version 11.0.8164 [*](#)
Microsoft Corporation - Windows Installer - Unicode Version 3.1.4000.3959 [*](#)
Microsoft Data Access Components Version 3.526.3959.0 [*](#)
Microsoft Exchange Version 6.5 [*](#)
Microsoft Office 2003 Version 11.0.8164 [*](#)
Microsoft Office Document Imaging Version 11.0.8166.2 [*](#)
Microsoft Office InfoPath Version 11.0.8161 [*](#)
Microsoft Office Outlook Version 11.0.8217 [*](#)
Microsoft Office Picture Manager Version 11.0.8161 [*](#)
Microsoft Office Save My Settings/Profile Wizard Version 11.0.8161 [*](#)
Microsoft SQL Server Version 9.00.3068.00 [*](#)
Microsoft(R) Connection Manager Version 7.02.3790.1830 [*](#)
Microsoft(R) Windows Media Player Version 10.00.00.3997 [*](#)
Microsoft® .NET Framework Version 2.0.50727.1433 [*](#)
Microsoft® .NET Framework Version 3.0.4506.30 [*](#)
Microsoft® Schedule+ for Windows 95(TM) Version 7.5 [*](#)
Microsoft® Visual Studio .NET Version 7.00.9466 [*](#)
Ph. Jounin - TFTP server Version 3.26 [*](#)
Piriform Ltd - CCleaner Version 2, 10, 0, 618 [*](#)
prelaunch Application Version 1, 0, 0, 1 [*](#)
Simon Tatham - PuTTY suite Release 0.60 [*](#)
Spyser [*](#)
Start Unlocker Assistant [*](#)
Sun Microsystems, Inc. - Java(TM) Platform SE 6 U3 Version 6.0.30.5 [*](#)
TerraNovum - Energy Star EZ GPO for Power Management control Version 2, 0, 0, 14 [*](#)
Tom Ehler Software - Drive Snapshot for WindowsNT Version 1.38."11729 [*](#)
Trend Micro Client/Server/Messaging Security for SMB Version 7.6 [*](#)
Veeam FastSCP for VMware ESX Server Version 2.0.0.12 [*](#)
VMware Converter Version 3.0.1 build-44840 [*](#)
VMware Infrastructure Client Version 2.5.0.64217 [*](#)
VMware Update Service Client Version 1.0.0.0 [*](#)
VMware Workstation e.x.p build-44840 [*](#)
VMware Workstation Version 5.5.0 build-18463 [*](#)
VMware, Inc. - Virtual Infrastructure Client Version 2.0.2.0 [*](#)
Version 1.0.5000.0 [*](#)

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapiinIT.com
877.815.2100

City of Cadillac

DCServer Hardware Details

Rev. 01.23.2009

Operating System

Windows Server 2003 R2 Enterprise Edition Service Pack 2 (build 3790)
Primary Domain Controller

System Model

VMware, Inc. VMware Virtual Platform

Processor

2.33 gigahertz Intel Xeon (2 installed)
64 kilobyte primary memory cache
4096 kilobyte secondary memory cache

Drives

214.74 Gigabytes Usable Hard Drive Capacity
25.24 Gigabytes Hard Drive Free Space

NECVMWAr VMware IDE CDR00 [CD-ROM drive]
3.5" format removeable media [Floppy drive]

VMware Virtual disk SCSI Disk Device (214.75 GB) -- drive 0

Memory Modules

1972 Megabytes Installed Memory

Local Drive Volumes

c: (NTFS on drive 0)20.97 GB10.60 GB free
e: (NTFS on drive 0)193.76 GB14.64 GB free

Printers

HP Color LaserJet 3600on IP_10.0.3.63
HP Color LaserJet 4600 PCL6on IP_192.168.10.55
HP Color LaserJet 5550 PCL 6on IP_192.168.10.57
HP Color LaserJet 8550 PCL 5con IP_192.168.10.52
HP Color LaserJet 9500 PCL 6on IP_192.168.10.53
HP Color LaserJet 9500 PCL 6on IP_10.0.3.61
HP Designjet 800PS 42 by HPon IP_192.168.10.58
hp designjet 800ps 42 PS3on IP_192.168.10.58
4000 Series PCL 6HP LaserJet 4200 PCL 6on IP_192.168.10.54
HP LaserJet 4200 PCL 6on IP_192.168.10.54
HP LaserJet 4350 PCL 6on IP_192.168.10.56
HP LaserJet 9000 PCL 6on IP_192.168.10.51
HP LaserJet 9000 PCL 6on IP_192.168.10.51
RICOH Aficio 2051 RPCSon IP_192.168.10.50

Controllers

Standard floppy disk controller
Intel(R) 82371AB/EB PCI Bus Master IDE Controller

Display

VMware SVGA II [Display adapter]

Bus Adapters

LSI Logic PCI-X Ultra320 SCSI Host Adapter

Communications

VMware Accelerated AMD PCNet Adapter
primary IP Address: 192.168.10.5 / 24
Gateway: 192.168.10.245
Physical Address: 00:0C:29:A8:FB:03
Networking Dns Servers: 127.0.0.1
192.168.10.18

Other Devices

Acronis True Image Backup Archive Explorer
Microsoft AC Adapter
Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
VMware Pointing Device [Mouse]
UIM Drive Backup Image Plugin
Universal Image Mounter Controller

Virus Protection

OfficeScan Corporate Edition Version 7.6.1095
Scan Engine Version 8.910.1002
Virus Definitions Version 11/18/2008 Rev 5.621.00
Realtime File Scanning On

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

DCServer Software Details

Rev. 01.23.2009

Software Licenses:

DCS - Ingressor_HE HE-036E-8410-0EBF-EABF-563D-1321
Microsoft - Exchange 73396-665-4758533-05107 (Key: HF329-HQCX9-P49H8-PY8PH-P2KF3) Microsoft - Internet Explorer 92319-600-4413216-17293
Microsoft - Office Outlook 2003 73930-798-2526751-55495 (Key: TX4FH-484K3-FPKCB-FF7RP-KQGVG)
Microsoft - Windows Server 2003 R2 Enterprise Edition 69713-OEM-4413216-17293 (Key: XGQ7P-KKDX9-J3R8F-CYTYF-4967Y)*
Microsoft - Windows Support Tools 12345-111-1111111-56208

Installed Applications:

Acronis MediaBuilder Version 9,4,0,73 [*](#)
Acronis Scheduler 2 Version 1,0,0,267 [*](#)
Acronis Scheduler Helper Version 1,0,0,267 [*](#)
Acronis True Image Version 4,0,0,452 [*](#)
Acronis True Image Version 9,5,0,8115 [*](#)
Belarc, Inc. - Advisor Version 7.2x [*](#)
Crimson Editor Version 3.70 Release [*](#)
Dovestones Software - AD Bulk Export Version 2.6.6.4 [*](#)
Dovestones Software - CSV Header Creator Version 1.0.1.0 [*](#)
Dovestones Software Ltd - AD Bulk Users Version 3.0.3.2 [*](#)
Dovestones Software Ltd - Home Folder Creator Version 2.0.0.0 [*](#)
Dovestones Software Ltd - True Last Logon Version 2.6.0.1 [*](#)
Environmental Protection Agency - EZ GPO Power Management Tool Version 2.0.694 [*](#)
Foxit Reader Version 2, 2, 2007, 2129 [*](#)
Funduc Software Inc. <http://www.searchandreplace.com> - Duplicate File Finder for
Windows Version 0, 2, 7, 0 [*](#)
Igor Pavlov - 7-Zip Version 4.55 beta [*](#)
Microsoft (r) Windows Script Host Version 5.6.0.8832 [*](#)
Microsoft Application Error Reporting Version 11.0.8163 [*](#)
Microsoft Clip Organizer Version 11.0.8164 [*](#)
Microsoft Corporation - Internet Explorer Version 7.00.6000.16705 [*](#)
Microsoft Corporation - Internet Information Services Version 6.0.3790.3959 [*](#)
Microsoft Corporation - Office Source Engine Version 11.0.5525 [*](#)
Microsoft Corporation - SelfCert Version 11.0.8164 [*](#)
Microsoft Corporation - Windows Installer - Unicode Version 3.1.4000.3959 [*](#)
Microsoft Data Access Components Version 3.526.3959.0 [*](#)
Microsoft Exchange Version 6.5 [*](#)
Microsoft Office 2003 Version 11.0.8164 [*](#)
Microsoft Office Document Imaging Version 11.0.8166.2 [*](#)
Microsoft Office InfoPath Version 11.0.8161 [*](#)
Microsoft Office Outlook Version 11.0.8217 [*](#)
Microsoft Office Picture Manager Version 11.0.8161 [*](#)
Microsoft Office Save My Settings/Profile Wizard Version 11.0.8161 [*](#)
Microsoft SQL Server Version 8.00.2039 [*](#)
Microsoft SQL Server Version 9.00.3042.00 [*](#)
Microsoft(R) Windows Media Player Version 10.00.00.3997 [*](#)
Microsoft® .NET Framework Version 2.0.50727.1433 [*](#)
Microsoft® .NET Framework Version 3.0.4506.30 [*](#)
Microsoft® Schedule+ for Windows 95(TM) Version 7.5 [*](#)
Microsoft® Visual Studio .NET Version 7.00.9466 [*](#)
Piriform Ltd - CCleaner Version 2, 8, 0, 588 [*](#)
Sun Microsystems, Inc. - Java(TM) Platform SE 6 U3 Version 6.0.30.5 [*](#)
Sysinternals - BGInfo Version 4, 10, 0, 0 [*](#)
TerraNovum - Energy Star EZ GPO for Power Management
Trend Micro Client/Server/Messaging Security for SMB Version 7.6 [*](#)
True Event Log Monitor Version 1.0.2248.42064 [*](#)
VMware Physical Disk Helper Service [*](#)
VMware Tools Version 3.5.0 build-103909 [*](#)
Wizards to adjust .NET Framework security, Version 1.0.5000.0 [*](#)

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapiNt.com
877.815.2100

City of Cadillac

MXServer Hardware Details

Rev. 01.23.2009

Operating System

Windows Server 2003 R2 Enterprise Edition Service Pack 2 (build 3790)
Primary Domain Controller

System Model

VMware, Inc. VMware Virtual Platform

Processor

2.33 gigahertz Intel Xeon (2 installed)
64 kilobyte primary memory cache
4096 kilobyte secondary memory cache

Drives

80.52 Gigabytes Usable Hard Drive Capacity
41.50 Gigabytes Hard Drive Free Space

NECVMWar VMware IDE CDR00 [CD-ROM drive]
3.5" format removeable media [Floppy drive]

VMware Virtual disk SCSI Disk Device (80.53 GB) -- drive 0

Memory Modules

2968 Megabytes Installed Memory

Local Drive Volumes

c: (NTFS on drive 0) 20.97 GB 14.58 GB free
e: (NTFS on drive 0) 5.24 GB 3.64 GB free
f: (NTFS on drive 0) 54.30 GB 23.28 GB free

Controllers

Standard floppy disk controller
Intel(R) 82371AB/EB PCI Bus Master IDE Controller

Display

VMware SVGA II [Display adapter]

Bus Adapters

LSI Logic PCI-X Ultra320 SCSI Host Adapter

Communications

VMware Accelerated AMD PCNet Adapter
IP Address: 192.168.10.9 / 24
Gateway: 192.168.10.245
Physical Address: 00:0C:29:5F:37:92
Networking Dns Servers: 192.168.10.5
192.168.10.18

Other Devices

Acronis True Image Backup Archive Explorer
Microsoft AC Adapter
Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
VMware Pointing Device [Mouse]
UIM Drive Backup Image Plugin
Universal Image Mounter Controller

Virus Protection

OfficeScan Corporate Edition Version 7.6.1095
Scan Engine Version 8.910.1002
Virus Definitions Version 11/18/2008 Rev 5.621.00
Realtime File Scanning On

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

MXServer Software Details

Rev. 01.23.2009

Software Licenses:

Microsoft - Exchange 73396-665-4758533-05023 (Key: HF329-HQCX9-P49H8-PY8PH-P2KF3)
Microsoft - Internet Explorer 92319-600-9020494-45603
Microsoft - .NET Framework 1.1 -- Device Update 4.0 56056-579-8671501-04378
Microsoft - Windows Server 2003 Enterprise Edition 69713-640-9020494-45603 (Key: JQJ2M-38KBF-BH3FY-48BWW-3PFDY)

Installed Applications:

Acronis MediaBuilder Version 9,4,0,73 [*](#)
Acronis Scheduler 2 Version 1,0,0,267 [*](#)
Acronis Scheduler Helper Version 1,0,0,267 [*](#)
Acronis True Image Version 4,0,0,452 [*](#)
Acronis True Image Version 9,5,0,8115 [*](#)
Belarc, Inc. - Advisor Version 7.2x [*](#)
Environmental Protection Agency - EZ GPO Power Management Tool Version 2.0.694 [*](#)
Foxit Reader Version 2, 1, 2007, 2023 [*](#)
Igor Pavlov - 7-Zip Version 4.42 [*](#)
Microsoft (r) Windows Script Host Version 5.6.0.8832 [*](#)
Microsoft Corporation - Internet Explorer Version 7.00.6000.16735 [*](#)
Microsoft Corporation - Internet Information Services Version 6.0.3790.3959 [*](#)
Microsoft Corporation - PKM Version 9.107.8320.4 [*](#)
Microsoft Corporation - SSL Diagnostics Tool Version 1.1.34.0 [*](#)
Microsoft Corporation - Windows Installer - Unicode Version 3.1.4000.3959 [*](#)
Microsoft Data Access Components Version 3.526.3959.0 [*](#)
Microsoft Exchange Version 6.5 [*](#)
Microsoft SQL Server Version 8.00.760 [*](#)
Microsoft(R) Windows Media Player Version 10.00.00.3997 [*](#)
Microsoft® .NET Framework Version 2.0.50727.1433 [*](#)
Microsoft® .NET Framework Version 3.0.4506.648 [*](#)
Piriform Ltd - CCleaner Version 2, 8, 0, 588 [*](#)
Research In Motion Limited - BlackBerry Manager Version 4.1.4.15 [*](#)
Research In Motion Limited - BlackBerry® Attachment Server Version 4.1.4.16 [*](#)
Research In Motion Limited - BlackBerry® Controller Version 4.1.4.40 [*](#)
Research In Motion Limited - BlackBerry® Database Consistency Service Version 4.1.4.40 [*](#)
Research In Motion Limited - BlackBerry® Dispatcher Version 4.1.4.3 [*](#)
Research In Motion Limited - BlackBerry® Enterprise Server Version 4.1.4.40 [*](#)
Research In Motion Limited - BlackBerry® Policy Service Version 4.1.4.21 [*](#)
Research In Motion Limited - BlackBerry® Router Version 4.1.4.3 [*](#)
Research In Motion Limited - BlackBerry® Synchronization Service Version 4.1.4.15 [*](#)
Sun Microsystems, Inc. - Java(TM) 2 Platform Standard Edition 5.0 U11 Version 5.0.110.3 [*](#)
TerraNovum - Energy Star EZ GPO for Power Management control Version 2, 0, 0, 14 [*](#)
Tom Ehlert Software - Drive Snapshot for WindowsNT Version 1.38."11729 [*](#)
Trend Micro Client/Server/Messaging Security for SMB Version 7.6 [*](#)
VMware Tools Version 3.5.0 build-103909 [*](#)
Wizards to adjust .NET Framework security, assign trust to assemblies, and fix broken .NET applications. Version 1.0.5000.0 [*](#)

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

AppServer Hardware Details

Rev. 01.23.2009

Operating System

Windows Server 2003 R2 Enterprise Edition Service Pack 2 (build 3790)
Primary Domain Controller

System Model

VMware, Inc. VMware Virtual Platform

Processor

2.33 gigahertz Intel Xeon (2 installed)
64 kilobyte primary memory cache
4096 kilobyte secondary memory cache

Drives

107.37 Gigabytes Usable Hard Drive Capacity
19.71 Gigabytes Hard Drive Free Space

NECVMWar VMware IDE CDR00 [CD-ROM drive]
3.5" format removeable media [Floppy drive]

VMware Virtual disk SCSI Disk Device (107.37 GB) -- drive 0

Memory Modules

1968 Megabytes Installed Memory

Local Drive Volumes

c: (NTFS on drive 0)15.73 GB9.17 GB free
e: (NTFS on drive 0)91.64 GB10.54 GB free

Controllers

Standard floppy disk controller
Intel(R) 82371AB/EB PCI Bus Master IDE Controller

Display

VMware SVGA II [Display adapter]

Bus Adapters

LSI Logic PCI-X Ultra320 SCSI Host Adapter

Communications

VMware Accelerated AMD PCNet Adapter
IP Address: 192.168.10.6 / 24
Gateway: 192.168.10.245
Physical Address: 00:0C:29:43:F3:04
Networking Dns Servers: 192.168.10.5
192.168.10.18

Other Devices

Acronis True Image Backup Archive Explorer
Microsoft AC Adapter
Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
VMware Pointing Device [Mouse]
UIM Drive Backup Image Plugin
Universal Image Mounter Controller

Virus Protection

OfficeScan Corporate Edition Version 7.6.1095
Scan Engine Version 8.910.1002
Virus Definitions Version 11/18/2008 Rev 5.621.00
Realtime File Scanning On

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

AppServer Software Details

Rev. 01.23.2009

Software Licenses:

Microsoft - Internet Explorer 92319-600-4413216-17293

Microsoft - Windows Server 2003 R2 Enterprise Edition 69713-OEM-4413216-17293 (Key: XGQ7P-KKDX9-J3R8F-CYTYF-4967Y)

Installed Applications:

Acronis MediaBuilder Version 9,4,0,73 [*](#)

Acronis Scheduler 2 Version 1,0,0,267 [*](#)

Acronis Scheduler Helper Version 1,0,0,267 [*](#)

Acronis True Image Version 4,0,0,452 [*](#)

Acronis True Image Version 9,5,0,8115 [*](#)

AD ON Multimedia Advertising GmbH - eBayShortcuts Version 01.00.0000 [*](#)

Belarc, Inc. - Advisor Version 7.2x [*](#)

BS&A FTP Client Version 1.0.2260.18994 [*](#)

BS&A Software FTP Client Version 1.0.2260.18995 [*](#)

Environmental Protection Agency - EZ GPO Power Management Tool Version 2.0.694 [*](#)

Foxit Reader Version 2, 2, 2007, 2129 [*](#)

Igor Pavlov - 7-Zip Version 4.55 beta [*](#)

isutldll Dynamic Link Library Version 1, 0, 0, 1 [*](#)

Microsoft (r) Windows Script Host Version 5.6.0.8832 [*](#)

Microsoft Corporation - Internet Explorer Version 7.00.6000.16705 [*](#)

Microsoft Corporation - Windows Installer - Unicode Version 3.1.4000.3959 [*](#)

Microsoft Data Access Components Version 3.526.3959.0 [*](#)

Microsoft SQL Server Version 9.00.3042.00 [*](#)

Microsoft(R) Windows Media Player Version 10.00.00.3997 [*](#)

Microsoft® .NET Framework Version 2.0.50727.1433 [*](#)

Microsoft® .NET Framework Version 3.0.4506.30 [*](#)

Pervasive Software Monitor Utility Version 9.50.077.002 [*](#)

Pervasive Software Utilities Version 9.50.077.002 [*](#)

Pervasive.SQL 9.50 Version 9.50.077.002 [*](#)

Piriform Ltd - CCleaner Version 2, 8, 0, 588 [*](#)

Rebuild [*](#)

Start Unlocker Assistant [*](#)

Sun Microsystems, Inc. - Java(TM) Platform SE 6 U3 Version 6.0.30.5 [*](#)

Sysinternals - BGInfo Version 4, 10, 0, 0 [*](#)

TerraNovum - Energy Star EZ GPO for Power Management control Version 2, 0, 0, 14 [*](#)

Trend Micro Client/Server/Messaging Security for SMB Version 7.6 [*](#)

VMware Physical Disk Helper Service [*](#)

VMware Tools Version 3.5.0 build-103909 [*](#)

WGE as Service Loader Version 01.8.0000 [*](#)

Wizards to adjust .NET Framework security, assign trust to assemblies, and fix broken .NET applications. Version 1.0.5000.0 [*](#)

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

LDBServer Hardware Details

Rev. 01.23.2009

Operating System

Windows Server 2003 R2 Enterprise Edition Service Pack 2 (build 3790)
Primary Domain Controller

System Model

VMware, Inc. VMware Virtual Platform

Processor

2.33 gigahertz Intel Xeon (2 installed)
64 kilobyte primary memory cache
4096 kilobyte secondary memory cache

Drives

111.81 Gigabytes Usable Hard Drive Capacity
65.96 Gigabytes Hard Drive Free Space

NECVMWAr VMware IDE CDR00 [CD-ROM drive]
3.5" format removeable media [Floppy drive]

VMware Virtual disk SCSI Disk Device (64.42 GB) -- drive 0
VMware Virtual disk SCSI Disk Device (53.69 GB) -- drive 1

Memory Modules

1968 Megabytes Installed Memory

Local Drive Volumes

c: (NTFS on drive 0)15.73 GB1.81 GB free
f: (NTFS on drive 0)42.40 GB29.46 GB free
g: (NTFS on drive 1)53.69 GB34.69 GB free

Controllers

Standard floppy disk controller
Intel(R) 82371AB/EB PCI Bus Master IDE Controller

Display

VMware SVGA II [Display adapter]

Bus Adapters

LSI Logic PCI-X Ultra320 SCSI Host Adapter

Communications

VMware Accelerated AMD PCNet Adapter
IP Address: 192.168.10.7 / 24
Gateway: 192.168.10.245
Physical Address: 00:0C:29:B9:97:16
Networking Dns Servers: 192.168.10.5
192.168.10.18

Other Devices

Acronis True Image Backup Archive Explorer
Microsoft AC Adapter
Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
VMware Pointing Device [Mouse]
UIM Drive Backup Image Plugin
Universal Image Mounter Controller

Virus Protection

OfficeScan Corporate Edition Version 7.6.1095
Scan Engine Version 8.910.1002
Virus Definitions Version 11/18/2008 Rev 5.621.00
Realtime File Scanning On

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

LDBServer Software Details

Rev. 01.23.2009

Software Licenses:

Belarc - Advisor a1371fa7
Microsoft - Internet Explorer 92319-600-4413216-17293
Microsoft - SQL Server 2005 Standard Edition 77654-271-0000034-05356 (Key: B4H74-BJX3P-37RX2-J9TTB-H9RMJ)
Microsoft - SQL Server 2005 Analysis Services 77654-271-0000034-05356
Microsoft - SQL Server 2005 Integration Services 77654-271-0000034-05356
Microsoft - SQL Server 2005 Notification Services 77654-271-0000034-05356
Microsoft - SQL Server 2005 Reporting Services 77654-271-0000034-05356
Microsoft - Visual Studio 2005 Premier Partner Edition - ENU 77633-163-9000041-41817 (Key: DTTGH-QQRXR-6K2YD-HRVGW-3QH7W)
Microsoft - VSA 77633-163-9000041-41817 (Key: DTTGH-QQRXR-6K2YD-HRVGW-3QH7W)
Microsoft - Windows Server 2003 R2 Enterprise Edition 69713-OEM-4413216-17293 (Key: XGQ7P-KKDX9-J3R8F-CYTYF-4967Y)

Installed Applications:

Acronis MediaBuilder Version 9,4,0,73 *
Acronis Scheduler 2 Version 1,0,0,267 *
Acronis Scheduler Helper Version 1,0,0,267 *
Acronis True Image Version 4,0,0,452 *
Acronis True Image Version 9,5,0,8115 *
Belarc, Inc. - Advisor Version 7.2x *
Environmental Protection Agency - EZ GPO Power Management Tool Version 2.0.694 *
Igor Pavlov - 7-Zip Version 4.42 *
Java Web Start *
javaw.exe *
Microsoft (r) Windows Script Host Version 5.6.0.8832 *
Microsoft Corporation - Internet Explorer Version 7.00.6000.16735 *
Microsoft Corporation - Internet Information Services Version 6.0.3790.3959 *
Microsoft Corporation - MSSearch Version 12.0.6828.0 *
Microsoft Corporation - Office Source Engine Version 11.0.5525 *
Microsoft Corporation - Windows Installer - Unicode Version 3.1.4000.3959 *
Microsoft Data Access Components Version 3.526.3959.0 *
Microsoft SQL Server Agent Version 9.00.3042.00 *
Microsoft SQL Server Analysis Services Version 9.00.3073.00 *
Microsoft SQL Server Database Engine Tuning Advisor Version 9.00.3042.00 *
Microsoft SQL Server Management Studio Version 9.00.3073.00 *
Microsoft SQL Server Profiler Version 9.00.3042.00 *
Microsoft SQL Server Version 9.00.3073.00 *
Microsoft(R) Windows Media Player Version 10.00.00.3997 *
Microsoft® .NET Framework Version 2.0.50727.42 *
Microsoft® .NET Framework Version 3.0.4506.648 *
Microsoft® Visual Studio® 2005 Version 8.0.50727.42 *
Piriform Ltd - CCleaner Version 2, 13, 0, 720 *
TerraNovum - Energy Star EZ GPO for Power Management control Version 2, 0, 0, 14 *
Trend Micro Client/Server/Messaging Security for SMB Version 7.6 *
VMware Tools Version 3.5.0 build-103909 *
Wizards to adjust .NET Framework security, assign trust to assemblies, and fix broken .NET applications. Version 1.0.5000.0

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi**IT**.com
877.815.2100

City of Cadillac

LWWServer Hardware Details

Rev. 01.23.2009

Operating System

Windows Server 2003 R2 Enterprise Edition Service Pack 2 (build 3790)
Primary Domain Controller

System Model

VMware, Inc. VMware Virtual Platform

Processor

2.33 gigahertz Intel Xeon (2 installed)
64 kilobyte primary memory cache
4096 kilobyte secondary memory cache

Drives

33.28 Gigabytes Usable Hard Drive Capacity
8.11 Gigabytes Hard Drive Free Space

NECVMMWar VMware IDE CDR00 [CD-ROM drive]
3.5" format removeable media [Floppy drive]

VMware Virtual disk SCSI Disk Device (33.28 GB) -- drive 0

Memory Modules

1968 Megabytes Installed Memory

Local Drive Volumes

c: (NTFS on drive 0) 33.28 GB 8.11 GB free

Controllers

Standard floppy disk controller
Intel(R) 82371AB/EB PCI Bus Master IDE Controller

Display

VMware SVGA II [Display adapter]

Bus Adapters

LSI Logic PCI-X Ultra320 SCSI Host Adapter

Communications

VMware Accelerated AMD PCNet Adapter
IP Address: 192.168.10.8 / 24
Gateway: 192.168.10.245
Physical Address: 00:0C:29:72:90:95
Networking Dns Servers: 192.168.10.5
192.168.10.18

Other Devices

Acronis True Image Backup Archive Explorer
Microsoft AC Adapter
Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
VMware Pointing Device [Mouse]
UIM Drive Backup Image Plugin
Universal Image Mounter Controller

Virus Protection

OfficeScan Corporate Edition Version 7.6.1095
Scan Engine Version 8.910.1002
Virus Definitions Version 11/18/2008 Rev 5.621.00
Realtime File Scanning On

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

LWWServer Software Details

Rev. 01.23.2009

Software Licenses:

Microsoft - Internet Explorer 92319-600-9020494-45984
Microsoft - Windows Server 2003 Enterprise Edition 69713-640-9020494-45984 (Key: JQJ2M-38KBF-BH3FY-48BWW-3PFDY)
Tracker Software - PDF-XChange 3.0 057-7278871-6800

Installed Applications:

Acronis MediaBuilder Version 9,4,0,73 *
Acronis Scheduler 2 Version 1,0,0,267 *
Acronis Scheduler Helper Version 1,0,0,267 *
Acronis True Image Version 4,0,0,452 *
Acronis True Image Version 9,5,0,8115 *
Belarc, Inc. - Advisor Version 7.2x *
Environmental Protection Agency - EZ GPO Power Management Tool Version 2.0.694 *
Igor Pavlov - 7-Zip Version 4.57 *
Java Web Start *
javaw.exe *
LogosServiceRestart Version 1.0.0.0 *
Microsoft (r) Windows Script Host Version 5.6.0.8832 *
Microsoft Corporation - Internet Explorer Version 7.00.6000.16735 *
Microsoft Corporation - Internet Information Services Version 6.0.3790.3959 *
Microsoft Corporation - Office Source Engine Version 11.0.5525 *
Microsoft Corporation - Windows Installer - Unicode Version 3.1.4000.3959 *
Microsoft Data Access Components Version 3.526.3959.0 *
Microsoft SQL Server Database Engine Tuning Advisor Version 9.00.3042.00 *
Microsoft SQL Server Management Studio Version 9.00.3054.00 *
Microsoft SQL Server Profiler Version 9.00.3042.00 *
Microsoft SQL Server Version 9.00.3042.00 *
Microsoft(R) Windows Media Player Version 10.00.00.3997 *
Microsoft® .NET Framework Version 2.0.50727.42 *
Microsoft® .NET Framework Version 3.0.4506.648 *
New World Systems - Logos.NET Version 5.2.0.3025 *
nws NWSAppServer Version 5.2.0.3025 *
PDF-XChange 3.0: pdfSaver by Tracker Software Products Ltd. Version 3.50 *
TerraNovum - Energy Star EZ GPO for Power Management control Version 2, 0, 0, 14 *
Trend Micro Client/Server/Messaging Security for SMB Version 7.6 *
VMware Tools Version 3.5.0 build-103909 *
VMware Tools Version 7.2.2.0 *
Wizards to adjust .NET Framework security, assign trust to assemblies, and fix broken .NET applications. Version 1.0.5000.0 *

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

LTSTServer Hardware Details

Rev. 01.23.2009

Operating System

Windows Server 2003 R2 Enterprise Edition Service Pack 2 (build 3790)
Primary Domain Controller

System Model

VMware, Inc. VMware Virtual Platform

Processor

2.33 gigahertz Intel Xeon
64 kilobyte primary memory cache
4096 kilobyte secondary memory cache

Drives

64.41 Gigabytes Usable Hard Drive Capacity
54.01 Gigabytes Hard Drive Free Space

Slimtype COMBO SSC-2485K [CD-ROM drive]
3.5" format removeable media [Floppy drive]

VMware, VMware Virtual S SCSI Disk Device (64.42 GB) -- drive 0

Memory Modules

1024 Megabytes Installed Memory

Local Drive Volumes

c: (NTFS on drive 0)64.41 GB54.01 GB free

Controllers

Standard floppy disk controller
Intel(R) 82371AB/EB PCI Bus Master IDE Controller

Display

VMware SVGA II [Display adapter]

Bus Adapters

LSI Logic PCI-X Ultra320 SCSI Host Adapter

Communications

VMware Accelerated AMD PCNet Adapter
IP Address: 192.168.10.17 / 24
Gateway: 192.168.10.245
Physical Address: 00:0C:29:E8:02:AE
Networking Dns Servers: 192.168.10.5
192.168.10.18

Other Devices

Acronis True Image Backup Archive Explorer
Microsoft AC Adapter
Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
VMware Pointing Device [Mouse]
UIM Drive Backup Image Plugin
Universal Image Mounter Controller

Virus Protection

OfficeScan Corporate Edition Version 7.6.1095
Scan Engine Version 8.910.1002
Virus Definitions Version 11/18/2008 Rev 5.621.00
Realtime File Scanning On

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

LTSTServer Software Details

Rev. 01.23.2009

Software Licenses:

Microsoft - Internet Explorer 92319-600-9020494-45993

Microsoft - Windows Server 2003 Enterprise Edition 69713-640-9020494-45993 (Key: JQJ2M-38KBF-BH3FY-48BWW-3PFDY)

Installed Applications:

Acronis MediaBuilder Version 9,4,0,73 [*](#)

Acronis Scheduler 2 Version 1,0,0,267 [*](#)

Acronis Scheduler Helper Version 1,0,0,267 [*](#)

Acronis True Image Version 4,0,0,452 [*](#)

Acronis True Image Version 9,5,0,8115 [*](#)

Belarc, Inc. - Advisor Version 7.2x [*](#)

Environmental Protection Agency - EZ GPO Power Management Tool Version 2.0.694 [*](#)

LogosServiceRestart Version 1.0.0.0 [*](#)

Microsoft (r) Windows Script Host Version 5.6.0.8832 [*](#)

Microsoft Corporation - Internet Explorer Version 7.00.6000.16705 [*](#)

Microsoft Corporation - Internet Information Services Version 6.0.3790.3959 [*](#)

Microsoft Corporation - Office Source Engine Version 11.0.5525 [*](#)

Microsoft Corporation - Windows Installer - Unicode Version 3.1.4000.3959 [*](#)

Microsoft Data Access Components Version 3.526.3959.0 [*](#)

Microsoft SQL Server Database Engine Tuning Advisor Version 9.00.3042.00 [*](#)

Microsoft SQL Server Management Studio Version 9.00.3054.00 [*](#)

Microsoft SQL Server Profiler Version 9.00.3042.00 [*](#)

Microsoft SQL Server Version 9.00.3042.00 [*](#)

Microsoft(R) Windows Media Player Version 10.00.00.3997 [*](#)

Microsoft® .NET Framework Version 2.0.50727.42 [*](#)

Microsoft® .NET Framework Version 3.0.4506.648 [*](#)

New World Systems - Logos.NET Version 5.2.0.3025 [*](#)

nws NWSAppServer Version 5.2.0.3025 [*](#)

PDF-XChange 3.0: pdfSaver by Tracker Software Products Ltd. Version 3.50 [*](#)

TerraNovum - Energy Star EZ GPO for Power Management control Version 2, 0, 0, 14 [*](#)

Tom Ehlert Software - Drive Snapshot for WindowsNT Version 1.38."11729 [*](#)

Trend Micro Client/Server/Messaging Security for SMB Version 7.6 [*](#)

VMware Tools Service Version 1.0.4 build-56528 [*](#)

VMware Tools Tray Version 1.0.4 build-56528 [*](#)

VMware User Process Version 1.0.4 build-56528 [*](#)

Wizards to adjust .NET Framework security, assign trust to assemblies, and fix broken .NET applications. Version 1.0.5000.0 [*](#)

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi**n**IT.com
877.815.2100

City of Cadillac

StorServer Hardware Details

Rev. 01.23.2009

Operating System

Windows Server 2003 Enterprise Edition Service Pack 2 (build 3790)
Backup Domain Controller

System Model

IBM -[86496BX]- 2.0
System Serial Number: KPGC154
Enclosure Type: Tower

Processor

3.07 gigahertz Intel Xeon (2 installed)
8 kilobyte primary memory cache
512 kilobyte secondary memory cache

Drives

367.02 Gigabytes Usable Hard Drive Capacity
176.23 Gigabytes Hard Drive Free Space

HL-DT-ST CD-ROM GCR-8482B
3.5" format removeable media [Floppy drive]

IBM ServeRAID SCSI Disk Device (367.03 GB) -- drive 0

Memory Modules

2048 Megabytes Installed Memory

Local Drive Volumes

c: (NTFS on drive 0)15.73 GB7.82 GB free
e: (NTFS on drive 0)351.29 GB168.41 GB free

Controllers

Standard floppy disk controller
Intel(R) 82801DB Ultra ATA Storage Controller-24CB
Primary IDE Channel [Controller]
Secondary IDE Channel [Controller]

Display

RAGE XL PCI Family (Microsoft Corporation) [Display adapter]
ADI Smart Plus [Monitor] (12.9"vis, April 1999)

Bus Adapters

IBM ServeRAID 6i Controller
Intel(R) 82801DB/DBM USB 2.0 Enhanced Host Controller - 24CD
Intel(R) 82801DB/DBM USB Universal Host Controller - 24C2
Intel(R) 82801DB/DBM USB Universal Host Controller - 24C4
Intel(R) 82801DB/DBM USB Universal Host Controller - 24C7

Communications

Broadcom NetXtreme Gigabit Ethernet
primary IP Address: 192.168.10.18 / 24
Gateway: 192.168.10.245
Physical Address: 00:0C:76:ED:30:CE
Networking Dns Servers: 127.0.0.1
192.168.10.5

Other Devices

Acronis True Image Backup Archive Explorer
Microsoft AC Adapter
Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
VMware Pointing Device [Mouse]
UIM Drive Backup Image Plugin
Universal Image Mounter Controller

Virus Protection

OfficeScan Corporate Edition Version 7.6.1095
Scan Engine Version 8.910.1002
Virus Definitions Version 11/18/2008 Rev 5.621.00
Realtime File Scanning On

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

StorServer Software Details

Rev. 01.23.2009

Software Licenses:

Microsoft - Internet Explorer 92319-600-9020494-45134
Microsoft - Windows Server 2003 Enterprise Edition 69713-640-9020494-45134 (Key: JQJ2M-38KBF-BH3FY-48BWW-3PPDY)
Microsoft - Windows Support Tools 12345-111-1111111-90629

Installed Applications:

2X Software Ltd (<http://www.2x.com>) - 2X TFTP Service for Windows Version 3, 2, 0, 0 [*](#)
2X Software Ltd - ThinClientServer 5.0 TFTPd configuration tool Version 2.0.0.0 [*](#)
2X Software Ltd. - 2X DHCP Helper Service Version 1.0.0.4 [*](#)
Acronis MediaBuilder Version 9,4,0,73 [*](#)
Acronis Scheduler 2 Version 1,0,0,267 [*](#)
Acronis Scheduler Helper Version 1,0,0,267 [*](#)
Acronis True Image Version 4,0,0,452 [*](#)
Acronis True Image Version 9,5,0,8115 [*](#)
Adaptec - Elise Version 1.0.1 [*](#)
Adaptec - miniwinagent Version 1.2 [*](#)
Adaptec Storage Manager Version 8.40.00 [*](#)
Apache HTTP Server Version 2.0.54 [*](#)
Belarc, Inc. - Advisor Version 7.2x [*](#)
Environmental Protection Agency - EZ GPO Power Management Tool Version 2.0.694 [*](#)
Macrovision Corporation - InstallShield (R) Version 10.50 [*](#)
Microsoft (r) Windows Script Host Version 5.6.0.8832 [*](#)
Microsoft Corporation - Internet Explorer Version 7.00.6000.16705 [*](#)
Microsoft Corporation - Windows Installer - Unicode Version 3.1.4000.3959 [*](#)
Microsoft Data Access Components Version 3.526.3959.0 [*](#)
Microsoft(R) Windows Media Player Version 10.00.00.3997 [*](#)
Microsoft® .NET Framework Version 2.0.50727.1433 [*](#)
Microsoft® .NET Framework Version 3.0.4506.30 [*](#)
Piriform Ltd - CCleaner Version 2, 3, 0, 532 [*](#)
Shortcut to RAID Management Software [*](#)
TerraNovum - Energy Star EZ GPO for Power Management control Version 2, 0, 0, 14 [*](#)
TGRMN Software - ViceVersa Pro 2 Version 2, 0, 1, 4 [*](#)
TGRMN Software - VVLauncher Version 2, 0, 0, 3 [*](#)
TGRMN Software - VVLogViewer Version 2, 0, 0, 0 [*](#)
TGRMN Software - VVScheduler Version 2, 0, 0, 3 [*](#)
VVLauncher Service Version 2, 0, 0, 2 [*](#)
Wizards to adjust .NET Framework security, assign trust to assemblies, and fix broken .NET applications. Version 1.0.5000.0 [*](#)

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapiNIT.com
877.815.2100

City of Cadillac

SBSServer Hardware Details

Rev. 01.23.2009

Operating System

Windows Server 2003 Standard Edition, Small Business Server Restricted
Service Pack 2 (build 3790)
Primary Domain Controller

Display

ATI ES1000 [Display adapter]
Default Monitor (2x)

System Model

Processor

2.80 gigahertz Intel Pentium D
16 kilobyte primary memory cache
1024 kilobyte secondary memory cache

Drives

149.18 Gigabytes Usable Hard Drive Capacity
115.18 Gigabytes Hard Drive Free Space

LITE-ON COMBO SOHC-5236V [CD-ROM drive]
3.5" format removeable media [Floppy drive]

LSI MegaIDE #00 SCSI Disk Device (79.92 GB) -- drive 0
WD 800BB External USB Device [Hard drive] (80.02 GB) -- drive 1

Memory Modules

2046 Megabytes Installed Memory

Slot 'J2J1' has 1024 MB (serial number 0xFFFFFFFF)
Slot 'J2J2' is Empty
Slot 'J1J2' has 1024 MB (serial number 0xFFFFFFFF)
Slot 'J1J1' is Empty

Local Drive Volumes

c: (NTFS on drive 0) 27.49 GB 18.08 GB free
e: (NTFS on drive 0) 41.69 GB 37.39 GB free

Controllers

Standard floppy disk controller
Intel(R) 82801G (ICH7 Family) Ultra ATA Storage Controllers - 27DF
Primary IDE Channel [Controller]

Bus Adapters

Intel Embedded server RAID Technology
Intel(R) 82801G (ICH7 Family) USB Universal Host Controller - 27C8
Intel(R) 82801G (ICH7 Family) USB Universal Host Controller - 27C9
Intel(R) 82801G (ICH7 Family) USB Universal Host Controller - 27CA
Intel(R) 82801G (ICH7 Family) USB Universal Host Controller - 27CB
Intel(R) 82801G (ICH7 Family) USB2 Enhanced Host Controller - 27CC

Communications

Intel(R) PRO/1000 MT Network Connection
Intel(R) PRO/1000 PM Network Connection
primary IP Address: 10.0.2.7 / 24
Gateway: 10.0.2.245
Physical Address: 00:13:20:93:82:3A
Networking Dns Server: 10.0.2.7

Other Devices

Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
Microsoft PS/2 Mouse
UIM Drive Backup Image Plugin
Universal Image Mounter Controller
USB Mass Storage Device
USB Root Hub (5x)

Virus Protection

ClamAv

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi**n**IT.com
877.815.2100

City of Cadillac

SBSServer Software Details

Rev. 01.23.2009

Software Licenses:

Belarc - Advisor 213bdfa7
Microsoft - Internet Explorer 92319-600-4212991-01813
Microsoft - .NET Framework 1.1 -- Device Update 4.0 56056-841-2468422-04942
Microsoft - Office Outlook 2003 73930-640-0000077-55873 (Key: XBVJD-YCCYR-7DF28-JH2PX-MYT7M)
Microsoft - Windows Server 2003 Standard Edition, Small Business Server Restricted 74995-OEM-4212991-01813 (Key: D2YWR-6VPXD-T2RRW-9MFQK-GYGBD)*

Installed Applications:

ActiveState - ActivePerl Build 819 [267479] [*](#)
alch - ClamWin Antivirus Version 0.94.1.0 [*](#)
ATI External Event Utility for WindowsNT and Windows9X Version 6.14.10.4117 [*](#)
Belarc, Inc. - Advisor Version 7.2x [*](#)
Diskette Build Wizard [*](#)
FileZilla Version 2, 2, 27, 0 [*](#)
Getting Started [*](#)
Hard Disk Manager Deployment [*](#)
Iomega Corp RevUDF Version 3, 0, 0, 13 [*](#)
Iomega Corporation - REVAdmin Version 3, 0, 1, 31 [*](#)
Iomega Corporation ImIconXp Version 2, 0, 1, 16 [*](#)
Iomega RRD Information Center Version 1.0.0.7 [*](#)
LSI LOGIC CORPORATION - RAIDMON Application Version 1.26.02.23 [*](#)
Microsoft (r) Windows Script Host Version 5.6.0.8832 [*](#)
Microsoft Application Error Reporting Version 11.0.8163 [*](#)
Microsoft Clip Organizer Version 11.0.8164 [*](#)
Microsoft Corporation - Internet Explorer Version 7.00.6000.16735 [*](#)
Microsoft Corporation - Internet Information Services Version 6.0.3790.3959 [*](#)
Microsoft Corporation - Office Source Engine Version 11.0.5525 [*](#)
Microsoft Corporation - PKM Version 9.107.8320.4 [*](#)
Microsoft Corporation - SelfCert Version 11.0.8164 [*](#)
Microsoft Corporation - Watson Subscriber for SENS Network Notifications Version 11.0.8161 [*](#)
Microsoft Corporation - Windows Installer - Unicode Version 3.1.4000.3959 [*](#)
Microsoft Corporation - Windows SharePoint Services Version 11.0.8164 [*](#)
Microsoft Data Access Components Version 3.526.3959.0 [*](#)
Microsoft Exchange Version 6.5 [*](#)
Microsoft Office 2003 Version 11.0.8164 [*](#)
Microsoft Office Document Imaging Version 11.0.8166.2 [*](#)
Microsoft Office InfoPath Version 11.0.8161 [*](#)
Microsoft Office Outlook Version 11.0.8217 [*](#)
Microsoft Office Picture Manager Version 11.0.8161 [*](#)
Microsoft Office Save My Settings/Profile Wizard Version 11.0.8161 [*](#)
Microsoft SQL Server Version 8.00.2050 [*](#)
Microsoft(R) Connection Manager Version 7.02.3790.3959 [*](#)
Microsoft(R) Windows Media Player Version 10.00.00.3997 [*](#)
Microsoft® .NET Framework Version 2.0.50727.1433 [*](#)
Microsoft® Schedule+ for Windows 95(TM) Version 7.5 [*](#)
Microsoft® Visual Studio .NET Version 7.00.9466 [*](#)
Microsoft® Windows® Small Business Server Version 5.2.2893.0 [*](#)
Nihuo Web Log Analyzer 2.0 Version 2, 0, 0, 0 [*](#)
Partition Explorer [*](#)
Piriform Ltd - CCleaner Version 2, 6, 0, 567 [*](#)
Qsc - GP-Install Version 5.0 [*](#)
RealLastLogon Version 1, 0, 0, 2 [*](#)
Simon Tatham - PuTTY suite Release 0.60 [*](#)
Spyser [*](#)
SurfStats Website Traffic Analyzer Version 8.2.0.0 [*](#)
TODO: Version 1.0.0.1

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

DM-Cadillac Hardware Details

Rev. 01.23.2009

Operating System

Windows 2000 Server Service Pack 4 (build 2195)

System Model

Processor

3.00 gigahertz Intel Pentium D
16 kilobyte primary memory cache
2048 kilobyte secondary memory cache

Drives

1499.91 Gigabytes Usable Hard Drive Capacity
528.79 Gigabytes Hard Drive Free Space

Slimtype COMBO SOSC-2483K [CD-ROM drive]
3.5" format removeable media [Floppy drive]

ST3250820AS [Hard drive] (250.06 GB) -- drive 1, s/n 5QE0ASDX, rev 3.AAC,
[SMART](#) Status: Healthy
ST3250820AS [Hard drive] (250.06 GB) -- drive 0, s/n 5QE09M0S, rev 3.AAC,
[SMART](#) Status: Healthy

Memory Modules

2048 Megabytes Installed Memory

Local Drive Volumes

c: (NTFS on drive 0)40.26 GB31.98 GB free
d: (NTFS on drive 0)209.71 GB209.55 GB free
f: (NTFS on drive 1)1249.94 GB287.27 GB free

Controllers

Standard floppy disk controller
Intel(R) 82801G (ICH7 Family) Ultra ATA Storage Controllers - 27DF
Primary IDE Channel [Controller]

Display

RAGE XL PCI [Display adapter]
ADI Smart Plus [Monitor] (12.9"vis, April 1999)

Bus Adapters

AMCC 3ware 9550SX SATA RAID Controller
Intel(R) 82801G (ICH7 Family) USB Universal Host Controller - 27C8
Intel(R) 82801G (ICH7 Family) USB Universal Host Controller - 27C9
Intel(R) 82801G (ICH7 Family) USB Universal Host Controller - 27CA
Intel(R) 82801G (ICH7 Family) USB Universal Host Controller - 27CB
Intel(R) 82801G (ICH7 Family) USB2 Enhanced Host Controller - 27CC

Communications

Intel(R) PRO/1000 PL Network Connection Intel(R) PRO/1000 PM Network Connection
[primary](#) IP Address: 192.168.10.15 / 24
Gateway: 192.168.10.245
Physical Address: 00:30:48:89:59:56
Networking Dns Servers: 192.168.10.5
192.168.10.18

Other Devices

Acronis True Image Backup Archive Explorer
Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
PS/2 Compatible Mouse
UIM Drive Backup Image Plugin
Universal Image Mounter Controller
USB 2.0 Root Hub
USB Root Hub (4x)

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

DM-Cadillac Software Details

Rev. 01.23.2009

Software Licenses:

Adobe Systems - Adobe Acrobat 8 Professional 1118-1067-8994-8412-4994-1468
Belarc - Advisor 199e7ae
Microsoft - Internet Explorer 55736-846-3377726-04184 (Key: R2D43-3DHG9-DQ79W-W3DXQ-929DY)
Microsoft - WebFldrs 12345-111-1111111-35406
Microsoft - Windows 2000 Server 51876-335-3177712-05489 (Key: KRJQ8-RQ822-YRMXF-6TTXC-HD2VM)

Installed Applications:

Acronis MediaBuilder Version 9,4,0,73 *
Acronis Scheduler 2 Version 1,0,0,267 *
Acronis Scheduler Helper Version 1,0,0,267 *
Acronis True Image Version 4,0,0,452 *
Acronis True Image Version 9,5,0,8115 *
Adaptec Storage Manager Version 4.10.00 *
Adobe Acrobat Version 8.0.0.2006102300 *
Adobe LiveCycle Designer Version 8, 0, 1291, 1, 339988 *
Adobe Systems Incorporated. - Acrobat Distiller for Windows Version 8.0.0.2006102200 *
Archive Power Systems - DocuXplorer Version 4.0 *
Belarc, Inc. - Advisor Version 7.2x *
Computer Associates International Inc. - Lic98 Version 1.0.0.0 *
Computer Associates LogWatNT Version 1, 0, 0, 1 *
Computer Associates Mergeolf Version 1, 0, 0, 1 *
dvdplay Application Version 1, 0, 0, 1 *
Eastman Software, Inc., A Kodak Business - Imaging for Windows® Version 5.00.2134.1 *
eiStream WMS, Inc. - Imaging for Windows® Version 4.28.5510 *
eiStream WMS, Inc. - Imaging for Windows® Version 4.30.8888 *
Environmental Protection Agency - EZ GPO Power Management Tool Version 2.0.694 *
Eugene Roshal - WinRAR archiver Version 3.30.0.0 *
Extended Systems, Inc. - Advantage Database Server Version 8, 00, 0, 4 *
Macrovision Europe Ltd. - FLEXnet Publisher (32 bit) Version 11.3.5.1 *
Microsoft (r) Windows Script Host Version 5.6.0.6626 *
Microsoft Corporation - Internet Explorer Version 6.00.2800.1106 *
Microsoft Corporation - Windows Installer - Unicode Version 3.1.4000.1823 *
Microsoft Corporation - Windows® NetMeeting® Version 3.01 *
Microsoft Open Database Connectivity Version 3.520.6200.0 *
Microsoft Script Debugger Version 1.00.7295 *
Microsoft Windows Media Player Version 6.4.09.1125 *
Microsoft® .NET Framework Version 2.0.50727.42 *
Piriform Ltd - CCleaner Version 2, 1, 0, 507 *
Shortcut to RAID Management Software *
Sysinternals - BGInfo Version 4, 7, 0, 0 *
TerraNovum - Energy Star EZ GPO for Power Management control Version 2, 0, 0, 14 *
Trend Micro Client/Server/Messaging Security for SMB Version 7.6 *
Wizards to adjust .NET Framework security, assign trust to assemblies, and fix broken .NET applications. Version 1.0.5000.0 *

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

Vision Hardware Details

Rev. 01.23.2009

Operating System

Windows Server 2003 R2 Standard Edition Service Pack 1 (build 3790)

System Model

Processor

3.40 gigahertz Intel Xeon
16 kilobyte primary memory cache
1024 kilobyte secondary memory cache

Drives

1793.83 Gigabytes Usable Hard Drive Capacity
439.00 Gigabytes Hard Drive Free Space

TSSTcorp CD-ROM TS-L162C

HP LOGICAL VOLUME SCSI Disk Device (1500.22 GB) -- drive 1
HP LOGICAL VOLUME SCSI Disk Device (293.62 GB) -- drive 0

Memory Modules

1024 Megabytes Installed Memory

Slot 'DIMM 01' has 512 MB
Slot 'DIMM 02' has 512 MB
Slot 'DIMM 03' is Empty
Slot 'DIMM 04' is Empty
Slot 'DIMM 05' is Empty
Slot 'DIMM 06' is Empty

Local Drive Volumes

c: (NTFS on drive 0)293.61 GB263.76 GB free
d: (NTFS on drive 1)1099.51 GB128.93 GB free
v: (NTFS on drive 1)400.70 GB46.31 GB free

Controllers

Standard floppy disk controller
Intel(R) 82801EB Ultra ATA Storage Controllers - 24DB
Primary IDE Channel [Controller]
Secondary IDE Channel [Controller]

Display

RAGE XL PCI Family (Microsoft Corporation) [Display adapter]
ADI Smart Plus [Monitor] (12.9"vis, April 1999)

Bus Adapters

Smart Array 6i
Smart Array P600 Controller
Intel(R) 82801EB USB Universal Host Controller - 24D2
Intel(R) 82801EB USB Universal Host Controller - 24D4
Intel(R) 82801EB USB Universal Host Controller - 24D7
Intel(R) 82801EB USB Universal Host Controller - 24DE
Intel(R) 82801EB USB2 Enhanced Host Controller - 24DD

Communications

HP NC7782 Gigabit Server Adapter
primary IP Address: 10.0.4.42 / 24
Physical Address: 00:14:C2:C2:9A:00HP NC7782
Gigabit Server Adapter #2
IP Address: 192.168.10.16 / 24
Gateway: 192.168.10.245
Physical Address: 00:14:C2:C2:9A:01
Networking Dns Servers: 192.168.10.5
192.168.10.18

Other Devices

Acronis True Image Backup Archive Explorer
Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
PS/2 Compatible Mouse
HP iLO Management Channel Interface Driver
UIM Drive Backup Image Plugin
Universal Image Mounter Controller
USB Root Hub (5x)

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

Vision Software Details

Rev. 01.23.2009

Software Licenses:

Belarc - Advisor 4ad09cd2
Microsoft - Internet Explorer 69712-OEM-4418013-23648 (Key: V8XXP-2HR7J-WV3J3-VK93F-YDPTM)^e
Microsoft - Windows Resource Kit Tools 12345-111-1111111-60956
Microsoft - Windows Server 2003 R2 Standard Edition 69712-OEM-4418013-23648 (Key: V8XXP-2HR7J-WV3J3-VK93F-YDPTM)^e

Installed Applications:

Acronis MediaBuilder Version 9,4,0,73 [*](#)
Acronis Scheduler 2 Version 1,0,0,267 [*](#)
Acronis Scheduler Helper Version 1,0,0,267 [*](#)
Acronis True Image Version 4,0,0,452 [*](#)
Acronis True Image Version 9,5,0,8115 [*](#)
AD ON Multimedia Advertising GmbH - eBayShortcuts Version 01.00.0000 [*](#)
Belarc, Inc. - Advisor Version 7.2x [*](#)
Code Sector Inc. - TeraCopy Version 2.0 beta 4a [*](#)
Compaq Computer Corporation - HP ProLiant System Shutdown Service for Microsoft® Windows® Version 5.35.0.0 [*](#)
Derk A. Benisch - Robocopy GUI Version 3.1.2.0 [*](#)
Developed by JDS Digital Security Systems 586-749-6342 www.softsite32.com - SoftSite32 Enterprise Version 2.07.0733 [*](#)
Diskette Build Wizard [*](#)
Environmental Protection Agency - EZ GPO Power Management Tool Version 2.0.694 [*](#)
Getting Started [*](#)
Hard Disk Manager Deployment [*](#)
Hewlett-Packard Company - Array Configuration Utility Version 7.50.18.0 [*](#)
Hewlett-Packard Company - Array Configuration Utility Version 7.85.18.0 [*](#)
Hewlett-Packard Company - HP Array Diagnostic Utility Version 7.50.16.0 [*](#)
Hewlett-Packard Company - HP Insight Foundation Agents for Microsoft® Windows® 2000 Version 7.50.0.0 [*](#)
Hewlett-Packard Company - HP Insight Server Agents for Microsoft® Windows® 2000 Version 7.50.00.0 [*](#)
Hewlett-Packard Company - HP Insight Storage Agents Version 7.50.0.0 [*](#)
Hewlett-Packard Company - HP ProLiant Integrated Management Log Viewer Version 5.3.0.0 [*](#)
Hewlett-Packard Company - HP ProLiant Remote Monitor Service for Microsoft® Windows® 2000 Version 5.2.2195.0 [*](#)
Hewlett-Packard Company - HP System Management Homepage Service for Microsoft Windows (TM) smhstart 2.1.5.146 [*](#)
Hewlett-Packard Company - HP Version Control Agent Version 2.1.4.750 [*](#)
Hewlett-Packard Company - HP Version Control Repository Manager Version 2.1.9.790 [*](#)
Hewlett-Packard Company - NIC Agents Version 7.51.1.0 [*](#)
Hewlett-Packard Computer Corporation - HP Systems Insight Manager Version 5.0.0.0 [*](#)
HP Systems Insight Manager [*](#)
HP Virtual Machine Management Service [*](#)
ISEE_SWM_COMMANDQUEUE [*](#)
JDS Digital Security Systems - SoftView for Softsite32 Version 1.07.0014 [*](#)
Joe's Digital Services - SS32_Table_Manager Version 1.00.0031 [*](#)
Kiwi Syslog Daemon Version 8.01.0006 [*](#)
Marimba Tuner Version 6.0.3 [*](#)
Microsoft (r) Windows Script Host Version 5.6.0.8827 [*](#)
Microsoft Corporation - Internet Explorer Version 6.00.3790.1830 [*](#)
Microsoft Corporation - Internet Information Services Version 6.0.3790.1830 [*](#)
Microsoft Corporation - Windows Installer - Unicode Version 3.1.4000.1830 [*](#)
Microsoft Data Access Components Version 3.526.1830.0 [*](#)
Microsoft SQL Server Version 8.00.760 [*](#)
Microsoft(R) Windows Media Player Version 10.00.00.3700 [*](#)
Microsoft® .NET Framework Version 2.0.50727.832 [*](#)
Microsoft® Visual Studio .NET Version 7.00.9466 [*](#)
OpenSSH Server [*](#)
Partition Explorer [*](#)
Pegasus WMI Mapper [*](#)
Sony Network Camera Setup Application Version 1, 3, 5, 0 [*](#)
Start Unlocker Assistant [*](#)
TerraNovum - Energy Star EZ GPO for Power Management control Version 2, 0, 0, 14 [*](#)
TODO: Version 1.0.0.1

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapiⁿIT.com
877.815.2100

City of Cadillac

TOLVM Hardware Details

Rev. 01.23.2009

Operating System

Windows 2000 Professional Service Pack 4 (build 2195)

System Model

Dell Computer Corporation OptiPlex GX400
System Service Tag: [CXFJC11 \(support for this PC\)](#)
Chassis Serial Number: CXFJC11
Enclosure Type: Mini-Tower

Processor

1.50 gigahertz Intel Pentium 4
8 kilobyte primary memory cache
256 kilobyte secondary memory cache

Drives

19.96 Gigabytes Usable Hard Drive Capacity
16.22 Gigabytes Hard Drive Free Space

LG CD-ROM CRD-8482B
3.5" format removeable media [Floppy drive]

WDC WD200BB-75CAA0 [Hard drive] (20.00 GB) -- drive 0, s/n WD-WMADM1102140, rev 16.06V16, [SMART](#) Status: Healthy

Memory Modules

256 Megabytes Installed Memory

Slot 'RIMM_1' has 128 MB
Slot 'RIMM_2' has 128 MB
Slot 'RIMM_3' is Empty
Slot 'RIMM_4' is Empty

Local Drive Volumes

c: (NTFS on drive 0) 19.96 GB 16.22 GB free

Controllers

Standard floppy disk controller
Intel(r) 82801BA Ultra ATA Controller
Primary Ultra ATA Channel [Controller]
Secondary Ultra ATA Channel [Controller]

Display

16MB ATI Rage 128 Ultra [Display adapter]
LogMeIn Mirror Driver [Display adapter]
Default Monitor

Bus Adapters

Adaptec AHA-154X/AHA-164X SCSI Host Adapter
Adaptec AHA-2930CU PCI SCSI Controller
Adaptec AIC-7892 Ultra160/m PCI SCSI Card
Adaptec AIC-7896/AIC-7897 PCI Ultra2 SCSI Controller
Adaptec SlimSCSI 16-Bit PCMCIA SCSI Host Adapter
DELL PERC 3/DC RAID Controller
Future Domain PCI SCSI HOST Adapter
HP NetRAID-1Si
Win2000 Promise FastTrak100 (tm) Controller
Win2000 Promise Ultra100 (tm) IDE Controller
Intel(R) 82801BA/BAM USB Universal Host Controller - 2442
Intel(R) 82801BA/BAM USB Universal Host Controller - 2444

Communications

Conexant HCF V90 56K Data Fax PCI Modem

3Com 3C920 Integrated Fast Ethernet Controller (3C905C-TX Compatible)
[primary](#) IP Address: 192.168.10.23 / 24
Gateway: 192.168.10.245
Physical Address: 00:06:5B:90:6D:DF

Other Devices

Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
PS/2 Compatible Mouse
UIM Drive Backup Image Plugin
Universal Image Mounter Controller
USB Root Hub (2x)

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapiinIT.com
877.815.2100

City of Cadillac

Tolvm Software Details

Rev. 01.23.2009

Software Licenses:

Belarc - Advisor 96b267bc

Microsoft - Internet Explorer 55736-409-7028137-04532 (Key: R2D43-3DHG9-DQ79W-W3DXQ-929DY)

Microsoft - WebFldrs 12345-111-1111111-35003

Microsoft - Windows 2000 Professional 51873-OEM-0045023-09136 (Key: F2T26-BMK6H-69QX8-FYV8D-TY4CM)*

Installed Applications:

3Com Corporation - 3Com DMI Agent Version 3, 5, 0, 0 *

Belarc, Inc. - Advisor Version 7.2x *

Brooktrout Technology - AccuCall Version 2, 34, 0, 0 *

Brooktrout Technology Configuration Wizard Version 0, 2, 3, 4 *

Brooktrout Technology Initialisation service RhtInit Version 0, 2, 3, 3 *

Brooktrout Technology Voice Technology Division - SHOWJUMP Application Version 0, 1, 0, 2 *

Cinematronics - 3D Pinball Version 5.00.2134.1 *

Computer Associates International Inc. - Lic98 Version 1.0.0.0 *

Computer Associates LogWatNT Version 1, 0, 0, 1 *

Computer Associates Mergeolf Version 1, 0, 0, 1 *

Dell Computer Corporation - OpenManage Client Instrumentation Version 6, 1, 0, 242 *

Diskette Build Wizard *

dvdplay Application Version 1, 0, 0, 1 *

Eastman Software, Inc., A Kodak Business - Imaging for Windows® Version 5.00.2195.7136 *

edocs Application Version 2, 0, 0, 1 *

Environmental Protection Agency - EZ GPO Power Management Tool Version 2.0.694 *

Esna Technologies - Config Version 4.01.0001 *

Esna Technologies - LAN-Linx Version 4.01.0002 *

Esna Technologies Inc. - Telephony Office-Linx 32 Version 4.00.0006 *

ESNATECH - SessionQ Version 3.00 *

EXPRESS Version 1.0.001 *

Generic - UC SMTP Sender Version 1.0.2 Build 104 (18.Jan) *

Getting Started *

Hard Disk Manager Deployment *

Intel - DMI 2.0s SDK Version 2, 0, 0, 62 *

Iwatsu America, Inc - WinPC3 Version 3.02.0009 *

LogMeIn Version 3.0.596 *

LogMeIn Version 4.0.734 *

Microsoft (R) .NET Framework Version 1.1.4322.2032 *

Microsoft (r) Windows Script Host Version 5.6.0.6626 *

Microsoft Corporation - Internet Explorer Version 6.00.2800.1106 *

Microsoft Corporation - Windows Installer - Unicode Version 3.1.4000.1823 *

Microsoft Corporation - Windows® NetMeeting® Version 3.01 *

Microsoft Open Database Connectivity Version 3.520.6200.0 *

Microsoft Windows Media Player Version 6.4.09.1125 *

Modem Helper *

Multi-Channel Demo *

Netropa Corp. - DellTouch Programmable Keys Version 1.00 *

Netropa Corporation - DellTouch Programmable Keys Version 1.00 *

Netropa NHK Server *

Partition Explorer *

PepiMK Software - Spybot - Search & Destroy Version 1, 3, 0, 12 *

RealVNC Ltd. - VNC Server Free Edition Version 4.1.2 *

RealVNC Ltd. - VNC Viewer Free Edition Version 4.1.2 *

Safer Networking Limited - SpyBot-S&D Version 1, 3, 0, 12 *

Symantec Corporation - pcAnywhere Version 10.5 *

TerraNovum - Energy Star EZ GPO for Power Management control Version 2, 0, 0, 14 *

TouchDown Application Version 6, 0, 6, 0 *

UmSentinelUpgrade Application Version 1, 0, 0, 1 *

WinZip Version 9.0 SR-1 (6224) *

Wizards to adjust .NET Framework security, assign trust to assemblies, and fix broken .NET applications. Version 1.0.5000.0 *

YAMAHA CORPORATION - XGPlayer Application Version 4, 0, 1, 36 *

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapinIT.com
877.815.2100

City of Cadillac

Cisco Aironet 1130AG Configuration

Rev. 01.23.2009



Cisco Aironet 1130AG
10.0.2.249
SSID: CityOfCadillac/CadillacMI

Building configuration...

Current configuration : 6918 bytes

```
!  
version 12.3  
no service pad  
service timestamps debug datetime msec  
service timestamps log datetime msec  
service password-encryption  
!  
hostname CadillAP  
!  
enable secret 5 $1$yILO$L8thhs.k4AjSGm2/YLIBT/  
!  
ip subnet-zero  
ip domain name CityOfCadillac.Local  
ip name-server 10.0.2.7  
!  
!  
no aaa new-model  
dot11 vlan-name Council_Web_VLAN vlan 50  
dot11 vlan-name Public_Web_VLAN vlan 25  
!  
dot11 ssid CadillacMI  
    vlan 50  
    authentication open  
    authentication key-management wpa  
    wpa-psk ascii 7  
08377E460E0000421A2323551C047231380676150143282C6F5E6D4B461B043604617E7C047C62600E741C0D400F533936175D27  
370B27604D2D123D3F240D5A  
!  
dot11 ssid CityOfCadillac  
    vlan 25  
    authentication open  
    mbssid guest-mode dtim-period 1  
!  
power inline negotiation prestandard source  
!  
crypto pki trustpoint TP-self-signed-3349205616  
    enrollment selfsigned  
    subject-name cn=IOS-Self-Signed-Certificate-3349205616  
    revocation-check none  
    rsakeypair TP-self-signed-3349205616  
!  
!  
crypto ca certificate chain TP-self-signed-3349205616  
certificate self-signed 01  
3082022B 30820194 A0030201 02020101 300D0609 2A864886 F70D0101 04050030  
31312F30 2D060355 04031326 494F532D 53656C66 2D536967 6E65642D 43657274  
69666963 6174652D 33333439 32303536 3136301E 170D3032 30333037 31343239  
34345A17 0D323030 31303130 30303030 305A3031 312F302D 06035504 03132649  
4F532D53 656C662D 5369676E 65642D43 65727469 66696361 74652D33 33343932  
30353631 3630819F 300D0609 2A864886 F70D0101 01050003 818D0030 81890281  
8100A4CD ABFEC9C1 88E4290C B099DD46 3282855A 499FBE6C 7FE5919C 63FF7BF3  
026E8640 0F0B987F ADF4584C 17020460 9B4A3AD3 60567BBE 23727D2E 00081A36  
4706AC2F E94BA70B E067FA1B E80BE853 D9C0814C DC603E45 DCF04C4E FA07F1F5  
7706EC95 F595CB0C A127BFD6 BC84F8AB C018FC38 9D26E880 4BA526DE F9355B55  
08F70203 010001A3 53305130 0F060355 1D130101 FF040530 030101FF 301F0603  
551D2304 18301680 14C3D688 07197B36 AAB51E7C F7C61F5E E7F9AB84 14301D06  
03551D0E 04160414 C3D68807 197B36AA B51E7CF7 C61F5EE7 F9AB8414 300D0609  
2A864886 F70D0101 04050003 81810013 225EF776 1447E806 3897EFA8 FD07DB26  
6D43FD28 41074C8B C19D100A FBA3B259 C1950AF7 5A9EABDB 7CD9163A 92AC3E  
B4B04516 53DDBC5A 066507EB 18B53EE7 865739A8 135BF4E4 AF8E10E5 04B1C15  
CC970AD4 E5748371 5B3BBDD2 F7C8030E 6D3D423D 6E5C09EC A272D4B2 750481  
E4774FAC 51EC4697 6CF6B4E6 E4E22D  
quit  
username Cisco privilege 15 password 7 104D590B13434319
```

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

Cisco Aironet 1130AG Configuration

(Page 2)

Rev. 01.23.2009

```
!  
bridge irb  
!  
!  
interface Dot11Radio0  
no ip address  
no ip route-cache  
!  
encryption vlan 50 mode ciphers tkip  
!  
ssid CadillacMI  
!  
ssid CityOfCadillac  
!  
mbssid  
speed basic-1.0 basic-2.0 basic-5.5 6.0 9.0 basic-11.0 12.0 18.0 24.0 36.0 48.0 54.0  
station-role root  
no dot11 extension aironet  
l2-filter bridge-group-acl  
!  
interface Dot11Radio0.25  
encapsulation dot1Q 25  
ip access-group PublicWebOnly in  
no ip route-cache  
bridge-group 25  
bridge-group 25 subscriber-loop-control  
bridge-group 25 port-protected  
bridge-group 25 block-unknown-source  
no bridge-group 25 source-learning  
no bridge-group 25 unicast-flooding  
bridge-group 25 spanning-disabled  
!  
interface Dot11Radio0.50  
encapsulation dot1Q 50 native  
ip access-group LockDownCMI in  
no ip route-cache  
bridge-group 1  
bridge-group 1 subscriber-loop-control  
bridge-group 1 input-address-list 701  
bridge-group 1 port-protected  
bridge-group 1 block-unknown-source  
no bridge-group 1 source-learning  
no bridge-group 1 unicast-flooding  
bridge-group 1 spanning-disabled  
!  
interface Dot11Radio1  
no ip address  
no ip route-cache  
!  
encryption vlan 50 mode ciphers tkip  
!  
ssid CadillacMI  
!  
ssid CityOfCadillac  
!  
mbssid  
speed basic-6.0 9.0 basic-12.0 18.0 basic-24.0 36.0 48.0 54.0  
station-role root  
l2-filter bridge-group-acl  
!  
interface Dot11Radio1.25  
encapsulation dot1Q 25  
ip access-group PublicWebOnly in  
no ip route-cache  
bridge-group 25  
bridge-group 25 subscriber-loop-control  
bridge-group 25 port-protected  
bridge-group 25 block-unknown-source  
no bridge-group 25 source-learning  
no bridge-group 25 unicast-flooding  
bridge-group 25 spanning-disabled  
!
```

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

Cisco Aironet 1130AG Configuration

(Page 3)

Rev. 01.23.2009

```
interface Dot11Radio1.50
encapsulation dot1Q 50 native
ip access-group LockDownCMI in
no ip route-cache
bridge-group 1
bridge-group 1 subscriber-loop-control
bridge-group 1 input-address-list 701
bridge-group 1 port-protected
bridge-group 1 block-unknown-source
no bridge-group 1 source-learning
no bridge-group 1 unicast-flooding
bridge-group 1 spanning-disabled
!
interface FastEthernet0
no ip address
no ip route-cache
duplex auto
speed auto
!
interface FastEthernet0.25
encapsulation dot1Q 25
no ip route-cache
bridge-group 25
no bridge-group 25 source-learning
bridge-group 25 spanning-disabled
!
interface FastEthernet0.50
encapsulation dot1Q 50 native
no ip route-cache
bridge-group 1
no bridge-group 1 source-learning
bridge-group 1 spanning-disabled
!
interface BVI1
ip address 10.0.2.249 255.255.255.0
no ip route-cache
!
ip default-gateway 10.0.2.250
no ip http server
ip http secure-server
ip http help-path http://www.cisco.com/warp/public/779/smbiz/prodconfig/help/eag
!
ip access-list extended LockDownCMI
permit udp any any eq bootpc
permit udp any any eq bootps
permit udp any host 10.0.2.7 eq domain
permit tcp host 10.0.2.251 host 10.0.2.7 eq 3389
permit tcp any any eq www
permit tcp any any eq 443
deny ip any any
ip access-list extended PublicWebOnly
permit udp any any eq bootpc
permit udp any any eq bootps
permit udp any host 10.0.2.254 eq domain
permit tcp host 10.0.2.251 host 10.0.2.254 eq www
permit tcp host 10.0.2.251 host 10.0.2.254 eq 443
permit tcp any host 209.124.51.134 eq www
permit tcp any host 209.124.51.134 eq 443
deny ip any any
access-list 701 permit 000f.66cf.e735 0000.0000.0000
access-list 701 permit 0020.e097.ead6 0000.0000.0000
access-list 701 permit 0013.ce3f.12fc 0000.0000.0000
access-list 701 permit 0012.f01b.ebf5 0000.0000.0000
access-list 701 permit 0012.f01b.fac9 0000.0000.0000
access-list 701 permit 0013.ce3f.1eb5 0000.0000.0000
access-list 701 permit 0013.ce3f.2f37 0000.0000.0000
access-list 701 permit 0013.ce3f.32d0 0000.0000.0000
```

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

Cisco Aironet 1130AG Configuration

(Page 4)

Rev. 01.23.2009

```
access-list 701 permit 0013.ce3f.2f32 0000.0000.0000
access-list 701 permit 0013.ce39.ec09 0000.0000.0000
access-list 701 permit 0012.f01b.fda2 0000.0000.0000
access-list 701 permit 0014.a41e.da3a 0000.0000.0000
access-list 701 permit 000e.353f.15f8 0000.0000.0000
access-list 701 permit 0018.debd.9105 0000.0000.0000
access-list 701 permit 000f.6626.0d90 0000.0000.0000
access-list 701 permit 0013.0245.272a 0000.0000.0000
access-list 701 deny 0000.0000.0000 ffff.ffff.ffff
!
control-plane
!
bridge 1 route ip
!
!
!
line con 0
transport preferred all
transport output all
line vty 0 4
login local
transport preferred all
transport input all
transport output all
line vty 5 15
login
transport preferred all
transport input all
transport output all
!
end
```

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapiNt.com
877.815.2100

City of Cadillac

Cisco Catalyst 3560G Configuration

Rev. 01.23.2009

Current configuration : 6699 bytes

```
!
version 12.2
no service pad
service timestamps debug uptime
service timestamps log datetime
no service password-encryption
service sequence-numbers
!
hostname Cat3560G
!
enable secret 5 $1$pF4F$128M7eGXIM9sUSxzMp0/z0
enable password *****
!
no aaa new-model
clock timezone EST -5
clock summer-time EDT recurring 2 Sun Mar 2:00 1 Sun Nov 2:00
ip subnet-zero
ip routing
ip domain-name Cadillac.Local
ip name-server 192.168.10.5
ip dhcp relay information trust-all
ip dhcp excluded-address 10.0.4.1 10.0.4.50
!
ip dhcp pool vlan40
    import all
    network 10.0.4.0 255.255.255.0
    default-router 10.0.4.245
    lease 0 4
!
no ip igmp snooping
!
!
!
no file verify auto
spanning-tree mode pvst
spanning-tree extend system-id
!
vlan internal allocation policy ascending
!
interface GigabitEthernet0/1
description Linksys SRW2024
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/2
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/3
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/4
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/5
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/6
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/7
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/8
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/9
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/10
description Precia Garland
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/11
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/12
description CISCO WLC
switchport access vlan 40
switchport trunk encapsulation dot1q
switchport trunk native vlan 40
switchport trunk allowed vlan 40,100
switchport mode trunk
!
interface GigabitEthernet0/13
description LEIN WS
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/14
description Vision Server
switchport access vlan 40
switchport mode access
!
interface GigabitEthernet0/15
switchport access vlan 100
!
interface GigabitEthernet0/16
description CISCO AIRONET 1500
switchport access vlan 40
switchport mode access
!
interface GigabitEthernet0/17
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/18
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/19
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/20
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/21
switchport access vlan 100
switchport mode access
!
```

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100

City of Cadillac

Cisco Catalyst 3560G Configuration

(Page 2)

Rev. 01.23.2009

```
interface GigabitEthernet0/22
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/23
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/24
description 232 Betty Playter
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/25
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/26
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/27
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/28
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/29
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/30
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/31
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/32
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/33
switchport mode access
!
interface GigabitEthernet0/34
!
interface GigabitEthernet0/35
description CISCO PIX ETH0
switchport mode access
!
interface GigabitEthernet0/36
switchport mode access
!
interface GigabitEthernet0/37
description CISCO 1800 Router
switchport mode access
!
interface GigabitEthernet0/38
switchport access vlan 26
switchport mode access
!
interface GigabitEthernet0/39
description D-Link Router
switchport access vlan 25
switchport mode access
!
interface GigabitEthernet0/40
switchport access vlan 26
switchport mode access
!
interface GigabitEthernet0/41
description IPCop
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/42
switchport access vlan 26
switchport mode access
!
interface GigabitEthernet0/43
description SBS Server
switchport access vlan 50
switchport mode access
!
interface GigabitEthernet0/44
switchport access vlan 26
switchport mode access
!
interface GigabitEthernet0/45
description CISCO Aironet
switchport access vlan 50
switchport trunk encapsulation dot1q
switchport trunk native vlan 50
switchport trunk allowed vlan 25,50
switchport mode trunk
!
interface GigabitEthernet0/46
switchport access vlan 26
switchport mode access
!
interface GigabitEthernet0/47
description CISCO PIX ETH1
switchport access vlan 100
switchport mode access
!
interface GigabitEthernet0/48
description 3COM 24-port
switchport access vlan 26
switchport mode access
!
interface GigabitEthernet0/49
!
interface GigabitEthernet0/50
!
interface GigabitEthernet0/51
!
interface GigabitEthernet0/52
!
interface Vlan1
no ip address
shutdown
!
interface Vlan26
ip address 10.0.3.245 255.255.255.0
ip helper-address 192.168.10.5
!
!
interface Vlan40
ip address 10.0.4.245 255.255.255.0
!
interface Vlan50
ip address 10.0.2.245 255.255.255.0
!
interface Vlan100
ip address 192.168.10.245 255.255.255.0
!
!
!
interface Vlan101
no ip address
!
ip default-gateway 192.168.10.250
ip classless
ip route 0.0.0.0 0.0.0.0 10.0.1.250
ip route 0.0.0.0 0.0.0.0 192.168.10.250
ip route 10.0.5.0 255.255.255.0 10.0.1.249
ip route 10.0.5.0 255.255.255.0 192.168.10.249
ip http server
!
ip access-list extended acl_vlan100in
permit ip host 10.0.1.5 host 10.0.1.245
permit udp host 10.0.1.5 any eq domain
permit udp any eq domain host 10.0.1.5
permit ip host 10.0.1.13 host 10.0.2.7
permit tcp 10.0.1.0 0.0.0.255 any eq www
permit tcp any eq www 10.0.1.0 0.0.0.255
deny ip any any
ip access-list extended acl_vlan50in
permit udp host 10.0.2.7 host 10.0.1.5 eq domain
permit udp host 10.0.2.7 host 10.0.3.4 eq domain
permit tcp host 10.0.2.7 any eq www
permit tcp host 10.0.2.7 any eq 443
deny ip 10.0.2.0 0.0.0.255 10.0.3.0 0.0.0.255
permit ip host 10.0.2.7 host 10.0.1.13
deny ip 10.0.2.0 0.0.0.255 10.0.1.0 0.0.0.255
deny ip any any
!
!
control-plane
!
!
line con 0
line vty 0 4
password *****
login
line vty 5 15
password *****
login
!
end
Network Documentation Prepared By:
```



City of Cadillac

Cisco 1841 Router Configuration

(WWTP to City Hall)

Rev. 01.23.2009

Current configuration : 2457 bytes

```
!  
version 12.4  
no service pad  
service tcp-keepalives-in  
service tcp-keepalives-out  
service timestamps debug datetime msec localtime show-timezone  
service timestamps log datetime msec localtime show-timezone  
service password-encryption  
service sequence-numbers  
!  
hostname WWTPtoCH1841  
!  
boot-start-marker  
boot-end-marker  
!  
security authentication failure rate 3 log  
security passwords min-length 6  
logging buffered 51200 debugging  
logging console critical  
enable secret 5 $1$mu1d$aHQJu0.l0aQSPs6dLNVmJ.  
!  
no aaa new-model  
!  
resource policy  
!  
clock timezone PCTime -5  
clock summer-time PCTime date Apr 6 2003 2:00 Oct 26 2003 2:00  
mmi polling-interval 60  
no mmi auto-configure  
no mmi pvc  
mmi snmp-timeout 180  
ip subnet-zero  
no ip source-route  
ip cef  
!  
!  
ip tcp synwait-time 10  
no ip dhcp use vrf connected  
ip dhcp excluded-address 10.0.5.1 10.0.5.99  
ip dhcp excluded-address 10.0.5.150 10.0.5.254  
!  
ip dhcp pool WWTP-pool1  
import all  
network 10.0.5.0 255.255.255.0  
dns-server 192.168.10.5  
default-router 10.0.5.250  
domain-name Cadillac.Local  
netbios-name-server 192.168.10.5  
!  
!  
no ip bootp server  
ip domain name cadillac.local  
ip name-server 192.168.10.5  
!  
username RTAdmin privilege 15 secret 5  
$1$0EZ0$tECT9tHsuNrGfjfaeg8l.  
!  
!  
!  
interface FastEthernet0/0  
description $ETH-SW-LAUNCH$$INTF-INFO-FE  
0$$ES_LAN$$FW_INSIDE$$ETH-LAN$  
ip address 10.0.5.250 255.255.255.0  
no ip redirects  
no ip unreachableables  
no ip proxy-arp
```

```
ip route-cache flow  
duplex auto  
speed auto  
no mop enabled  
!  
interface FastEthernet0/1  
no ip address  
no ip redirects  
no ip unreachableables  
no ip proxy-arp  
ip route-cache flow  
shutdown  
duplex auto  
speed auto  
no mop enabled  
!  
interface Serial0/0/0  
ip unnumbered FastEthernet0/0  
no ip redirects  
no ip unreachableables  
no ip proxy-arp  
ip route-cache flow  
!  
ip classless  
ip route 0.0.0.0 0.0.0.0 Serial0/0/0 permanent  
!  
ip http server  
ip http authentication local  
ip http timeout-policy idle 60 life 86400 requests 10000  
ip nat inside source list 1 interface Serial0/0/0 overload  
!  
logging trap debugging  
no cdp run  
!  
control-plane  
!  
banner login ^CAuthorized access only!  
Disconnect IMMEDIATELY if you are not an authorized user!^C  
!  
line con 0  
login local  
transport output telnet  
line aux 0  
login local  
transport output telnet  
line vty 0 4  
privilege level 15  
login local  
transport input telnet  
line vty 5 15  
privilege level 15  
login local  
transport input telnet  
!  
scheduler allocate 4000 1000  
end
```

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapiⁿIT.com
877.815.2100

City of Cadillac

Cisco 1720 Router Configuration

(City Hall to WWTP)

Rev. 01.23.2009

Current configuration : 1434 bytes

```
!
version 12.3
no service pad
service tcp-keepalives-in
service tcp-keepalives-out
service timestamps debug datetime msec localtime show-timezone
service timestamps log datetime msec localtime show-timezone
service password-encryption
service sequence-numbers
!
hostname CHtoWWTP1720
!
boot-start-marker
boot-end-marker
!
security authentication failure rate 3 log
security passwords min-length 6
logging buffered 51200 debugging
logging console critical
enable secret 5 $1$uTTf$1vuKn/9hTgrPP/GLoKzXR/
enable password 7 00025833365E29140E77
!
memory-size iomem 25
clock timezone PCTime -5
clock summer-time PCTime date Apr 6 2003 2:00 Oct 26 2003 2:00
no aaa new-model
ip subnet-zero
no ip source-route
!
!
ip domain name Cadillac.Local
ip name-server 192.168.10.5
!
no ip bootp server
ip cef
!
username RTAdmin privilege 15 secret 5
$1$VlqQ$ImAv34icfLD.H80p4KvbC/
!
!
ip tcp synwait-time 10
!
!
interface FastEthernet0
ip address 192.168.10.249 255.255.255.0
no ip redirects
no ip unreachable
no ip proxy-arp
ip route-cache flow
speed auto
full-duplex
!
interface Serial0
ip unnumbered FastEthernet0
no ip redirects
no ip unreachable
no ip proxy-arp
ip route-cache flow
!
!
ip classless
ip route 0.0.0.0 0.0.0.0 192.168.10.245 permanent
ip route 10.0.5.0 255.255.255.0 Serial0 permanent
ip http server
!
dialer-list 1 protocol ip permit
!
line con 0
line aux 0
line vty 0 4
password 7 03577E54030D33494A1B
login
!
end
```

Network Documentation Prepared By:



Traverse City, Michigan
231.941.2100

www.terrapi~~n~~IT.com
877.815.2100