

Liferay Portal Setup guideline

ver 1.0

Table of Contents

1	Deployment Steps.....	3
2	Web Content Settings.....	3
	Slide show on header section.....	4
	Slideshow on Middle section.....	6
	Links at Left side.....	8
	Latest Events content.....	9
	About us Content.....	10
	Service Overview Content.....	11
	Contact Us Content.....	12
3	Virtual Host Settings.....	13
4	Company Name Settings.....	14
5	Pointing Live site to Test Site.....	16

1 Deployment Steps

This section will show steps to configure and setup liferay. Please follow below steps

1. Install Java (JRE and JDK) on C:/ and assigne JAVA_HOME and JRE_HOME environment variable.
2. Download the desired bundle from <http://www.liferay.com/downloads/liferay-portal>. Tomcat bundle is recommended, and it is what this guide uses.
3. Unzip the package into C: drive i.e. After unzip it will be like. **C:\liferay-portal-6.1.1-ce-ga2**.
4. Once unzip, then create file called **portal-ext.properties** file under **C:\liferay-portal-6.1.1-ce-ga2** folder and add following lines in portal-ext.properties file.
 1. jdbc.default.driverClassName=com.mysql.jdbc.Driver
 2. jdbc.default.url=jdbc:mysql://localhost/lrwebportal?useUnicode=true&characterEncoding=UTF-8&useFastDateParsing=false
 3. jdbc.default.username=<<MySQL Username>>
 4. jdbc.default.password=<<Password>>
5. Open MySQL admin and create schema called "lrwebportal". Keep it blank
6. Now open **C:\liferay-portal-6.1.1-ce-ga2\tomcat-7.0.27\bin** and double click on **startup.bat** file.
7. On first time run, it will create DB tables and indexes with default data and will take little more time. Second and subsequence times, it will start with normal time.
8. After server run, place following **.war** files under **C:\liferay-portal-6.1.1-ce-ga2\deploy** folder
 1. lportal-newsletter-portlet.war
 2. lportal-layouttpl.war
 3. lportal-theme.war
9. Type <http://localhost:8080> and login with **test@liferay.com/test** credentials.
10. After successfully login, click on **Go to --> Control panel** from dock bar from top side.
11. Once Control Panel opened, make sure the "liferay" site is selected in 3rd verticle TAB from left side.
12. Click on "Site Pages"
13. Click on Import and choose the **lportal_public_20131023.lar** file and click on import.
14. Once its imported, just delete the default public pages (Which were present before LAR important).
15. Its ready. After importing LAR file, the required Web content will be present. You can change the configuration as set in respectice web content.

2 Web Content Settings

This section will describe settings for various web content developed for different section. Following web contents are created in the system once the **lportal_public_20131023.lar** file is imported.

No	Web content Name	Structuer Name	Template Name	Purpose
1	LR_WEB_PORTAL_HEADER_SLIDESHOW_CONTENT	LR_WEB_PORTAL_HEADER_SLIDESHOW_STRUCTURE	LR_WEB_PORTAL_HEADER_SLIDESHOW_TEMPLATE	This web content is used to show slide show on header.
2	LR_WEB_PORTAL_HOME_SLIDESHOW_CONTENT	LR_WEB_PORTAL_HEADER_SLIDESHOW_STRUCTURE	LR_WEB_PORTAL_HOME_SLIDESHOW_TEMPLATE	This web content is used to show slide show on middle section.
3	LR_WEB_PORTAL_LEFT_LINKS_CONTENT	LR_WEB_PORTAL_LEFT_LINKS_SO_STRUCTURE	LR_WEB_PORTAL_LEFT_LINKS_SO_TEMPLATE	This web content is used to show links at left side
4	LR_WEB_PORTAL_LATEST_EVENTS_CONTENT	LR_WEB_PORTAL_LATEST_EVENTS_STRUCTURE	LR_WEB_PORTAL_LATEST_EVENTS_TEMPLATE	This web content is used to show latest events.
5	LR_WEB_PORTAL_ABOUT_US	No Structure	No Template	This web content is used to show About us page content.
6	LR_WEB_PORTAL_SERVICE_OVERVIEW	No Structure	No Template	This web content is used to show Service Overview page content.
7	LR_WEB_PORTAL_CONTACT_US	No Structure	No Template	This web content is used to show Contact Us page content.

Settins of respective web contents are as below.

Slide show on header section

Web Content Name :- LR_WEB_PORTAL_HEADER_SLIDESHOW_CONTENT

Structure Name :- LR_WEB_PORTAL_HEADER_SLIDESHOW_STRUCTURE

Template Name :- LR_WEB_PORTAL_HEADER_SLIDESHOW_TEMPLATE

Purpose :- This web content will be used to show slide show on header section as shown in below screenshot.



Settings :-

No	Attribute Name	Value	Purpose
1	title	LR_WEB_PORTAL_HEADER_SLIDESHOW_CONTENT	Its title of web content
2	height	230px	Will control height of image. Note:- pls append 'px' at the end or elase it won't work properly.
3	time	7000	No of millisecons each image will be stay on the page
4	transPeriod	1500	No of milliseconds it will take in transition from one image to another.
5	Images	Multiple images can be added. Choose Image by clicking 'select' button. Note:- Images which are uploaded to document library only will be available here. So Image must be added to document library prior to add to this web content.	Images added here will be displayed as slide show on header section. To look it similar like existing site, add same image two times here.
6	pagination	False	This will show / hide pagination at the end.

7	thumbnails	False	This will show / hide thumbnails of each image.
8	navigation	False	This will show / hide navigation buttons for each image
9	playPause	False	Allow user to play /pause slide show.


Slideshow on Middle section

Web Content Name :- LR_WEB_PORTAL_HOME_SLIDESHOW_CONTENT

Structure Name :- LR_WEB_PORTAL_HEADER_SLIDESHOW_STRUCTURE

Template Name :- LR_WEB_PORTAL_HOME_SLIDESHOW_TEMPLATE

Purpose :- This web content will be used to show slide show on home page(middle section) as shown in below screenshot.



Settings :-

No	Attribute Name	Value	Purpose
1	title	LR_WEB_PORTAL_HOME_SLIDES HOW_CONTENT	Its title of web content
2	height	300px	Will control height of image. Note:- pls append 'px' at the end or elase it won't work properly.
3	time	4000	No of millisecons each image will be stay on the page
4	transPeriod	1500	No of milliseconds it will take in transition from one image to another.
5	Images	Multiple images can be added. Choose Image by clicking 'select'	Images adde here will be displayed on each

		button. Note:- Images which are uploaded to document library only will be available here. So Image must be added to document library prior to add to this web content.	slide as slide show on middle section.
6	pagination	True	This will show / hide pagination at the end.
7	thumbnails	False	This will show / hide thumbnails of each image.
8	navigation	True	This will show / hide navigation buttons for each image
9	playPause	True	Allow user to play /pause slide show.


Links at Left side

Web Content Name :- LR_WEB_PORTAL_LEFT_LINKS_CONTENT

Structure Name :- LR_WEB_PORTAL_LEFT_LINKS_SO_STRUCTURE

Template Name :- LR_WEB_PORTAL_HOME_SLIDESHOW_TEMPLATE


Purpose :- This web content will be used to show links at left side as per below screenshot.



Settings :-

No	Attribute Name	Value	Purpose
1	Title	LR_WEB_PORTAL_LEFT_LINKS_CONTENT	Title of web content
2	Links	This has 4 sub attributes as below. 1.link Title (Text Box) 2.linkUrlExternal (Text Box) 3.linkUrlPage (Drop Down) 4.isUrlExternal (checkbox) User can add multiple links (each having above 4 sub attributes).	1,Link title will be name of link which will be visible on page. 2. link can be external or internal (liferay page). This can be controlled by checkbox isUrlExternal. If this checkbox is checked then it will not take the effect of linkUrlPage and will take whatever value is given for linkUrlExternal. If this checkbox is not checked then user can choose liferay public pages as internal link.
3	specialOfferUrl	Any external link.	This will be used to show a page which will display any offers so any valid external links will go here.

Latest Events content**Web Content Name** :- LR_WEB_PORTAL_LATEST_EVENTS_CONTENT**Structure Name** :- LR_WEB_PORTAL_LATEST_EVENTS_STRUCTURE**Template Name** :- LR_WEB_PORTAL_LATEST_EVENTS_TEMPLATE**Purpose** :- This web content will be used to show latest events content as per below screenshot.



Settings :-

No	Attribute Name	Value	Purpose
1	Title	LR_WEB_PORTAL_LATEST_EVENTS_CONTENT	Title of web content
2	date	Give any date	It will be display as it is on latest event content.
3	latestEvents	User can add multiple instances	For each events, user has to add event details.

About us Content


Web Content Name :- LR_WEB_PORTAL_ABOUT_US

Structure Name :- NONE

Template Name :- NONE

Purpose :- This web content will be used to show about us page content as shown in below screenshot.

Note:- This web content don't have any structure and template.



Settings :-

No	Attribute Name	Value	Purpose
1	Title	LR_WEB_PORTAL_ABOUT_US	This will be title of the web content.
2	Content	Actual value as shown in above screenshot.	Whatever written here will be displayed as it is while this web content is rendered on liferay page.

Service Overview Content


Web Content Name :- LR_WEB_PORTAL_SERVICE_OVERVIEW

Structure Name :- NONE

Template Name :- NONE

Purpose :- This web content will be used to show Service Overview page content as shown in below screenshot.

Note:- This web content don't have any structure and template.



Settings :-

No	Attribute Name	Value	Purpose
1	Title	LR_WEB_PORTAL_SERVICE_OVERVIEW	This will be title of the web content.
2	Content	Actual value as shown in above screenshot.	Whatever written here will be displayed as it is while this web content is rendered on liferay page.

Contact Us Content


Web Content Name :- LR_WEB_PORTAL_CONTACT_US

Structure Name :- NONE

Template Name :- NONE

Purpose :- This web content will be used to show Contact Us page content as shown in below screenshot.

Note:- This web content don't have any structure and template.



Settings :-

No	Attribute Name	Value	Purpose
1	Title	LR_WEB_PORTAL_CONTACT_US	This will be title of the web content.
2	Content	Actual value as shown in above screenshot.	Whatever written here will be displayed as it is while this web content is rendered on liferay page.

3 Virtual Host Settings

This setting will be used to give proper host name to all link (href). Since liferay will be installed on machine where all links will have 'localhost' by default. This is not the case every time when the site is live with host name for example www.softwarelabsinc.com.

By setting host name from control panel, every link generated in liferay will be having given host name instead of localhost. Follow below steps to set host settings.

- Login with Portal Admin (test@liferay.com / test) and clic on Go to --> Control panel.
- Then click on **Portal Settings** link from 4th verticle tab called **Portal** in control panel.
- Give your host name (e.g. softwarelabsinc.com) for **Virtual Host** property under **Main Configuration** section. (As per the screenshot, I have given the virtual host for test site as test.softwarelabsinc.com)
- Make sure don't put **http://** or **www**. Just give the plain host name for virtual host property.
- Click on Save button.

Test Test

My Account

My Pages

Software Lab

Site Settings

Site Pages

Site Memberships

Recent Content

Web Content

Documents and Media

Navigation

✓ Your request completed successfully.

Main Configuration

Name (Required)
Software Lab

Mail Domain (Required)
liferay.com

Virtual Host
test.softwarelabsinc.com

CDN Host HTTP

CDN Host HTTPS

☒ CDN Dynamic Resources Enabled

4 Company Name Settings

As shown in above figure, the same place where the virtual host has been set, give company name for **Name** property.

As per the screenshot above, I have given **Software Lab** for **Name** property which was previous given as **Liferay**. After setting company name here, you will observe following changes in the system.

Test Test

My Account

My Pages

Software Lab

Site Settings

Site Pages

Site Memberships

Recent Content

Web Content

Navigation

✓ Your request completed successfully.


Main Configuration

Name (Required)
Software Lab

Mail Domain (Required)
liferay.com


Virtual Host
test.softwarelabsinc.com

The name "**Liferay**" from second TAB will be changed as **Software Lab**.



Click on **Back to Software Lab** link from top left side as shown in below figure.

You will observe that the title bar of browser has been changed "**Software Labs**" from "**Liferay**" as shown in below screen.



5 Pointing Live site to Test Site

As per mail from Joe on 15th Nov 2013, he wants to point the existing live site to current test site. From liferay point of view, just one settings needs to be done as below.

In point 3, just give the Virtual Host setting value as below

test.softwarelabsinc.com (OLD – was given for test site)

softwarelabsinc.com (NEW- the same deomain name as current production site in PHP)

Note:- Make sure don't append **http://** or **www**