

Getaround Analysis

Deployment





- Problem: Car rental cancellation on Getaround platform
- Reason: Late car returns cause friction if next user has to wait
- Proposition: Introduce a buffer delay between consecutive rentals
- Also need a car pricing model available through an API



- Problem: Car rental cancellation on Getaround platform
- Reason: Late car returns cause friction if next user has to wait
- Proposition: Introduce a buffer delay between consecutive rentals
- Also need a car pricing model available through an API

Tasks

- Analyze the effect of a rental delay buffer on both checkin methods
- Produce a web dashboard to assist the decision (scope, minimum delay)
- Train car pricing optimization models
- Provide access to these models through an API endpoint
- Include the car rental pricing functionality in the web dashboard




Delay analysis data


























- Two pricing models
 - Ridge regression (Ridge)
 - Gradient boosting model (GBM)

model	eval. set	MSE	RMSE	R2	MAE	MAPE (%)
Didao	train	302.900604	17.404040	0.720073	12.198836	14.008746
Ridge	test	368.880038	19.206250	0.675800	12.990555	16.596385
CDM	train	144.302489	12.012597	0.866642	8.244311	9.476215
GBM	test	255.668401	15.989634	0.775299	10.215427	13.599528



- Two pricing models
 - Ridge regression (Ridge)
 - Gradient boosting model (GBM)


model	eval. set	MSE	RMSE	R2	MAE	MAPE (%)
Didao	train	302.900604	17.404040	0.720073	12.198836	14.008746
Ridge	test	368.880038	19.206250	0.675800	12.990555	16.596385
CDM	train	144.302489	12.012597	0.866642	8.244311	9.476215
GBM	test	255.668401	15.989634	0.775299	10.215427	13.599528



- Two pricing models
 - Ridge regression (Ridge)
 - Gradient boosting model (GBM)


	model	eval. set	MSE	RMSE	R2	MAE	MAPE (%)
	Didao	train	302.900604	17.404040	0.720073	12.198836	14.008746
	Ridge	test	368.880038	19.206250	0.675800	12.990555	16.596385
GBM	train	144.302489	12.012597	0.866642	8.244311	9.476215	
	test	255.668401	15.989634	0.775299	10.215427	13.599528	
	GBM	train	144.302489	12.012597	0.866642	8.244311	9.476215

- Model training and tracking
 - Dispatch training on AWS EC2 instances (MLflow project)
 - Track and record models in Mlflow server






- Two pricing models
 - Ridge regression (Ridge)
 - Gradient boosting model (GBM)
- Model training and tracking
 - Dispatch training on AWS EC2 instances (MLflow project)
 - Track and record models in Mlflow server



model	eval. set	MSE	RMSE	R2	MAE	MAPE (%)
Dides	train	302.900604	17.404040	0.720073	12.198836	14.008746
Ridge	test	368.880038	19.206250	0.675800	12.990555	16.596385
CDM	train	144.302489	12.012597	0.866642	8.244311	9.476215
GBM	test	255.668401	15.989634	0.775299	10.215427	13.599528


- Setup pricing API
 - Registered models prediction endpoint
 - Provides additional model information






Dashboard: car rental pricing

- Check API availability at startup
- Fetch models info
- Pricing evaluation from user input (/predict endpoint)






Rental delay analysis



- Late car return problem
 - Previous user is late
 - Car return delay may overlap with next rental
- Creates friction if next user has to wait



Rental delay analysis




- Late car return problem
 - Previous user is late
 - Car return delay may overlap with next rental
- Creates friction if next user has to wait

Cancellation probability

- Depends on waiting time
- Depends on the checkin method (Getaround connect or mobile)

Cancel prob. when waiting time > t





Dashboard: rental delay analysis


Visualize the effect of a rental delay


- Cancellation probability
- Both checkin methods

Summary table

- Rental delay slider
 - Quantitative insights











Thanks!

