

**LONG TERM INTERNSHIP**

**EVENT MANAGEMENT SYSTEM**

A Project Submitted In Partial Fulfillment of the  
Requirements for The Degree Of

**BACHELOR OF COMPUTER SCIENCE**

**By**

**NETHALA MADHURI**


**Regd.No.720131905036**

Under the esteemed guidance of

**Y.KRISHNA**

Lecturer in Computer Science

Pydah College for Women



**PYDAH COLLEGE FOR WOMEN**  
**AFFILIATED TO ANDHRA UNIVERSITY**  
**VISAKHAPATNAM**  
**2022-2023**

# **LONG TERM INTERNSHIP**

## **EVENT MANAGEMENT SYSTEM**

A Project Submitted In Partial Fulfillment of the  
Requirements for The Degree Of

## **BACHELOR OF COMPUTER SCIENCE**

**By**

**NETHALA MADHURI**


**Regd.No.720131905036**

Under the esteemed guidance of

**Y.KRISHNA**

**Lecturer in Computer Science**

**Pydah College for Women**




**PYDAH COLLEGE FOR WOMEN**  
**AFFILIATED TO ANDHRA UNIVERSITY**  
**VISAKHAPATNAM**

**2022-2023**

# PYDAH DEGREE COLLEGE FOR WOMEN

(Affiliated by Andhra University)

Visakhapatnam



## CERTIFICATE

This is to certify that this is a bonafide project work entitled "**“EVENT MANAGEMENT SYSTEM”**" by **NETHALA MADHURI** bearing regd.no.**720131905036** student of bachelor of computer science in Pydah College for women, Andhra university during period 2022-2023

External:

  
**Y.KRISHNA**

  
**(Project Guide)**

  
**HOD**

## **DECLARATION**

I hereby declare that this project entitled “EVENT MANAGEMENT SYSTEM” has been prepared by me and submitted to pydah college for women, Visakhapatnam and this project has not been submitted to any other in institute previously.

Visakhapatnam

Name:

Date:

[Type text]

Event Management System

# Event Management System

[Type text]

[Type text]

## **CONTEXT**

**1.Objectives**

**2.Input and Output**

**3.Details of Modules**

**4.Usecase Diagrams**

**5.Tools/Platforms/Languages**

**6.Coding(PHP and My Sql)**

**7.Database Tables**

**8.Output Screens**

**9.Test Cases**

**10.Limitations of the Project**

**11.Scope of Future Reference**

**Bibliography**

[Type text]

[Type text]

## 1.OBJECTIVES

Event management system is a web application, used for all event organizers. Now a days all event managers doing their business through online. Authorization and authentication of user is done through online. Customers can search for various events and their prices through online.

In our project customer can book for event.

[Type text]

[Type text]

## 2.INPUT AND OUTPUT

Input Forms in our project:

- 1) Event booking form

Output Pages in our project:

- 1) Display All events Page
- 2) About us page
- 3) Contact us page

[Type text]

[Type text]

### **3.DETAILS OF MODULES**

Our Project having Three Modules:

- 1) Admin Module
- 2) Users Module
- 3) Events module

In Admin Module, admin login form having admin username and password. If these values are matched with backend database values, then only admin gets authentication to the server. After authentication, admin control panel will be displayed.

In Users Module, user can register and login to his account. If these values are matched with backend database values, then only admin gets authentication to the server. After authentication, user control panel will be displayed.


In Events module, user can book a module. Admin can view all booked events.

[Type text]


[Type text]

## 4.USECASE DIAGRAMS

1) Usecase diagram for Admin:



2) Usecase diagram for User:



[Type text]

[Type text]

## 5.TOOLS/PLATFORMS, LANGUAGES

Operating System: Windows 7

Server: Apache

Server Side Scripting Languages: PHP Programming Language

Client Side Scripting Languages: HTML, CSS, JAVA SCRIPT

[Type text]

[Type text]

## About PHP and MySql

### 6.CODING

1) Index.php:

```
<html>
<frameset rows="10%, 90%" border=0>
<frame name="f1" src="menu.php">
<frame name=f2 src="home.php">
</frameset>
</html>
```

2) Home.php:

```
<html>
<style type="text/css">
body
{
padding: 20px;}
h1, h2, h3, a {
font-weight: normal;
color: #0088dd;
margin: 0px;}
h1 {
font-family: Georgia, Times, serif;
font-size: 250%;
text-shadow: 2px 2px 3px #666666;
padding-bottom: 10px;}
h2 {
font-family: "Gill Sans", Arial, sans-serif;
font-size: 90%;
text-transform: uppercase;
```

[Type text]

[Type text]

```
letter-spacing: 0.2em; }

h3 {
font-size: 150%; }

p {
font-family: Arial, Verdana, sans-serif;
line-height: 1.4em;
color: #665544; }

p.intro:first-line {
font-weight: bold; }

.credits {
font-style: italic;
text-align: right; }

a {
text-decoration: none; }

a:hover {
text-decoration: underline; }

thead th {
background-color: #BDEAFF;
width: 100px; }

tbody th {
background-color: #FFFF99; }

tfoot th {
background-color: #C2FE9A; }

tfoot th:last-of-type {
text-align: right; }

td {
text-align: center; }

td:last-of-type {
text-align: right; }
```

[Type text]

[Type text]

```
</style>
<body bgecolor=lightpink border=1>
<h1>Welcome to Sekhar Events</h1>
<br>
<h2>We provide all types of events for you.</h2>
<br>
<center>
<br>
</center>
<center><h1>Events we provide </h1></center>
<center><table border=6 height=30% width=60%><tr>
<th background-color: #BDEAFF; width: 100px; >Event ID
<th>Event Name
<th>Description
<th>Price
<tr>
<th>100
<td background-color: #BDEAFF; width: 100px; >Birthday Events
<td>we provide birthday events. we provide you all the services for
birthday events
<td>10000 per day
<tr>
<th background-color: #BDEAFF; width: 100px; >101
<td background-color: #BDEAFF; width: 100px; >Marriage Events
<td>we provide marriage events. we provide you all the services for
marriage events
<td>10000 per day
<tr>
<th background-color: #BDEAFF; width: 100px; >102
<td background-color: #BDEAFF; width: 100px; >Friends Events
<td>we provide friends events. we provide you all the services for
friends events
<td>10000 per day
</table></center>
```

[Type text]

[Type text]

```
<br><h4>In this events management project, user can book an event..</body>
</html>
```

3) Menu.php:

```
<html>
<body bgcolor=lightyellow>
<a href="home.php" target="f2"></img></a>
 &nbsp;&nbsp;&nbsp;&nbsp;&nbsp; | &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
<a href="aboutus.php" target="f2"><button>About Us</button></a>
 &nbsp;&nbsp;&nbsp;&nbsp;&nbsp; | &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
<a href="contactus.php" target="f2"><button>Contact Us</button></a>
 &nbsp;&nbsp;&nbsp;&nbsp;&nbsp; | &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
<a href="bookevent.php" target="f2"><button>Book an event</button></a>
</body>
</html>
```

4) aboutus.php:

```
<html>
<style type="text/css">
  body {
    padding: 20px;
  }
  h1, h2, h3, a {
    font-weight: normal;
    color: #0088dd;
    margin: 0px;
  }
  h1 {
    font-family: Georgia, Times, serif;
    font-size: 250%;
    text-shadow: 2px 2px 3px #666666;
    padding-bottom: 10px;
  }
  h2 {
```

[Type text]

[Type text]

```
font-family: "Gill Sans", Arial, sans-serif;
font-size: 90%;
text-transform: uppercase;
letter-spacing: 0.2em; }

h3 {
font-size: 150%; }

p {
font-family: Arial, Verdana, sans-serif;
line-height: 1.4em;
color: #665544; }

p.intro:first-line {
font-weight: bold; }

.credits {
font-style: italic;
text-align: right; }

a {
text-decoration: none; }

a:hover {
text-decoration: underline; }

thead th {
background-color: #BDEAFF;
width: 100px;
}

tbody th {
background-color: #FFFF99;
}

tfoot th {
background-color: #C2FE9A;
}

tfoot th:last-of-type {
text-align: right;
}

td {
text-align: center;
}
```

[Type text]

[Type text]

```
td:last-of-type {  
    text-align: right;  
}  
</style>  
<body bgcolor=pink border=1>  
<h1>This is aboutus page</h1>  
<br>  
<h2>we sekhar events established in 2016. we successfully completed 3  
years of  
service. we provide perfect events to customers.</h2>  
<br>  
<center>  
<br>  
</center>  
<center><h1>Events we provide </h1></center>  
<center><table border=6 height=30% width=60%><tr>  
<th background-color: #BDEAFF; width: 100px; >Event ID  
<th>Event Name  
<th>Description  
<th>Price  
<tr>  
<th>100  
<td background-color: #BDEAFF; width: 100px; >Birthday Events  
<td>we provide birthday events. we provide you all the services for  
birthday events  
<td>10000 per day  
<tr>  
<th background-color: #BDEAFF; width: 100px; >101  
<td background-color: #BDEAFF; width: 100px; >Marriage Events  
<td>we provide marriageg events. we provide you all the services for  
marriage events  
<td>10000 per day  
<tr>  
<th background-color: #BDEAFF; width: 100px; >102  
<td background-color: #BDEAFF; width: 100px; >Friends Events
```

[Type text]

[Type text]

```
<td>we provide friends events. we provide you all the services for  
friends events  
<td>10000 per day  
</table></center>  
<br><br><h4>In this events management project, user can book an event..  
</body>  
</html>
```

5) contactus.php:

```
<html>  
<style type="text/css">  
body {  
padding: 20px;}  
h1, h2, h3, a {  
font-weight: normal;  
color: #0088dd;  
margin: 0px;}  
h1 {  
font-family: Georgia, Times, serif;  
font-size: 250%;  
text-shadow: 2px 2px 3px #666666;  
padding-bottom: 10px;}  
h2 {  
font-family: "Gill Sans", Arial, sans-serif;  
font-size: 90%;  
text-transform: uppercase;  
letter-spacing: 0.2em;}  
h3 {  
font-size: 150%;}  
p {  
font-family: Arial, Verdana, sans-serif;  
line-height: 1.4em;  
color: #665544;}  
p.intro:first-line {
```

[Type text]

[Type text]

```
font-weight: bold;}  
.credits {  
font-style: italic;  
text-align: right;}  
a {  
text-decoration: none;}  
a:hover {  
text-decoration: underline;}  
thead th {  
background-color: #BDEAFF;  
width: 100px;  
}  
tbody th {  
background-color: #FFFF99;  
}  
tfoot th {  
background-color: #C2FE9A;  
}  
tfoot th:last-of-type {  
text-align: right;  
}  
td {  
text-align: center;  
}  
td:last-of-type {  
text-align: right;  
}  
</style>  
<body bgcolor=pink border=1>  
<h1>contact us </h1>  
<br>  
<h2>you can contact us to the following address</h2>  
<br>  
<center>  
<br>
```

[Type text]

[Type text]

```
</center>
<center><h1>Contact us </h1></center>
<center><table border=6 height=30% width=60%><tr>
<th background-color: #BDEAFF; width: 100px; >
Address:
<th>D.No. 101,akkayyapalem, visakhapatnam
<tr>
<th>Mobile
<th>9898989898
<td>
<tr>
<th>Email
<th>cars1234@gmail.com
</table></center>
<br>
<br><h4>In this events management project, user can book an event..
</body>
</html>
```

## 6) bookevent.php:

```
<html>
<style type="text/css">
body {
padding: 20px;}
h1, h2, h3, a {
font-weight: normal;
color: #0088dd;
margin: 0px;}
h1 {
font-family: Georgia, Times, serif;
font-size: 250%;
text-shadow: 2px 2px 3px #666666;
padding-bottom: 10px;}
h2 {
```

[Type text]

[Type text]

```
font-family: "Gill Sans", Arial, sans-serif;  
font-size: 90%;  
text-transform: uppercase;  
letter-spacing: 0.2em;}
```

```
h3 {  
font-size: 150%;}
```

```
p {  
font-family: Arial, Verdana, sans-serif;
```

```
line-height: 1.4em;  
color: #665544;}
```

```
p.intro:first-line {  
font-weight: bold;}
```

```
.credits {  
font-style: italic;  
text-align: right;}
```

```
a {  
text-decoration: none;}
```

```
a:hover {  
text-decoration: underline;}
```

```
thead th {  
background-color: #BDEAFF;  
width: 100px;  
}
```

```
tbody th {  
background-color: #FFFF99;  
}
```

```
tfoot th {  
background-color: #C2FE9A;  
}
```

```
tfoot th:last-of-type {  
text-align: right;  
}
```

```
td {  
text-align: center;  
}
```

[Type text]

[Type text]

```
td:last-of-type {  
    text-align: right;  
}  
</style>  
<body bgcolor=pink border=1>  
<center><h1>Events we provide </h1></center>  
<center><table border=6 height=30% width=60%><tr>  
<th background-color: #BDEAFF; width: 100px; >Event ID  
<th>Event Name  
<th>Description  
<th>Price  
<tr>  
<th>100  
<td background-color: #BDEAFF; width: 100px; >Birthday Events  
<td>we provide birthday events. we provide you all the services for  
birthday events  
<td>10000 per day  
<tr>  
<th background-color: #BDEAFF; width: 100px; >101  
<td background-color: #BDEAFF; width: 100px; >Marriage Events  
<td>we provide marriageg events. we provide you all the services for  
marriage events  
<td>10000 per day  
<tr>  
<th background-color: #BDEAFF; width: 100px; >102  
<td background-color: #BDEAFF; width: 100px; >Friends Events  
<td>we provide friends events. we provide you all the services for  
friends events  
<td>10000 per day  
</table></center>  
<br>  
<br><h4>If you want to book an event, please fill the following details.  
<form onSubmit="return checkForEvents();">  
Please enter event ID & event name:<br>  
<input type="text" id="eventid">
```

[Type text]

[Type text]

```
<input type="text" id="eventname">
<input type="submit" value="Submit Form">
</form>
<script type="text/javascript">
function checkForEvents() {
if (document.getElementById("eventid").value.length === 0) {
alert("please enter event id");
}

if (document.getElementById("eventname").value.length === 0) {
alert("please enter event name..");
}
else
{
var x=document.getElementById("eventid").value;
var y=document.getElementById("eventname").value;
document.writeln("your event booking completed..");
document.writeln("<body bgcolor=pink><font color=green>your eventid is
</font> </body>" +
x );
document.writeln("<font color=blue>your event name is </font>" +y);
}
}
</script>
</body>
</html>
```

[Type text]

[Type text]

## 7.DATABASE TABLES

1) Admin Table:

Field	Type	Null	Key	Default	Extra
Employerid	int(5)	NO		0	
Name	varchar(20)	NO		<i>NULL</i>	
Mobile	bigint(10)	NO		<i>NULL</i>	
Email	varchar(20)	NO		<i>NULL</i>	
Pwd	varchar(20)	NO		<i>NULL</i>	
Repwd	varchar(20)	NO		<i>NULL</i>	

2) booking:

Field	Type	Null	Key	Default	Extra
Bid	int(5)	NO	PRI	<i>NULL</i>	auto_increment
Eventide	int(20)	NO		<i>NULL</i>	
Days	int(3)	NO		<i>NULL</i>	
Bdate	varchar(20)	NO		<i>NULL</i>	
eventname	varchar(20)	NO		<i>NULL</i>	
Custname	varchar(20)	NO		<i>NULL</i>	
Email	varchar(30)	NO		<i>NULL</i>	

[Type text]

[Type text]

### 3) customer:

Field	Type	Null	Key	Default	Extra
custid	int(5)	NO	PRI	NULL	auto_increment
name	varchar(20)	NO		NULL	
mobile	bigint(10)	NO		NULL	
email	varchar(20)	NO		NULL	
pwd	varchar(20)	NO		NULL	
repwd	varchar(20)	NO		NULL	

### 4) Events:

Field	Type	Null	Key	Default	Extra
Eventide	int(5)	NO	PRI	NULL	auto_increment
eventname	varchar(30)	NO		NULL	
Price	bigint(10)	NO		NULL	

[Type text]

## 8.OUTPUT SCREENS

1) Home Page:

The screenshot shows a web browser window with the URL `localhost:2525/EventsManagementProject`. The page title is "Welcome to Sekhar Events". Below the title, a banner states "WE PROVIDE ALL TYPES OF EVENTS FOR YOU". A section titled "Events we provide" contains a table with three rows of event information:


Event ID	Event Name	Description	Price
100	Birthday Events	we provide birthday events. we provide you all the services for birthday events	10000 per day
101	Marriage Events	we provide marriageg events. we provide you all the services for marriage events	10000 per day
102	Friends Events	we provide friends events. we provide you all the services for friends events	10000 per day

At the bottom of the page, a footer note says "In this events management project, user can book an event..". The browser's status bar shows the time as "7:49 AM" and the date as "2/27/2019".

[Type text]

[Type text]

3) Contact us page:



[Type text]

[Type text]

- 4) Book an event page:

localhost:8080/auth/eventmanagementproject

About Us | Contact Us | Book an event

## Events we provide

Event ID	Event Name	Description	Price
100	Birthday Events	we provide birthday events. we provide you all the services for birthday events	10000 per day
101	Marriage Events	we provide marriageg events. we provide you all the services for marriage events	10000 per day
102	Friends Events	we provide friends events. we provide you all the services for friends events	10000 per day

If you want to book an event, please fill the following details.  
Please enter event ID & event name:

Submit Form

7:50 AM 2/27/2019

[Type text]

[Type text]

5) Booking completion page:


The screenshot shows a web browser window with the URL "localhost:2021-13.html". The page title is "Events we provide". It features a navigation bar with links for "About Us", "Contact Us", and "Book an event". Below the navigation is a section titled "Events we provide" containing a table of event details. A message at the bottom asks for event ID and name, with a "Submit Form" button.

Event ID	Event Name	Description	Price
100	Birthday Events	we provide birthday events. we provide you all the services for birthday events	10000 per day
101	Marriage Events	we provide marriage events. we provide you all the services for marriage events	10000 per day
102	Friends Events	we provide friends events. we provide you all the services for friends events	10000 per day

If you want to book an event, please fill the following details.  
Please enter event ID & event name:  
101

[Type text]

[Type text]



[Type text]

[Type text]

## 9.TEST CASES

- 1) Test Case 1: Admin Login- check username and password values with the values that are already stored in the server. If these values are matched with the values stored in the server, then only the admin gets authentication.- It is success.
- 2) Test Case 2: Customer Login: check username and password values with the values that are already stored in the server. If these values are matched with the values stored in the server, then only the customer gets authentication.- It is success.
- 3) Test Case 3: Book Event: first search for event. After that book event. Check all values are properly storing in booking table. – it is success.
- 4) Test Case 4: View Bookings: login to admin panel. After that check in view bookings page. Already booked events are available in that page.- it is success.

[Type text]

[Type text]

## 10.LIMITATIONS OF PROJECT

In this project we developed all the functionalities of event organizations. Here limitations are, this project not contains all the roles of event management employees. Here we used only admin to manage and maintain applications. In real world applications, multiple branches of customers exist. Here in this project we used only one branch customers for event organization.

[Type text]

[Type text]

## 11. SCOPE OF FUTURE REFERENCE

This project is very much used in future for event management related applications. Here, we developed this application with fully secured server side scripting language PHP. All the functionalities of event management application are included in this project.

[Type text]

## BIBILOGRAPHY

J. (2009) *Event planning: the ultimate guide to successful meetings, corporate events, fund-raising galas, conferences, conventions, incentives and other special events.* 2nd ed. Mississauga, ON.: Wiley. Available at: <https://www.dawsonera.com/guard/protected/dawson.jsp?name=https://idpl.tees.ac.uk/entity&dest=http://www.dawsonera.com/depp/reader/protected/external/AbstractView/S9780470156186>.

Bernidge, G. (2006) *Events design and experience.* Oxford: Butterworth-Heinemann.

Bowdin, G. A. J. (2011) *Events management.* 3rd ed. London: Butterworth-Heinemann.

Columbus, G. and Goldblatt, J. J. (2010) *The complete guide to careers in special events: step toward success!* New York: Wiley.

Davidson, R. and Rogers, T. (2006) *Marketing destinations and venues for conferences, conventions and business events: a convention and event perspective.* Oxford: Butterworth-Heinemann.

Davidson, R. and Rogers, T. (2015) *Marketing destinations and venues for conferences, conventions and business events: a convention and event perspective.* Oxford: Butterworth-Heinemann.

'Event management: an international journal' (no date). Elmsford, NY: Cognizant Communication. Available at: <http://rf3mf3dz3g.search.serialssolutions.com/log?L=RF3MF3DZ3G&D=RIG&J=EVENMAN&P=EJP&U=http%3A%2F%2Fezproxy.tees.ac.uk%2Flogin%3Furl%3Dhttp%3A%2F%2Fwww.ingentaconnect.com%2Fcontent%2Fcog%2Fem>.

Ferdinand, N. and Kitchin, P. (2012) *Events management: an international approach.* Los Angeles, [Calif.]: Sage.

Getz, D. (2016) *Event studies: theory, research and policy for planned events.* 3rd ed. London: Routledge.

Goldblatt, J. J. and Goldblatt, J. (2011) *Special events: a new generation and the next frontier.* 6th ed. Hoboken, N.J.: Wiley.