PROJECT DOCUMENTATION

Import Data using Transform Maps (Spreadsheet)

Team ID	SWTID-2026-2550
Project Title	Import Data using Transform Maps (Spreadsheet)
Date	29/09/2026
Platform	ServiceNow

This document describes the purpose, design, setup, execution, and validation of importing spreadsheet data into ServiceNow using Import Sets and Transform Maps.

2. Project Overview

Purpose: The purpose of this project is to import data from a spreadsheet (such as an Excel or CSV file) into ServiceNow tables accurately and consistently by using Import Sets and Transform Maps.

Goals:

- Reduce manual data entry and save time when loading multiple records.
- Map spreadsheet columns to the correct ServiceNow target-table fields.
- Validate and transform source values before records are inserted or updated.
- Maintain reliable, repeatable imports with clear import logs and error checking.

Key Features:

- Spreadsheet upload through the ServiceNow import process.
- Import Set table to temporarily hold source data.
- Transform Map to define field mappings and transformation rules.
- Coalesce option to match existing records and update them instead of creating duplicates.
- Import and transform status review for troubleshooting.

3. System Architecture

The data flow moves from the source spreadsheet through a staging table and transformation rules into the destination table.

Stage	Description
1. Source Spreadsheet	Contains source records arranged in rows with column headers.
2. Import Set	Loads the spreadsheet rows into a temporary ServiceNow import table.
3. Transform Map	Maps source columns to target fields and applies transformation/coalesce rules.
4. Target Table	Receives the transformed records, for example an appropriate user, asset, or custom table.
5. Import Logs	Shows row counts, successful transformations, skipped rows, and errors.

Important: *The destination table and field mappings depend on the spreadsheet and the data requirements of the ServiceNow instance.*

4. Setup Instructions

Prerequisites

- Access to a ServiceNow instance with permission to create or run data imports.
- A prepared Excel or CSV spreadsheet with clear column headers.
- Knowledge of the destination table and the fields that should receive the imported values.
- A test copy of the data for validating mappings before importing production records.

Preparation and Configuration

- Review the spreadsheet and remove unnecessary blank rows, duplicate headers, and inconsistent values.
- Navigate to the ServiceNow data import area (the exact menu label can vary by instance and role).
- Upload the spreadsheet and load its data into an Import Set table.
- Create or select a Transform Map and choose the correct target table.
- Map each source column to its corresponding target field; configure scripts only if required.
- Set a coalesce field when records should be matched to existing records rather than duplicated.
- Save the configuration and test it with a small sample before processing all rows.

5. Spreadsheet and Field-Mapping Structure

The spreadsheet should use one header row followed by one record per row. Each column should represent a source field that can be mapped to a ServiceNow target field.

Spreadsheet Column	Example Target Field	Notes
number / ID	Unique identifier field	Use as coalesce only when it is reliable and unique.
name	Name	Check spelling and required-field rules.
email	Email	Check format and duplicates if relevant.
status	Status / State	Source values may need to match ServiceNow choice values.

Note: The example field names above are illustrative. Replace them with columns and target fields that match your actual project data.

6. Executing the Data Import

- Open the relevant Import Set and confirm that the expected source rows were loaded.
- Open the associated Transform Map and verify the source-to-target field mappings.
- Run the transform process for the selected Import Set.
- Review the transform results and confirm how many records were inserted, updated, ignored, or failed.
- Open a sample of the target records and verify that the imported values are correct.
- If the results are correct, repeat the process for the full spreadsheet or the next approved batch.

Expected Result: Valid spreadsheet rows are transformed and written to the selected ServiceNow target table according to the configured field mappings and transform rules.

7. Validation and Troubleshooting

Issue	What to Check
Fields are empty	Confirm source column headers and field maps; check whether the source values are blank.
Records are duplicated	Review the coalesce field and confirm that the matching value is unique and populated.
Rows fail to transform	Review import/transform logs, mandatory fields, data types, reference values, and any transform scripts.
Choice values do not match	Make sure spreadsheet values correspond to accepted ServiceNow choice values or add appropriate transformation logic.
Unexpected target records	Check the selected target table, mapping rules, coalesce configuration, and test with a small sample.

Completion Checklist

- ■ Spreadsheet headers and values reviewed.
- ■ Import Set loaded successfully.
- ■ Transform Map and field mappings verified.
- ■ Coalesce and required-field behavior checked where applicable.
- ■ Transform results and error logs reviewed.
- ■ Sample target records validated.

Conclusion: Import Sets and Transform Maps provide a structured way to move spreadsheet data into ServiceNow. Careful field mapping, testing, coalesce configuration, and review of transform logs help improve data accuracy and reduce duplicate or invalid records.