



Additive Sender Effects (sorted)




Additive Receiver Effects




Time-Varying Regression Coefficients

Posterior Median and 95% Credible Interval




Forecast Calibration Check

$h = 1$, family = binary, KS $p = 0.000$




Goodness-of-Fit: Observed vs Posterior Predictive


Sender Degree Heterogeneity




Receiver Degree Heterogeneity




Dyadic Dependence



Triadic Dependence




Transitivity




help("gof_plot")

Goodness-of-Fit: Observed vs Posterior Predictive

Sender Degree Heterogeneity




Receiver Degree Heterogeneity




help("gof_plot")

LAME Model Diagnostics


MCMC Trace Plots




Posterior Distributions




Longitudinal GOF: Observed (Red) vs 95% Credible Intervals



Additive Effects (Time-Averaged)




MCMC Diagnostics: Trace Plots (top) and Posterior Densities (bottom)




help("trace plot")

MCMC Diagnostics: Trace Plots (top) and Posterior Densities (bottom)



help("trace plot")

MCMC Diagnostics: Trace Plots (top) and Posterior Densities (bottom)



The figure displays a circular arrangement of data points, likely representing a network or a sequence of nodes. The points are colored blue and red, and are arranged in a ring. A dashed line connects the points, forming a circular path. The plot includes labels for specific nodes, such as node10, node15, node37, node41, node45, node80, node83, node86, node96, and node98. The blue points are clustered in the upper-left and lower-right quadrants, while the red points are clustered in the upper-right and lower-left quadrants. The dashed line connects the points in a circular path, with some points labeled as 'node' followed by a number.

```
help("uv_plot")
```

Multiplicative Effects (Biplot)

