7 Reference

FULL

Changes: what is different, and why

This file lists every change made to Jun's copy, so anyone can see what was changed, why, and what it means for the program and the install. Each entry matches a commit in the git history (`git log` shows them; `git show COMMIT` shows the exact lines).

Part 1. How this copy differs from the old live site

These are deliberate. They make the copy Jun's own and remove everything that belonged to the old household server.

What	Changed how	Why	Effect on the program / install
Old PHP pages	Not included. Only the live Rust site and the files it actually serves (`site/`)	The PHP version was replaced by Rust on 2026-10-06; nothing runs it	Smaller, nothing unused. The website looks and works the same
`.bak` and test copies of pages and app files	Not included	Clutter, and some old copies held old passwords	None
Built-in accounts in the code	Now Jun only (`accounts.rs` fallback, uploader list)	Nobody else should have a built-in way in	Only the people in Jun's settings can log in

What	Changed how	Why	Effect on the program / install
Logins and sessions in the garden data	Left out of the starter backup	Jun sets his own password; nobody else's login comes along	The install asks Jun for his password
Garden tools (`/beds`)	Garden-only version: Paperless, NAS video, MeTube, the household wiki and other household links removed	They belonged to the household server	Same garden pages; they open after Jun's own sign-in page
Wiki	Pages, tags and menu copied; the old admin login, API keys, sign-in settings and secrets left out	The wiki becomes Jun's, with his own admin account	The install sets up a fresh wiki and puts all 933 pages in
Android app	Dead household code removed (old household sign-in, chat, recipes, tools; all pointed at the household server)	Unused since app 3.0, and it pointed at a server that is not Jun's	Same app, same features; nothing reaches the household server
Sign-in for the garden tools	The household sign-in service is replaced by Authelia (open source) on Jun's computer	Jun's own sign-in page, well documented	Set up by the front door step (menu M, 1)
AI keys	None of the author's keys are included	Jun uses his own (free) keys	Jun pastes his own keys during the install or with menu K

What	Changed how	Why	Effect on the program / install
Server deploy scripts (`docs/rust-port/tools`, `docs/streamlit-port/tools`)	Not included	They were for the old server	History notes in `docs/` say so
Web name	`junsgarden.zapto.org` was released from the author's No-IP account	Jun registers it in his own No-IP account	Until then: front door "home only" (menu M, 1, choice 1)

Part 2. Fixes found by testing

Each fix: what was wrong, what changed, and the effect.

#	Fix	What was wrong	Effect on program / install
1	`sudo -v` changed to `sudo true` in the system check	On some setups `sudo -v` asks for a password even when sudo itself does not, so the install waited forever	The install no longer hangs at step 1
2	Docker DNS check (install step 6 and 12)	Some networks give containers a DNS address they cannot reach, so the build could not download anything	The install notices, sets Docker to use public DNS (1.1.1.1, 8.8.8.8), and says so
3	Build and download include every switched-on part	Docker tried to download the garden tools image instead of building it, printing a scary "pull access denied"	Clean output; parts are built, never downloaded from a stranger

#	Fix	What was wrong	Effect on program / install
4	Wiki setup includes every switched-on part	The wiki helper could not find the wiki, so the first wiki setup did not run	The wiki pages go in during the install
5	Sign-in page user list written in one go, and the sign-in page restarted after any user change	A new guest could not sign in until the sign-in page re-read its list	New people and new passwords work straight away
6	Caddy output and checks	Caddy printed many harmless warnings that looked like errors	Only real problems are shown; settings are tidied and checked first
7	Ports 80 and 443 checked before Caddy starts	If another program held them, Caddy failed with a confusing message	A clear message saying which program holds the port
8	LiteLLM port	If port 4000 was taken, LiteLLM could not start	It picks the next free port and says which
9	Language switch: blank lines	Korean mode printed "bad array subscript" errors on blank lines	Clean Korean and "both" screens
10	Windows: scp copy folder	A trailing backslash made Windows write the backup to the wrong place	The weekly copy lands in the right folder; the copy is checked
11	Windows: WSL user check	If Windows' Ubuntu was installed but its user was never made, the install skipped making it	The user is always made before installing
12	Front door: web name saved again	A line that saves the web name had been lost while editing	Going online remembers the name (found before the final test)

#	Fix	What was wrong	Effect on program / install
13	Wrong API key message	Google answers a wrong key with code 400, which was shown as "no clear answer"	Says plainly that the key is wrong
14	Google Drive download step removed	The garden data now travels inside the package	No Google Drive code or link in the program

Part 3. Added at the author's request (2026-10-13)

What	Why	Effect on the program / install
The wiki is optional	Jun may not want a wiki	It already was a part: menu M, Parts, number 2 switches it off (its pages are kept) and on again. Tested both ways
"Home only" now says **Not on the internet yet (home Wi-Fi only, no www)** and names the next step	"Home only" could confuse Jun	The choice and its finish screen say plainly that nobody outside the house can reach it, and the next step: sign up at No-IP (guide 04, Part A), DuckDNS optional, then choice 3, which installs the No-IP updater (DUC)
Change the web name (menu M, 16; Windows More, 17; `bash garden.sh webname`)	Jun may want another name than junsgarden.zapto.org (for example one for his mom)	Swaps the name in the 12 files that use it (share buttons, privacy page, the app's update check, Android source), after cleaning `https://`, `http://`, `www.` and paths off what was typed and checking it is a web name. Keeps the old files in `logs/web-name-change_DATE/`, updates `.env`, Caddy and the sign-in page when online, offers a rebuild, and saves the change in Jun's git history. Works before installing too. On Windows, the PC's own copy is changed as well, so a later install does not bring the old name back. Guide 04 explains it (English and Korean)

What	Why	Effect on the program / install
It is called the **Website name swap**, and the install asks first	Jun should decide before setup: keep junsgarden.zapto.org, or a new name	A fresh install asks once: 1) keep the name (recommended) or 2) a new name now. The Windows guided installer asks on its "About you" page (keep / a new name, with links), and the Windows menu asks in its window; Windows puts the name into the PC's copy before copying it over. The swap shows how to get a free web name (No-IP: one free name, confirmed every 30 days; the paid plan has 3)
The read-me and guide 04 explain web names	So Jun knows how to start a new name, without being overwhelmed	Read-me (English and Korean): a short "Your web name" section, the "Not on the internet yet" choice and the DUC. Guide 04: the No-IP plan facts, and that free DuckDNS names can give other things (Home Assistant panels, automations) their own address behind the sign-in page, with far less exposed
Google Drive backups ask for Jun's own client ID	rclone's shared one stops working during 2026	See #22 below
The wiki is off unless Jun chooses it	Jun may never want it; nobody should wait for a program and data they do not use	Easy mode no longer switches the wiki on (Custom asks, default No; the Windows installer's box starts unticked). Its pages are a separate download, `junsgarden-wiki-addon.zip`. Turning the wiki on finds that zip (garden folder, Home, Downloads, Desktop), checks its fingerprint (`docker/wiki/seed/wiki-pages.sha256`) and adds the pages; without it the wiki is set up empty. The pages are no longer in git (only their fingerprint)

What	Why	Effect on the program / install
The photos are a separate download	Keep the first download small; let Jun fetch the 800 MB of photos when his internet is quiet, or again later	Three downloads: the garden (`junsgarden-for-jun.zip`), the photos (`junsgarden-photos-addon.zip`) and the wiki pages. The install loads the photos if the zip is there (fingerprint checked against `docker/tools/photos.sha256`); otherwise the garden works without pictures until menu 6, 11 (or `bash garden.sh photos`) loads them. Photos already there are kept
Downloads: Home on Ubuntu, Desktop on Windows; a copy on the NAS	So Jun knows where to keep them, and has a spare	The read-me says where to keep the three zips. The menu looks there (and in Downloads). Menu 6, 12 keeps a copy of the downloads on the NAS. The Windows menu brings the photos and wiki zips along when it installs
A timer on every install step	Jun likes to know how long things take, and to stop and carry on later	Before each step: "Usually takes ..."; after it: "This step took N min". The progress file (and the Windows guided installer's list) shows both. Every step can be stopped and resumed (menu 1)
Custom mode: photos now or later	A busy network or a short evening	Custom asks "Load the photos now? Or later: menu 6, then 11". Easy loads them when the photos download is there
A question for the database password	Jun should know his database has its own password, and may choose it	The settings step asks once: Enter makes a strong one (recommended; never typed again, kept in `.env`, menu 8 renews it), or type your own (16+ letters and numbers, hidden). Jun's everyday password stays his login; with Gmail set up, "forgot password" emails go straight to him
JOURNAL.md	So Jun has a plain diary of what the author did and why	A dated journal next to this file, kept up to date with each change
Guide 18: review the code yourself	Jun, his friends or an AI should be able to check everything	A map of the files, the fingerprint check, git history, the secret scanner (`tools/check-secrets.sh`), and safe ways to ask Gemini or a friend. English and Korean

Part 4. Security review (before publishing)

A separate reviewer read every file, all of git's history, the wiki pages and the private starter backup. **Answer to the key question: someone who reads the public code, even knowing Jun's name and email, cannot sign in as Jun or anyone else.** There are no passwords, password hashes or keys anywhere; the login tables in the backup are empty; every program listens only on the garden computer except Caddy. These improvements were made from its suggestions:

#	Change	What could have happened	Effect
S1	The login cookie is `SameSite=Strict`, and a request that another website started is treated as a visitor (`Sec-Fetch-Site`)	A stranger's link, opened while Jun was logged in, could make the site move a plant or delete a photo (no login was given away)	Only Jun's own clicks on his own site can change anything. Side effect: arriving from another site (for example an email link), the first page shows him logged out; the next click on his site shows him logged in
S2	A login only counts while the person is on the user list	Someone removed from GARDEN_USERS by hand kept a working login	Removed means removed, at once
S3	No built-in account	Someone else running the public code without settings got a "Jun" account, and its reset emails went to Jun	Without GARDEN_USERS nobody can log in, and the site says so
S4	The wiki goes online only after its setup is finished	An unfinished wiki on the internet could be claimed by whoever finished its setup first	Its web name or `wiki.` subdomain is left out (with a note) until the wiki has its admin. Home Assistant's subdomain now defaults to behind the sign-in page for the same reason

#	Change	What could have happened	Effect
S5	Caddy throws away identity headers sent by visitors before asking the sign-in page	Defence in depth; nothing was open	`/beds` and every subdomain drop `X-Auth-Email` and `Remote-*` from visitors first
S6	After a restore, the sign-in folder is private again	A restore made it readable by every account on the computer (it holds password hashes and the email password)	`local/authelia` is owner-only after a restore
S7	LiteLLM's key is made at install	Started by hand without the menu, LiteLLM ran with no key	The key is created with the other secrets
S8	Notes on the optional extras	Mosquitto and ESPHome listen on the home network	Their files say so (home only, never forwarded); ESPHome can get a login in `.env`
S9	Personal leftovers removed from the website code	The author's home-network address and folder paths were defaults in `main.rs`	Neutral defaults
F1	Jun can set a plant's main photo	"Make this the main photo" was allowed for the author's account only	Any logged-in gardener can

Accepted, with the reason: likes and favourites take the name sent with them (this only changes card colours, never a plant), and the 15-minute login lock counts per name (it slows guessing; a determined stranger could keep Jun waiting, but never get in). The phone app file (`site/apps/junsgarden.apk`) was an older build (3.1) that still named the author's other server and his email; it was rebuilt from `android-app/` as **3.2** on 2026-10-13 (same signing key, so the phones update; neither the email nor that server is in it).

Part 5. Changes after the final test

#	Fix	What was wrong	Effect on program / install
16	Wait for the sign-in page after it starts or restarts	Right after the front door was set up, or a person was added, the sign-in page needed a few seconds to start; anyone (or a test) arriving in those seconds got an error	The menu says "done" only once the sign-in page answers; quick clicks work
17	"Home only" checks port 80 first, and can use another port	If another program held port 80, Caddy failed with an unclear message	A clear message naming the program; CADDY_HTTP_PORT in .env can move it
18	"Home only" really hides the garden tools	Caddy runs a catch-all `handle` before `respond`, so `/beds` was passed to the site instead of getting the "not yet" page	`/beds` and `/auth` answer 403 at home until the garden is online
19	"Remove everything" reads its answers correctly	The final backup swallowed the typed answers, so it stopped with "Nothing was deleted"	The questions after the final backup get Jun's answers
20	Sign-in settings can always be rewritten	After a restore, the sign-in folder belonged to the administrator (root), so new settings (subdomains, email, web name) silently failed to save	The folder is given back to Jun before writing; a failed write now says so

#	Fix	What was wrong	Effect on program / install
21	"Remove everything" removes the programs too	It called "remove the programs" in its no-questions mode, which answered that step's "are you sure?" with its default, **no**. So the data was deleted but the containers, Caddy, the No-IP updater and the nightly backup line stayed	Uninstall level 2 now removes everything it lists. (Level 1 always worked.)
22	Google Drive backups: your own Google client ID	rclone's shared Google client ID "is being retired and will stop working during 2026" (rclone's own notice), so the weekly Drive copy would stop	Connecting Google Drive (menu 6, 5) first walks Jun through making his own free client ID (rclone's official steps), with the secret hidden; Enter skips it for now. Guide 13 explains it (English and Korean)
23	Korean words for the newest screens	The "home only" choice and the new Drive steps had no Korean yet; 12 old lines were no longer used	Korean is back to 100% (692 of 692)
24	Windows: no WSL update on every install	Every install from Windows ran `wsl --update`, which waits for Windows' permission prompt; it looked frozen, with no word about the prompt (found by the test from the Drive download)	WSL is updated only when it is too old to report its version, and the menu first says Windows will ask for permission. `wsl --install` already brings an up-to-date WSL

#	Fix	What was wrong	Effect on program / install
25	Windows menu install keeps the Easy parts	Installing from the Windows menu (not the guided installer) switched OFF the garden tools and the wiki: PowerShell turns a left-out text option into "", which the menu passed on as "no parts" (found by the test from the Drive download)	The parts are passed only when they were really chosen (the guided installer); otherwise Easy mode picks the garden tools and the wiki as it should
26	Windows uses its own tar, ssh and scp	If Git for Windows (or another program) put its own versions first on the PATH, packing the garden failed ("Cannot connect to C:") because those read `C:\...` as a network address	The menu calls Windows' own tools by their full path; and when an install stops, the menu now ends with an error code instead of 0 (which hid this in a test)
27	"Remove everything" only removes the garden's own Docker storage	It ran `docker volume prune`, which deletes unused storage of ANY program on the computer (found while writing guide 19)	Only volumes of the project "junsgarden" are removed
28	Uninstall level 1 also removes LiteLLM	Its container could stay behind	All garden parts are removed
29	Front door back on after "off" restarts the No-IP updater	Menu M, 14 switches it off; menu M, 1 again asked "Enter a new DDNS key anyway?" and, on No, left it off: the web name would quietly stop following the house	The updater is switched back on with the saved key

#	Fix	What was wrong	Effect on program / install
30	"Front door off" closes the home-only door on the port really used	It always removed the rule for port 80, even with CADDY_HTTP_PORT set	The right rule is removed
31	Two messages corrected	The LiteLLM key was said to be in Settings (it is menu M, 15, then 6); the Windows Adminer item pointed at the website's address (Adminer opens on the garden computer only)	Correct directions
32	The firewall keeps SSH open on the port it really uses	The firewall step allowed SSH on port 22 only. On a computer whose SSH listens on another port, switching the firewall on would have cut off SSH	The step reads SSH's real port(s) (`sshd -T`) and allows those, from the home network only; it says which port stays open
33	The home network is the one that leads to the router	It took the FIRST network with an address. Once Docker is installed that is Docker's own inside network (172.17...), so "home Wi-Fi only" let only Docker in, and a firewall re-run allowed SSH only from Docker (found while checking the screenshots: with Docker there were eight networks)	It uses the network of the connection to the router (the default route). Tested: old way 172.17.0.0/16 (Docker), new way the real network

#	Fix	What was wrong	Effect on program / install
34	The downloads are found in a Korean Ubuntu too	`garden.sh` looked for the photos and wiki zips only in `~/Downloads` and `~/Desktop`. In an Ubuntu set up in Korean those folders are `~/다운로드` and `~/바탕 화면`, so the photos were not found	It asks Ubuntu for the real folder names (`xdg-user-dir`, the standard tool), then tries the English names. Tested in 7 places, English and Korean: all found
35	Windows: the photos zip is not copied twice	The installer copied the 808 MB photos zip into the garden folder on the PC, then sent the folder on. That doubled the space it took, and inside OneDrive it was uploaded twice	The photos and wiki zips go straight from where they are (garden folder, Desktop, Downloads) to the garden computer; the bundle of the folder leaves them out. Tested: both arrive whole, settings and private files still stay behind
36	Windows: the weekly backup copy goes where YOU pick (the author's request)	The copy (More 13) always went into `backups\from-garden-computer` in the garden folder. On a Desktop inside OneDrive, 8 copies (several GB) would fill OneDrive's free 5 GB	More 13 first asks where: a folder window (this PC, a USB drive, Google Drive for desktop, a NAS under Network), or a typed network path like `\\192.168.1.20\backups`. It checks it can write there, remembers it, and warns if the folder is in OneDrive. Tested: a normal folder, a Korean-named folder, a network path (the file arrived whole), and a folder that cannot be written (stops politely, keeps the old choice). A bug in the new code (a name clash that wiped the saved settings) was found by this test and fixed before release

#	Fix	What was wrong	Effect on program / install
37	Yes/no checks can no longer answer a wrong "no"	16 checks fed a program's output into `grep -q`. With `pipefail` on (as in garden.sh), `grep -q` stops at the first match and the program feeding it can fail on the cut-off pipe, so a true "yes" became "no" when the output was long (tested: 50 of 50 wrong with long output; today's outputs are short, 0 of 50). Found by a newer shellcheck (SC2337)	A small helper, `has`, reads all of the output before answering; the 16 checks use it. Tested: right every time. shellcheck is clean on all 18 shell scripts
38	Windows: the installer offers to move the garden folder out of OneDrive (the author's request)	On many Windows 11 PCs the Desktop is inside OneDrive. OneDrive uploads everything there, and its free plan is 5 GB; the garden's downloads (about 900 MB) and backup copies grow past that	When the garden folder is inside OneDrive, Start-Here-Windows.cmd first shows a small window: **Move it to C:\Users\\junsgarden-for-jun (recommended)**, **Choose another place...**, or **Keep it in OneDrive**. Moving copies every file and checks they all arrived, moves the photos and wiki zips off the OneDrive Desktop too, puts a "Garden folder" shortcut on the Desktop, and opens the installer again from the new place. The old folder is never deleted for you. The menu's INSTALL also says so. Tested on a full copy of the package: 440 of 440 files, identical

#	Fix	What was wrong	Effect on program / install
39	Ubuntu: up to 3 network places for the backups (the author's request)	The nightly backup could go to ONE NAS only	Backups menu (6), 13: **Add another network place** (a second NAS, or a PC's shared folder); every nightly backup goes to each place, the newest 14 kept in each. Menu 6, 8 asks which place to stop. Place 1 is unchanged, so an existing NAS keeps working. Tested with two real SMB 3.1.1 shares: both connected through the menus, identical copies in each, login files readable by the administrator only, stopping one left the other
40	Moving out of OneDrive keeps the automatic jobs working	The Windows scheduled tasks (More 13's weekly copy, "keep running") name the folder they run from. Moved after they were set up, they would still point at the old folder and stop once it was deleted (found by the guide review)	The move points every "Jun's Garden" task at the new folder. Tested with a throwaway task: before, the old folder; after, the new one (and its start folder)
15	Wiki setup does not wait for a password nobody can type	When the install ran again unattended (no keyboard, or the "yes to everything" mode) and the wiki import was not finished, it waited forever for the wiki admin password	The helper checks first: a wiki that is already set up just says so (no password asked, also when switching the wiki part off and on); a new wiki with nobody at the keyboard says "later run `bash garden.sh wiki`" and the install carries on

Part 6. Your own names, an off switch, and Docker Desktop (2026-10-14, the author's requests)

New, each tried on a real test garden before release (guide 26 shows every step); the engineering view, how each part works and was verified, is in `docs/release-notes/2026-10-14-technical.md`):

What	Why	Effect on program / install
Rename or move a file or folder (menu M, 18; Settings 8; `bash garden.sh rename`)	The website's folders and pages came with the author's names; renaming one by hand breaks the site, because the code, the photo lists and the database still use the old name	Choice 1 renames a file or folder of the website and changes every place that uses the exact name (whole names only, capitals exact): the code and pages, the photo and data lists, and the rows of the garden's and the wiki's database. It shows every place, offers a backup, keeps copies of everything it changes in `logs/rename_DATE/`, stops the programs (that frees the files), rebuilds the website if its code changed, checks the new address answers, and saves one git entry. It refuses what would break: the programs themselves, folders the programs use by name, names with spaces, and a photo whose name the database could confuse. Choice 2 moves a big folder (to another Linux disk too; it checks the disk type). Choice 3 moves the whole garden folder and fixes the schedules, the icon and Docker's programs, with a signpost link for the Windows menu. Every rename and move is listed in `logs/renames.tsv`. Tested: a photo folder (8 places in 4 files, website rebuilt, photo answers at the new address, old name 0 times on the page), a plant photo (3 database rows, including 2 wiki page columns), a page (`privacy.html`, the footer link followed), each one renamed back; the cache folder moved and back
The guides keep the first names	Jun reads the guides with the names the garden came with	Every rename warns about it; `logs/renames.tsv` (menu M, 18, then 4, or `bash garden.sh renames`) lists what is called what now; the checklist says how many changes there are
After a restore, renames are done again	A backup made before a rename brings the old name back while the code uses the new one	After a restore or a new photos download the menu offers to redo them, following a chain of renames to today's name (`bash garden.sh redo-renames`). Tested with a simulated restore

What	Why	Effect on program / install
On / off switch (menu M, 14, which also holds the old "front door off" as choice 3; `bash garden.sh off` / `on`)	To stop hosting for a while, or when the traffic is too much, without losing anything	Off: `docker compose down` without `-v`, and the front door stopped; the nightly backup rests while it is off. On: everything started, the website and the number of plants checked, a backup offered after a long break. Tested: 0 programs running when off, photos and database untouched, nightly backup skipped, on again with all plants
Check-up (menu M, 14, 4; every 6 hours if switched on)	A program can get stuck (for example a container that lost its network after a restart, which happened on the test computer)	A program that stopped with an error, is unhealthy, or keeps restarting is made again; a website that does not answer is restarted. Never deletes a file. Tested: a stopped website came back
Clean-up (menu M, 14, 5)	Old versions of the programs fill the disk after updates	Removes only old versions of the garden's own images older than 7 days (a recent rebuild's old version stays, in case it is needed to go back) and build notes older than 30 days, after showing the list; Enter means no. Never another project's images, never a volume, never Jun's folders; only while the garden runs. Tested: an old garden version removed, another project's image kept
Windows: Docker Desktop or Docker inside Ubuntu	Docker Desktop is easier for Windows users: buttons to see, start and stop the programs	The installer asks on page 2 (and menu T). Docker Desktop: installed with winget if needed, started, and the installer waits for its one switch (WSL integration for `JunsGarden`); `garden.sh` then uses it instead of installing Docker. Tested: a container on Docker Desktop answers from Windows and from inside Ubuntu
Windows menu: More 15 and 20	The same as Ubuntu More 14 and 18	More 20 also copies the renamed files back to this PC's copy, so a later install from this PC does not bring the old names back

What	Why	Effect on program / install
"Find it for me" (guided installer, page 2; menu T, `F`)	Typing the garden computer's address is the hardest part for a beginner	It knocks once on port 22 of each address of this PC's home network (1.5 seconds in all; nothing logs in) and lists the computers with the SSH door open, with their names when the router knows them; one click fills the address. Page 2 also shows THIS PC's name and address, so it is clear which machine "this PC" is. Tested on a real home network: the one computer with SSH on port 22 found in 2 seconds
More 14 is the on / off switch (the author's request)	"Turn the front door off" (More 14) and the new switch did nearly the same	More 14 now opens the switch; taking the garden off the internet only is its choice 3 (`bash garden.sh offline` still does it directly). No other menu number moved. On Windows, More 15 is the switch and "find the garden computer again" is More 21
Search in the handbook (every page; the author's request)	The guides grew large; finding one topic meant scanning many pages	A search box at the top of every handbook page: every section of every guide, English and Korean, plus the other guides (n8n, projects, what gets installed, the summary, the journal, the change log). A language filter (English, 한국어, or both), common topics to click when the box is empty, and each result opens the guide at that section. It runs on the computer itself, offline; nothing typed is sent anywhere. Guide 00 explains it. Tested: "router" and "공유기" (56 places) find the new router walkthrough
The author is not named in the code (the author's request)	The garden is Jun's now	The guides, the code and its comments, the menus, the website's texts and the PDFs say "the author" (Korean 제작자). The login and security texts name nobody ("Type your name or your email address", "Log in with a garden account"). The file list is `FILES-FROM-AUTHOR.txt` and the starter backup "...from-the-author". Kept on purpose: the author's personal notes, the intro credit, and names that are data (a garden bed's name, a database column, the Android app's id), so nothing disconnects. Three old guides in `site/` that pointed at the author's old server were removed; the current guides cover the same

What	Why	Effect on program / install
Every guide as a PDF in the package	Jun asked to read and print them without building anything	`PDF guides/English/` and `PDF guides/Korean/` (147 PDFs), in the download and in the public code
Logging in to the router, step by step (guide 14; the author's request)	Reserving the address and opening two ports both start in the router, and finding its page and password is where beginners get stuck	A walkthrough: find the router's address (menu `M`, `2`, or `ipconfig`), open it, where the user name and password are (the label), change the label's password, the reset button as the last step, remote management off. A table, A to Z, of 11 common home routers and internet-company boxes, each with its address or app, its sign-in, and the maker's own instructions (no default-password websites)
Plan the website's name and email (guide 00b; the author's request)	A beginner picks a web name and an email without a plan, and later cannot tell which service sends what	A short plan on paper: one name for the web address and the Gmail; three email choices with their trade-offs; Gmail's plus addresses (`name+noip@gmail.com`), one per service, so the "To" line shows who sent it and a filter sorts it; with the honest limits

What	Why	Effect on program / install
A Gmail just for the website (guide 00b, FAQ, the email step)	One account for the website's email, Drive backups, AI key, and the outside services that offer "Sign in with Google" (Tailscale, DuckDNS, No-IP) keeps the personal inbox apart	Recommended at setup, with Google's sign-up link. The garden's own sign-in stays the garden password: no outside account can open the garden
Every script that made the downloads is in the public code (the author's request)	Nothing about how the package or the data download was made should be hidden	`tools/release/` now holds the server export that made the data download (what was left out: the logins), the Drive upload and check, the menu pictures, and `tests/` with every test that ran. The Drive account, its link and any keys are given when a script runs; none are in the code
The garden computer is found again when its address changes (automatic; Windows More 21)	Some routers cannot reserve an address, so it can change after a restart and the menu would lose the garden computer	The menu remembers the garden computer's network card ID (MAC) and name. When nothing answers at the saved address, before each job and before the weekly copy, it finds the same network card at home and saves the new address. Tested: a wrong saved address was corrected to the real computer in 7 seconds; an unknown network card was left alone. Guide 14 also shows how to give the computer a fixed address itself, which going online still needs

Fixes found while building and testing these:

#	Fix	What was wrong	Effect on program / install
41	The clean-up advice in guide 25 is safe	It said to run `docker system prune`, which also deletes every stopped container, on a shared Docker Desktop other projects' too	It points to the new clean-up, which touches only the garden's leftovers
42	The n8n program is named `garden-n8n`	Named just `n8n`, it would clash with another n8n on the same Docker (a shared Docker Desktop has one more often than not)	Like the garden's other programs, it has the `garden-` name; guides N1 and N3 follow
43	Docker Desktop no longer replaces the garden's Docker unnoticed	With Docker Desktop's WSL integration on, its links in `/usr/bin` made the install use Docker Desktop's Docker without saying so	The install and the checklist notice it and say which switch to turn off (or, with the Docker Desktop way, that it is meant)
44	Windows line endings no longer break the scripts	A script saved by a Windows editor gets Windows line endings, and bash then stops ("$'\r': command not found")	Before copying, the Windows menu changes only the line endings of the files Ubuntu runs, keeping the old copies in `logs\`
45	Older Windows 10 finds the Ubuntu files	The backup copy used the `\\wsl.localhost` path, which older Windows 10 does not have	It tries `\\wsl.localhost`, then `\\wsl$`
46	A renamed photo folder is not made again empty	The install always made `Gallery`, `HeroBanner` … by their first names	It makes the names in `IMAGE_FOLDERS` in `.env`, which the rename keeps up to date
48	The Raspberry Pi is described as tested	Guide 00b still said "expected to work, not tested yet", although the Pi 5 test had passed (8 minutes, 0 fails, 84.5 °C)	It says tested on 64-bit Raspberry Pi OS, and that it needs good cooling (a fan)

#	Fix	What was wrong	Effect on program / install
49	Two-factor sign-in is kept	The sign-in settings file is written again by the front door, email and subdomain steps; a phone code (`two_factor`) switched on by hand (guide 07) quietly went back to password only	The file keeps `two_factor` when it is written again. Guide 07 now says to restart the sign-in page (`docker compose restart authelia`), which is what makes the change count. Tested: a new file starts with password only; `two_factor` survives a rewrite
50	The guides match the program again	A full read of every guide against the code found: the clean-up advice `docker system prune` still in guides 02 and 09 and the checklist; "Uninstall prints the commands for Caddy and No-IP" (it removes them); the Windows numbering note; the Korean guide 26's pictures pointing to the wrong folder; guide 26 missing from the index; LiteLLM, Tailscale and DuckDNS missing from the install list	All corrected, English and Korean; the checks report 0 differences between the languages
51	The handbook shows its pictures	Built into a copy (a release), its picture and PDF links pointed back to the builder's own folder, so in the download the handbook's screenshots were missing (since the first release)	Links are made inside the copy being built. Tested: the pictures load from the built handbook
52	Jun can use "Make this the main photo"	The site's script showed the button to one user name only, although the server already allowed every signed-in account	The button shows for every signed-in garden account, as the server checks
47	The rename waits for the database	Right after a restart the database needs a moment; the first test found the rename asking to carry on without it	It starts the database if needed and waits up to 2 minutes; the database stays on while the other programs stop

Jun's Garden · CHANGES.md