Status	Finished
Started	Sunday, 4 October 2026, 7:23 AM
Completed	Sunday, 4 October 2026, 7:29 AM
Duration	6 mins 46 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

b. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

c. TypeError: update() doesn't allow list as a argument.

d. Name Error

Question **2**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. (Computer)

b. Computer

c. Error

d. () ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. iii
b. ii
c. i,ii ✓
d. All of the above

Question **4**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

```
t = (15,83,83,52,60,45,52,85,100)
print(min(t)+max(t)+t.count(52))
```

a. 100
b. Error
c. 2
d. 117 ✓

Question **5**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {1,3,2}

b. {1,3,4}

c. {4} ✓

d. {2}

Question **6**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

a. {3} ✓

b. {2,5,3,1}

c. {2,5,1}

d. {}

Question **7**

Correct

Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['8', '30', '3', '2'] ✓

b. ['2', '3', '30', '8']

c. ['30', '8', '3', '2']

d. ['2', '3', '8', '30']

Question **8**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain both integers and strings as its elements. ✓

b. In Python, a tuple can contain only integers as its elements.

c. In Python, a tuple can contain only strings as its elements.

d. In Python, a tuple can contain either string or integer but not both at a time.

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

a. tupl.append(2)

b. tupl1=tupl+tupl ✓

c. tupl[1]=2

d. tupl.sort()

Question **10**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

```
t1=(55,12,78,64,25)
t1.pop(12)
print(tuple1)
```

a. (12)

b. 12

c. Error ✓

d. (55,78,64,25)

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
my_t1 = (1, 2, 3, 4)
my_t1.append( (5, 6, 7) )
print(len(my_t1))
```

a. 2

b. 5

c. Error ✓

d. 1

Question **12**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove "ECE" from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. del.sampleSet("ECE")

b. sampleSet.delete("ECE")

c. remove.sampleSet("ECE")

d. sampleSet.discard("ECE") ✓

Question **13**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t = (11, 3)
x = 3 * t
print(x)
```

a. (11,3,11,11,3,11,11,11,3)

b. (11,3)(11,3)(11,3)

c. (11, 3, 11, 3, 11, 3) ✓

d. [11,11,11,3,3,3]

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
True

b. True ✓
True

c. False
False

d. True
False

Question **15**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

a. (25,19,18,17)

b. (16,17,18,19) ✓

c. Error

d. (16,17,18)