

=====

=====

# CATEGORY: WindowsLogs

=====

=====

Windows event logs are the forensic backbone of diagnostics, security investigations, compliance audits, and operational monitoring. These SOPs ensure every log-related action performed through RDAM Script Wizard is **controlled**, **auditable**, and aligned with enterprise operational and security standards.

## SOP 1 – Get Event Logs

**Script Name:** Get Event Logs **Category:** WindowsLogs **Version:** 1.0 **Approved By:** IT Operations / Security\*\*

### 1. Purpose

This script retrieves a list of available Windows event logs, supporting discovery, troubleshooting, and audit preparation.

### 2. Scope

- Windows servers and workstations
- Classic and modern event logs

### 3. Definitions

- **Event Log:** A structured record of system, application, and security events.

### 4. Preconditions

- Operator must have permission to query event logs.

### 5. Required Inputs

- None

## 6. Procedure Steps

1. Log Enumeration
  - Retrieve all event logs.
  - Extract log name, record count, and size.
2. Output Formatting
  - Present structured log list.
3. Logging
  - Log operator and timestamp.

## 7. Expected Output

- List of event logs with metadata.

## 8. Post-Execution Validation

- Operator may verify via Event Viewer.

## 9. Error Handling

- Access denied
- Log service unavailable

## 10. Security Considerations

- Log metadata may reveal system activity patterns.

## 11. Audit Logging Requirements

- Operator ID
- Timestamp

## 12. Organizational Benefit Statement

This script provides a consistent, auditable method for enumerating event logs, supporting diagnostics and compliance.

# SOP 2 – Get Event Log Details

**Script Name:** Get Event Log Details **Category:** WindowsLogs\*\*

# 1. Purpose

This script retrieves detailed entries from a specified event log, supporting troubleshooting, forensic analysis, and compliance.

## 2. Scope

- Windows servers and workstations
- All event logs

## 3. Definitions

- **Event Entry:** A single record containing event metadata and message.

## 4. Preconditions

- Operator must have permission to read the log.
- Log must exist.

## 5. Required Inputs

- Log name
- Optional: Entry count
- Optional: Event level filter

## 6. Procedure Steps

1. Input Collection
  - Wizard prompts for log name and optional filters.
2. Validation
  - Confirm log exists.
3. Entry Retrieval
  - Retrieve recent entries.
  - Apply filters (Critical, Error, Warning, Info).
4. Output Formatting
  - Present structured event list.
5. Logging
  - Log log name, filters, operator, timestamp.

## 7. Expected Output

- Detailed event entries.

## 8. Post-Execution Validation

- Operator may verify via Event Viewer.

## 9. Error Handling

- Log not found
- Access denied
- Invalid filter

## 10. Security Considerations

- Event messages may contain sensitive data.

## 11. Audit Logging Requirements

- Operator ID
- Log name
- Filters
- Timestamp

## 12. Organizational Benefit Statement

This script provides a controlled, auditable method for retrieving event log entries, supporting diagnostics and forensic workflows.

# SOP 3 – Clear Event Log

**Script Name:** Clear Event Log **Category:** WindowsLogs\*\*

## 1. Purpose

This script clears all entries from a specified event log, supporting maintenance, cleanup, and troubleshooting.

## 2. Scope

- Windows servers and workstations
- All event logs

### 3. Definitions

- **Log Clearing:** Removing all entries from a log.

### 4. Preconditions

- Operator must have administrative rights.
- Clearing must be authorized.
- Log must exist.

### 5. Required Inputs

- Log name

### 6. Procedure Steps

1. Input Collection
  - Wizard prompts for log name.
2. Validation
  - Confirm log exists.
  - Confirm authorization.
3. Clear Operation
  - Clear event log.
4. Post-Clear Verification
  - Confirm log is empty.
5. Logging
  - Log log name, operator, timestamp.

### 7. Expected Output

- Confirmation of log clearing.

### 8. Post-Execution Validation

- Operator may verify via Event Viewer.

### 9. Error Handling

- Access denied
- Log not found

- Clearing blocked by policy

## 10. Security Considerations

- Clearing logs may impact forensic investigations.

## 11. Audit Logging Requirements

- Operator ID
- Log name
- Timestamp

## 12. Organizational Benefit Statement

This script ensures log clearing is performed safely and with full accountability, supporting maintenance and troubleshooting.

# SOP 4 – Export Event Log

**Script Name:** Export Event Log **Category:** WindowsLogs\*\*

## 1. Purpose

This script exports an event log to a file, supporting audits, investigations, and archival.

## 2. Scope

- Windows servers and workstations
- All event logs

## 3. Definitions

- **Export:** Saving log entries to an external file.

## 4. Preconditions

- Operator must have permission to read the log.
- Export path must be valid.

## 5. Required Inputs

- Log name
- Export path

## 6. Procedure Steps

1. Input Collection
  - Wizard prompts for log name and export path.
2. Validation
  - Confirm log exists.
  - Confirm path is valid.
3. Export Operation
  - Export log to file.
4. Post-Export Verification
  - Confirm file created.
5. Logging
  - Log log name, export path, operator, timestamp.

## 7. Expected Output

- Confirmation of log export.

## 8. Post-Execution Validation

- Operator may verify via file system.

## 9. Error Handling

- Access denied
- Invalid path
- Log not found

## 10. Security Considerations

- Exported logs may contain sensitive data; secure storage required.

## 11. Audit Logging Requirements

- Operator ID
- Log name
- Export path
- Timestamp

## 12. Organizational Benefit Statement

This script ensures log export is performed safely and consistently, supporting audits and investigations.

# SOP 5 – Get Recent Critical and Error Events

**Script Name:** Get Recent Critical and Error Events **Category:** WindowsLogs\*\*

## 1. Purpose

This script retrieves recent high-severity events, supporting troubleshooting, incident response, and monitoring.

## 2. Scope

- Windows servers and workstations
- System, Application, and Security logs

## 3. Definitions

- **Critical/Error Events:** High-severity events requiring attention.

## 4. Preconditions

- Operator must have permission to read logs.

## 5. Required Inputs

- Optional: Time range

## 6. Procedure Steps

1. Input Collection
  - Wizard prompts for optional time range.
2. Event Retrieval
  - Query System, Application, and Security logs.
  - Filter for Critical and Error events.
3. Output Formatting
  - Present structured event summary.
4. Logging
  - Log filters, operator, timestamp.



## 7. Expected Output

- List of recent high-severity events.

## 8. Post-Execution Validation

- Operator may verify via Event Viewer.

## 9. Error Handling

- Access denied
- Log unavailable

## 10. Security Considerations

- Events may reveal sensitive operational failures.

## 11. Audit Logging Requirements

- Operator ID
- Filters used
- Timestamp

## 12. Organizational Benefit Statement

This script provides a fast, auditable method for retrieving critical events, supporting incident response and diagnostics.

# SOP 6 – Get Windows Update Event Logs

**Script Name:** Get Windows Update Event Logs **Category:** WindowsLogs\*\*

## 1. Purpose

This script retrieves Windows Update–related events, supporting troubleshooting, compliance, and patch-management workflows.

## 2. Scope

- Windows servers and workstations
- Windows Update logs

## 3. Definitions

- **Update Event:** Log entry related to update installation or failure.

## **4. Preconditions**

- Operator must have permission to read logs.

## **5. Required Inputs**

- Optional: Date range
- Optional: Event level

## **6. Procedure Steps**

1. Input Collection
  - Wizard prompts for optional filters.
2. Event Retrieval
  - Query Windows Update logs.
  - Apply filters.
3. Output Formatting
  - Present structured update-event list.
4. Logging
  - Log filters, operator, timestamp.

## **7. Expected Output**

- List of update-related events.

## **8. Post-Execution Validation**

- Operator may verify via Event Viewer.

## **9. Error Handling**

- Access denied
- Log unavailable

## **10. Security Considerations**

- Update logs may reveal vulnerability exposure.

## **11. Audit Logging Requirements**

- Operator ID
- Filters used

- Timestamp

## **12. Organizational Benefit Statement**

This script provides a controlled, auditable method for retrieving update logs, supporting patch management and troubleshooting.