

2018 Undiagnosed Estimates for SHAMP - non-MSM in KC

Jeanette Birnbaum

06 September, 2019

Contents

0.1	Data	1
0.2	Diagnosis Counts	1
0.3	Testing Histories	3
0.4	TID	3
0.5	Incidence and Undiagnosed Counts	4

0.1 Data

WA DOH data, subsetted to diagnoses in KC and non-MSM, years 2010-2018.

0.2 Diagnosis Counts





Table 1: Column Percent shows the composition of the total sample. The Percent Yes, Percent No and Percent Missing columns indicate the row percents of the three possible testing history statuses within each subgroup


Sex	N	Column Percent	Percent Yes	Percent No	Percent Missing
All	647	100	32	25	43
White					
F	78	12	60	14	26
M	95	15	35	32	34
Black					
F	194	30	24	20	56
M	118	18	38	18	44
Other					
F	68	11	25	38	37
M	94	15	18	37	45


0.3 Testing Histories

0.4 TID




0.5 Incidence and Undiagnosed Counts







--+-- # Diagnosed ●●● Base Case ●●● Upper Bound




--+-- # Diagnosed ●●● Base Case ●●● Upper Bound




--+-- # Diagnosed ●●● Base Case ●●● Upper Bound



--+-- # Diagnosed ●●● Base Case ●●● Upper Bound



--+-- # Diagnosed ●●● Base Case ●●● Upper Bound



--+-- # Diagnosed ●●● Base Case ●●● Upper Bound