draft-ietf-netconf-udp-notif-15/16

UDP-based protocol for YANG notifications to collect YANG data from networking devices

G. Zheng, Huawei T. Zhou, Huawei T. Graf, Swisscom P. Francois, INSA-Lyon **A. Huang Feng**, INSA-Lyon Paolo Lucente, NTT

November 8th 2024

Changes in -15/-16 and next steps

- Thanks Qiufang and Joe Touch for the review
- Editorial changes
 - Fixed YANG identity "udp-notif" with "base sn:configurable-encoding"
 - Enable segmentation by default on the YANG module
 - removed "velocity" term as requested from Joe Touch

"Open discussions"

- Default port for UDP-Notif
 - Med, Christian Hopps, Thomas and Paolo (contributors) raised a default port is not required
 - Contacted Joe Touch (TSVART) for help
 - He raised "the reporting happens AFTER subscriptions indicate an IP address and port number"
 - UDP-Notif is configured on both ends (publisher and receiver) [RFC7601]
- UDP-Notif capabilities
 - Support the advertisement of supporting UDP-notif as transport for Configured Subscriptions
 - Authors believe implementing them in a separate draft is the best approach
 - draft-netana-netconf-yp-transport-capabilities (presented afterwards)

What's next?

- No remaining issues
- The draft has remained stable over the last meetings
- The authors believe is ready for a WG Last Call

Subscription to Distributed Notifications

draft-ietf-netconf-distributed-notif-10

Extends YANG notification subscription to allow metrics being published directly from processors on line cards

zhoutianran@huawei.com zhengguangying@huawei.com evoit@cisco.com thomas.graf@swisscom.com pierre.francois@insa-lyon.fr

November 8th 2024

Subscription to Distributed Notifications

Changes and Next steps

Changes in -10

No changes

Next Steps

> Requesting working group last call.