
# Validate Configured Subscription YANGPush Publisher Implementations NETCONF & NMOP WG





November 2-3rd, 2024
Hackathon

# Hackathon – Plan, Software, Repo

#### Plan

- Validate work in progress vendor YANG-Push publisher implementations.
- Configure RFC 8641 compliant YANG-Push configured subscription.
- Verify output in packet capture before YANG-Push receiver and after transformation.

#### Software

- YANG-Push Publisher Cisco IOS XR
- YANG-Push Publisher 6WIND VSR
- YANG-Push Publisher Huawei VRP
- YANG-Push Receiver Pmacct


#### **Test Repository**

- <a href="https://github.com/network-analytics/ietf-network-analytics-document-status/tree/main/121/Hackathon">https://github.com/network-analytics/ietf-network-analytics-document-status/tree/main/121/Hackathon</a>
- Contains
  - Packet capture on the wire
  - Netconf RPCs and YANG-Push JSON messages
  - Python script which performed test cases

# An Architecture for YANG-Push to Apache Kafka Integration

draft-ietf-nmop-yang-kafka-integration

- Subscription to YANG Notifications RFC 8639
- Subscription to YANG Notifications for Datastore Updates RFC 8641
- UDP-based Transport for Configured Subscriptions <u>draft-ietf-netconf-udp-notif</u>
- Subscription to Distributed Notifications draft-ietf-netconf-distributed-notif
- Support of Hostname and Sequencing in YANG Notifications draft-tgraf-netconf-notif-sequencing
- Support of Versioning in YANG Notifications Subscription draft-ietf-netconf-yang-notifications-versioning
- Support of Network Observation Timestamping in YANG Notifications <u>draft-tgraf-netconf-yang-push-observation-time</u>
- YANG Library RFC 8525
- Augmented-by Addition into the IETF-YANG-Library draft-ietf-netconf-yang-library-augmentation



3

# Cisco IOS XR – Subscription Notifications

#### Subscription-Started Notification

```
"ietf-notification:notification": {
    "eventTime": "2024-11-02T14:38:22.598Z",
    "ietf-notification:sysName": "ipf-zb11327-r-daisy-91",
    "ietf-notification:sequenceNumber": 13,
    "ietf-subscribed-notifications: subscription-started"
      "id": 1,
     "ietf-yang-push:datastore": "IOS-XR",
      "ietf-yang-push:datastore-xpath-filter": "Cisco-IOS-XR-pfi-
im-cmd-oper:interfaces/interface-xr/interface[interface-
name='Loopback13']",
      "transport": "transport",
      "module-version": [
          "module-name": "Cisco-IOS-XR-pfi-im-cmd-oper",
          "revision": "2024-02-29"
      "encoding": "encode-json",
      "ietf-yang-push:periodic": {
        "period": 4500
```

#### Subscription-Terminated Notification

```
"ietf-notification:notification": {
    "eventTime": "2024-11-02T14:43:24.981Z",
    "ietf-notification:sysName": "ipf-zb11327-r-daisy-91",
    "ietf-notification:sequenceNumber": 21,
    "ietf-subscribed-notifications:subscription-terminated": {
        "id": 1,
         "reason": "no-such-subscription"
    }
}
```

## Cisco IOS XR – Push Notifications

#### **Push-Update Notification**

```
"ietf-notification:notification": {
 "eventTime": "2024-11-02T14:44:30.000Z",
 "ietf-notification:sysName": "ipf-zbl1327-r-daisy-91",
 "ietf-notification:sequenceNumber": 23,
 "ietf-yang-push:push-update": {
   "id": 1,
   "ietf-yp-observation:timestamp": "2024-11-02T14:44:30.000Z",
   "ietf-yp-observation:point-in-time": "current-accounting",
   "datastore-contents": {
     "Cisco-IOS-XR-pfi-im-cmd-oper:interfaces": {
        "interface-xr": {
          "interface": [
              "interface-name": "Loopback13",
              "interface-handle": "Loopback13",
              "interface-type": "IFT LOOPBACK",
              "hardware-type-string": "Loopback interface(s)",
              "state": "im-state-up",
              "line-state": "im-state-up",
              "encapsulation": "loopback",
              "encapsulation-type-string": "Loopback",
              "mtu": 1500,
```

#### Push-Change-Update Notification

```
"ietf-notification notification" . {
    "eventTime": "2024-11-02T14:54:32.529Z",
    "ietf-notification:sysName": "ipf-zbl1327-r-daisy-91",
    "ietf-notification:sequenceNumber": 1,
    "ietf-yang-push:push-change-update": {
      "id": 1,
      "ietf-yp-observation:timestamp": "2024-11-02T14:54:32.517Z",
      "ietf-vp-observation:point-in-time": "state-changed",
      "datastore-changes": {
        "vang-patch": {
          "patch-id": "TODO - insert patch-id here",
          "edit": [
              "edit-id": "1",
              "operation": "replace",
              "target": "/Cisco-IOS-XR-pfi-im-cmd-oper:interfaces/interface-
xr/interface[interface-name='Loopback13']",
              "value": {
                "Cisco-IOS-XR-pfi-im-cmd-oper:interface": {
                  "interface-name": "Loopback13",
                  "interface-handle": "Loopback13",
                  "interface-type": "IFT LOOPBACK",
                  "hardware-type-string": "Loopback interface(s)",
                  "state": "im-state-admin-down",
                  "line-state": "im-state-admin-down",
```

## Huawei VRP – Push Notifications

#### **Push-Update Notification**

```
"ietf-notification:notification": {
 "eventTime": "2024-11-02T10:30:52Z",
 "ietf-notification-sequencing:sysName": "ipf-zbl1243-r-daisy-21",
 "ietf-notification-sequencing:sequenceNumber": 5,
 "ietf-yang-push: push-update": {
   "id": 1,
   "ietf-vp-observation:timestamp": "2024-11-02T10:30:52Z",
   "ietf-yp-observation:point-in-time": "current-accounting",
   "ietf-distributed-notif:message-publisher-id": 16974853,
   "datastore-contents": {
      "huawei-ifm:ifm": {
        "interfaces": {
          "interface": [
              "name": "GigabitEthernet0/3/11",
              "mib-statistics": {
                "receive-byte": "33448478274",
                "send-byte": "20330971890",
                "receive-packet": "75363920",
                "send-packet": "103904697",
                "receive-unicast-packet": "75340369",
                "receive-multicast-packet": "23548",
                "receive-broad-packet": "3",
                "send-unicast-packet": "103904697",
                "send-multicast-packet": "0",
                "send-broad-packet": "0",
```

#### Push-Change-Update Notification

```
"ietf-notification notification" .
    "eventTime": "2024-11-02T10:38:52Z",
    "ietf-notification-sequencing:sysName": "ipf-zbl1243-r-daisy-21",
    "ietf-notification-sequencing:sequenceNumber": 69,
    "ietf-yang-push:push-change-update": {
      "id": 5,
      "ietf-yp-observation:timestamp": "2024-11-02T10:38:52Z",
      "ietf-vp-observation:point-in-time": "state-changed",
      "ietf-distributed-notif:message-publisher-id": 16974841,
      "datastore-changes": {
        "vang-patch": {
          "patch-id": 19,
          "edit": [
              "edit-id": "edit1".
              "operation": "merge",
              "target": "/huawei-
ifm:ifm/interfaces/interface[name=GiqabitEthernet0/3/9]/dynamic",
              "value": {
                "dvnamic": {
                  "link-status" · "down"
```

# Huawei VRP – YANG Library

#### RPC <get> Request

#### RPC reply

```
<?xml version="1.0" encoding="UTF-8"?>
<rpc-reply message-id="2" xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
 <data>
   <yang-library xmlns="urn:ietf:params:xml:ns:yang:ietf-yang-library">
      <content-id>3880047851/content-id>
      <module-set>
        <name>config-module</name>
        <module>
          <name>openconfig-acl</name>
          <revision>2017-05-26</revision>
          <namespace>http://openconfig.net/yang/acl</namespace>
          <deviation>huawei-openconfig-acl-deviations-OC-NE-M2K-B</deviation>
        </module>
        <module>
          <name>openconfig-interfaces</name>
          <revision>2021-04-06</revision>
          <namespace>http://openconfiq.net/yang/interfaces/namespace>
          <deviation>huawei-openconfig-interfaces-deviations-OC-NE-M2K-B</deviation>
          <augmented-by>huawei-openconfig-gos-ext</augmented-by>
          <augmented-by>openconfig-vlan</augmented-by>
          <augmented-by>openconfig-platform-transceiver</augmented-by>
          <augmented-by>openconfig-platform-port</augmented-by>
          <augmented-by>openconfig-if-tunnel</augmented-by>
         <augmented-by>openconfig-if-ip</augmented-by</pre>
          <augmented-by>openconfig-if-ethernet</augmented-by</pre>
          <augmented-by>openconfig-if-aggregate</augmented-by</pre>
        </module>
```

# 6WIND VSR – Subscription Notifications

#### **Subscription-Started Notification**

```
"ietf-notifications:notification": {
    "eventTime": "2024-11-02T16:20:16.989632098+00:00",
    "ietf-notification-sequencing:sysName": "daisy-ietf-ipf-
zb11843-r-daisy-58",
   "ietf-notification-sequencing:sequenceNumber": 11008,
   "ietf-subscribed-notifications: subscription-started": {
      "id": 12345678,
     "ietf-yang-push:datastore": "ietf-datastores:operational",
      "ietf-yang-push:datastore-xpath-filter":
"/state/vrf/13vrf/interface/loopback/enabled",
      "transport": "ietf-udp-notif-transport:udp-notif",
     "encoding": "encode-json",
      "purpose": "send notifications",
     "ietf-distributed-notif:message-publisher-ids": [
       0
      "ietf-yang-push:on-change": {
        "sync-on-start": true
      "ietf-yang-push-revision:module-version": [
          "module-name": "vrouter-loopback",
          "revision": "2024-04-22"
```

#### Subscription-Terminated Notification

```
{
  "ietf-notifications:notification": {
     "eventTime": "2024-11-02T16:25:19.639303753+00:00",
     "ietf-notification-sequencing:sysName": "daisy-ietf-ipf-
zbl1843-r-daisy-58",
     "ietf-notification-sequencing:sequenceNumber": 11014,
     "ietf-subscribed-notifications: subscription-terminated": {
        "id": 12345678,
        "reason": "no-such-subscription"
     }
}
```

## 6WIND VSR — Push Notifications

#### **Push-Update Notification**

```
"ietf-notifications:notification":
   "eventTime": "2024-11-02T16:25:20.795276882+00:00",
   "ietf-notification-sequencing:sysName": "daisy-ietf-ipf-
zb11843-r-daisy-58",
   "ietf-notification-sequencing:sequenceNumber": 11016,
   "ietf-yang-push:push-update": {
      "id": 9,
      "datastore-contents": {
        "vrouter:state": {
          "vrf": [
              "name": "main",
              "vrouter-interface:interface":
                "physical": [
                    "name": "ens192",
                    "counters": {
                      "in-octets": "68993004950",
                      "in-unicast-pkts": "389889038",
                      "in-discards": "69240",
                      "in-errors": "0",
                      "out-octets": "65180577234",
                      "out-unicast-pkts": "330829342",
                      "out-discards": "0",
                      "out-errors": "0"
```

#### Push-Change-Update Notification

```
"ietf-notifications notification" . {
    "eventTime": "2024-11-02T16:21:17.889933885+00:00",
    "ietf-notification-sequencing:sysName": "daisy-ietf-ipf-zbl1843-r-daisy-58",
    "ietf-notification-sequencing:sequenceNumber": 11010,
    "ietf-yang-push:push-change-update": {
      "id": 8,
      "datastore-changes": {
        "yang-patch": {
          "patch-id": "patch-1",
          "edit": [
              "edit-id": "edit-1",
              "operation": "replace",
              "target": "/vrouter:state/vrf[name='main']/13vrf[name='A9']/vrouter-
interface:interface/vrouter-loopback:loopback[name='Loopback-A9']/enabled",
              "value": {
                "vrouter-loopback:enabled": "false"
```

### YANG-Push Implementation Status

**IETF 121** 

|  | 6WIND<br>VSR | Huawei<br>VRP | Cisco<br>IOS XR | Open-<br>Source |
|--|--------------|---------------|-----------------|-----------------|
| RFC 8639 YANG-Push Subscription                  | X            | X             | Х               |                 |
| RFC 8641 YANG-Push Notification                  | X            | X             | Х               |                 |
| draft-ietf-netconf-udp-notif                     | Х            | X             | X               | Х               |
| draft-ietf-netconf-distributed-notif             | Х            | X             |                 |                 |
| draft-ietf-netconf-yang-notifications-versioning | Х            | X             | X               |                 |
| draft-tgraf-netconf-notif-sequencing             | Х            | X             | X               |                 |
| draft-tgraf-netconf-yang-push-observation-time   | X            | X             | X               |                 |
| RFC 7895 YANG Module Library                     |              | X             |                 |                 |
| RFC 8525 YANG Library                            | X            |               | Х               |                 |
| draft-ietf-netconf-yang-library-augmentation     |              | X             |                 | X               |



## Thanks to...

- Rob Wilton Cisco
- Nick Corran Cisco
- Emma Rankin Cisco (remote)
- Mathew Green Cisco (remote)
- Samuel Gauthier 6WIND (remote)
- Jérémie Leska 6WIND (remote)
- Liu Bin Huawei (remote)
- Benoit Claise Huawei
- Zhuoyao Lin Huawei
- Ebben Aries Juniper
- James Cummings Nokia
- Paolo Lucente Pmacct
- Holger Keller DT
- Daniel Voyer Bell Canada
- Alex Huang-Feng INSA Lyon
- Yannick Buchs Swisscom
- Thomas Graf Swisscom
- Ahmed Elhassany Swisscom (remote)

