

Newark #	#/Unit	Description
30H5040	2	KEystone 621 Mounting Bracket
08N6813	1	MULTICOMP 2226A-02 Connector Housing, 2226 Series, Receptacle, 2 Positions, 2.54 mm
08N6814	1	MULTICOMP 2226A-03 Connector Housing, 2226 Series, Receptacle, 3 Positions, 2.54 mm
08N6815	2	MULTICOMP 2226A-04 Connector Housing, 2226 Series, Receptacle, 4 Positions, 2.54 mm
08N6818	1	MULTICOMP 2226A-08 Connector Housing, 2226 Series, Receptacle, 8 Positions, 2.54 mm
08N6834	25	MULTICOMP 2226TG Contact, 2226 Series, Socket, Crimp, 24 AWG, Gold Plated Contacts
08N6750	1	KEystone 621 Mounting Bracket
08N6746	1	MULTICOMP 2211S-04G Pin Header, Board-to-Board, 2.54 mm, 1 Rows, 4 Contacts, Through Hole Straight, 2211S Series
08N6744	1	MULTICOMP 2211S-02G Pin Header, Board-to-Board, 2.54 mm, 1 Rows, 2 Contacts, Through Hole Straight, 2211S Series
79P9326	1	SAMTEC TSW-108-09-T-S-RA Pin Header, Board-to-Board, 2.54 mm, 1 Rows, 8 Contacts, Through Hole Right Angle, TSW Series
05M4060	1	BUD CU-3007-A Metal Enclosure, Minibox, Small, Aluminium, 101.6 mm, 127 mm, 152 mm
71J0171	1	XP POWER PCM50UT04 AC/DC Power Supply, 3 Output, 42 W, 5 V, 5 A, 12 V, 2 A
98K6011	1	VOLEX 17250 10 B1 Mains Power Cord, NEMA 5-15P to IEC 60320 C13, 2.3 m, 10 A, 125 VAC, Black
83H7885	1	ETI SYSTEMS SP22G-5K Rotary Potentiometer, Conductive Plastic, 5 kohm, 1 Turns, Linear, 1 W, $\pm 10\%$, SP22G Series
67AC3850	1	HIRSCHMANN MAB 5 DIN AUDIO/VIDEO CONN, JACK, 5POS, STEEL
79K4997	1	MULTICOMP SPC15415 RF / Coaxial Connector, BNC Coaxial, Straight Bulkhead Jack, Solder, 50 ohm, Brass
McMaster-Carr	#/Unit	Description
91737A084	5	Narrow Fillister Head Phillips Screws, High-Profile, 4-40 Thread, 1/2" Long
91841A005	3	18-8 Stainless Steel Hex Nut, 4-40 Thread Size
91772A113	2	18-8 Stainless Steel Pan Head Phillips Screw, 4-40 Thread, 3/4" Long
91772A827	8	18-8 Stainless Steel Pan Head Phillips Screw, 10-32 Thread, 3/8" Long
91292A109	4	18-8 Stainless Steel Socket Head Screw M3 x 0.5 mm Thread, 4 mm Long screw
94639A207	4	Off-White Nylon Unthreaded Spacer, 1/4" OD, 5/16" Long, for Number 4 Screw Size
94639A698	2	Off-White Nylon Unthreaded Spacer, 1/4" OD, 9/16" Long, for Number 4 Screw Size
91375A144	1	Cup-Point Set Screw, 6-32 Thread, 1/4" Long
92562A234	1	Socket Head Screw, 10-24 Thread Size, 1/2" Long
8486K371	2 inch	Clear Cast Acrylic Tube, 3-1/2" OD x 3-1/4" ID
SparkFun	#/Unit	Description
ROB-12859	1	Big Easy Driver
ROB-09238	1	Stepper motor
	1	Arduino Uno – R3
PRT-14340	1	Medium Heatsink
PRT-17054		Thermal Tape 4x4" Square
SDP/SI	#/Unit	Description
Pully	1	A 6Z 6-40DF02508
Timing Belt	1	A 6R 6-0850250