

Customer facing (for cross session)

2014/5/15

Author Details	
First Name	
Surname	
Job Title	
Organization	

General Details

Scenario Name	Scenario1
Run Name	res.lrr
Run Date	2014/5/15 9:04
Period	2014/5/15 9:04 - 2014/5/15 9:08
Run Duration	3 minutes and 30 seconds
PC Project Name	res.lrr

Executive Summary

Conclusions

Business Process

Run Name	Group Name	Script Name	Concurrent Vusers	% of Total Vusers	Transactions per Hour	Start Time	Think Time	Pacing	Browser Cache
res.lrr	epals_login	epals_login	200	100	3225.6	2014/5/15 9:04	Ignore think time	As soon as possible	Yes
		Total:	200	100%					


Script: epals_login

Description:

#	Transaction
1	epals_login

Workload Characteristics

Measurement	res.lrr
Max Running Vusers	200
Average Hits per Second	14
Total Hits	2961
Total Passed Transactions per Second	0.9
Total Passed Transactions per Minute	53.5
Total Transactions Number	1



Color	Graph	Scale	Measurement	Graph's Minimum	Graph's Average	Graph's Maximum	Graph's Median	Graph's Std. Deviation
Green	Running Vusers	1	Run	0	98.836	200	105	65.758
Pink	Total Transactions per Second	1	Fail	0	0.052	5	0	0.403
Purple	Total Transactions per Second	1	Pass	0	0.892	9	0	1.869

Performance Overview

Measurement	Value
Run Name	res.lrr
Weighted Average of Transaction Response Time	54.9
Total Passed Transactions	189
Total Failed Transactions	11
Transactions Success Rate, %	94.5
Total Errors per Second	0.1
Total Errors	11

HTTP Responses Summary

HTTP Response Name	Total	Per Second
HTTP_200	2751	13
HTTP_302	194	0.9
HTTP_502	4	0
HTTP_503	5	0


HTTP Response Name	Total	Per Second
HTTP_504	7	0

Transaction Summary

Run Name	Transaction Name	Minimum	Average	Maximum	Std. Deviation	90%	Pass Count	Fail Count	Stop Count
res.lrr	epals_login	16.8	54.8	130.8	14.1	72	189	11	0

Worst URLs (by average response time)


URL name	Parent transaction name	Layers breakdown of the URL	Count	Total	Min	Max	Avg	StdDev
http://projects.epals.com/wp-login.php	epals_login	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>	2	60	60	60	60	0
http://projects.epals.com/wp-login.php		<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>	2	41.9	33.4	48.6	41	7.6



- DNS Resolution
- Connection
- SSL Handshaking
- FTP Authentication
- First Buffer
- Receive
- Client
- Error

Most Resource Consuming URLs


URL name	Parent transaction name	Total server time	Count	Total	Min	Max	Avg	StdDev
http://projects.epals.com/wp-login.php			2	0	0	0	0	0
http://projects.epals.com/wp-login.php	epals_login		2	0	0	0	0	0



- Total Server Time

Largest URLs by Average KBytes


URL name	Parent transaction name	Average size	Count	Total	Min	Max	Avg	StdDev
http://projects.epals.com/wp-login.php		<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>	2	388.2	194.1	194.1	194.1	2.5
http://projects.epals.com/wp-login.php	epals_login	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>	2	13.5	6.8	6.8	6.8	0.6



- Average size

Running Vusers

Title Running Vusers
Current Results C:\ns\loadrunner\epals_login\res\res.lrr
Filters Vuser Status = (Run)
Group By
Granularity 4 Seconds




Color	Scale	Measurement	Graph Minimum	Graph Average	Graph Maximum	Graph Median	Graph Std. Deviation
	1	Run	0	88.714	200	86	74.365

Description: Displays the number of Vusers that executed Vuser scripts, and their status, during each second of a load test. This graph is useful for determining the Vuser load on your server at any given moment.

Hits per Second

Title Hits per Second
Current Results C:\ns\loadrunner\epals_login\res\res.lrr
Filters None
Group By
Granularity 5 Seconds




Color	Scale	Measurement	Graph Minimum	Average	Graph Maximum	Graph Median	Graph Std. Deviation
	1	Hits	0	14.033	81.4	6.2	19.711

Description: Displays the number of hits made on the Web server by Vusers during each second of the load test. This graph helps you evaluate the amount of load Vusers generate, in terms of the number of hits.

Throughput

Title Throughput
Current Results C:\ns\loadrunner\epals_login\res\res.lrr
Filters None
Group By
Granularity 5 Seconds




Color	Scale	Measurement	Graph Minimum	Average	Graph Maximum	Graph Median	Graph Std. Deviation
	1	Throughput	0	194506.839	1107799.2	9610	365766.015

Description: Displays the amount of throughput (in bytes) on the Web server during the load test. Throughput represents the amount of data that the Vusers received from the server at any given second. This graph helps you to evaluate the amount of load Vusers generate, in terms of server throughput.

Transaction Summary

Title Transaction Summary
Current Results C:\ns\loadrunner\epals_login\res\res.lrr
Filters (do not Include Think Time)
Group By



Color	Scale	Measurement
	1	Fail
	1	Pass

Description: Displays the number of transactions that passed, failed, stopped, or ended with errors.

Average Transaction Response Time

Title

Average Transaction Response Time

Current Results

C:\ns\loadrunner\epals_login\res\res.lrr


Filters

Transaction End Status = (Pass), (do not Include Think Time)

Group By

Granularity

4 Seconds



Color	Scale	Measurement	Graph's Minimum	Graph's Average	Graph's Maximum	Graph's Median	Graph's Std. Deviation
	1	epals_login	35.152	57.227	130.811	56.952	19.926

Description: Displays the average time taken to perform transactions during each second of the load test. This graph helps you determine whether the performance of the server is within acceptable minimum and maximum transaction performance time ranges defined for your system.

Terminology

LoadRunner Objects

Term	Definition
User Scripts	A Vuser script describes the actions that a Vuser performs during the scenario. Each Vuser executes a Vuser script during a scenario run. The Vuser scripts include functions that measure and record the performance of your application components.
Load Test	Tests a system's ability to handle a heavy workload. A load test simulates multiple transactions or users interacting with the computer at the same time and provides reports on response times and system behavior.
Run-Time Settings	Run-Time settings allow you to customize the way a Vuser script is executed. You configure the run-time settings from the Controller or VuGen before running a scenario. You can view information about the Vuser groups and scripts that were run in each scenario, as well as the run-time settings for each script in a scenario, in the Scenario Run-Time Settings dialog box.
Scenario	A scenario defines the events that occur during each testing session. For example, a scenario defines and controls the number of users to emulate, the actions that they perform, and the machines on which they run their emulations.
Scheduler	The Schedule Builder allows you to set the time that the scenario will start running, the duration time of the scenario or of the Vuser groups within the scenario, and to gradually run and stop the Vusers within the scenario or within a Vuser group. It also allows you to set the load behavior of Vusers in a scenario.

Session	When you work with the Analysis utility, you work within a session. An Analysis session contains at least one set of scenario results (lrr file). The Analysis utility processes the scenario result information and generates graphs and reports. The Analysis stores the display information and layout settings for the active graphs in a file with an .lra extension. Each session has a session name, result file name, database name, directory path, and type.
Transactions	A transaction represents an action or a set of actions used to measure the performance of the server. You define transactions within your Vuser script by enclosing the appropriate sections of the script with start and end transaction statement.
Vusers	Vusers or virtual users are used by LoadRunner as a replacement for human users. When you run a scenario, Vusers emulate the actions of human users working with your application. A scenario can contain tens, hundreds, or even thousands of Vusers running concurrently on a single workstation.

Graph Information

Term	Definition
Average	Average value of the graph measurement's.
Hits	The number of HTTP requests made by Vusers to the Web server.
Maximum	Maximum value of the graph measurement's.
Measurement	This is the type of resource being monitored
Median	Middle value of the graph measurement's.
Minimum	Minimum value of the graph measurement's.
Network Delay	The time it takes for a packet of data sent across the network to go to the requested node and return.
Network Path	The Network Path is the route data travels between the source machine and the destination machine.
Response time	The time taken to perform a transaction.
Scale (or granularity)	In order to display all the measurements on a single graph, thus making the graphs easier to read and analyze, you can change the scale or (granularity) of the x-axis. You can either set measurement scales manually, view measurement trends for all measurements in the graph, or let Analysis scale them automatically. The Legend tab indicates the scale factor for each resource.
Standard Deviation (SD)	The square root of the arithmetic mean value of the squares of the deviations from the arithmetic mean.
Throughput	Throughput is measured in bytes and represents the amount of data that the Vusers received from the server.
Vuser Load	When you run a scenario, the Vusers generate load or stress on the server. LoadRunner monitors the effect of this load on the performance of your application.