### Implementation

The expression interpreter or evaluator was added before the midterm. In this lab, statements and panic-mode error recovery were implemented.

### Testing

#### TC1 (Example 1)

```
"one"
true;
print 2 +
```

Purpose

- Test parser error detection and panic-mode error recovery

Expected Output:

[line 2] Error at 'true': Expect ';' after expression.

[line 3] Error at end: Expect expression.

Actual Output: Matches Expected Output

```
PS C:\Users\HP\Desktop\CNeumann_CIS343\CNeumann_CIS343> python src\cn.py test\Lab4\TC1.cn
[line 2] Error at 'true': Expect ';' after expression.
[line 3] Error at end: Expect expression.
```

**TC2 (Example 2)**

```
4 + 2;
print "one";
print true;
print 1 + 2;
print nil;
```

Purpose

- Test printing expression statements, print statements, and evaluation

Expected Output: (note that CN language uses null instead of nil)

one

true

3

Null

Actual Output: Matches Expected Output

```
PS C:\Users\HP\Desktop\CNeumann_CIS343\CNeumann_CIS343> python src\cn.py test\Lab4\TC2.cn
one
True
3
null
```

**TC3_Panic_Recovery**

Purpose

- Further test panic-recovery mode

Expected Output:

[line 2] Error at ';': Expect expression.

[line 4] Error at ';': Expect expression.

Actual Output: Matches Expected Output

```
PS C:\Users\HP\Desktop\CNeumann_CIS343\CNeumann_CIS343> python src\cn.py test\Lab4\TC3_Panic_Recovery.cn
[line 2] Error at ';': Expect expression.
[line 4] Error at ';': Expect expression.
```

**TC4_Statements**

Purpose

- Verify expression statements evaluate without printing
- Verify print statements and stringification

Expected Output:

Hello CN

5

false

5

null

Actual Output: Matches Expected Output

