


PhaseFormer



2026 9 10 – 9 15

407 . □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □ □ □ □ □ □ □

1

2

95% 92%




3


14 4

4 ETTh2-720


1/4 1/8 3 MSE MAE 1/8
1.05% MSE 0.43% MAE

		95%
		14
		4
ETTh2-720		3





24-168 → + 0.89-0.99



□□□□□□

1-2

66%-86%

□□□□□□□□

3.5%-6.1%

95%

92%

—

□□□□□□□□

21%-51%

4%-26%


→

—

3.5%–6.1%

92.4%–101.9%

4.7×10⁻⁹ 500 26




ETTh2-720

1/4	3/3	MSE	M	E
1/8	3/3	MSE	M	E
1/16				
1/32				

2021 / 2022 / 2023 105/105

ETTh2-720


± 1



VS 7 × 3


MSE ± 1

残差支路压缩档位 vs 测试 MSE (三随机种子, 均值 ± 1标准差)



MAE ± 1

残差支路压缩档位 vs 测试 MAE (三随机种子, 均值 ± 1标准差)



= 3 = ±1 = Golden Baseline = Direct / q=1/4 / q=1/8 / q=1/16 / q=1/32

0 / 14

2/7
14

3/7


5 / 5

/
4 8

/ --

60

MSE %



•

≠

•

• 0

4

• 50-80

•


ETTh2-720

PhaseFormer · 2026-09-10 09-15

09

407

5%



7

benchmark

PhaseFormer

4

ETTh2-720