

☑ PLAYWRIGHT — DAILY EXECUTION CHECKLIST

🗨 Day 0 — Dynamic X-Ray (NO CODE DAY)

Goal: Decide *how* the site gives data.

Checklist

- ☐ Open DevTools → Network → XHR/Fetch
- ☐ Trigger the action (scroll / search / click)
- ☐ Identify **actual data source**:
 - ☐ HTML
 - ☐ XHR JSON API
 - ☐ GraphQL
 - ☐ Cursor / pagination
 - ☐ Token / cookie based
- ☐ Write 4 lines in notes:

```
Site:  
Data Source:  
Auth Type:  
Best Tool:
```

- ☐ Decision made in ≤ **10 min**

Done when: You can explain the data flow in one sentence.

📄 Day 1 — Drive the Browser

Goal: Automate a real flow without hacks.

Checklist

- ☐ `playwright install` works
- ☐ Run `playwright codegen <site>`

- ☐ Record: open → action → data visible
- ☐ Replace fragile selectors:
 - ☐ **X** XPath
 - ☐ ☒ role / text / data-attr
- ☐ Script runs **twice** without change
- ☐ **X** No `time.sleep`

Done when: Script survives refresh + rerun.

Day 2 — Stability (Scrolls & Waits)

Goal: Never hang or loop forever.

Checklist

- ☐ Replace sleeps with:
 - ☐ `wait_for_selector`
 - ☐ `networkidle` (only if valid)
- ☐ Infinite scroll loop:
 - ☐ Detect **new items**
 - ☐ Stop when no new IDs appear
- ☐ Add:
 - ☐ Screenshot on crash
 - ☐ Save HTML on crash

Done when: Script stops by itself and leaves evidence if it fails.

Day 3 — Login Once, Reuse Safely

Goal: Avoid logging in every run.

Checklist

- ☐ Headed login works
- ☐ `auth.json` saved
- ☐ Reuse `storage_state`

- ☐ Detect expiry:
 - ☐ Redirect to `/login` OR
 - ☐ Login selector appears
- ☐ Expiry → re-login → resume

Done when: You can delete cookies and still recover.

Day 4 — Browser → API Bridge

Goal: Scale without the browser.

Checklist

- ☐ Listen to responses
- ☐ Identify **real JSON endpoint**
- ☐ Capture:
 - ☐ Headers
 - ☐ Cookies
 - ☐ Tokens
- ☐ Replay request with `aihttp`
- ☐ Fetch **10× pages** faster than browser

Done when: Browser is used only for login/token capture.

Day 5 — Production Minimum

Goal: Survive crashes & resume.

Checklist

- ☐ Folder structure exists
- ☐ Logs written with timestamps
- ☐ Checkpoint file saves progress
- ☐ Kill process mid-run
- ☐ Restart → resumes correctly
- ☐ Session expiry auto-handled

Done when: You trust it to run unattended.

--