DMT: delayed memory task
DMTS: delayed memory task
RHTS: regulated heat stimulation
RHS: regulated heat stimulation
TSTD: 2-stage decision task
DST: 2-stage decision task
BM: backward masking
BWM: backward masking
SMT: size match task
ANT: adaptive n-back task
ANT-T: adaptive n-back task
ODT: object decision task
ODTS: object decision task
ODTs: object decision task
ODTT: object decision task
IMAST: incentive modulated antisaccade task
OVT: overlapping figures task
OFT: overlapping figures task
MTT: meditation task
MTB: meditation task
MT: meditation task
MTI: meditation task
MTx: meditation task
T-Cond: trace conditioning
TC: trace conditioning
TCing: trace conditioning
HDTS: hungry donkey task
IM: image monitoring
SORAC: 2nd-order rule acquisition
SOA: 2nd-order rule acquisition
PVAT: pebl perceptual vigilance task
OMT: orientation match task
OMTT: orientation match task
VKPT: vandenberg & kuse tasks
VKS: vandenberg & kuse tasks
CWST: color-word stroop task
CWS: color-word stroop task
CPPT: penn continuous performance task
CPT: penn continuous performance task
PCT: penn continuous performance task
WPVT: word-picture verification task
BDT: block design test
EFT: embedded figures test
SDT: same-different task
SDT-T: same-different task
CAST: chimeric animal stroop task
CAMST: chimeric animal stroop task
RANT: rapid automatized naming test
UT: underlining test
UTT: underlining test

WM: wisc-r mazes
WMR: wisc-r mazes
RSOT: rapid serial object transformation
WASI: wechsler abbreviated scale of intelligence
WAIS: wechsler abbreviated scale of intelligence
WMS-IV: wechsler memory scale fourth edition
MCog: microcog
MC: microcog
LNSS: letter number sequencing
LNS: letter number sequencing
ODR: oculomotor delayed response
ODRT: oculomotor delayed response
OST: operation span task
OSTT: operation span task
RST: reading span task
RTS: reading span task
LPT: listening span task
LST: listening span task
AXCT: ax-cpt task
AT: ax-cpt task
SOP: self ordered pointing task
KTT: keep-track task
KT: keep-track task
ATx: acupuncture task
AT: acupuncture task
BR: braille reading task
BRT: braille reading task
BH: breath-holding
ORS: chewing/swallowing
DS: chewing/swallowing
PCP: pavlovian conditioning task
PCT: pavlovian conditioning task
PC: pavlovian conditioning task
NumCalc: counting/calculation
Arithmetics: counting/calculation
Cnt: counting/calculation
Stats: counting/calculation
Num: counting/calculation
Calc: counting/calculation
Numeral: counting/calculation
CERx: cued explicit recognition
ER: cued explicit recognition
CER: cued explicit recognition
CE-R: cued explicit recognition
DT: deception task
DCT: deception task
DTT: deductive reasoning task
DRT: deductive reasoning task
DAAT: divided auditory attention
DAA: divided auditory attention

Drawing\n\n* Draw = D\n* Drawing = DWG: drawing
Draw: drawing
AD: eating/drinking
EDx: eating/drinking
CDA: eating/drinking
ED: eating/drinking
ET: encoding task
ER: episodic recall
FM: face monitor/discrimination
MV: film viewing
FV: film viewing
FTV: film viewing
FITT: finger tapping task
FT: fixation task
FCBO: flashing checkerboard
FCB: flashing checkerboard
FEF: flexion/extension
FWLR: free word list recall
GT: grasping task
IM: imagined movement
ISOS: imagined objects/scenes
IPS: imagined objects/scenes
IO: imagined objects/scenes
ISO: imagined objects/scenes
IMAG: imagined objects/scenes
IVO: imagined objects/scenes
IMAGES: imagined objects/scenes
IF: isometric force
ISF: isometric force
MRT: mental rotation task
UT: micturition task
MTT: micturition task
MT: micturition task
MCP: music comprehension/production
MUSIP: music comprehension/production
MC/P: music comprehension/production
CN: naming (covert)
ON: naming (overt)
ONO: naming (overt)
NPE: non-painful electrical stimulation
NES: non-painful electrical stimulation
NTS: non-painful thermal stimulation
NPTS: non-painful thermal stimulation
OMD: olfactory monitoring/discrimination
OMF: olfactory monitoring/discrimination
OD: orthographic discrimination
PMDTs: pain monitor/discrimination task
PMDT: pain monitor/discrimination task
PAIR: paired associate recall
PL: passive listening

PV: passive viewing
PDIM: phonological discrimination
PDISC: phonological discrimination
PD: phonological discrimination
PMD: pitch/monitor discrimination
PTM: pointing task
PTA: pointing task
PT: pointing task
CR: reading (covert)
RO: reading (overt)
RR: recitation/repetition (covert)
OR: recitation/repetition (overt)
RO: recitation/repetition (overt)
REO: rest eyes open
MSTT: motor screening task
MST: motor screening task
MoST: motor screening task
SR/L: sequence recall/learning
SR: sequence recall/learning
SRL: sequence recall/learning
SLD: spatial location/discrimination
SL: spatial location/discrimination
SDL: spatial location/discrimination
SEPD: subjective emotional picture discrimination
SEPPD: subjective emotional picture discrimination
SD: syntactic discrimination
TM: tactile monitor/discrimination
TD: tactile monitor/discrimination
TMD: tactile monitor/discrimination
ToM: theory of mind task
TM: tone monitor/discrimination
TMD: tone monitor/discrimination
VTM: vibrotactile monitor/discrimination
VM: vibrotactile monitor/discrimination
VGS: video games
VG: video games
VGAs: video games
VAT-T: visual attention task
VAT: visual attention task
VATS: visual attention task
VAS: visual attention task
VTT: visual attention task
VPTS: visual pursuit/tracking
VP/TS: visual pursuit/tracking
VPT: visual pursuit/tracking
WS: whistling
WSC: word stem completion (covert)
WSC-O: word stem completion (overt)
WOSC: word stem completion (overt)
WT: writing task

MGT: mixed gambles task
MGTM: mixed gambles task
PC-T: probabilistic classification task
PCAT: probabilistic classification task
CSS: conditional stop signal task
AIT: action imitation task
IAT: action imitation task
AOT-T: action observation task
AOV: action observation task
AOTask: action observation task
AOT: action observation task
AAI: adult attachment interview
ASP/T: antisaccade/prosaccade task
ASPT: antisaccade/prosaccade task
RSVP-T: rapid serial visual presentation task
RSVP: rapid serial visual presentation task
AVTDT: audio-visual target detection task
BDST: backward digit span task
BRIEF: behavioral rating inventory of executive function
BFRT: benton facial recognition test
BFRS: benton facial recognition test
BORB: birmingham object recognition battery
BT Test: block tapping test
BT: block tapping test
BTN: boston naming test
BNT: boston naming test
BNTS: boston naming test
CVLT-II: california verbal learning test-ii
CFMT: cambridge face memory test
CFT: cambridge face memory test
CFT: category fluency test
CHART: choice reaction time task
CRT: choice reaction time task
CRTT: choice reaction time task
CELF-3: clinical evaluation of language fundamentals-3
CDT: color-discrimination task
CD: color-discrimination task
CDCD: color-discrimination task
CRP: continuous recognition paradigm
CRPD: continuous recognition paradigm
CT: cups task
DMTS: delayed match to sample task
DNMS: delayed nonmatch to sample task
DRTT: delayed recall test
DRT: delayed recall test
DS: digit span task
DSTM: digit span task
DSCT: digit/symbol coding test
DSC: digit/symbol coding test
DSTT: digit/symbol coding test

DST: digit/symbol coding test
DPT: doors and people test
EHJI: edinburgh handedness inventory
ETF: eriksen flanker task
EDS: extradimensional shift task
EDST: extradimensional shift task
EST: extradimensional shift task
FNBT: face n-back task
FNT: face n-back task
FTND: fagerstrom test for nicotine dependence
FTNI: fagerstrom test for nicotine dependence
FDST: forward digit span task
GNWT: go/no-go task
GORT-4: gray oral reading test - 4
HOVOT: hooper visual organization test
IRM: immediate recall test
IRT: immediate recall test
IAPS: international affective picture system
IDST: intradimensional shift task
IGT: iowa gambling task
IHP: ishihara plates for color blindness
IshiHPP: ishihara plates for color blindness
KFS: kanizsa figures
KFAs: kanizsa figures
KF: kanizsa figures
LFT: letter fluency test
FLT: letter fluency test
LFTT: letter fluency test
NBT: letter n-back task
N-Back: letter n-back task
LNB: letter n-back task
LNT: letter naming task
LDT: lexical decision task
LDTT: lexical decision task
MPG: matching pennies game
MOCI: maudsley obsessive compulsive inventory
MOCSI: maudsley obsessive compulsive inventory
MOCI-40: maudsley obsessive compulsive inventory
MMSE: mini mental state examination
MAST: motor sequencing task
MST: motor sequencing task
NBT: n-back task
NT: n-back task
NHPT: nine-hole peg test
ODT: object-discrimination task
ODT: oddball task
OT: oddball task
OTO: oddball task
PT: pantomime task
PSQ: parrott scale

PSR: parrott scale
PS: parrott scale
PNT: picture naming task
PNP: picture naming task
PANASX: positive and negative affect scale
PANAS: positive and negative affect scale
PCT: posner cueing task
PWNT: pseudoword naming task
PNT: pseudoword naming task
PPTT: pyramids and palm trees task
RM: recognition memory test
RMT: recognition memory test
RLT: reversal learning task
RLTask: reversal learning task
RTG: risky gains task
LST: salthouse and babcock listening span task
SLSP: salthouse and babcock listening span task
SART: selective attention task
SAT: selective attention task
SAJT-T: semantic anomaly judgement task
SAJT: semantic anomaly judgement task
SAT: semantic association task
SCT: sentence completion test
SRT: sentence completion test
SST: set-shifting task
SET-T: set-shifting task
S-Task: simon task
ST: simon task
SRTT: simple reaction time task
SRT: simple reaction time task
SMT: source memory test
SRT: source memory test
SSST: span/supra-span test
S-NBT: spatial n-back task
SNT: spatial n-back task
SNBT: spatial n-back task
STAI: spielberger's state-trait anxiety questionnaire
STAIC: spielberger's state-trait anxiety questionnaire
SDRT: sternberg delayed recognition task
SST: stop signal task
SSTT: stop signal task
SRT: stroop task
STT: stroop task
SCID: structured clinical interview for diagnostic and statistical manual of mental disorders (dsm-iv)
SDS: symbol-digit substitution
SCL-90-R: symptom checklist-90-revised
SAT: syntactic acceptability judgement task
SAJT: syntactic acceptability judgement task
TS: task-switching
TSW: task-switching

TDTS: temporal discounting task
TEEREF: test of word reading efficiency
TEWL: test of word reading efficiency
TTQQ: tobacco craving questionnaire
TCQ: tobacco craving questionnaire
TMT A&B: trail making test a and b
UPDRS: unified parkinson's disease rating scale
VAT: visual alignment task
VAST: visual alignment task
VST: visuospatial cueing task
VSCP: visuospatial cueing task
WFA: warrington's face/word recognition test
WFORT: warrington's face/word recognition test
FRT: warrington's face/word recognition test
WAIS-R: wechsler adult intelligence scale-revised
WAIS-IV: wechsler adult intelligence scale-revised
WAIS-R: wechsler adult intelligence scale - revised
WCST-T: wisconsin card sorting test
WCSS: wisconsin card sorting test
WCST: wisconsin card sorting test
WA: word attack
WGTT: word generation task
WI: word identification
CGT: cambridge gambling task
PGT: probabilistic gambling task
BIAS: behavioral investment allocation strategy
BIS: behavioral investment allocation strategy
NCT: non-choice task
BART: balloon analogue risk task
DT: devil's task
RTN: choice task between risky and non-risky options
IRA: inductive reasoning aptitude
IRAT: inductive reasoning aptitude
RVT: rhyme verification task
RVF: rhyme verification task
ANT: attention networks test
RKT: remember/know task
RK Task: remember/know task
RMK: remember/know task
PRMT: probabilistic reversal learning task
PRLT: probabilistic reversal learning task
CST: counting stroop task
SRT: scene recognition task
CVLT: california verbal learning test
WISC-IV: wechsler intelligence scale for children - revised
WISC-R: wechsler intelligence scale for children - revised
WI-S-C IV: wechsler intelligence scale for children - revised
WF: word fluency test
WFT: word fluency test
CTT: color trails test

CTT-I: color trails test
CTT-T: color trails test
CTTS: color trails test
DTP: dual-task paradigm
DT: dual-task paradigm
IRT: item recognition task
IRTS: item recognition task
MST: memory span test
MS: memory span test
MSPT: memory span test
CNST: complex span test
CST: complex span test
SST: spatial span test
SSTT: spatial span test
DPET: dot pattern expectancy task
CFIT: cattell's culture fair intelligence test
CFTI: cattell's culture fair intelligence test
LCT: letter comparison task
LC: letter comparison task
PCT: pattern comparison task
PCPT: pattern comparison task
TOVA-C: test of variables of attention
TVA: test of variables of attention
TOVA: test of variables of attention
SART: sustained attention to response task
FFM: matching familiar figures test
MFRT: matching familiar figures test
TL: tower of london
ToL: tower of london
TdH: tower of hanoi
TOH: tower of hanoi
DLT: dichotic listening task
DLTs: dichotic listening task
DFT: directed forgetting task
RIF: retrieval-induced forgetting task
PASAT: paced auditory serial addition test
PMT: porteus maze test
ROCF: rey-ostereith complex figure test
CANTAB: cambridge neuropsychological test automated battery
CBI: corsi blocks
CBS: corsi blocks
VP: visual patterns test
VPT: visual patterns test
RBMT: rivermead behavioural memory test
PAL: paired associate learning
VIG: vigilance
RAVLT: rey auditory verbal learning task
NWR: nonword repetition task
NRT: nonword repetition task
RM: response mapping task

RTM: response mapping task
PRT: pursuit rotor task
PRTT: pursuit rotor task
ARP: alternating runs paradigm
OATT: object alternation task
OAT: object alternation task
ANT: animal naming task
CATBAT: catbat task
HIT: haptic illusion task
BST: brixton spatial anticipation test
HSCT: hayling sentence completion test
PSTS: nih toolbox picture sequence memory test
PST: nih toolbox picture sequence memory test
PSMT: nih toolbox picture sequence memory test
UHIT: uznadze haptic illusion task
ERT: emotional regulation task
DCAT: digit cancellation task
DCT: digit cancellation task
ZM: zoo map test
MWM: morris water maze
SOCT: stockings of cambridge task
GCCS: glasgow coma scale
GCS: glasgow coma scale
GOS: glasgow coma scale
ESCS: early social and communication scales
ESSS: early social and communication scales
R-DLS: reynell developmental language scales
RDLS: reynell developmental language scales
MCDI: macarthur communicative development inventories
MCDCI: macarthur communicative development inventories
ADOS: autism diagnostic observation schedule
MESCA: modified erickson scale of communication attitudes
DRTS: delayed response task
DRT: delayed response task
SDRT: spatial delayed response task
PWST: picture-word stroop test
PWT: picture-word stroop test
SJT-J: synchrony judgment task
SJT-T: synchrony judgment task
SJT: synchrony judgment task
POGMT: position of gap match task
PGMT: position of gap match task
LMT: length match task
TOJ: temporal order judgment task
TOJT: temporal order judgment task
IMT: immediate memory task
IMAT: immediate memory task
HS therapy: heat stimulation
HST: heat stimulation
HS: heat stimulation

HS/HSA: heat sensitization/adaptation
RHHI: rubber hand illusion
RHI: rubber hand illusion
MSS: mechanical stimulation
MS: mechanical stimulation
DS: dual sensitization
DSN: dual sensitization
TGSI: thermal grill illusion
TGI: thermal grill illusion
TPS: tonic pain stimulation
TPS-STIM: tonic pain stimulation
TPS-TE: tonic pain stimulation
FPS: phasic pain stimulation
PPS: phasic pain stimulation
CSI: cold stimulation
CST: cold stimulation
ESU: electric stimulation
EMS: electric stimulation
ES: electric stimulation
CEP: capsaicin-evoked pain
CEPP: capsaicin-evoked pain
CPT: cold pressor test
SSM: sequential shape matching
SSHM: sequential shape matching
DetClas: deterministic classification
DetClass: deterministic classification
DC: deterministic classification
MEP: mixed event-related probe
MERP: mixed event-related probe
MER: mixed event-related probe
IPL: intermodal preferential looking paradigm
IPLP: intermodal preferential looking paradigm
TC: tone counting
STMP: single-task weather prediction
STWP: single-task weather prediction
DTPW: dual-task weather prediction
DWTP: dual-task weather prediction
DTWP: dual-task weather prediction
CPWFB: classification probe without feedback
ACJBI: abstract/concrete judgment: bilingual
ONS: object n-back
ONB: object n-back
OTOB: object one-back task
OBT: object one-back task
WOBT: word one-back task
MDT: monetary incentive delay task
MIDT: monetary incentive delay task
MID: monetary incentive delay task
SMT: semantic decision task
SDT: semantic decision task

CNT: covert naming task
SRTask: semantic relatedness task
SRT: semantic relatedness task
ATDT: auditory temporal discrimination task
ATD: auditory temporal discrimination task
AUDT: auditory temporal discrimination task
MIT: mental imagery task
VF: verbal fluency task
WCT: word comprehension task
LCJT: letter case judgment task
VGST: visually guided saccade task
CT: categorization task
R-T: recall test
RTT: recall test
RT: recall test
ACTT: abstract/concrete task
ACT: abstract/concrete task
SCAT: semantic classification task
PSTT: problem solving task
PST: problem solving task
STT: spelling task
ST: spelling task
ILT: instrumental learning task
ILLT: instrumental learning task
PDTT: phonetic discrimination task
PDT: phonetic discrimination task
PDTO: phonetic discrimination task
LRT: logical reasoning task
LR: logical reasoning task
ASTT: attention switching task
AST: attention switching task
MAT: mental arithmetic task
MATS: mental arithmetic task
RNDG: random number generation task
RNGT: random number generation task
RN Gen.: random number generation task
RNG: random number generation task
VGTS: verb generation task
CBT: cyberball task
CJS: conjunction search task
CJT: conjunction search task
CST: conjunction search task
MSI-T: multisource interference task
MIST: multisource interference task
MRT: mentalizing task
MT: mentalizing task
CTT: copying task
CT: copying task
CTa: copying task
ST: semantic task

STA: semantic task
PTa: phonological task
PT: phonological task
SFT: semantic fluency task
SF: semantic fluency task
PF: phonemic fluency task
SMT: semantic memory task
SRTT: serial reaction time task
SRT: serial reaction time task
GDGT: gender discrimination task
GTD: gender discrimination task
GDT: gender discrimination task
GLT: global-local task
SPMT: sentence-picture matching task
WPMT: word-picture matching task
RJT-T: recency judgment task
RJT: recency judgment task
PAT: passive avoidance task
PATT: passive avoidance task
FJT: fame judgment task
CRT: cambridge risk task
RTT: reappraisal task
RT: reappraisal task
RASPER: raven's advanced progressive matrices
UT: updating task
UPD: updating task
FMR: face working memory task
N-back: face working memory task
FM: face working memory task
FWMT: face working memory task
OWMT: object working memory task
FT: fitts task
GKT: general knowledge task
GKTQ: general knowledge task
STEMT: short-term memory task
FT: face matching task
FMT: face matching task
FMA: face matching task
TDS: target detection task
TDT: target detection task
TDTS: target detection task
StroopSW: color-word stroop with task switching
CWSTS: color-word stroop with task switching
CWTS: color-word stroop with task switching
Stroop-TS: color-word stroop with task switching
OT: orthographic task
LLT: living-nonliving task
LNLT: living-nonliving task
PDT: phoneme detection task
SCT: stop-change task

STCT: stop-change task
VST: visual search task
VSTT: visual search task
PRT: prospective memory task
PMT: prospective memory task
ONT: object naming task
OMT: object naming task
ONS: object naming task
CCT: contextual cueing task
GT: gambling task
GTT: gambling task
WCST: wason card selection task
STT: syntactic task
ST: syntactic task
MRT: mirror tracing task
MTT: mirror tracing task
AGL: artificial grammar learning task
AGT: artificial grammar learning task
AGLT: artificial grammar learning task
DMT: dot motion task
CN: color naming task
AMT: autobiographical memory task
NPT: negative priming task
NTP: negative priming task
ART: analogical reasoning task
BCMT: bimanual coordination task
BCT: bimanual coordination task
MADT: multi-attribute decision making task
MADM: multi-attribute decision making task
OET: odd-even task
OE: odd-even task
BM: biological motion task
SWM: spatial working memory task
S-WMT: spatial working memory task
SJAT: social judgment task
SJT: social judgment task
RRT: relational reasoning task
RRTS: relational reasoning task
PDT: prototype distortion task
PTD: prototype distortion task
PD-T: prototype distortion task
FBAT: false belief task
FBT: false belief task
SH: shadowing task
ST: shadowing task
PJT: parity judgment task
PJD: parity judgment task
NET: numerosity estimation task
VWMTS: verbal working memory task
VWMT: verbal working memory task

MGST: memory guided saccade task
BLC: big/little circle
DLC: big/little circle
MFTM: minimal feature match task
MFMTS: minimal feature match task
MFMT: minimal feature match task
FVT: foreshortened view task
FST: foreshortened view task
DFMT: drawing from memory task
PRP: partial report procedure
IAT: implicit association task
SRM: spatial recognition memory
DCond: delay conditioning
DC: delay conditioning
CC: counterconditioning
OT: operant task
NPUT: npu-threat test
PST: psychophysics task
PFT: psychophysics task
AFT: ambiguous figure task
AVJ: apparent verticality judgment
CDT: contrast detection task
CDTT: contrast detection task
CD: contrast detection task
SCT: symbol counter task
SMT: symbol counter task
SCTT: symbol counter task
FR: facial recognition task
FER: facial recognition task
FRT: facial recognition task
T-W: time wall
TW: time wall
SSSLN: stop signal task with letter naming
SSTLN: stop signal task with letter naming
SS-TLN: stop signal task with letter naming
SST-LN: stop signal task with letter naming
AB: attention bias
ABF: attention bias
IE: incidental encoding task
SFortress: space fortress
SF: space fortress
ERT: emotion recognition task
ERTS: emotion recognition task
VASs: visual analogue scales
VAS: visual analogue scales
IST: information sampling task
WINS: nih toolbox words-in noise test
WNIT: nih toolbox words-in noise test
WINT: nih toolbox words-in noise test
PVT: nih toolbox picture vocabulary test

PTV: nih toolbox picture vocabulary test
DCCS: nih toolbox dimensional change card sort test
N-back: nih toolbox list sorting working memory test
TORRT: nih toolbox oral reading recognition test
TORR: nih toolbox oral reading recognition test
OSDT: nih toolbox oral symbol digit test
NPDSPT: nih toolbox 9-hole pegboard dexterity test
HGT: nih toolbox grip strength test
NGST: nih toolbox grip strength test
GGT: nih toolbox grip strength test
SBT: nih toolbox standing balance test
TSBT: nih toolbox standing balance test
TBST: nih toolbox standing balance test
4mWS: nih toolbox 4-meter walk gait speed test
4MWT: nih toolbox 4-meter walk gait speed test
• 2MWT\n• TWEE\n• NIH-Toolbox-2M-WT: nih toolbox 2-minute walk endurance test
HTT: nih toolbox hearing threshold test
HTT-T: nih toolbox hearing threshold test
GHHI: nih toolbox hearing handicap inventory
TIET: nih toolbox taste intensity test
VT: nih toolbox visual acuity test
VOL: nih toolbox vision-related quality of life survey
VFOQLS: nih toolbox vision-related quality of life survey
VRQOLS: nih toolbox vision-related quality of life survey
* DVA\n* DVAT: nih toolbox dynamic visual acuity test
TOOD: nih toolbox odor identification test
TOI: nih toolbox odor identification test
PICS: nih toolbox pain intensity survey
PTI-S: nih toolbox pain interference survey
PANAS: nih toolbox positive affect survey
GLSS-SF6: nih toolbox general life satisfaction survey
GLSS: nih toolbox general life satisfaction survey
GLLS: nih toolbox general life satisfaction survey
ASAP: articulatory suppression task
AST: articulatory suppression task
NIH-MPS: nih toolbox meaning and purpose survey
NIH-TPS: nih toolbox meaning and purpose survey
GNTT: graded naming test
GNT: graded naming test
OTSC: one touch stockings of cambridge
RT: reaction time
RVPP: rapid visual information processing
RVP: rapid visual information processing
RVIP: rapid visual information processing
MSSV: match to sample visual search
MTSVS: match to sample visual search
PCET: penn conditional exclusion test
PWMT: penn word memory test
PFMT: penn face memory test
VOLTE: visual object learning test

VOLT: visual object learning test
VOT: visual object learning test
WIQ: wais-information
WAIS-I: wais-information
WAIS-Digit Span: wais digit span
WVV: wais vocabulary
WAISV: wais vocabulary
WAIS-A: wais arithmetic
WICS: wais comprehension
WSC: wais comprehension
WAIS-S: wais similarities
WPPSI: wais picture completion
WAIS-PA: wais picture arrangement
WOA: wais object assembly
CT: criteria task
SSPTPW: stop signal task with pseudo word naming
CDT: change detection task
CDTT: change detection task
AXD-PX: ax-dpx
AXDP: ax-dpx
DINT: delayed intention task
DIT: delayed intention task
MRT: mirror reading task
MRTT: mirror reading task
LNLJ: living/nonliving judgment on mirror-reversed and plain-text words
RWP: reversal weather prediction
WPRev: reversal weather prediction
RWOP: reversal weather prediction
MCE: mcgurk effect
McGE: mcgurk effect
PRP: psychological refractory period (prp) paradigm
ASQ: autism spectrum quotient
AQ: autism spectrum quotient
PJWJT: piaget's water jar task
SRS: social responsiveness scale
CMS-30: children's memory scale
CMS: children's memory scale
SCQ: social communication questionnaire
SCIQ: social communication questionnaire
ABC-C: aberrant behavior checklist - community
ABCL: adult behavior checklist
ASPI: adolescent symptom inventory
B-APQ: broad autism phenotype questionnaire
BAPQ: broad autism phenotype questionnaire
BOAQ: broad autism phenotype questionnaire
BDI: battelle developmental inventory
BVMI: beery-buktenica developmental test of visual-motor integration
VMI: beery-buktenica developmental test of visual-motor integration
BOT: beery-buktenica developmental test of visual-motor integration
NEO-PI: big five questionnaire

IPIP: big five questionnaire
FFMQ: big five questionnaire
PAQ: big five questionnaire
BFI: big five questionnaire
BPSAS: broader phenotype autism symptom scale
BPASS: broader phenotype autism symptom scale
BSI: brief symptom inventory
BSINV: brief symptom inventory
CBCL: child behavior checklist
CBCLS: child behavior checklist
CCPBS: conners comprehensive behavior rating scales
CCC: children's communication checklist
CES-D: center for epidemiologic studies depression scale
CESDS: center for epidemiologic studies depression scale
SCQ: social competence questionnaire
CEQ: conners 3rd edition
C-PRRS: children's psychiatric rating scale
CPRS-R: children's psychiatric rating scale
CPRS: children's psychiatric rating scale
ADI-R: autism diagnostic interview - revised
CTOPP: comprehensive test of phonological processing
CYBOCS: children's yale-brown obsessive compulsive scale
EVT: expressive vocabulary test
EV: expressive vocabulary test
EOWPVT: expressive one word-picture vocabulary test
EWVPT: expressive one word-picture vocabulary test
PEVT: expressive one word-picture vocabulary test
LIPS: leiter international performance scale
MSELS: mullen scales of early learning
PDDBI: pdd behavior inventory
PPALS: preschool language scale
PLI: preschool language scale
ELPS: preschool language scale
LAS: preschool language scale
ELO: preschool language scale
PPVTV: peabody picture vocabulary test
PPVT: peabody picture vocabulary test
SP: sensory profile
SB4: stanford-binet intelligence scales
SB5: stanford-binet intelligence scales
SB3: stanford-binet intelligence scales
TELD: test of early language development
TOAAL: test of adolescent and adult language
TOFALL: test of adolescent and adult language
TOLD: test of language development
ELOP: test of language development
TL: test of language development
TLDS: test of language development
VABS: vineland adaptive behavior scales
VinBAS: vineland adaptive behavior scales

CSB-SF: communication and symbolic behavior scales development profile
CBSS-DP: communication and symbolic behavior scales development profile
COSBE: communication and symbolic behavior scales development profile
CSSD: communication and symbolic behavior scales development profile
DAS-II: differential ability scales
DAS-I: differential ability scales
DAS: differential ability scales
ECBCQ: early childhood behavioral questionnaire
ECBI: early childhood behavioral questionnaire
EDI: early development interview (edi)
EDI-Interview: early development interview (edi)
EDI-I: early development interview (edi)
EOWPVT: expressive one-word picture vocabulary test
EOVPV: expressive one-word picture vocabulary test
EVPT: expressive one-word picture vocabulary test
HR: halstead-reitan battery
H-R: halstead-reitan battery
HRB: halstead-reitan battery
JOINT: joint attention / social and nonsocial orienting task
JOLO: judgment of line orientation task
KBIT: kaufman brief intelligence test
LRS: loneliness rating scale
LLRS: loneliness rating scale
OWL: overt word repetition
ORW: overt word repetition
CVGT: covert verb generation task
TTaS: tapping task
TT: tapping task
TTM: tapping task
LMT: landmark task
LT: landmark task
WHY/HOW Task:\n\n* WHY-HOW\n* WHT\n* HH\n* HIH: why/how task
REC: rest eyes closed
T/NT: think/no-think task
TNT: think/no-think task
NLP: working memory fmri task paradigm
N-back: working memory fmri task paradigm
WMFTP: working memory fmri task paradigm
MFTP: motor fmri task paradigm
MTRT: motor fmri task paradigm
MFP: motor fmri task paradigm
MT: motor fmri task paradigm
M-FMRI: motor fmri task paradigm
FMRI-TASK: motor fmri task paradigm
LPFP: language processing fmri task paradigm
LPFMRI: language processing fmri task paradigm
LP-TASK: language processing fmri task paradigm
TOM: social cognition (theory of mind) fmri task paradigm
SC: social cognition (theory of mind) fmri task paradigm
fMRI: social cognition (theory of mind) fmri task paradigm

FC: social cognition (theory of mind) fmri task paradigm
RP-TASK: relational processing fmri task paradigm
RP-FMRI: relational processing fmri task paradigm
RPTP: relational processing fmri task paradigm
EP-FT: emotion processing fmri task paradigm
FTP: emotion processing fmri task paradigm
EPT: emotion processing fmri task paradigm
EPFTP: emotion processing fmri task paradigm
EPTP: emotion processing fmri task paradigm
EPFP: emotion processing fmri task paradigm
GF: gambling fmri task paradigm
GFMRI: gambling fmri task paradigm
GFRP: gambling fmri task paradigm
GFT: gambling fmri task paradigm
TM: tone matching
TMH: tone matching
DV: deviance detection
Anom: deviance detection
DD: deviance detection
RCD: regularity and change detection
RSD: regularity and change detection
CD: regularity and change detection
SD: speech detection
BIT: bistability
BS: bistability
TD-JND: tone detection (jnd)
VDT: vernier discrimination task
CIT: contour integration task
CITs: contour integration task
PCT: perceptual closure task
SS: parallel/serial search
PS: parallel/serial search
PSS: parallel/serial search
CIT: contour interpolation task
LF: lateral facilitation
CM: coherent motion
MS: multistability
FGT: figure ground task
VISP: visual illusion susceptibility
VIS: visual illusion susceptibility
CM: cross modality
POGO: perceptual organization
PO: perceptual organization
OPTT: object perception task
OPT: object perception task
ORT: object recognition task
OT: object recognition task
RTM: retinotopic representation
RTR: retinotopic representation
LComp: local computation

LoComp: local computation
LC: local computation
OC: object classification
ASP: auditory scene perception
GO: gating
GI: gating
SMS: self monitoring task
SMT: self monitoring task
SMRT: self monitoring task
SMTA: self monitoring task
APP: action-perception loop
APC: action-perception loop
APL: action-perception loop
ISSS: intensity for somatosensory stimulation
ISS: intensity for somatosensory stimulation
AMTTS: auditory masking task
MTS: auditory masking task
AMT: auditory masking task
RRP: re-entrant processing
EEI: emotion expression identification
EEIDS: emotion expression identification
EEM: emotion expression identification
CST: contrast sensitivity test
FIDT: face identification task
FIT: face identification task
ISM: manipulation of isi
ISO: manipulation of isi
IMIS: manipulation of isi
NDT: novelty detection task
OND: novelty detection task
OOD: novelty detection task
NDTA: novelty detection task
SCP: spatial cuing paradigm
ABP: attentional blink paradigm
ISMAT: inter-modal selective attention task
BCST: blocked channel-selection task
DP-C: distraction paradigm (capture)
DPC: distraction paradigm (capture)
AT: ant task
SRT: sternberg item recognition task
SRIT: sternberg item recognition task
RM: running memory
WM: running memory
SST: simple span task
SSTT: simple span task
CPT-Ax: continuous performance test - ax version
SeqEnc: sequence encoding
SEQENC: sequence encoding
SE: sequence encoding
SRP: sequence reproduction

SR: sequence reproduction
TIT: transitive inference task
AE: acquired equivalence
AEQ: acquired equivalence
NT: naming tasks
VOD: verbal description of visual depiction
CA: corpus analysis
CRA: corpus analysis
CDiT: coherent/incoherent discourse distinction task
CIDT: coherent/incoherent discourse distinction task
DCQs: discourse content questions
DCCQs: discourse content questions
LRR: listening and reading task
LRT: listening and reading task
LR: listening and reading task
ETP: eye tracking paradigms
GazeTrail.: eye tracking paradigms
ETT: eye tracking paradigms
TAT: eye tracking paradigms
ITP: eye tracking paradigms
SLOPE: eye tracking paradigms
AOT: eye tracking paradigms
MTP: mouse tracking paradigms
MSTP: mouse tracking paradigms
MTS: mouse tracking paradigms
VWP: visual world paradigm
VWPM: visual world paradigm
MPA: manipulation of predictability and acceptability
LLN: manipulation of language and non-verbal behaviors
SCATS: sentence/discourse content test
SCCT: sentence/discourse content test
MIW: manipulation of individual words
MC&C: manipulation of coherence and cohesion
MCC: manipulation of coherence and cohesion
SPOP: surface properties of object paradigms
SOP: surface properties of object paradigms
TRS: time-series of response time
RTTS: time-series of response time
NPSCP: non-spatial cuing paradigm
NPC: non-spatial cuing paradigm
MLI: muller-lyer illusion
MP: motion processing
PHIT: predictive-inference helicopter task
CSMTP: contextual semantic priming task
CSP: contextual semantic priming task
BDM: becker-degroot-marschak (bdm) procedure
BDM-Procedure: becker-degroot-marschak (bdm) procedure
CAT: cue approach task
FLFT: functional localizer fmri tasks
UGQ: ultimatum game (ug)

UG: ultimatum game (ug)
SBFT: social bargaining fmri task
MART: multi-attribute reward-guided decision task
MARDET: multi-attribute reward-guided decision task
SJFT: social judgment of faces task
SJT: social judgment of faces task
PDT: perceptual discrimination task
NWM: numerical working memory task
NWM-T: numerical working memory task
NM: numerical working memory task
N-Back: numerical working memory task
WMT: numerical working memory task
AME: associative memory encoding task
ORT: object rating task
ORTT: object rating task
SIFPT: social influence for food preferences task
SIFT: social influence for food preferences task
CTJT: complex trait judgment task
CTJ: complex trait judgment task
MDTa: motion discrimination task
MDT: motion discrimination task
CDMT: consensus decision-making task
CDT: consensus decision-making task
CD: consensus decision-making task
SSWTS: stop signal walking task with stroop
BVP: bistable percept paradigm
MOP: manipulation of predictability
MPR: manipulation of predictability
AN: audio narrative
PSQI: pittsburgh sleep quality index
ASRS: adult adhd clinical diagnostic scale
WURS-ADULT: adult adhd clinical diagnostic scale
YMRS: young mania rating scale
YMRS-11: young mania rating scale
MCNBT: multi-class n-back task
SSD: stop signal task with dot motion discrimination
SSDM: stop signal task with dot motion discrimination
SST-DMD: stop signal task with dot motion discrimination
MOT: multi-object localizer task
MOLT: multi-object localizer task
SLL: sentence/nonword language localizer
SWMLT: spatial working memory localizer task
SWMT: spatial working memory localizer task
RTMT: retinotopic mapping task
HDRS-D: hamilton psychiatric rating scale for depression
HAM-D: hamilton psychiatric rating scale for depression
SANS: scale for the assessment of negative symptoms
NAB: scale for the assessment of negative symptoms
BPES: brief psychiatric rating scale
BPRS: brief psychiatric rating scale

BPI: brief psychiatric rating scale
ASRS: adult adhd self-report scale
HSCL: hopkins symptom checklist
HSC: hopkins symptom checklist
BISS: barratt impulsiveness scale
BIS: barratt impulsiveness scale
DII: dickman impulsivity inventory
MPQ: multidimensional personality questionnaire
PAI: multidimensional personality questionnaire
EPQ: eysenck personality questionnaire
EPI: eysenck personality questionnaire
MMPI: minnesota multiphasic personality inventory
HPSS: hypomanic personality scale
HPQ: hypomanic personality scale
CMIS: chapman magical ideation scale
TCI: temperament and character inventory
SAPS: scale for the assessment of positive symptoms
BTM: bickel titrator
BT: bickel titrator
SICFT: single item food choice task
SIFT: single item food choice task
FTFC: two item food choice task
TS: task switching (3x2)
TSW: task switching (3x2)
IDESTT: inter-dimensional/extra-dimensional shift task
IDEST: inter-dimensional/extra-dimensional shift task
IDS: inter-dimensional/extra-dimensional shift task
DT: dimensions task
PST: probabilistic selection task
ART: angling risk task
DDT: delay discounting titration
CCT: columbia card task
SRP: sternberg recent probes
SDF: sternberg directed forgetting
DDT: dietary decisions task
MT: adaptation of marshmellow test
HLRT: holt and laury risk titrator
CRT: cognitive reflection test
RSOT: roving somatosensory oddball task
RSOB: roving somatosensory oddball task
LM: letter memory
DP: dospert
DO: dospert
VB: volatile bandit
PMean: plus-minus
PM: plus-minus
P-M: plus-minus
+/-: plus-minus
MSIT: multi-source interference task
MST: multi-source interference task

MIST: multi-source interference task
HRT: hierarchical rule task
ToL: tower of london imagine
LOT: tower of london imagine
MT: multiplication task
STT: shift task
ST: shift task
WATM: wrat-4 math computation
WRAT-4: WR: wrat-4 word reading
WRA: wrat-4 word reading
WRR: wrat-4 word reading
PVAT: penn vocabulary test
PVTS: penn vocabulary test
WTWT: willingness to wait task
GMP: gm paradigm
GMM: gm paradigm
GM: gm paradigm
PFN: penn fractal n-back
PFn: penn fractal n-back
N-Back: penn fractal n-back
PFNBA: penn fractal n-back
SPCP-NLV: short penn continuous performance test-number and letter version
PRT: penn matrix reasoning test
PFMT-DM: penn facial memory test delayed memory
AWM Test Delayed Memory\nPWMT-D: adult's penn word memory test delayed memory
PVOLET: penn visual object learning test
PVOLT: penn visual object learning test
VOPT: penn visual object learning test
PERRT: penn emotion recognition task
PERe: penn emotion recognition task
PET: penn emotion recognition task
MED-T: measured emotion differentiation test
PRLRT: pennâ■■s logical reasoning test
SCA: ataxia
ATAX: ataxia
SIA: ataxia
SPG: ataxia
PVT-DM: penn visual object learning test delayed memory
PVOFLT-D: penn visual object learning test delayed memory
PMP: penn motor praxis
PMPI: penn motor praxis
SSSST: stimulus selective stop signal task
BAS: behavioral approach/inhibition systems
BIS: behavioral approach/inhibition systems
BSCS: brief self control scale
FTPQ: future time perspective questionnaire
DSSG: duckworth's short grit scale
TIPI: ten item personality questionnaire
IIPQ: ten item personality questionnaire
TIPQ: ten item personality questionnaire

IUTW: theories of willpower scale
IWS: theories of willpower scale
PWTS: theories of willpower scale
UPPS-P: upps-p impulsivity scale
IVVQ: i7 impulsiveness and venturesomeness questionnaire
ZTPI: zimbardo time perspective inventory
ERQ: self regulation questionnaire
SRQ: self regulation questionnaire
SRQ-15: self regulation questionnaire
SRS: self regulation questionnaire
TRSQ: treatment self-regulation questionnaire
TSRQ: treatment self-regulation questionnaire
HSDMT: hidden state decision making task
HS-DMT: hidden state decision making task
HSTM: hidden state decision making task
HS-DMA: hidden state decision making task
EQ: eating questionnaire
EQS: eating questionnaire
ERQ: eating questionnaire
MFQ5: five facet mindfulness questionnaire
FFMQ: five facet mindfulness questionnaire
MAAS: mindful attention and awareness scale
ZSSS: zuckerman sensation seeking scale
SOCQ: selection-optimization-compensation (soc) questionnaire
SLACI: stanford leisure-time activity categorical item
MDTT: moral dilemma task
MDTs: moral dilemma task
MDT: moral dilemma task
MSSS: motor selective stop signal task
MSSST: motor selective stop signal task
ERT: emotion regulation task
ERQ: emotion regulation questionnaire
KD: kirby delay discounting task
KDDT: kirby delay discounting task
BRSC: birkbeck reversible sentence comprehension test
MoCA: montreal cognitive assessment
MCI: montreal cognitive assessment
MCAs: montreal cognitive assessment
WR: word recognition task
WRT: word recognition task
FCs: following commands
FC: following commands
IPT: ideational praxis task
CDT: clock drawing task
OT: orientation test
OTS: orientation test
NART: national adult reading test
NARTS: national adult reading test
NRTRs: nart-r
NRTR: nart-r

ANAR: american national adult reading test
ANART: american national adult reading test
ECHS: eckblad and chapman's hypomanic personality scale
CIS: chapman infrequency scale
CPAS: chapman perceptual aberration scale
CSAS: chapman social anhedonia scale
CPAS: chapman physical anhedonia scale
CPT: continuous performance task
VCB: vertical checkerboard
VCBP: vertical checkerboard
HCB: horizontal checkerboard
HSR: hand side recognition
HCR: hand chirality recognition
HCHR: hand chirality recognition
SLT: standard localizer fmri task paradigm
SOLFT: standard localizer fmri task paradigm
SOL: standard localizer fmri task paradigm
SLI: spatial localizer fmri task paradigm
SLFTP: spatial localizer fmri task paradigm
SPL: spatial localizer fmri task paradigm
SLFP: social localizer fmri task paradigm
SLFTP: social localizer fmri task paradigm
SLP: social localizer fmri task paradigm
ELFT: emotional localizer fmri task paradigm
SSFT: synatcting and semantic fmri task paradigm
SST: synatcting and semantic fmri task paradigm
BISRT: body image self-reflection task
BIRT: body image self-reflection task
GSTLL: gustatory stimulation with liquid tastes or flavors
BMPP: biological motion perception (passive viewing) paradigm
NLM: route learning
RL: route learning
SNMT: social norm processing task
SNaP: social norm processing task
SNPT: social norm processing task
YLG: yellow light game
YLPG: yellow light game
NTT: network traversal task
MOT: motorphotic
FEO: fictitious event ordering
FEOs: fictitious event ordering
ERP: episodic recombination paradigm
GIAT: generalization of instrumental avoidance task
EWT: error awareness task
EAT: error awareness task
SIET: social influence on emotion task
LMT: letter matching task
LMS: letter matching task
HP: hidden path learning task
HPLT: hidden path learning task

CTT: compensatory tracking task
CTTT: compensatory tracking task
PTT: pursuit tracking task
CTT: continuous tapping task
NIIST: non-instrumental information seeking task
RAT: remote associates test
RATs: remote associates test
RAET: reciprocal artwork evaluation task
REET: reciprocal artwork evaluation task
RARET: reciprocal artwork evaluation task
PSDMT: prospective sequential decision making task
PSTD: prospective sequential decision making task
FPV: food viewing (passive)
MET: memory encoding task
SETT: self evaluation task
SEBT: self evaluation task
SET: self evaluation task
OET: other evaluation task
OMT: other evaluation task
SDM-T: social decision-making task
SDMT: social decision-making task
SMDT: social decision-making task
RSI: risky decision-making under social influence
SIRDA: risky decision-making under social influence
MTTS: mental time travel task
WBT: mental time travel task
MTT: mental time travel task
PRT: pleasantness rating task
ET: enumeration task
VST: visual short term memory task
VSTM: visual short term memory task
VSTMT: visual short term memory task
PMTNL: pain-matrix narrative localizer
PNML: pain-matrix narrative localizer
PMTL: pain-matrix narrative localizer
MWT: movie watching task
MVT: movie watching task
DT: donation task
PSAP: point subtraction aggression paradigm
FEOS: facial expression observation
FEO: facial expression observation
FES: facial expression observation
FEE: facial expression of emotion
FE: facial expression of emotion
TSL: task-set learning
TLS: task-set learning
P300-BCI: p300 bci
FERST: facial expression display task
FETD: facial expression display task
FEDT: facial expression display task

FEOT: facial expression observing task
CB: correlated bandits
CBM: correlated bandits
LLR: language rule learning
LRLL: language rule learning
LRL: language rule learning
TPP: thirst perception
RLT: risky lotteries task
VBDM: value-based decision making
IMCT: internal menu choice task
COMA: center of mass approximation
COM: center of mass approximation
CATTOT: catoon (cognitive and affective theory of mind cartoon task)
PNIT: positive and negative images task
PANIMAGES: positive and negative images task
M-GNG-T: motivational go/no-go learning task
NBPEAT: narrative-based pain empathy task
FLAIR: fmri localizer for the frontotemporal language system
FTLS: fmri localizer for the frontotemporal language system
TRSM: tri-modal roving stimulus paradigm
ME: mindstrong for regulation of emotion
MRE: mindstrong for regulation of emotion
FADDT: five-trial adjusting delay discounting task
GNN: go-nogo fmri paradigm
KDSS: kessler psychological distress scale (k6+)
K6: kessler psychological distress scale (k6+)
Kessler 6: kessler psychological distress scale (k6+)
GSES: generalized self-efficacy scale
VIT: verbal interference test
PSB: pittsburgh stress battery
FTSS-CV: future orientation scale of the time perspective survey (child version)
FOPS: future orientation scale of the time perspective survey (child version)
PCCS: parent-child coercion scale
PCES: parent-child coercion scale
IVRA: immersive virtual reality assay for target: regulation of cognition (behavioral and self-report)
VR-Cog: immersive virtual reality assay for target: regulation of cognition (behavioral and self-report)
SDE: daily inventory of stressful events (dise)
DISE: daily inventory of stressful events (dise)
DIS: daily inventory of stressful events (dise)
SPPT: social vs physical perception task
SASS-CR: sides affect dysregulation scale (child-reported)
VMAR: video-mediated affective recall
IVRV: immersive virtual reality assay for target: regulation of self-reflection (behavioral and self-report)
VR-ASSAY: immersive virtual reality assay for target: regulation of self-reflection (behavioral and self-repo
MA: maze
MMZ: maze
FEFEP: fmri facial emotion paradigm
HT: hierarchical task
RERPT: relative reinforcing efficacy purchase task
EIDT: emotion identification task

EI-T: emotion identification task
EIT: emotion identification task
GNZT: go-no-go zoo task
GNGTZ: go-no-go zoo task
CRTC: mindstrong for regulation of cognition
MSL: mindstrong for regulation of cognition
ARTAS: angling risk task – always sunny
TPQ: multidimensional personality questionnaire: control vs. impulsivity scale
TPQi: multidimensional personality questionnaire: control vs. impulsivity scale
BRIS: brief risk-resilience index for screening (brisc)
BRISC: brief risk-resilience index for screening (brisc)
IST: internal self-efficacy task
CFCS: consideration of future consequences scale
IVRE: immersive virtual reality assay for target: regulation of emotion (behavioral and self-report)
IVRA-ER: immersive virtual reality assay for target: regulation of emotion (behavioral and self-report)
IVRA-SR: immersive virtual reality assay for target: regulation of emotion (behavioral and self-report)
VR-E: immersive virtual reality assay for target: regulation of emotion (behavioral and self-report)
MFRS: mindstrong for regulation of self-focused reflection
MSR: mindstrong for regulation of self-focused reflection
SLAT: stroop-like arrows task
IPAQ-SF\nIPAQ-SF\nIPAS-F\nIPAQSF: international physical activity questionnaire – short form (ipaq-sf)
EMASSEE: ecological momentary assessment of stressful events
EMASE: ecological momentary assessment of stressful events
ASIS-3: anxiety sensitivity index - 3 (asi-3)
ASI-3: anxiety sensitivity index - 3 (asi-3)
IA: interoceptive attentiveness fmri task
IAFMRT: interoceptive attentiveness fmri task
IAT: interoceptive attentiveness fmri task
TST: two-stage task
TSTA: two-stage task
CTBs: convex time budgets
CTB: convex time budgets
ERSS: emotion regulation strategies scale
VOE: violation-of-expectation task
CCT: couples conflict task
MAIA: multidimensional assessment of interoceptive awareness
MAIW: multidimensional assessment of interoceptive awareness
PEARL: pearlin mastery scale
PMS: pearlin mastery scale
PCIP: parent-child interaction protocol
RPM: raven's progressive matrices test
RPMT: raven's progressive matrices test
RPT: risk preferences task
RPTQ: risk preferences task
CERP-ER: cue-based expectancy paradigm combining emotion regulation task
PANAS-C: positive and negative affect schedule (panas)- child version
PACS: positive and negative affect schedule (panas)- child version
GSES: nih self-efficacy scale
RMIC: rapid marital interaction coding system (rmics)
RMICS: rapid marital interaction coding system (rmics)

CCS: couple coercion scale
PSS-Parent: parent-rated stress (nih perceived stress scale)
PCS: parent cognition scale
PCQ: parent cognition scale
FTBM: frustration in timed backwards math
FESI: future events structured interview