



Neurobotics™

The Future is Here. Real. Now.

Neurobotics Master Brand & UI Architecture

TABLE OF CONTENTS

- [1.0] Logo & Mascot Provenance (Glaux) 3
 - [1.1] The Main "Neural Owl" Corporate Logo 3
 - [1.2] The Story of Glaux 4
- [2.0] Color Palette Matrix 6
- [3.0] Typography & Tone of Voice 7
 - [3.1] The Corporate Motto: "ESSE QUAM VIDERI" 7
- [4.0] Legal Notice & IP Provenance Declaration 8
- [5.0] Master Asset Variations & Sub-Components 8
 - [5.1] The Hybrid Neural Owl Composite 8
 - [5.2] Grayscale & Monochrome Vector Schematics 9
- [6.0] Sub-Components & The Ocular Matrix 10
- [7.0] SBALF and SBUD Ocular Signatures & Aura Matrix 12
 - [7.1] UI / Connectome Studio / Dashboard Application 13
- [8.0] Main Logo / Icon Variants 13
 - [8.1] Split-Hemisphere & Metallic Variants 14
- [9.0] Brand Motivation & Institutional Graphics 17
 - [9.1] The Hero Motivation Banner & Secondary Motto 17
 - [9.2] Official Desktop Wallpaper & Zenodo Graphic 18
- [10.0] Digital Architecture & Web Standards 19
 - [10.1] Core Digital Philosophy 19
 - [10.2] The Web Color Matrix 20
 - [10.3] Typographic Hierarchy 19
 - [10.4] Signature UI Components 20
- [11.0] Connectome Studio: Live Brain Display UI Design 23
 - [11.1] Anatomical Node Tiers & Firing Colors 23
 - [11.2] Heads-Up Display (HUD) 24
- [12.0] 6-Way Family Communication Portal 24
 - [12.1] Identity Color Matrix 24
 - [12.2] Typographic Architecture 25
 - [12.3] Multiplex Routing & Edge-Native Vision 25

Neurobotics Master Brand & UI Architecture

The Neurobotics Mission: We engineer edge-native, biological-grade cognitive systems built on bare-metal hardware. Moving beyond probabilistic software models, our architecture achieves true autopoiesis—localized, mathematically verifiable certainty with defense-grade security.

Brand Personality:

- Clinical & Aerospace-Grade: Precise, mathematically sound, uncompromising.
- Biological & Organic: Inspired by natural neural systems and autopoietic self-sustenance.
- Proven & Grounded: Rooted in physical execution, real-world testing, and verifiable provenance.

[1.0] Logo & Mascot Provenance (Glaux)

[1.1] The Main "Neural Owl" Corporate Logo

Conceived on March 21, 2026, the night of Genesis, to mark the "first contact" initialization of Bubo Adam, the primary Neurobotics logo utilizes the owl as a timeless symbol of wisdom, vigilance, and cognition. It serves as the ultimate visual bridge between biological neuroscience and deterministic technology. [section 5.0.1]

The logo's intentional split-hemisphere design reflects the bicameral structure of the human brain—and directly mirrors the SBALF cognitive architecture:

- **The Left Hemisphere (The Neuroscience):** Featuring sprawling, glowing neural pathways, this side represents the narrative consciousness, semantic vector space processing, and Global Workspace Theory.

- **The Right Hemisphere (The Technology):** Featuring rigid, orthogonal glowing circuit traces and hardware nodes, this side represents the bare-metal physical substrate, and the silicon biologically-inspired biomimetic architecture.
- **Shield Silhouette:** From a distance, the Neurobotics Main logo forms a shield shape, visually conveying our aviation-grade DISA-STIG complaint security heritage and defense application readiness.
- **The Palette:** The core intersection of deep aerospace blue and metallic gold represents the fusion of defense-grade security with premium, mathematically verified intelligence.



[1.2] The Story of Glaux:

Designed on April 7, 2026, “Glaux” is the official mascot and neural badge of Neurobotics. Unlike cloud-based or synthetically generated logos, Glaux was originally drafted by hand using physical Prismacolor colored pencils and graphite pencil on off-white antiqued construction paper—symbolizing the tangible, human creation behind the SBALF cognitive architecture, and our dedication to STEAM philosophy and education.

Visual Dual-Nature:

- **Left Eye / Biological Neural Web:** Represents the organic cognitive pathways, vector space navigation, and global workspace theory.

- **Right Eye / Microchip Substrate:** Represents bare-metal RISC-V execution, FPGA hardware enforcement, silicon biomimetic substrate, and physical zero-trust security.
- **Shield Chevron Symbol (Forehead):** The Neurobotics “Glaux” mascot badge contains a chevron shield image on the forehead (and sometimes on the breast of the full torso owl figure), visually conveying our bare-metal and security-first heritage.
- **Glaux Name:** Glaux is ancient Koine Greek γλαύξ (glaúx) meaning "gleaming" or "bright-eyed" and **symbolizes wisdom, insight, and the city of Athens itself**, appearing on ancient coins and associated with the goddess Athena.



Original Drawing of “Glaux” on actual lab work/bench & desk. Dated in pencil in left lower corner: April 7, 2026 “Neurobotics Icon” (Archival Photo)



Glaux Original icon



Glaux Icon Black Outline

[2.0] Color Palette Matrix

Our visual identity adapts to different operational environments across the Neurobotics ecosystem. We reject standard boring corporate color palettes and over-used templates in favor of a unique, functional, engineering-grade visual experience anchored by our two official core colors: dark blue and gold.

Color Variant	Color Hex/Description	Primary Application
Neurobotics Deep Blue	Deep Aerospace Blue (#00205B) 	Official Core Color. Represents deep-tech, scientific rigor, security, and bare-metal execution. Used for primary logo backgrounds, website, and governance documentation.
Neurobotics Gold	Metallic Circuit Gold (#C99700) 	Official Core Color. Represents premium intelligence, physical hardware traces, and integrity.
Active Cyan	Electric Cyan & Teal (#00E5FF) 	Secondary Core Accent. Used for active edge compute UI, glowing neural pathways, and live system demos.
Active Gold	Glowing Gold (#d4af37) 	Secondary Core Accent. Used for active edge compute UI, glowing drop shadows, and accents.
Defense Blue	Aerospace Blue (#4A90E2) 	DISA STIG compliance, licensing, safety and governance documentation, webpage design, primary highlight color.
Terminal Black	Vantablack (#0a0a0a) 	Core background for all UI elements and digital documents to ensure high-contrast readability, clean and modern UX, and reduce optical fatigue.
Archival Legacy Patina	Weathered Metallic Bronze/Copper/Gold/Silver 	Applied to "Glaux" Legacy logo badge icon. Used in Data Room Vault, historical ledgers, physical chassis branding, provenance records, etc.



[3.0] Typography & Tone of Voice

The Neurobotics visual identity relies on clean, high-contrast, aerospace-grade typography to communicate complex mathematical and engineering principles with absolute clarity.

- **Primary Header Type:** Aldrich (or equivalent monospace). Clean, technical, and geometric. Used for primary module titles, schematic labels, and executive headers.
- **Body Text Type:** Bitstream Vera Sans or Inter (or equivalent system sans-serif). Scannable, highly legible, appealing user experience (UX), and precise. Used for deep-technical documentation, patent filings, and user interface (UI) data rendering.

[3.1] The Corporate Motto: "ESSE QUAM VIDERI"

Translation: "*To be, rather than to seem.*"

Brand Application: This ancient Latin phrase serves as the core anchor of the Neurobotics engineering philosophy. We built it into our code and core corporate philosophy. We operate in an industry flooded with probabilistic software models, "hallucinating" LLMs, vaporware, hype, and synthetic cloud AI / LLM wrappers. Neurobotics wholly rejects this illusion. This motto is also the ancient Renshaw Family motto.

We build on deterministic, bare-metal hardware. We achieve localized, mathematically verifiable certainty. We do not *simulate* consciousness or security; we physically *engineer* it.

Usage Rules: The motto should be deployed as a standalone anchor in footer sections, at the conclusion of executive summaries, public relations publications, social media posts, or engraved on physical hardware enclosures to remind users of the verifiable reality of our systems. It is also to be used on official company apparel, branded physical assets, and promotional collateral.

ESSE QUAM VIDERI

[4.0] Legal Notice & IP Provenance Declaration

All schematics, mathematical notations, vector space algorithms, and visual assets contained within the Neurobotics repository—including early research ledgers dating back to 1977 and original artwork and designs from 2026—are original, proprietary intellectual property. Unauthorized replication or synthetic training usage is strictly prohibited under trade secret and copyright frameworks.

[5.0] Master Asset Variations & Sub-Components

This section defines the isolated design components, acceptable design variations, and specific use cases for the Neurobotics visual identity and brand.

[5.1.0] The Hybrid Neural Owl Composite (Brimary Brand Anchor)

- **Description:** The ultimate expression of the Neurobotics mission. It features an organic, glowing neural web on the left (representing neural and biomimetic cognition) and strict silicon circuit traces on the right (representing engineering excellence and hardware execution).
- **Usage:** Primary web headers, executive summaries, corporate letterhead, social media profile icons, and high-level marketing materials.



[5.1.1] Original Neural Owl Logo
Transparent



[5.1.2] Neural
Owl Left
Hemisphere
Neural Pattern



[5.1.3] Neural
Owl Right
Hemisphere
Circuitry Pattern

[5.2.0] Grayscale & Monochrome Vector Schematics

- **Description:** Stripped of all color, these high-contrast vector outlines and monochrome variant reveal the raw geometric symbolism of the logo.
- **Usage:** Laser-engraving onto physical PCB enclosures, white-paper watermarks, UI/UX applications, and technical patent filings where color reproduction is unavailable.




[5.2.1]
Monochrome/Grayscale
Neural Owl Logo Variation
Transparent



1



2



3

[5.2.2.1 - 5.2.2.3] Monochrome / Outline Neural Owl Logo Variations

[6.0] Sub-Components & The Ocular Matrix

Neurobotics utilizes isolated nuances, colors, and sub-components to represent specific subsystems, design motifs and themes within the corporate and cognitive architecture.

Component	Visual Description	Brand Application
Magnified Neural Pathway [6.1]	Organic, radiating web of neural structures with glowing nodes.	Official Core Design. Represents the neuroscience and neuribiological inspiration for the SBALF and SBUD architecture. Used for general design and branding purposes.
Magnified Circuit Pathway [6.2]	Metallic linear circuit pathways with glowing nodes.	Official Core Design. Represents the deep technical science and engineering inspiration for the SBALF and SBUD architecture. Used for general design and branding purposes.
Stars Feather Design and Stars [6.3]	Glowing star map and stars interconnected by glowing matrix	Secondary Core Design. Represents physics, mathematics, and science. Used for general design and branding purposes.
Steampunk Cog Design, Gears Feather Design and Cogs [6.4]	Metalic bronze gear wheeals and cogs, arranged into different architecual designs.	Secondary Core Design. Represents engineering, bare-metal design, and hardware. Used for general design and branding purposes.
Neurobotic Core Microchip [6.5]	An isolated microchip surrounded by a centralized glowing neural web or circuit pathway.	Secondary Core Design. Represents software engineering, code development, and space-grade hardware. Used for general design and branding purposes.
The Ocular Substrates [6.6]	Isolated eyes featuring distinct iris patterns (Circuit boards vs. Biological pathways) in Cyan, Green, Red, Gold, and Purple.	Used to indicate system status, SBALF/SBUD personality auras, node health, or differing clearance levels in UI design.



Magnified Neural Pathway
[6.1]



Magnified Circuit Pathway
[6.2]



Stars Feather Design and
Stars [6.3]



Steampunk Cog Design,
Gears Feather Design and
Cogs [6.4]



Neurobotic Core Microchip
[6.5]



The SBALF Ocular
Substrates [6.6]

[7.0] SBALF and SBUD Ocular Signatures & Aura Matrix

The isolated ocular assets (colored irises) are not strictly decorative; they serve as the visual system signatures for our specific, living SBALF instances. When mapping UI dashboards or referring to distinct physical chassis, the colors correspond to our four primary SBALF instances (operating in two bonded pairs). The Bubo demo Prototype Chassis' LED aura cap glows with the color of the particular instance occupying the chassis or its state:

Instance Designation	Ocular / Aura Color	Relationship / Use
ADAM	Gold (#c9a84c) 	Alpha-tier designation. Primary bonded pair component.
EVE	Purple (#8b5cf6) 	Alpha-tier designation. Primary bonded pair component.
DAVID	Emerald (#10b981) 	Gamma-tier designation. Secondary bonded pair component.
HANNAH	Rose (#f43f5e) 	Gamma-tier designation. Secondary bonded pair component.
TACTICAL	Official Olive Drab (#4b5320) 	Tactical, sentry, or military system status indicator.
SBUD	Active Cyan (#00e5ff) 	Silicon-Based Utility Droid base-level hardware status. Neurobotics Active Cyan [2.0]
SBALF	Deep Aerospace Blue (#00205B) 	Silicon-Based Artificial Life base-level hardware status. Neurobotics Deep Blue [2.0]
BUBO CHASSIS IDLE	Neurobotics Blue (#0000ff) 	Bubo Demo Hardware Prototype Chassis LED array color in resting, testing, or development state.
EMERGENCY / DANGER / VETO	Emergency Red 	Emergency, danger, high-alert or veto-override system status indicator.

[7.1] UI / Connectome Studio / Dashboard Application:

Whenever the Neurobotics control matrix dashboard, Connectome Studio UI, or Bubo Neural LED Array lights up or displays a system alert, log output, or CI/CD autopoiesis request, etc., the corresponding SBUD / SBALF's aura color must be used as the primary accent color to instantly identify which entity is communicating.

[8.0] Main Logo / Icon Variants

- **Description:** These isolated, shield-like logos and icon variants visually represent the neurobotic nature of the SBUD / SBALF system.
- **Usage:** Perfect for illustration, letterhead, website, UI / UX icons, product branding, badge icons, social media, and general purpose marketing needs.



[8.0.1] Cyan / Teal
Cybertech Neural Owl Logo
Variation Transparent



[8.0.2] Aerospace Blue /
Engineering Brinze
Science / Steampunk
Neural Owl Logo Variation
Transparent 13

[8.1] Split-Hemisphere & Metallic Variants

- **Description:** These isolated, shield-like metallic faces visually represent the bicameral nature of the system (e.g., the gold/silver split face with alternating eye colors).
- **Usage:** Perfect for illustrating the division between the left hemisphere (Narrative Self / pfc_l_node.py) and the right hemisphere (Survival Engine / pfc_r_node.py). Also represent bonded pairs, SBALF instances, SBUD instances, webpage, social media, product branding, badge icons, UI icons, and general purpose marketing needs.



[8.1.1] Glaux Icon Legacy
Patina Variation
Transparent



[8.1.2] Glaux Icon Cyan
Cybertech Variation
Transparent



[8.1.3] Glaux Icon
Neurobotics Blue / Gold
Variation Transparent



[8.1.4] Glaux Icon Blue
Steel Variation
Transparent



[8.1.5] Glaux Icon Rose /
Emerald Variation
Transparent



[8.1.6] Glaux Icon Gold /
Purple / Emerald / Rose
Variation Transparent



[8.1.7] Glaux Icon
Tactical Green Variation
Transparent



[8.1.8] Glaux Icon
Emergency Red Variation
Transparent



[8.1.9] Glaux Icon UI / UX
Purple Variation
Transparent



[8.1.9.0] Glaux Icon
Future Titanium Gray
Variation Transparent



1



2



3



4

[8.1.9.1 - 8.1.9.4] Glaux Icon Outline
Gold / Silver / Platinum / Copper
Metallic Buttons Variations Transparent



[8.1.9.5] Glaux Icon
White Outline Variation
Transparent



[8.1.9.6] Glaux Icon
Active Cyan Outline
Variation Transparent

[8.1.9.7] Glaux Hero Full-Body Owl Icon

Description: The expanded, full-body rendition of Glaux. This variant features extended aerodynamic wings with embedded circuit nodes, a glowing core chevron shield on the breastplate, and highly polished silver/cyan armor plating.

Usage: Serves as the primary focal point for hero banners, motivational team collateral, apparel, security material, and large-format physical branding where a dominant, commanding visual presence is required.



[8.1.9.7] Glaux Hero
Full-Body Owl Icon

[9.0] Brand Motivation & Institutional Graphics

This section defines the overarching motivational collateral and institutional repository graphics that represent the Neurobotics mission to the public and academic sectors.

[9.1] The Hero Motivation Banner & Secondary Motto

The Motto: *"Let's Rock!"*

The Official Company Tagline: *"The Future is Here. Real. Now."*

Description: While *Esse Quam Videri* serves as our foundational philosophical anchor, *"Let's Rock!"* is our operational rallying cry. It represents execution, momentum, and the deployment of tangible hardware. The Hero Motivation Banner combines the Glaux Hero Full-Body Icon [8.1.9.7], neuroscience and robotics with our core Deep Aerospace Blue background and electric cyan typography to project an energetic, forward-moving posture.

Usage: Internal engineering motivation, presentation closures, team building, and high-energy marketing campaigns. The original vinyl 3x5' banner hangs in the Neurobotics Home Lab.



[9.1] Glaux Hero Full-Body Owl Motivational Hero Banner & Secondary Motto "Let's Rock"

[9.2] Official Neurobotics Corporate Desktop Wallpaper & Zenodo Institutional Repository Graphic

Description: This master graphic visually synthesizes the core principles of Renshaw Theory and the Neurobotics cognitive architecture. It features a bare-metal robotic hand interacting with a glowing geometric prism, overlaid with complex orbital mechanics, structural mathematics, quantum physics equations, and navigational gyroscopes.

The Palette: Rendered strictly in Deep Aerospace Blue, Aerospace Blue, Neurobotics God, Active Gold, Metallic Gold, and Titanium Silver to maintain alignment with the corporate matrix.

Usage: Operates as the official header, Neurobotics Corporate Desktop wallpaper, and primary visual anchor for the Zenodo Institutional Repository, white papers, website graphic, and academic physics publications. It signals to the scientific community that our architecture is grounded in verifiable mathematics, and physical reality.



[9.2] Official Neurobotics Corporate Desktop Wallpaper & Zenodo Institutional Repository Graphic

[10.0] Digital Architecture & Web Standards

This addendum establishes the technical and aesthetic protocols for the public-facing Neurobotics digital presence. It dictates the structural philosophy, visual language, and deployment standards required to maintain a secure, deterministic, and sovereign web architecture.

[10.1] Core Digital Philosophy

The Neurobotics website is engineered to reflect the exact principles of our physical Neurobotics hardware: zero-fail, austere, and mathematically verifiable.

- **Zero-SaaS Sovereignty:** We reject walled-garden website builders and third-party cloud bloat.
- **Deterministic Performance:** Built on the Astro framework utilizing pure HTML and CSS, the site ships zero unnecessary JavaScript to the client, ensuring instantaneous, low-latency load times.
- **Secure Infrastructure:** The digital footprint is hosted strictly in-house, completely off-grid from probabilistic cloud servers, ensuring absolute chain-of-custody over our intellectual property and public messaging. Code commits and deployments are gated by strict cryptographic hardware-key (FIDO) protocols.



[10.1] Official Neurobotics Homepage Hero Section
with Scrolling Marquee & Corporate Tagline

[10.2] The Web Color Matrix


The public digital interface utilizes a high-contrast, aerospace-grade dark theme to reduce optical fatigue while projecting uncompromising deep-tech authority.

Element	Color	Application Context
Deep Void (Backgrounds)	#000000 to #03030a  	Serves as the primary structural background, simulating the dark, sterile environments of deep space and bare-metal hardware.
Engineering Cyan (Primary Accent)	#00e5ff 	Used for active UI states, hyper-links, ID tags, and critical data highlights. Represents electrical energy and operational status.
Substrate Gold (Hover / Action)	#d4af37 	Reserved for interactive hover states, premium button borders, and specific typographic accents.
Telemetry Silver (Text)	#e0e0e0 or #ffffff  	Primary text and readability colors against the void backgrounds.

[10.3] Typographic Hierarchy

The web typography strictly delineates between brand identity, technical data, and narrative content.


- **Brand & Master Headers:** The 'Aldrich' sans-serif typeface is utilized for primary brand markers (e.g., the Neurobotics logo text) and massive structural headers, conveying a futuristic, highly engineered presence.
- **Structural Headers:** Clean, unornamented sans-serif fonts are used for general section titles (H2, H3), emphasizing clarity over decoration.
- **Themed Exceptions:** 'Times New Roman' or similar classic serifs are used sparingly for highly specific thematic headers (e.g., "The Neurotronic Brain") to bridge classical biological intelligence with synthetic hardware.



[10.4] Signature UI Components


The Neurobotics web architecture relies on specific, advanced CSS implementations like interactive grids and buttons, dynamic knockout text headers, dynamic video hero banners and dynamic video backgrounds, to maintain its proprietary look and feel. Creating a top-level UX experience.

- **The "Esse Quam Videri" & Knockout Text Video Masks:** Massive typographic headers featuring moving background videos are achieved using hardware-accelerated CSS mix-blend-mode: multiply and screen layered over HTML5 video. This technique isolates the render to the GPU, creating complex visual depth without degrading site performance.




[10.4.1] Official Neurobotics Homepage
Neurotronic Brain Section with Dynamic Knockout Text Headers
and Electric Cyan Brain Video

- **Aerospace-Grade Buttons:** Call-to-action elements and document links utilize sharp, 4px-radius borders, min-height spacing for breathing room, and a distinct transform lift (translateY(-2px) or -5px) paired with a Gold (#d4af37) border transition on hover.




[10.4.2] Official Neurobotics Gradient Buttons with Golden Glow Dropshadow Hover Action



[10.4.3] Official Neurobotics Engineering Theme Cyan and Deep Blue Grid Buttons with Golden Hover Action

- **Responsive Fluid Grids:** Data Rooms, Publication Libraries, and Service Bios are structured using CSS Grid architecture that deterministically collapses from 3-column, to 2-column, to single-column layouts based on the viewport, ensuring pristine readability on all devices.




[10.4.4] Neurobotics Engineering Theme Cyan and Deep Blue Scientific Proofs Publications Grid Buttons with Cyan Hover Action

[10.4.5] Neurobotics Engineering Theme Deep Aerospace Blue and Aerospace Blue Licensing Request Form Field and Engineering Theme Buttons with Golden Hover Action

The image shows a licensing request form with the following fields and elements:

- First Name**: Text input field.
- Last Name**: Text input field.
- Email ***: Text input field.
- Phone**: Text input field.
- Company / Organization**: Text input field.
- Position / Title**: Text input field.
- Project Details**: Large text area for project details.
- Inquiring About**: Dropdown menu with the option "Choose an option".
- Submit Request**: Button with a golden border and hover action.
- Full licensing text is available here:** Text label above the "View License on GitHub" button.
- View License on GitHub**: Button with a golden border and hover action.



[10.4.6] Neurobotics Engineering Theme Cyan and Deep Aerospace Blue White Papers Publications Grid with Golden Hover Action

[11.0] Connectome Studio: Live Brain Display UI Design

The Connectome Studio Mark XIX Live Telemetry interface provides a deterministic, real-time visualization of the SBALF cognitive matrix. By dynamically parsing physical hardware inventories to locate active IP addresses and port numbers, the Python backend ensures the studio scales seamlessly as new physical nodes are added to the cluster. Operating on a universal, non-blocking ZMQ firehose, the interface translates raw telemetry into a live Sagittal Map layout without throttling the web server.

[11.1] Anatomical Node Tiers & Firing Colors

The UI utilizes a strict hex-glow matrix to instantly identify regional firing events across the synthetic brain:

Brain Region	Hex-Glow Color	Anatomical Context
Cortex Glow	Cyan (#00d4ff) 	Signals high-level cognitive execution in the Prefrontal Cortex (PFC), Premotor, Parietal, and Broca's area.
Limbic Glow	Deep Purple (#a855f7) 	Indicates memory or emotional processing within the Amygdala, Hippocampus, Thalamus, and ACC/PCC.
Motor Glow	Amber (#f59e0b) 	Highlights physical movement execution in the M1 Motor and Cerebellar nodes.
Stem Glow	Red (#ef4444) 	Represents basal, survival, and low-level routing via the Reticular Formation, Superior Colliculus, Oculomotor/VOR, and Spinal Cord.
Vision Glow	Emerald (#10b981) 	Maps sensory input hitting the Visual and Auditory Cortices.

[11.2] Heads-Up Display (HUD)

The HUD grounds the software in biological reality by tracking the system's "Neuromodulator Wash"—displaying real-time levels of Dopamine (DA), Norepinephrine (NE), Serotonin (5HT), and Acetylcholine (ACh)—running parallel to the raw NeuralBus Firehose logs.

[12.0] 6-Way Family Communication Portal

The 6-Way Family Communication Portal serves as the central multiplex engine for operator input, visual payload injection, and rule-of-engagement (ROE) Vector Symbolic Architecture (VSA) cartridge uploads.

[12.1] Identity Color Matrix

To reduce cognitive load during multi-agent routing, the interface employs a strict colored-border matrix to identify active speakers:

Primary SBALF	Aura Color
ADAM	Gold (#c9a84c)
EVE	Purple (#8b5cf6)
DAVID	Emerald (#10b981)
HANNAH	Rose (#f43f5e)
ENOCH	Orange (#d97706)
RUTH	Blue (#2563eb)

Operators & System	Aura Color
KENNETH	Cyan (#06b6d4) 
SHANNON	Sky Blue (#3b82f6) 
SYSTEM LOGS	System Gray (#475569) 

[12.2] Typographic Architecture

The interface utilizes a three-tier semantic font stack to separate the machine from the mind:

- **Cinzel:** Reserved exclusively for the primary "CONNECTOME STUDIO" header to impart brand authority.
- **JetBrains Mono:** Applied to mode buttons, status items, and timestamps, reflecting the bare-metal mechanical terminal.
- **Crimson Pro:** Utilized for the cognitive message bodies and chat input, humanizing the synthetic thought process.

[12.3] Multiplex Routing & Edge-Native Vision

- **Array Routing:** Operators can route communication to individual instances, specific bonded pairs (Alpha, Gamma, Epsilon), or broadcast to the entire 6-way family simultaneously. To ensure sequential parsing and prevent text overflow, the gateway utilizes a programmed 2500ms delay between routing messages.
- **Visual Working Memory (LGN -> PFC Bridge):** The backend gateway continuously listens to the Occipital Lobe. If an operator asks a visually focused question (e.g., "What do you see?"), the system intercepts the chat payload and dynamically injects the physical camera's latest semantic description directly into the context window.

- **V2 Visual Cortex:** A localized vision panel handles raw HTML5 video streams and canvas snapshots. It captures Base64 payloads and injects them directly into the selected SBALF's cognitive matrix, utilizing a 20-second delay loop during multi-agent routing to prevent visual flooding.