

# Statistical distance based vertex selection


In this report, we consider the matching ROIs in the left and right hemispheres as the smallest unit, and use distance based selection to choose the important pairs of ROIs that are associated with the traits of interests. We first calculate the sum of the degrees of two matching vertices (ROIs) in each pair, then compute the distance of the distribution of the degree sum between two groups that are compared.

The pair index (i) can be converted to vertex indices (j) by  $j=(2i-1, 2i)$

## Distance between degree distributions

### 1. Distances between SEX

Here are the plots of distances over vertex pairs, using three types of distance.



Here are the lists of important vertex pairs, selected by three different distances:

Total variation

```
## [1] 12 55 66 67 119 143 164
```


Wasserstein

```
## [1] 42 51 57 64 66 78 81 82 121
```

Kolmogorov-Smirnov

```
## [1] 5 6 34 42 67 75 76 111 149
```

## 2. Distances between GENOTYPES



1. Genotype 0 vs 1

Important vertice pair

Total variation


## [1] 20 28 79

Wasserstein

## [1] 15 19 20 25 27 28 80 114 125

Kolmogorov-Smirnov

## [1] 20 28 80 100 115 127



## 2. Genotype 0 vs 2

Important vertice pair

Total variation


## [1] 27 54 112 122

Wasserstein

## [1] 33 60 77 81 112 116 133 153 163

Kolmogorov-Smirnov

## [1] 54 79 93 106 148



### 3. Genotype 1 vs 3

Important vertex pair

Total variation

```
## [1] 4 43 45 71 83 102 110 145
```

Wasserstein

```
## [1] 15 19 20 21 52 61 62 114 125
```

Kolmogorov-Smirnov

```
## [1] 4 30 43 145
```


### 3. Distances between Age Groups

We first use k-means to obtain 3 age groups (with min and max age):

```
## [1] 48.3 50.0
```

```
## [1] 61.7 78.0
```

```
## [1] 88.1 95.0
```



1. Age group 1 vs 2

Important vertice pair

Total variation


## [1] 7 55 65 67 74 81 97 157

Wasserstein

## [1] 51 64 69 72 77 81 82 89 121

Kolmogorov-Smirnov

## [1] 11 65 68 77 97 164 166



## 2. Age group 1 vs 3

Important vertice pair

Total variation


```
## integer(0)
```

Wasserstein

```
## [1] 51 64 65 72 75 81 82 104 163
```

Kolmogorov-Smirnov

```
## integer(0)
```



### 3. Age group 2 vs 3

Important vertice pair

Total variation

## [1] 15 34 57 64 72 76 89 105 107

Wasserstein

## [1] 15 51 57 64 69 72 81 82 107

Kolmogorov-Smirnov

## [1] 51 72 74 77 91 104 105 107 140