


Selected Subgraph in Comparing Different Genotypes

Select the most different 5% vertex pairs based on degree distribution, using Wasserstein distance.


Comparing genotype 1 vs 2 on the subgraph.

The average connectivity is shown:




Here are one with legend.

Genotype=1



Comparing genotype 1 vs 2, stratified by sex. Assuming Female:sex=1, Male:sex=2






The count of the each category:

```
##
##          SEX= 1 SEX= 2
## GENOTYPE= 1      6    3
## GENOTYPE= 2      5    7
```

Reference: The subgraphs of two sex, averaged over population.

The vertex pairs are the same ones that were used to differentiate genotypes.



Regression of the median degree of the top 5% using the predictors (age, sex,genotypes):

In here, we first compute the degrees of the selected vertex pairs for each subject, and choose the median as the point estimate of the connectivity for each subject. Then we apply simple linear regression on this outcome. Here are the summary:

```
##
## Call:
## lm(formula = medianDegree ~ as.factor(covariates_genoi2$GENDER) +
##     as.factor(covariates_genoi2$GENOTYPE) + (covariates_genoi2$AGE_WEEKS))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -70.079 -38.006  -6.365  10.356 134.625
##
## Coefficients:
##                                     Estimate Std. Error
## (Intercept)                        182.2180    69.1370
## as.factor(covariates_genoi2$GENDER)SEX= 2         4.4893    24.7332
## as.factor(covariates_genoi2$GENOTYPE)GENOTYPE= 2 -33.1916    25.0177
## covariates_genoi2$AGE_WEEKS                -0.7804     0.9180
##                                     t value Pr(>|t|)
## (Intercept)                        2.636   0.0174 *
## as.factor(covariates_genoi2$GENDER)SEX= 2         0.182   0.8581
## as.factor(covariates_genoi2$GENOTYPE)GENOTYPE= 2 -1.327   0.2021
```

```
## covariates_genol2$AGE_WEEKS          -0.850    0.4071
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 54.51 on 17 degrees of freedom
## Multiple R-squared:  0.1182, Adjusted R-squared:  -0.03737
## F-statistic: 0.7599 on 3 and 17 DF,  p-value: 0.532

there are no statistically significant effects in the predictors
```