

Model-based comparison of connectomes: evaluating the bilateral symmetry of a whole insect brain


Benjamin D. Pedigo

(he/him) -  bpedigo@jhu.edu

[NeuroData lab](#)

Johns Hopkins University - Biomedical Engineering

Team



Mike
Powell



Eric
Bridgeford




Michael
Winding



Marta
Zlatic



Albert
Cardona



Carey
Priebe



Joshua
Vogelstein

Why bilateral symmetry?

- Fundamental property of almost all animals
- Often (implicitly or explicitly) assumed in connectomics
- ...but many ways to write down what we mean when we say it for the networks


Why else?

- As more connectomes are mapped, we'll want evaluate the *significance* and *nature* of differences between them

Are the **left** and **right** sides of the larva brain connectome
different?

Testing for differences

Are these two populations different?




$$Y^{(1)} \sim F^{(1)}$$

$$Y^{(2)} \sim F^{(2)}$$

$$H_0 : F^{(1)} = F^{(2)}$$

$$H_A : F^{(1)} \neq F^{(2)}$$

Are these two *networks* different?



$$A^{(L)} \sim F^{(L)}$$



$$A^{(R)} \sim F^{(R)}$$

$$H_0 : F^{(L)} = F^{(R)}$$

$$H_A : F^{(L)} \neq F^{(R)}$$

We reject even the simplest notion of symmetry

- Fit Erdos-Renyi models to the left and the right brain networks



- Compare densities:



$$H_0 : p^{(L)} = p^{(R)}$$

$$H_A : p^{(L)} \neq p^{(R)}$$

p-value: $< 10^{-23}$

Localizing differences to cell type connections


- Fit block models to both hemispheres



- Compare connection probabilities:

$$H_0 : B^{(L)} = B^{(R)}$$

$$H_A : B^{(L)} \neq B^{(R)}$$





X - significant

Overall comparison: $p < 10^{-7}$


After adjusting for density: $p < 0.01$

Extensions: examining the effect of edge weights



*Only occurs when using input percentage
as edge weight, not synapse number*

Extensions: incorporating neuron matching



- Neuron pair predictions from connectivity based on graph matching tools
- *Ongoing work:* combining matching and testing frameworks to evaluate stereotypy at the edge-level

An invitation!

- Want to use anything I talked about today?
- OR have another network question you want to test?
- Let's chat!

Code, slides, papers, contact info:



 bpedigo@jhu.edu  [@bpedigod](https://twitter.com/bpedigod)
 [@bdpedigo](https://github.com/bdpedigo)  bdpedigo.github.io