



ISIC-Designated Diagnosis Mapper - Consensus Survey

Session ID: 758798

Progress: 0 of 379

[Log out](#)
[Click here to show the suggested taxonomy tree](#)
[Click here to see the instructions](#)

Benign - Melanocytic proliferations


[Go back](#)
[Submit](#)

Bl.1	Nevus, NOS, Junctional	<u>pending</u>
	Nevus, NOS, Compound	<u>pending</u>
	Nevus, NOS, Dermal (Intradermal)	<u>pending</u>
Bl.2	Nevus, Atypical, NOS modifiable by Junctional / Compound / Dermal (intradermal) and modifiable by Mild atypia (MPATH I) / Moderate atypia (MPATH II) / Severe atypia (MPATH III)	<u>pending</u>
	Nevus, Clark modifiable by Junctional / Compound and modifiable by Mild atypia (MPATH I) / Moderate atypia (MPATH II) / Severe atypia (MPATH III)	<u>pending</u>
	Nevus, Dysplastic (<i>a.k.a. Nevus with architectural disorder and cytological atypia</i>) modifiable by Junctional / Compound and modifiable by Mild atypia (MPATH I) / Moderate atypia (MPATH II) / Severe atypia (MPATH III)	<u>pending</u>
	Nevus, Lentiginous modifiable by Junctional / Compound and modifiable by Mild atypia (MPATH I) / Moderate atypia (MPATH II) / Severe atypia (MPATH III)	<u>pending</u>
	Lentiginous melanocytic proliferation modifiable by Junctional / Compound and modifiable by Mild atypia (MPATH I) / Moderate atypia (MPATH II) / Severe atypia (MPATH III)	<u>pending</u>
Bl.3	Nevus, Spitz (<i>a.k.a. Spindle and epithelioid cell nevus</i>) modifiable by Junctional / Compound / Dermal (intradermal)	<u>pending</u>
	Nevus, Reed (<i>a.k.a. Pigmented spindle cell nevus</i>) modifiable by Junctional / Compound	<u>pending</u>

	Nevus, Unna modifiable by Compound / Dermal (intradermal)	<u>pending</u>
	Nevus, Miescher modifiable by Compound / Dermal (intradermal)	<u>pending</u>
	Nevus, BAP-1 deficient (<i>a.k.a. Wiesner nevus</i>) modifiable by Junctional / Compound / Dermal (intradermal)	<u>pending</u>
Bl.4	Nevus, Congenital (per history - present at birth or within 1 year of infancy) modifiable by Junctional / Compound / Dermal (intradermal) and modifiable by Superficial (Ackerman nevus) / Superficial and deep (Zitelli nevus) / Deep (Mark nevus)	<u>pending</u>
	Nevus, Congenital pattern (per histopathology) modifiable by Junctional / Compound / Dermal (intradermal) and modifiable by Superficial (Ackerman nevus) / Superficial and deep (Zitelli nevus) / Deep (Mark nevus)	<u>pending</u>
	Proliferative nodule in congenital melanocytic nevi (Minimal or no atypia AND no mitotic activity (MPATH II))	<u>pending</u>
Bl.5	Nevus, Spilus	<u>pending</u>
	Nevus, Agminated	<u>pending</u>
Bl.6	Blue nevus, NOS	<u>pending</u>
	Blue nevus, Common (<i>a.k.a. Tièche-Jadanssohn nevus</i>)	<u>pending</u>
	Blue nevus, Cellular (<i>a.k.a. Masson blue neuronevus</i>)	<u>pending</u>
	Blue nevus, Epithelioid	<u>pending</u>
	Blue nevus, Deep penetrating (<i>a.k.a. Seab nevus</i>)	<u>pending</u>
Bl.7	Nevus, Combined (details of 2 components to be specified)	<u>pending</u>
	Nevus, Combined, NOS	<u>pending</u>
Bl.8	Nevus, Acral modifiable by Junctional / Compound / Dermal (intradermal)	<u>pending</u>
	Nevus, Of special anatomic site (e.g., genital, flexural, milkline and breast, other) modifiable by Junctional / Compound / Dermal (intradermal)	<u>pending</u>

	Nevus, Recurrent / persistent modifiable by Junctional / Compound / Dermal (intradermal)	<u>pending</u>
	Nevus, Halo (<i>a.k.a. Sutton nevus</i>) modifiable by Junctional / Compound / Dermal (intradermal)	<u>pending</u>
	Nevus, Balloon cell modifiable by Junctional / Compound / Dermal (intradermal)	<u>pending</u>
	Nevus, Meyerson (<i>a.k.a. Nevus with spongiotic inflammation</i>) modifiable by Junctional / Compound / Dermal (intradermal)	<u>pending</u>
Bl.9	Lentigo simplex (<i>a.k.a. Simple lentigo</i>)	<u>pending</u>
Bl.10	Mongolian spot	<u>pending</u>
	Nevus of Ito	<u>pending</u>
	Nevus of Ota	<u>pending</u>
Bl.11	Pigmented epithelioid melanocytoma	<u>pending</u>
Bl.12	Benign melanocytic proliferations, other (to be specified)	<u>pending</u>
Benign - Flat melanotic pigmentations (not melanocytic nevus)		
Bl.1	Ink-spot lentigo (<i>a.k.a. Reticulated lentigo</i>)	<u>pending</u>
	Mucosal melanotic macule (<i>a.k.a. Mucosal lentigo</i>)	<u>pending</u>
	Café au lait macule / patch	<u>pending</u>
Benign - Epidermal proliferations		
Bl.1	Solar lentigo	<u>pending</u>
	Seborrheic keratosis	<u>pending</u>
	Lichen planus like keratosis (<i>a.k.a. Lichenoid keratosis</i>)	<u>pending</u>
Bl.2	Clear cell acanthoma (<i>a.k.a. Pale cell acanthoma</i>)	<u>pending</u>

Large cell acanthoma	<u>pending</u>
Porokeratosis	<u>pending</u>
Epidermal nevus	<u>pending</u>
Epidermolytic acanthoma	<u>pending</u>
Acantholytic acanthoma	<u>pending</u>
Melanoacanthoma	<u>pending</u>
Benign epidermal proliferations, other (to be specified)	<u>pending</u>

Benign - Adnexal epithelial proliferations - Follicular

Bl.1 Trichoblastoma, NOS	<u>pending</u>
Trichoepithelioma (<i>a.k.a. Trichoblastoma, Cribriiform</i>)	<u>pending</u>
Trichoepithelioma, Desmoplastic	<u>pending</u>
Tricholemmoma	<u>pending</u>
Pilomatricoma	<u>pending</u>
Trichofolliculoma	<u>pending</u>
Pilar sheath acanthoma	<u>pending</u>
Nevus comedonicus	<u>pending</u>
Warty dyskeratoma	<u>pending</u>
Tumor of follicular infundibulum	<u>pending</u>
Panfolliculoma	<u>pending</u>
Benign adnexal epithelial proliferations, Follicular or Infundibular, other (to be specified)	<u>pending</u>

Benign - Adnexal epithelial proliferations - Sebaceous

Bl.1	Sebaceous hyperplasia	<u>pending</u>
	Sebaceous adenoma	<u>pending</u>
	Sebaceoma	<u>pending</u>
	Nevus sebaceus	<u>pending</u>
	Fordyce spots (<i>a.k.a. Montgomery tubercles</i>)	<u>pending</u>
	Fibrofolliculoma	<u>pending</u>
	Trichodiscoma	<u>pending</u>
	Benign adnexal epithelial proliferations, Sebaceous, other (to be specified)	<u>pending</u>

Benign - Adnexal epithelial proliferations - Apocrine or Eccrine

Bl.1	Syringoma	<u>pending</u>
	Poroma	<u>pending</u>
	Hidradenoma, Apocrine, NOS	<u>pending</u>
	Hidradenoma, Apocrine, Predominantly with clear cells	<u>pending</u>
	Hidradenoma, Poroid	<u>pending</u>
	Hidradenoma papilliferum	<u>pending</u>
	Spiradenoma	<u>pending</u>
	Cylindroma	<u>pending</u>
	Mixed tumor, Apocrine type (<i>a.k.a. Chondroid syringioma, Apocrine type</i>)	<u>pending</u>
	Mixed tumor, Eccrine type (<i>a.k.a. Chondroid syringioma, Eccrine type</i>)	<u>pending</u>
	Syringocystadenoma papilliferum	<u>pending</u>
	Apocrine tubular adenoma	<u>pending</u>

Syringofibroadenoma

[pending](#)

Supernumerary nipple

[pending](#)

Fibroadenoma

[pending](#)

Myoepithelioma

[pending](#)

Cystadenoma

[pending](#)

Benign adnexal epithelial proliferations, Apocrine or Eccrine, other (to be specified)

[pending](#)

Benign - Hemorrhagic lesions (extravasation of erythrocytes)

Bl.1 Hemorrhage, NOS

[pending](#)

Hemorrhage, Subcorneal and intracorneal

[pending](#)

Hemorrhage, Dermal and subcutaneous

[pending](#)

Hemorrhage, Subungual

[pending](#)

Hemorrhage, other (to be specified)

[pending](#)

Benign - Soft tissue proliferations - Vascular

Bl.1 Hemangioma, NOS

[pending](#)Hemangioma, Cherry (*a.k.a. Cherry angioma*)[pending](#)

Hemangioma, Infantile

[pending](#)

Noninvoluting congenital hemangioma (RICH)

[pending](#)

Rapidly involuting congenital hemangioma (NICH)

[pending](#)

Hemangioma, Hobnail

[pending](#)

Hemangioma, Tufted

[pending](#)

Glomeruloid hemangioma

[pending](#)

	Acquired elastotic hemangioma	<u>pending</u>
	Verrucous hemangioma	<u>pending</u>
	Hemangioma, other (to be specified)	<u>pending</u>
Bl.2	Angiokeratoma	<u>pending</u>
	Pyogenic granuloma	<u>pending</u>
	Glomus tumor	<u>pending</u>
	Angioleiomyoma	<u>pending</u>
	Angiolymphoid hyperplasia with eosinophilia	<u>pending</u>
Bl.3	Nevus anemicus	<u>pending</u>
	Capillary vascular malformation (<i>a.k.a. Port wine stain, Nevus flammeus</i>)	<u>pending</u>
	Venous malformation	<u>pending</u>
	Arterio-venous malformation	<u>pending</u>
	Lymphangioma (superficial lymphatic malformation)	<u>pending</u>
	Other vascular or lymphatic malformation / hamartoma (to be specified)	<u>pending</u>
	Vascular spider (<i>a.k.a. Spider angioma</i>)	<u>pending</u>
	Venous lake	<u>pending</u>
	Telangiectasia	<u>pending</u>
	Acroangiokeratitis of Mali	<u>pending</u>
	Benign soft tissue proliferations, Vascular, other (to be specified)	<u>pending</u>
Benign - Soft tissue proliferations - Fibro-histiocytic		
Bl.1	Dermatofibroma, NOS (<i>a.k.a. Fibrous histiocyoma NOS</i>)	<u>pending</u>

	Dermatofibroma, Aneurysmal	pending
	Dermatofibroma, Hemosiderotic	pending
	Dermatofibroma, Epithelioid	pending
	Dermatofibroma, Cellular	pending
	Dermatofibroma, other (to be specified)	pending
BI.2	Non-Langerhans histiocytosis, NOS	pending
	Juvenile xanthogranuloma	pending
	Rosai-Dorfman disease	pending
	Reticulohistiocytosis	pending
	Non-Langerhans histiocytosis, other (to be specified)	pending
BI.3	Fibroepithelial polyp (<i>a.k.a. Skin tag, Acrochordon</i>)	pending
	Angiofibroma, Facial (<i>a.k.a. Fibrous papule</i>)	pending
	Angiofibroma, Penile (<i>a.k.a. Pearly penile papule</i>)	pending
	Angiofibroma, Periungual (<i>a.k.a. Koenen tumor</i>)	pending
	Myxoma, Cutaneous	pending
	Fibroma, NOS	pending
	Fibroma, Sclerotic	pending
	Fibroma, Pleomorphic	pending
	Fibroma, other (to be specified)	pending
	Giant cell tumor of the tendon sheath	pending
	Scar, NOS	pending
	Scar, Hypertrophic	pending

Scar, Keloid

[pending](#)

Benign soft tissue proliferations, Fibro-histiocytic, other (to be specified)

[pending](#)

Benign - Soft tissue proliferations - Muscle tissue or myofibroblastic

Bl.1 Dermatomyofibroma (*a.k.a. Plaque-like dermal fibromatosis*)

[pending](#)

Smooth muscle hamartoma

[pending](#)

Piloleiomyoma

[pending](#)

Angioleiomyoma

[pending](#)

Dartoic muscle leiomyoma (*a.k.a. Nipple or external genital leiomyoma*)

[pending](#)

Benign soft tissue proliferations, Myofibroblastic or muscle tissue, other (to be specified)

[pending](#)

Benign - Soft tissue proliferations - Adipocytic

Bl.1 Lipoma, NOS

[pending](#)

Lipoma, Spindle cell / pleomorphic

[pending](#)

Angiolipoma

[pending](#)

Lipomatous nevus

[pending](#)

Benign soft tissue proliferations, Adipocytic, other (to be specified)

[pending](#)

Benign - Soft tissue proliferations - Neural

Bl.1 Neuroma, NOS

[pending](#)

Neuroma, Traumatic

[pending](#)

Neuroma, Palisaded and encapsulated

[pending](#)

Neurofibroma, NOS

[pending](#)

Neurofibroma, Plexiform

pending

Granular cell tumor

pending

Schwannoma

pending

Nerve sheath myxoma

pending

Perineurioma

pending

Benign soft tissue proliferations, Neural, other (to be specified)

pending

Benign - Soft tissue proliferations - Cartilagenous and ossifying

Bl.1 Accessory tragus

pending

Extraskeletal chondroma

pendingSubungual osteochondroma (*a.k.a. Subungual exostosis*)pending

Osteoma cutis

pending

Benign soft tissue proliferations, Cartilagenous and ossifying, other (to be specified)

pending

Benign - Soft tissue proliferations - Myoepithelial

Bl.1 Myoepithelioma

pending

Benign - Mast cell proliferations

Bl.1 Mastocytosis, NOS

pending

Mastocytoma, Solitary / unifocal

pendingMaculopapular mastocytoma (*a.k.a. Urticaria pigmentosa*)pending

Mastocytosis, Diffuse / multifocal (subtype: Telangiectasia macularis eruptiva perstans, Diffuse cutaneous, other; to be specified)

pending

Mast cell proliferation, other (to be specified)

pending

Benign - Langerhans cell proliferations

Bl.1	Langerhans cell histiocytosis, NOS	<u>pending</u>
	Langerhans cell histiocytosis, Solitary / unifocal	<u>pending</u>
	Langerhans cell histiocytosis, Diffuse / multifocal	<u>pending</u>
	Langerhans cell histiocytosis, other (to be specified)	<u>pending</u>
	Indeterminate cell histiocytosis, NOS	<u>pending</u>
	Erdheim Chester disease	<u>pending</u>
	Mixed Langerhans cell histiocytosis and Erdheim Chester disease	<u>pending</u>

Benign - Cysts

Bl.1	Cyst, NOS	<u>pending</u>
	Milium	<u>pending</u>
	Comedo	<u>pending</u>
	Infundibular / epidermal cyst (<i>a.k.a. Epidermoid-inclusion / sebaceous / keratin cyst</i>)	<u>pending</u>
	Trichilemmal / isthmic-catagen / pilar cyst	<u>pending</u>
	Dilated pore (<i>a.k.a. Dilated port of Winer</i>)	<u>pending</u>
	Steatocystoma	<u>pending</u>
	Digital mucous cyst (<i>a.k.a. Ganglion / digital myxoid cyst</i>)	<u>pending</u>
	Benign cyst, other (to be specified)	<u>pending</u>

Benign - Inflammatory diseases

Bl.1	Psoriasis	<u>pending</u>
	Lichen planus	<u>pending</u>

	Folliculitis	<u>pending</u>
Bl.2	Dermatitis, NOS	<u>pending</u>
	Dermatitis, Atopic	<u>pending</u>
	Dermatitis, Allergic contact	<u>pending</u>
	Dermatitis, Irritant contact	<u>pending</u>
	Dermatitis, Numular	<u>pending</u>
	Dermatitis, Dyshidrotic	<u>pending</u>
	Schamberg disease	<u>pending</u>
	Purpura annularis telangiectasia (<i>a.k.a. Majocchi disease</i>)	<u>pending</u>
	Eczematoid purpura (<i>a.k.a. Doucas-Kapenatakis disease</i>)	<u>pending</u>
	Lichenoid purpura (<i>a.k.a. Gougerot-Blum disease</i>)	<u>pending</u>
	Lichen aureus	<u>pending</u>
	Inflammatory disease, other (to be specified)	<u>pending</u>

Benign - Infectious diseases

Bl.1	Tinea corporis	<u>pending</u>
	Pityriasis versicolor	<u>pending</u>
	Verruca, NOS	<u>pending</u>
	Verruca vulgaris (<i>a.k.a. Common wart</i>)	<u>pending</u>
	Verruca plantaris (<i>a.k.a. Palmo-plantar wart</i>)	<u>pending</u>
	Verruca plana (<i>a.k.a. Flat wart</i>)	<u>pending</u>
	Molluscum contagiosum	<u>pending</u>

Tungiasis

pending

Furuncular myiasis

pending

Scabies

pending

Larva migrans

pending

Infectious disease, other (to be specified)

pending

Benign - Exogenous

Bl.1 Tattoo

pending

Foreign body granuloma

pending

Exogenous, other (to be specified)

pending

Benign - Collision - Only benign proliferations

Bl.1 Collision, Only benign proliferations (to be specified)

pending

Benign - Benign - Other

Bl.1 Benign, other (or not readily classifiable; to be specified)

pending

Malignant - Melanocytic proliferations

Bl.1 Melanoma in situ, NOS

pending

Melanoma in situ, Lentigo maligna type / melanoma in situ on chronically sun-exposed skin

pending

Melanoma in situ, Acral / acral-lentiginous

pending

Melanoma in situ, Mucosal (site to be specified: e.g. lip, oral mucosa, genital, other)

pending

Melanoma in situ, Superficial spreading

pending

Melanoma in situ, Pagetoid

pending

Bl.2	Melanoma in situ, Recurrent / persistent	<u>pending</u>
	Melanoma in situ, other (to be specified)	<u>pending</u>
	Melanoma Invasive, NOS modifiable by Breslow depth __mm / Depth unknown / Melanoma transected at base, depth at least __mm and modifiable by Ulcerated / Not ulcerated	<u>pending</u>
	Melanoma Invasive, Superficial spreading modifiable by Breslow depth __mm / Depth unknown / Melanoma transected at base, depth at least __mm and modifiable by Ulcerated / Not ulcerated	<u>pending</u>
	Melanoma Invasive, On chronically sun-exposed skin / lentigo maligna melanoma modifiable by Breslow depth __mm / Depth unknown / Melanoma transected at base, depth at least __mm and modifiable by Ulcerated / Not ulcerated	<u>pending</u>
	Melanoma Invasive, Acral / Acral-lentiginous modifiable by Breslow depth __mm / Depth unknown / Melanoma transected at base, depth at least __mm and modifiable by Ulcerated / Not ulcerated	<u>pending</u>
	Melanoma Invasive, Nodular modifiable by Breslow depth __mm / Depth unknown / Melanoma transected at base, depth at least __mm and modifiable by Ulcerated / Not ulcerated	<u>pending</u>
	Melanoma Invasive, Desmoplastic (indicate if associated with lentigo maligna) modifiable by Breslow depth __mm / Depth unknown / Melanoma transected at base, depth at least __mm and modifiable by Ulcerated / Not ulcerated	<u>pending</u>
	Melanoma Invasive, Neurotropic modifiable by Breslow depth __mm / Depth unknown / Melanoma transected at base, depth at least __mm and modifiable by Ulcerated / Not ulcerated	<u>pending</u>
	Melanoma Invasive, Nevoid modifiable by Breslow depth __mm / Depth unknown / Melanoma transected at base, depth at least __mm and modifiable by Ulcerated / Not ulcerated	<u>pending</u>
	Melanoma Invasive, Spitzoid (melanoma resembling Spitz nevus / tumor) modifiable by Breslow depth __mm / Depth unknown / Melanoma transected at base, depth at least __mm and modifiable by Ulcerated / Not ulcerated	<u>pending</u>
	Melanoma Invasive, Pigmented spindle cell nevus like (melanoma resembling Reed nevus) modifiable by Breslow depth __mm / Depth unknown / Melanoma transected at base, depth at least __mm and modifiable by Ulcerated / Not ulcerated	<u>pending</u>

Melanoma Invasive, Blue nevus-like (melanoma resembling or originating from a blue nevus)
 modifiable by Breslow depth __mm / Depth unknown / Melanoma transected at base, depth at least __mm
 and modifiable by Ulcerated / Not ulcerated

pending

Melanoma Invasive, Recurrent / persistent

modifiable by Breslow depth __mm / Depth unknown / Melanoma transected at base, depth at least __mm
 and modifiable by Ulcerated / Not ulcerated

pending

Melanoma Invasive, Mucosal (site to be specified: e.g, lip, oral mucosa, genital, other)

modifiable by Breslow depth __mm / Depth unknown / Melanoma transected at base, depth at least __mm
 and modifiable by Ulcerated / Not ulcerated

pending

Melanoma Invasive, Heavily pigmented (resembling epithelioid blue nevus or melanoma developing in animals)

modifiable by Breslow depth __mm / Depth unknown / Melanoma transected at base, depth at least __mm
 and modifiable by Ulcerated / Not ulcerated

pending

Melanoma Invasive, Arising in a congenital nevus

modifiable by Breslow depth __mm / Depth unknown / Melanoma transected at base, depth at least __mm
 and modifiable by Ulcerated / Not ulcerated

pending

Melanoma Invasive, other (to be specified)

modifiable by Breslow depth __mm / Depth unknown / Melanoma transected at base, depth at least __mm
 and modifiable by Ulcerated / Not ulcerated

pending

Bl.3

Melanoma metastasis

modifiable by Epidermotropic / Non-epidermotropic

pending

Malignant - Epidermal proliferations

Bl.1

Solar (actinic) keratosis, NOS

modifiable by Histopathologically pigmented / Histopathologically non-pigmented

pending

Solar (actinic) keratosis, Hypertrophic (*a.k.a. Hyperplastic solar keratosis*)

modifiable by Histopathologically pigmented / Histopathologically non-pigmented

pending

Solar (actinic) keratosis, Atrophic

modifiable by Histopathologically pigmented / Histopathologically non-pigmented

pending

Solar (actinic) keratosis, Acantholytic

modifiable by Histopathologically pigmented / Histopathologically non-pigmented

pending

	Solar (actinic) keratosis, Bowenoid modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Solar (actinic) keratosis, other (to be specified) modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Solar cheilitis (<i>a.k.a. Solar keratosis of lip</i>) modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
BI.2	Puwa-associated keratosis modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Arsenical-associated keratosis modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
BI.3	Squamous cell carcinoma in situ, NOS modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Squamous cell carcinoma in situ, Solar keratotic type modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Squamous cell carcinoma in situ, Bowens disease modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Digitated squamous cell carcinoma in situ modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Squamous cell carcinoma in situ, other (to be specified) modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Verrucous carcinoma, Oral florid papillomatosis type modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Verrucous carcinoma, Carcinoma cuniculatum type modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Verrucous carcinoma, Giant condyloma type (<i>a.k.a. Buschke-Lowestein tumor</i>) modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Bowenoid papulosis modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
		<u>pending</u>

	Keratoacanthoma modifiable by Histopathologically pigmented / Histopathologically non-pigmented	
Bl.4	Squamous cell carcinoma, Invasive, NOS modifiable by Well differentiated / Moderately differentiated / Poorly differentiated / Differentiation not specified	<u>pending</u>
	Squamous cell carcinoma, Invasive, Keratoacanthoma-type (syn: SCC with Keratoacanthoma-features) modifiable by Well differentiated / Moderately differentiated / Poorly differentiated / Differentiation not specified	<u>pending</u>
	Squamous cell carcinoma, Invasive, Acantholytic modifiable by Well differentiated / Moderately differentiated / Poorly differentiated / Differentiation not specified	<u>pending</u>
	Squamous cell carcinoma, Invasive, Spindle cell modifiable by Well differentiated / Moderately differentiated / Poorly differentiated / Differentiation not specified	<u>pending</u>
	Squamous cell carcinoma, Invasive, Verrucous modifiable by Well differentiated / Moderately differentiated / Poorly differentiated / Differentiation not specified	<u>pending</u>
	Squamous cell carcinoma, Invasive, Adeno-squamous modifiable by Well differentiated / Moderately differentiated / Poorly differentiated / Differentiation not specified	<u>pending</u>
	Squamous cell carcinoma, Invasive, Clear cell modifiable by Well differentiated / Moderately differentiated / Poorly differentiated / Differentiation not specified	<u>pending</u>
	Squamous cell carcinoma, Invasive, other (to be specified) modifiable by Well differentiated / Moderately differentiated / Poorly differentiated / Differentiation not specified	<u>pending</u>
Malignant - Adnexal epithelial proliferations - Follicular		
Bl.1	Basal cell carcinoma, NOS modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Basal cell carcinoma, Superficial modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Basal cell carcinoma, Nodular modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Basal cell carcinoma, Micronodular modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
		<u>pending</u>

	Basal cell carcinoma, Infiltrating modifiable by Histopathologically pigmented / Histopathologically non-pigmented	
	Basal cell carcinoma, Sclerosing / morpheaform (morphoeic) modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Baso-squamous carcinoma modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Basal cell carcinoma with adnexal differentiation modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Basal cell carcinoma with sarcomatoid differentiation modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Basal cell carcinoma, Fibroepithelial (<i>a.k.a. Pinkus tumor</i>) modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Basal cell carcinoma, Combined subtypes (details of all components to be specified) modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
	Basal cell carcinoma, other (to be specified) modifiable by Histopathologically pigmented / Histopathologically non-pigmented	<u>pending</u>
Bl.2	Matrical / pilomatrical carcinoma	<u>pending</u>
	Proliferating trichilemmal carcinoma (<i>a.k.a. Proliferating isthmic-catagen carcinoma</i>)	<u>pending</u>
	Malignant adnexal epithelial proliferations, Follicular, other (to be specified)	<u>pending</u>
Malignant - Adnexal epithelial proliferations - Sebaceous		
Bl.1	Sebaceous carcinoma	<u>pending</u>
	Malignant adnexal epithelial proliferations, Sebaceous, other (to be specified)	<u>pending</u>
Malignant - Adnexal epithelial proliferations - Apocrine or Eccrine		
Bl.1	Paget disease, Mammary	<u>pending</u>
	Paget disease, Extra-mammary	<u>pending</u>

Microcystic adnexal carcinoma	<u>pending</u>
Apocrine carcinoma, NOS	<u>pending</u>
Tubular carcinoma	<u>pending</u>
Malignant mixed tumor	<u>pending</u>
Porocarcinoma	<u>pending</u>
Hidradenocarcinoma	<u>pending</u>
Mucinous carcinoma	<u>pending</u>
Digital papillary carcinoma	<u>pending</u>
Adenoid cystic carcinoma	<u>pending</u>
Adnexal adenocarcinoma arising in association with spiradenoma / cylindroma / spiradenocylindroma	<u>pending</u>
Malignant adnexal epithelial proliferations, Apocrine or Eccrine, other (to be specified)	<u>pending</u>

Malignant - Soft tissue proliferations - Vascular

Bl.1	Kaposi sarcoma	<u>pending</u>
	Angiosarcoma cutaneous, Face and scalp of elderly patients	<u>pending</u>
	Angiosarcoma cutaneous, NOS	<u>pending</u>
	Angiosarcoma cutaneous, With associated lymphedema	<u>pending</u>
	Angiosarcoma cutaneous, Post-irradiation	<u>pending</u>
	Angiosarcoma cutaneous, Epithelioid	<u>pending</u>
	Malignant glomus tumor (<i>a.k.a. Glomangiosarcoma</i>)	<u>pending</u>
Bl.2	Hemangioendothelioma, NOS	<u>pending</u>
	Hemangioendothelioma, Kaposiform	<u>pending</u>

Hemangioendothelioma, other (to be specified)

[pending](#)

Malignant soft tissue proliferations, Vascular, other (to be specified)

[pending](#)

Malignant - Soft tissue proliferations - Fibro-histiocytic

Bl.1 Atypical fibroxanthoma

[pending](#)

Pleomorphic undifferentiated sarcoma (*a.k.a. Malignant fibrous histiocytoma*)

[pending](#)

Dermatofibrosarcoma protuberans (DFSP)

[pending](#)

Fibrosarcoma

[pending](#)

Epithelioid sarcoma

[pending](#)

Malignant Soft tissue proliferations, Fibro-histiocytic, other (to be specified)

[pending](#)

Malignant - Soft tissue proliferations - Muscle tissue or myofibroblastic

Bl.1 Leiomyosarcoma, Cutaneous

[pending](#)

Rhabdomyosarcoma, Cutaneous

[pending](#)

Malignant Soft tissue proliferations, Muscle tissue, other (to be specified)

[pending](#)

Malignant - Soft tissue proliferations - Adipocytic

Bl.1 Liposarcoma, Well differentiated

[pending](#)

Liposarcoma, Undifferentiated (*a.k.a. Atypical lipomatous tumor*)

[pending](#)

Malignant soft tissue proliferations, Adipocytic, other (to be specified)

[pending](#)

Malignant - Soft tissue proliferations - Neural

Bl.1 Malignant peripheral nerve sheath tumor (*a.k.a. Peripheral nerve sheath sarcoma*)

[pending](#)

Malignant granular cell tumor (*a.k.a. Granular cell sarcoma*)

[pending](#)

Malignant soft tissue proliferations, Neural, other (to be specified)

[pending](#)

Malignant - Soft tissue proliferations - Cartilagenous and ossifying

Bl.1 Extraskelatal osteosarcoma

[pending](#)

Malignant soft tissue proliferations, Cartilagenous and ossifying, other (to be specified)

[pending](#)

Malignant - Soft tissue proliferations - Myoepithelial

Bl.1 Myoepithelial sarcoma

[pending](#)

Malignant - Soft tissue proliferations - Unknown or other histiogenesis

Bl.1 Ewing sarcoma, Primary cutaneous

[pending](#)

Malignant soft tissue proliferations, Unknown or other histiogenesis, other (to be specified)

[pending](#)

Malignant - Merkel cell proliferation

Bl.1 Merkel cell carcinoma

[pending](#)

Malignant - Lymphocytic proliferations - T-Cell /NK

Bl.1 Mycosis fungoides, NOS

[pending](#)

Mycosis fungoides, Folliculotropic

[pending](#)

Mycosis fungoides, Pagetoid reticulosis

[pending](#)

Mycosis fungoides, Granulomatous slack skin

[pending](#)

Mycosis fungoides, With large cell transformation

[pending](#)

Sezary syndrome

[pending](#)

Adult T-cell leukemia / lymphoma

[pending](#)

Primary cutaneous CD30+ lymphoproliferative disease, NOS

[pending](#)

Primary cutaneous CD30+ lymphoproliferative disease, Cutaneous anaplastic large cell lymphoma	<u>pending</u>
Primary cutaneous CD30+ lymphoproliferative disease, Lymphomatoid papulosis	<u>pending</u>
Subcutaneous panniculitis-like T-cell lymphoma	<u>pending</u>
Extranodal NK/T-cell lymphoma, Nasal type	<u>pending</u>
Chronic active EBV infection	<u>pending</u>
Primary cutaneous peripheral T-cell lymphoma, Rare subtype, NOS	<u>pending</u>
Primary cutaneous peripheral T-cell lymphoma, Rare subtype (to be specified)	<u>pending</u>
Primary cutaneous peripheral T-cell lymphoma, NOS	<u>pending</u>
Lymphocytic proliferation, T-Cell/NK, other (to be specified)	<u>pending</u>

Malignant - Lymphocytic proliferations - B-Cell

Bl.1 Primary cutaneous marginal zone lymphoma	<u>pending</u>
Primary cutaneous follicle center lymphoma	<u>pending</u>
Primary cutaneous large B-Cell lymphoma	<u>pending</u>
EBV1+ mucocutaneous ulcer (provisional)	<u>pending</u>
Intravascular large B-cell lymphoma	<u>pending</u>
Lymphocytic proliferation, B-Cell, other (to be specified)	<u>pending</u>

Malignant - Skin metastasis of internal solid (non-hematological) cancer

Bl.1 Skin metastasis of internal solid (non-hematological) cancer (to be specified)	<u>pending</u>
---	--------------------------------

Malignant - Collision - At least one malignant proliferation

Bl.1 Collision, At least one malignant proliferation (to be specified)	<u>pending</u>
--	--------------------------------

Malignant - Malignant – Other

Bl.1 Malignant, other (or not readily classifiable; to be specified)

pending

Uncertain - Melanocytic proliferations

Bl.1
 Pagetoid intradermepidermal melanocytic proliferation (PIMP)
 modifiable by MPATH II / MPATH III
 and modifiable by Histopathological report favors nevus / Histopathological report favors melanoma in situ /
 Histopathological report undecided

pending

Atypical intraepithelial melanocytic proliferation (AIMP)
 modifiable by MPATH II / MPATH III
 and modifiable by Histopathological report favors nevus / Histopathological report favors melanoma in situ /
 Histopathological report undecided

pending

Atypical melanocytic neoplasm, Junctional
 modifiable by MPATH II / MPATH III
 and modifiable by Histopathological report favors nevus / Histopathological report favors melanoma in situ /
 Histopathological report undecided

pending

Bl.2
 Atypical Spitz tumor, Junctional
 modifiable by MPATH III
 and modifiable by Histopathological report favors nevus / Histopathological report favors melanoma / Histopathological
 report undecided

pending

Atypical Spitz tumor, Compound
 modifiable by MPATH III
 and modifiable by Histopathological report favors nevus / Histopathological report favors melanoma / Histopathological
 report undecided

pending

Atypical Spitz tumor, Dermal (intradermal)
 modifiable by MPATH III
 and modifiable by Histopathological report favors nevus / Histopathological report favors melanoma / Histopathological
 report undecided

pending

Atypical pigmented spindle cell tumor, Junctional
 modifiable by MPATH III
 and modifiable by Histopathological report favors nevus / Histopathological report favors melanoma / Histopathological
 report undecided

pending

pending

Bl.3	Atypical pigmented spindle cell tumor, Compound modifiable by MPATH III and modifiable by Histopathological report favors nevus / Histopathological report favors melanoma / Histopathological report undecided	
	Atypical proliferative nodules in congenital melanocytic (Moderate or severe atypia OR mitotic activity) modifiable by MPATH III and modifiable by Histopathological report favors nevus / Histopathological report favors melanoma / Histopathological report undecided	<u>pending</u>
	Superficial atypical melanocytic proliferation of uncertain significance (SAMPUS) modifiable by MPATH II / MPATH III / MPATH IV and modifiable by Histopathological report favors nevus / Histopathological report favors melanoma / Histopathological report undecided	<u>pending</u>
	Melanocytic tumor of uncertain malignant potential (MELTUMP) modifiable by MPATH IV / MPATH V and modifiable by Histopathological report favors nevus / Histopathological report favors melanoma / Histopathological report undecided	<u>pending</u>
	Atypical melanocytic neoplasm, Compound modifiable by MPATH III / MPATH IV / MPATH V and modifiable by Histopathological report favors nevus / Histopathological report favors melanoma / Histopathological report undecided	<u>pending</u>
	Indeterminate melanocytic proliferation, other (to be specified) modifiable by MPATH II / MPATH III / MPATH IV / / MPATH V and modifiable by Histopathological report favors nevus / Histopathological report favors melanoma / Histopathological report undecided	<u>pending</u>