NEUROLINX

# SMART HOME AUTOMATION




One Smart Control. Endless Possibilities.

PRODUCT CATALOGUE | 2026

# Designed for Smarter Living

Connected experiences across everyday spaces





Neurolinx brings together familiar wall controls and modern connected devices in a unified smart-home concept. The portfolio shown here spans retrofit and touch-panel interfaces, infrared appliance control, single-phase and three-phase energy metering, water control, motorized curtains, and environmental monitoring.

A thoughtfully planned installation allows users to operate suitable devices from convenient control points while preserving an intuitive experience for family members and visitors. Actual functions depend on the selected model, wiring arrangement, network availability, and system configuration.

# Lighting Automation

Back-End Devices




Lighting automation combines switching devices, control modules and user interfaces so a home can manage its lights more conveniently. Back-end devices may be installed behind compatible switches or in suitable electrical enclosures, while front-end controls remain familiar to occupants.

A well-designed system can support room-by-room switching, preset scenes and timed operation. In retrofit projects, the electrical load, neutral-wire availability, enclosure space and appropriate protection must be checked before selecting hardware.

In living rooms, corridors and bedrooms, coordinated lighting scenes can make everyday routines simpler. Energy outcomes depend on the lighting equipment and how schedules and occupancy rules are configured.

# Retrofit & Touch Panels

Elegant Wall Controls



Retrofit automation is intended to add connected functionality to suitable existing electrical installations without requiring a complete redesign of the home. Touch panels provide a clean, modern interaction surface for common lighting and scene controls.

The touch interface becomes a visible part of the interior design. Panel selection should consider the number of controlled circuits, load ratings, wiring, mounting dimensions and user accessibility. A manual method of control is especially useful when network connectivity is unavailable.

Neurolinx product imagery illustrates premium wall-panel styling. Exact panel finishes, channel counts, dimming capabilities and voice compatibility should be confirmed against the chosen product specification.

# Universal IR Blaster

One Interface for Infrared Appliances



A universal infrared blaster is designed to transmit compatible IR commands to devices such as televisions, set-top boxes and certain air conditioners. It can reduce dependence on multiple handheld remotes by placing commonly used commands into a suitable app or automation interface.

Because infrared typically requires appropriate positioning and a clear transmission path, room layout matters. Compatibility depends on the appliance model and the command library or learning capability of the specific IR controller.

For a practical living-room setup, frequently used functions can be grouped into simple controls. An IR blaster does not necessarily receive confirmation that an appliance executed a command, so device state should not be assumed without feedback.

# Smart Energy Meters

Single-Phase & Three-Phase Monitoring




Smart energy meters can provide visibility into electrical consumption and help users understand where and when electricity is being used. Single-phase and three-phase installations have different electrical arrangements, so meter selection must match the supply and measurement requirements.

Depending on the meter and software platform, useful information may include voltage, current, power, cumulative energy and historical trends. Data can support awareness, reporting and better-informed decisions about appliance schedules.

Energy monitoring does not itself guarantee lower bills. Meter accuracy, current-transformer selection where applicable, communications and electrical installation must be verified by qualified professionals.

# Smart Water Control System

Connected Water Management




Smart water-control solutions combine compatible sensors, valves, pumps or controllers to support convenient management of household water systems. Applications can include tank-level awareness, pump scheduling and status notifications when the installed hardware supports them.

A practical system should account for water pressure, plumbing compatibility, power interruptions and manual override arrangements. Sensor placement and calibration are important for trustworthy readings, while control safeguards help avoid unintended operation.

The product image illustrates a connected water-management concept. Leak detection, dry-run protection and remote shutoff should be described as available features only when confirmed for the specific installed model.

# Motorized Smart Curtains

Comfortable, Convenient Shading



Motorized curtain tracks automate the opening and closing of suitable curtains, adding convenience to living rooms, bedrooms and large glazed spaces. Control may be offered through a wall switch, dedicated remote, application or integrated scene, depending on the selected motor and controller.

Curtain automation can be scheduled around daily routines or coordinated with compatible lighting systems. The track length, curtain weight, motor torque, available power and installation clearance determine the correct hardware configuration.

Thoughtful commissioning includes setting travel limits, checking smooth movement and ensuring that curtains can be operated safely. Voice and mobile-app features require compatible integrations and should be verified before purchase.

# Temperature Monitoring

Room Conditions & Alerts




A connected temperature monitor helps residents observe conditions in a room and can provide humidity readings when a suitable combined sensor is used. Clear on-screen measurements make environmental information easier to understand at a glance.

When paired with a supported app or automation platform, sensor readings may be used for notifications or to trigger compatible equipment. Alert thresholds should be chosen for the room and the purpose of monitoring, with consideration for sensor accuracy and placement.

Temperature and humidity monitoring is useful for general comfort awareness but should not be presented as a certified medical, fire-safety or industrial protection system unless the actual device is approved for that application.

# One Connected Experience

From individual products to coordinated spaces




A smart-home experience is strongest when individual controls feel like one coherent system. Wall panels, app interfaces, infrared controls, motorized curtains and environmental monitoring can be arranged around the routines of the household, subject to the supported functions of each device.

A typical evening scene might combine compatible room lighting and curtain movement, while an energy dashboard offers a separate view of electricity consumption. Automation rules should be tested carefully, especially where pumps, valves or other powered equipment are involved.

Connected-home standards such as Matter aim to improve interoperability across certified devices and ecosystems. However, no specific Neurolinx product in this catalogue is claimed to be Matter-certified; verify interoperability, app support and voice-assistant compatibility by model.

# Plan for Reliability

Design, installation and long-term usability

Successful smart-home projects begin with a room-by-room assessment of the existing wiring, network coverage, equipment ratings and user requirements. Device locations should be chosen for convenience, signal coverage and access for maintenance.

Electrical devices and meters should be installed and commissioned by qualified personnel in accordance with applicable local electrical rules and manufacturer instructions. Water-control components also require suitable plumbing arrangements and fail-safe operating considerations.

During handover, users should be shown how to operate essential functions, how to respond to a network outage and how to identify the correct support channel. Regular firmware maintenance, strong account security and clear permissions help keep a connected home manageable.

This brochure describes product categories and intended use cases. It is not a technical datasheet or certification declaration. Final product capabilities, ratings, supported protocols, warranties and compliance details must be confirmed from official Neurolinx documentation.

# Industry Context

Public sources used for general technology background

### ENERGY STAR - Smart Home Energy Management Systems

https://www.energystar.gov/products/smart_home_energy_mgnt_systems

### ENERGY STAR - Smart Home Tips

https://www.energystar.gov/products/smart_home_tips

### Connectivity Standards Alliance - Matter

https://csa-iot.org/all-solutions/matter/

### Connectivity Standards Alliance - Matter FAQs

https://csa-iot.org/all-solutions/matter/matter-faq/

Source note: the product names and imagery come from the user-provided Neurolinx screenshots. The explanatory text is original brochure copy informed by general industry references, not a quotation or verified Neurolinx specification.

Product photography in the screenshots is illustrative. Verify exact product variants, certifications, technical ratings, availability and integrations before external publication.