

< All Technologies

SwiftUI

-  **func glassEffect(Glass, in: some Shape) -> some...**
-  func glassEffectID((some Hashable & Sendable)?, i...
-  func glassEffectTransition(GlassEffectTransition) ->...
-  func glassEffectUnion(id: (some Hashable & Senda...
-  func groupActivityAssociation(GroupActivityAssocia...
-  func handGestureShortcut(HandGestureShortcut, i...
-  func handPointerBehavior(HandPointerBehavior?) ~...
-  func handlesGameControllerEvents(matching: GCU...
-  func handlesGameControllerEvents(matching: GCU...
-  func healthDataAccessRequest(store: HKHealthSto...
-  func healthDataAccessRequest(store: HKHealthSto...
-  func healthDataAccessRequest(store: HKHealthSto...
-  func imagePlaygroundGenerationStyle(ImagePlaygr...
-  func imagePlaygroundPersonalizationPolicy(Image...
-  func imagePlaygroundSheet(isPresented: Binding<...
-  func imagePlaygroundSheet(isPresented: Binding<...
-  func imagePlaygroundSheet(isPresented: Binding<...
-  func imagePlaygroundSheet(isPresented: Binding<...
-  func immersiveEnvironmentPicker<Content>(conte...
-  func inAppPurchaseOptions(((Product) async -> Se...
-  func journalingSuggestionsPicker(isPresented: Bind...
-  func journalingSuggestionsPicker(isPresented: Bind...
-  func labelIconToTitleSpacing(CGFloat) -> some View
-  func labelReservedIconWidth(CGFloat) -> some View
-  func labeledContentStyle<S>(S) -> some View
-  func labelsVisibility(Visibility) -> some View
-  func lineHeight(AttributedString.LineHeight?) -> so...
-  func listRowInsets(Edge.Set, CGFloat?) -> some Vi...
-  func listSectionIndexVisibility(Visibility) -> some View
-  func listSectionMargins(Edge.Set, CGFloat?) -> so...
-  func lookAroundViewer(isPresented: Binding<Bool>...
-  func lookAroundViewer(isPresented: Binding<Bool>...
-  func manageSubscriptionsSheet(isPresented: Bindi...
-  func managedContentStyle(ManagedContentStyle)...
-  func manipulable(coordinateSpace: some Coordina...
-  func manipulable(transform: Binding<AffineTransform...
-  func manipulable(using: Manipulable.GestureState) ...
-  func manipulationGesture(updating: Binding<Manip...
-  func mapCameraKeyframeAnimator(trigger: some E...
-  func mapControlVisibility(Visibility) -> some View
-  func mapControls(() -> some View) -> some View
-  func mapFeatureSelectionAccessory(MapItemData...
-  func mapFeatureSelectionContent(content: (MapF...
-  func mapFeatureSelectionDisabled((MapFeature) ~...
-  func mapItemDetailPopover(isPresented: Binding<...
-  func mapItemDetailPopover(isPresented: Binding<...
-  func mapItemDetailPopover(item: Binding<MKMapl...
-  func mapItemDetailPopover(item: Binding<MKMapl...
-  func mapItemDetailSheet(isPresented: Binding<Bo...
-  func mapItemDetailSheet(item: Binding<MKMaplTe...
-  func mapScope(Namespace.ID) -> some View
-  func mapStyle(MapStyle) -> some View
-  func matchedTransitionSource(id: some Hashable, ...
-  func matchedTransitionSource(id: some Hashable, ...
-  func materialActiveAppearance(MaterialActiveAppe...
-  func multilineTextAlignment(strategy: Text.Alignme...
-  func navigationLinkIndicatorVisibility(Visibility) -> so...
-  func navigationTransition(some NavigationTransitio...
-  func onAppIntentExecution<I>(I.Type, perform: (I) ~...
-  func onApplePayCouponCodeChange(perform: (Str...
-  func onApplePayPaymentMethodChange(perform: ...
-  func onApplePayShippingContactChange(perform: ...
-  func onApplePayShippingMethodChange(perform: (...
-  func onCameraCaptureEvent(isEnabled:defaultSou...
-  func onCameraCaptureEvent(isEnabled:defaultSou...
-  func onDragSessionUpdated((DragSession) -> Void...
-  func onDropSessionUpdated((DropSession) -> Voi...
-  func onGeometryChange3D(for:of:action:)
-  func onInAppPurchaseCompletion(perform: ((Produ...
-  func onInAppPurchaseStart(perform: ((Product) asy...
-  func onInteractiveResizeChange((Bool) -> Void) -> ...
-  func onMapCameraChange(frequency:_:)
-  func onOpenURL(prefersInApp: Bool) -> some View

[SwiftUI](#) / [View](#) / glassEffect(_:in:)

Instance Method

glassEffect(_:in:)

Applies the Liquid Glass effect to a view.

iOS 26.0+ | iPadOS 26.0+ | Mac Catalyst 26.0+ | macOS 26.0+ | tvOS 26.0+ | watchOS 26.0+

```
nonisolated
func glassEffect(
    _ glass: Glass = .regular,
    in shape: some Shape = DefaultGlassEffectShape()
) -> some View
```

Mentioned in

 [Applying Liquid Glass to custom views](#)

Discussion

When you use this effect, the system:

- Renders a shape anchored behind a view with the Liquid Glass material.
- Applies the foreground effects of Liquid Glass over a view.

For example, to add this effect to a [Text](#):

```
Text("Hello, World!")
    .font(.title)
    .padding()
    .glassEffect()
```

SwiftUI uses the [regular](#) variant by default along with a [Capsule](#) shape.

SwiftUI anchors the Liquid Glass to a view's bounds. For the example above, the material fills the entirety of the `Text` frame, which includes the padding.

You typically use this modifier with a [GlassEffectContainer](#) to combine multiple Liquid Glass shapes into a single shape that can morph into one another.

See Also

Styling views with Liquid Glass

-  [Applying Liquid Glass to custom views](#)
Configure, combine, and morph views using Liquid Glass effects.
-  [Landmarks: Building an app with Liquid Glass](#)
Enhance your app experience with system-provided and custom Liquid Glass.

- func interactive(Bool) -> Glass**
Returns a copy of the structure configured to be interactive.
- struct GlassEffectContainer**
A view that combines multiple Liquid Glass shapes into a single shape that can morph individual shapes into one another.
- struct GlassEffectTransition**
A structure that describes changes to apply when a glass effect is added or removed from the view hierarchy.
- struct GlassButtonStyle**
A button style that applies glass border artwork based on the button's context.
- struct GlassProminentButtonStyle**
A button style that applies prominent glass border artwork based on the button's context.
- struct DefaultGlassEffectShape**
The default shape applied by glass effects, a capsule.

Platforms

- [iOS](#)
- [iPadOS](#)
- [macOS](#)
- [tvOS](#)
- [visionOS](#)
- [watchOS](#)
- Tools**
- [Swift](#)
- [SwiftUI](#)
- [Swift Playground](#)
- [TestFlight](#)
- [Xcode](#)
- [Xcode Cloud](#)
- [SF Symbols](#)

Topics & Technologies

- [Accessibility](#)
- [Accessories](#)
- [App Extension](#)
- [App Store](#)
- [Audio & Video](#)
- [Augmented Reality](#)
- [Design](#)
- [Distribution](#)
- [Education](#)
- [Fonts](#)
- [Games](#)
- [Health & Fitness](#)
- [In-App Purchase](#)
- [Localization](#)
- [Maps & Location](#)
- [Machine Learning & AI](#)
- [Open Source](#)
- [Security](#)
- [Safari & Web](#)

Resources

- [Documentation](#)
- [Tutorials](#)
- [Downloads](#)
- [Forums](#)
- [Videos](#)
- Support**
- [Support Articles](#)
- [Contact Us](#)
- [Bug Reporting](#)
- [System Status](#)
- Account**
- [Apple Developer](#)
- [App Store Connect](#)
- [Certificates, IDs, & Profiles](#)
- [Feedback Assistant](#)

Programs

- [Apple Developer Program](#)
- [Apple Developer Enterprise Program](#)
- [App Store Small Business Program](#)
- [MFi Program](#)
- [News Partner Program](#)
- [Video Partner Program](#)
- [Security Bounty Program](#)
- [Security Research Device Program](#)
- Events**
- [Meet with Apple](#)
- [Apple Developer Centers](#)
- [App Store Awards](#)
- [Apple Design Awards](#)
- [Apple Developer Academies](#)
- [WWDC](#)

To submit feedback on documentation, visit [Feedback Assistant](#).

